

Appendix B

Historical Creel Census Records

Total fishing effort and harvest observed by conservation officers during 1929 to 1964 in the Tahquamenon River watershed.

- B.1. – Tahquamenon River mainstem and the East Branch Tahquamenon River
- B.2. – Select streams within the Tahquamenon River watershed.
- B.3. – Select lakes within the Tahquamenon River watershed.

This page was intentionally left blank.

B.1.—Historic Creel data for the Tahquamenon River mainstem and the East Branch Tahquamenon River.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Luce	Tahquamenon River	1930		48	89													
		1931	16	65	146													
		1932	38	38.5	11													
		1933	11	15	8													
		1934	4	17	17													
		1935	4	26	42													
		1936	5	49	48													
		1937	19	96	86													
		1938	11	45	52												9	
		1939	63	277	130												3	
		1940	44	230	258													
		1941	73	384	387													
		1942	69	405	246													
		1943	20	74	38													
		1944	21	63.5	70													
		1945	41	221	151													
		1946	19	87.5	70													
		1948	18	71	80													
		1949	33	155	142													
		1950	27	74	37													
		1951	3	4														
		1952	279	1,188	621		4				387	498						
		1953	23	101	91									35				

B.1.—Continued.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Luce	Tahquamenon River—continued.	1954	101	456	374		2	1			2	93		4	21		25	
		1955	189	745	612		1				110	378		8	10	45	9	
		1956	159	578	365	30	25	3			4	163		16	5		11	
		1957	268	1,111	650		3	8			3	132	547	5	9		11	
		1958	199	647	556	1					92	373		5			7	
		1959	166	547	497	9	22				3	37	1	1			1	
		1960	36	94.5	65			1		2		13			7			
		1961	82	198	206						25	30		1	1	3	8	
		1962	43	109	97	4					26	30		17	6	3	1	
		1963	53	165	80			1				100		12	5			
		1964	97	239	32	1					8	183		4	11			
Chippewa	Tahquamenon River	1929		15	36								1					
		1930		3									3		5			
		1938	6	13			1											
		1940	63	204				1	17			540		19	90			
		1941	36	169								107		9	53			
		1942	1	4										1				
		1944	15	42							3	3		18		7		
		1946	127	305				2			19	17		60	15			
		1947	37	68.5	72	1						1		3				
		1948	25	91								6		6	3	17		
		1949	59	133	24	10	19				7	43	1	34				
		1950	29	63				1			10	4	3	5				

B.1.—Continued.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Chippewa	Tahquamenon River—continued.	1951	56	139							7	10				11		
		1952	26	53	5	4	1				1				2	3		
		1953	2	4									1		3			
		1954	56	150	2		3	2				136		13	8			
		1955	67	183								1,059			3			
		1956	175	374	2		2				7	963		12	8		2	
		1957	75	219			1		1		2	256		4	5	1		
		1958	12	31	4	6	10						12					
		1959	15	57	1		1							12	5			
		1960	3	10	1	14	2								1	5		
		1962	11	32		2									1			
		1963	49	135	1	1	3	11			2		8	8	2	1		
	Tahquamenon River, E Br	1929		57	56									1				
		1930		149	252		4											
		1932		87	146													
		1933	1	4	5													
		1937	50	137	66													1
		1938	18	57.5	160													
		1939	10	41	49		8											
		1940	1	8	10													
		1941	6	16.5	17									2				
		1944		14	10													
		1945	7	6	2													

B.1.—Continued.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Chippewa	Tahquamenon River, E Br-continued.	1947	4	7	4													
		1949	32	95.5	99													
		1950	25	75	82													
		1951	593	2,174	2,774	6	17	1										
		1952	444	1,190	1,306	1	5											
		1953	354	1,006	1,012	1	2											
		1954	296	587	696	1												
		1955	72	294	267													
		1956	18	67	40													
		1957	34	89	126	3												
		1958	6	12	9	2												
		1959	12	30	14													
		1960	17	24.5	22													
		1961	4	18	20													
		1962	5	8	3													
		1963	4	9	9													

B.2.—Historic creel census data for select Tahquamenon River watershed streams.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Luce	Auger Creek	1934	6	4															
		1937	2	6	11														
		1940	5	19	22														
		1941	5	18	27														
		1942	3	9	25														
		1943	7	16	19														
		1945	6	9	4														
		1950	2	2															
		1952	16	32	30														
		1954	2	3	4														
		1955	11	21	24														
		1956	15	32	31														
		1957	18	35	40														
		1958	9	16.5	14														
		1959	19	42	78														
Sage River	Sage River	1938	5	10															
		1939	2	4	2														
		1946	3	9															
		1947	2	4															
	Sage River, E Branch	1939	1	2	3														
		1946	4	8	8														
		1949	21	28	35														
		1952	17	42.5	41														
		1957	2	3	1														

B.2.-Continued.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Luce	Sage River, E Branch—continued.	1958	8	8															
		1959	7	14															
		1961	3	7															
	Sage River, W Branch	1946	3	7															
		1952	3	3			5												
	Syphon Creek	1934	3	3	3														
		1937	4	12	12														
		1940	4	22	30														
		1941	5	21	39														
		1942	2	8	8														
		1943	5	19	22														
		1944	4	17	68														
		1945	4	7	6														
		1952	2	3	1														
		1952	2	2	1														
		1952	2	4	3														
		1952	4	5	1														
		1952	1	1	1														
		1952	2	8	9														
		1952	2	6	7														
		1952	1	2	1														
		1952	3	9	3														
		1952	2	7	9														

B.2.—Continued.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Luce	Syphon Creek—continued.	1952	2	7	5														
		1952	23	54	41														
		1955	11	23	36														
		1956	6	13	15														
		1957	24	46	46														
		1958	11	43	64														
		1959	7	18	25														
		1960	4	5	15														
		1961	2	7	11														
		1962	1	2	4														
Tahquamenon R, Branch		1955	7	18									9	18					5
		1954	4	8	16														
		1958	3	6	1														
		1964	1	1															
Third Creek		1960	8	13	33														
		1964	3	9	7														
Thirty-Nine Creek		1956	2	2															
		1960	2	2															
Mackinac	Hendrie River	1944	1	5	15														
		1946	1	2	6														
Chippewa	Cheney Creek	1946	1	2	6														
		1956	2	4	1														
	No. 14 Creek	1942	4	8	15														
		1943	3	8	1														

B.2.—Continued.

County	Stream	Year	No. anglers (lines)	Total hours	Brook trout	Brown trout	Rainbow trout	Smallmouth Bass	Largemouth Bass	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Bullheads	Suckers
Chippewa	Grant Creek—continued.	1947	4	21															
		1951	5	15	26														
		1952	10	23	28														
		1954	5	13	12														
		1960	2	4			6												
		1962	2	8	20														
		1963	4	1															
	Hendrie River	1930		3															
		1950	3	24															
		1952	12	12													3		
		1962	6	9														1	
	Riley Creek	1941	1	2	2														

B.3.–Historic creel census data for select Tahquamenon River watershed lakes.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskellunge	Bullheads	Suckers	Smelt
Hulbert	45N	7W	1	1929		10		5					11							
	45N	7W	1	1946	6	20	1						5							
	45N	7W	1	1950	14	27	4	5	1				5							
	45N	7W	1	1952	34	50	1	16	5		4		2	2	3					1
	45N	7W	1	1956	2	4							26							
	45N	7W	1	1959	35	73.5				1	10		688							23
	45N	7W	1	1960	13	34							191							2
	45N	7W	1	1963	22	68				13		443								8
	45N	7W	1	1965	4	5							2							
Walker	45N	5W	6	1950	2	2							35							
	45N	5W	6	1958	5	9							20							
	45N	5W	6	1959	8	16													7	
Williams	45N	6W	10	1953	10	36							131							
	45N	6W	10	1954	3	7							62							
Barret	47N	10W	18	1937	1	1														
	47N	10W	18	1938	8	28		2	41											
	47N	10W	18	1939	10	36.5	7		79				4							
	47N	10W	18	1940	1	2			4											
Belle	47N	12W	9	1933	3	5		12												
	47N	12W	9	1934	2	6	7													
	47N	12W	9	1935	19	88	90													
	47N	12W	9	1937	19	110	50													
	47N	12W	9	1938	9	50	22						14							

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Belle—continued	47N	12W	9	1939	12	66	23						41							
	47N	12W	9	1940	15	51	35						98							
	47N	12W	9	1941	6	11							28							
	47N	12W	9	1942	27	64	25						122							
	47N	12W	9	1950	3	5	1						13							
	47N	12W	9	1952	4	12	5						62							
	47N	12W	9	1953	3	8	5						1							
	47N	12W	9	1954	8	23	5			15	8		24							
	47N	12W	9	1955	4	13				16	5		39							
	47N	12W	9	1956	7	15	3						42							
	47N	12W	9	1957	3	15	3						31							
	47N	12W	9	1958	3	12							22							
	47N	12W	9	1959	2	3			7		12									
	47N	12W	9	1960	4	7	1				1		12							
	47N	12W	9	1962	4	11				6			110							
	47N	12W	9	1963	2	14														
Bennet Springs	47N	12W	17	1960	4	2														
Benny	47N	12W	24	1961	64	128														
	47N	12W	24	1962	41	65														
	47N	12W	24	1963	54	106														
Camp 7	47N	12W	16	1940	1	3						1		3		1				
	47N	12W	16	1941	3	12								8						
	47N	12W	16	1942	4	8								3						

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Camp 7—continued	47N	12W	16	1943	7	12										5				
	47N	12W	16	1952	14	33										19				
	47N	12W	16	1955	2	3										1				
	47N	12W	16	1956	11	37	3		15				25			8				
	47N	12W	16	1957	3	12										7				
	47N	12W	16	1958	10	32			13							9				
	47N	12W	16	1959	1	1														
	47N	12W	16	1961	6	14							1							
	47N	12W	16	1964	2	2														
Cleveland Cliffs	47N	10W	17	1948	2	5										7				
Dishpan	47N	12W	22	1939	4	15			8				33							
East	45N	11W	10	1930	3	6										12				
	45N	11W	10	1941	10	25	1		51				8			4				
	45N	11W	10	1949	4	8			32											
	45N	11W	10	1951	4	7			30				42							
	45N	11W	10	1952	4	10			5				21							
	45N	11W	10	1955	2	10			17				7							
Frank	47N	12W	5	1958	8	27							157							
	47N	12W	5	1959	17	41							150							
	47N	12W	5	1964	4	9														
Fur Farm	47N	12W	22	1934	6	10							44							
	47N	12W	22	1938	2	20	1			8			22							
	47N	12W	22	1940	4	16							46							

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Grass	47N	12W	17	1959	4	5														
	47N	12W	17	1960	9	21														
	47N	12W	17	1961	2	6														
	47N	12W	17	1962	2	2														
	47N	12W	17	1963	4	4														
Halfway	47N	10W	17	1950	2	3														
	47N	10W	17	1951	4	8														
	47N	10W	17	1952	30	58														
	47N	10W	17	1953	3	7														
Hamilton	46N	10W	35	1962	4	4														
Kaks	45N	10W	9	1949	7	15														
	45N	10W	9	1950	4	8														
	45N	10W	9	1951	13	26														
	45N	10W	9	1952	5	15	2													
	45N	10W	9	1953	5	5														
	45N	10W	9	1954	19	37														
	45N	10W	9	1955	5	13														
	45N	10W	9	1956	11	21														
	45N	10W	9	1957	2	6														
	45N	10W	9	1960	2	3														
Kelly	47N	11W	26	1956	16	54														
	47N	11W	26	1957	3	5														

B.3.–Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Long	47N	12W	21	1950	1	2														
	47N	12W	21	1952	2	4														
	47N	12W	21	1955	3	5														
	47N	12W	21	1957	3	4														
	47N	12W	21	1959	5	8														
	47N	12W	21	1960	6	7														
	47N	12W	21	1961	2	5														
	47N	12W	21	1962	2	3														
	47N	12W	21	1964	12	29														
Lost (Little Fur Farm)	47N	12W	22	1940	2	8										34				
	47N	12W	22	1942	2	2										14				
	47N	12W	22	1949	2	6														
	47N	12W	22	1950	32	74														
	47N	12W	22	1951	31	74														
	47N	12W	22	1952	23	47														
	47N	12W	22	1953	24	33														
	47N	12W	22	1954	12	15														
	47N	12W	22	1955	12	15														
	47N	12W	22	1956	10	18														
	47N	12W	22	1957	13	18														
	47N	12W	22	1958	15	49														
	47N	12W	22	1959	33	62														
	47N	12W	22	1960	9	17														
	47N	12W	22	1961	4	15														
	47N	12W	22	1962	21	60														

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Lost (Little Fur Farm)—continued	47N	12W	22	1963	9	15														
	47N	12W	22	1964	10	18														
Marsh	47N	12W	5	1958	42	122							728					1		
	47N	12W	5	1959	12	20							59							
	47N	12W	5	1960	2	9							20							
Mud	46N	11W	27	1936	1	4								1						
	46N	11W	27	1939	11	64								20						
	46N	11W	27	1940	11	66								23		9				
	46N	11W	27	1941	5	32									18					
	46N	11W	27	1942	31	73									13	1				
	46N	11W	27	1943	9	47									22					
	46N	11W	27	1944	7	34									23	2	1			
	46N	11W	27	1945	6	27									11					
	46N	11W	27	1949	10	59							41		17	1				
	46N	11W	27	1952	26	85							5		41		1			
	46N	11W	27	1954	36	151							45		53					
	46N	11W	27	1955	49	176							21		58					
	46N	11W	27	1956	51	210	1	1					75		92					
	46N	11W	27	1957	10	41							46		10					
	46N	11W	27	1958	16	69							3		43					
	46N	11W	27	1959	14	67								26						
	46N	11W	27	1960	4	18							14		8					
	46N	11W	27	1961	4	8							1		8					
	46N	11W	27	1964	10	26														

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Musgrave	47N	12W	22	1949	2	8														
	47N	12W	22	1950	7	11										4				
	47N	12W	22	1952	3	17										14				
	47N	12W	22	1953	5	12										23				
	47N	12W	22	1957	3	6										25				
Peanut	47N	11W	30	1934		7	4													
	47N	11W	30	1935	2	8	9													
	47N	11W	30	1942	3	7	3													
	47N	11W	30	1949	3	3														
	47N	11W	30	1950	35	60														
	47N	11W	30	1951	113	245														
	47N	11W	30	1952	14	32														
	47N	11W	30	1953	69	169														
	47N	11W	30	1954	12	16			25											
	47N	11W	30	1955	33	88				14										
	47N	11W	30	1956	4	2				20						1				
	47N	11W	30	1957	67	189				55		13				4				
	47N	11W	30	1958	2	3														
	47N	11W	30	1959	120	291														
	47N	11W	30	1960	17	34														
	47N	11W	30	1969	70	169														
	47N	11W	30	1962	46	100														
	47N	11W	30	1963	51	148														
	47N	11W	30	1964	49	165														

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Quinlan	47N	12W	35	1934																
	47N	12W	35	1952	2	9			19						2					
	47N	12W	35	1955	2	9			22						1					
	47N	12W	35	1958	4	8			37											
Smith	47N	12W	23	1961	2	4														
Syphon	47N	12W	24	1960	10	13														
	47N	12W	24	1961	28	73														
	47N	12W	24	1962	7	23														
	47N	12W	24	1963	3	6														
Tahquamenon	47N	12W	7	1955	3	14			2					67						
	47N	12W	7	1959	16	55								246						
Young	47N	11W	29	1937	1	5														
	47N	11W	29	1938	20	120														
	47N	11W	29	1939	13	60														
	47N	11W	29	1940	2	10														
	47N	11W	29	1942	1	4														
	47N	11W	29	1943	11	32														
	47N	11W	29	1944	4	8								4						
	47N	11W	29	1945	4	12								4						
	47N	11W	29	1946	2	5														
	47N	11W	29	1949	17	46														
	47N	11W	29	1950	9	9														
	47N	11W	29	1951	12	32														

B.3.—Continued.

Lake	Township	Range	Section	Year	No. anglers (lines)	Total hours	Smallmouth	Largemouth	Bluegill	Pumpkinseed	Rock bass	Black Crappie	Perch	Grass Pike	Walleye	Northern pike	Muskelunge	Bullheads	Suckers	Smelt
Young—continued	47N	11W	29	1952	11	22														
	47N	11W	29	1953	26	52														
	47N	11W	29	1954	22	44														
	47N	11W	29	1955	22	47											1			
	47N	11W	29	1956	50	65														
	47N	11W	29	1957	70	178														
	47N	11W	29	1958	28	98														
	47N	11W	29	1959	88	181														
	47N	11W	29	1960	23	36														
	47N	11W	29	1961	35	64														
	47N	11W	29	1962	39	94														
	47N	11W	29	1963	25	41														
	47N	11W	29	1964	15	45														
	47N	11W	29	1964	2	1														
	47N	11W	29	1964	17	46														