



Compartment Review Presentation

Traverse City Forest Management Unit

Compartment 61017

Entry Year 2026

Acreage: 1,810

County Benzie

Management Area: Grand Traverse Moraine

Stand Examiner: Craig Allen

Legal Description:

T26N - R13W; sections 21, 28, 33

Identified Planning Goals:

This compartment is a part of the Benzie Outwash Management Area. Within this compartment there is a high percentage of early successional forest types consisting primarily of aspen, red maple and cherry that will continue to require harvest treatments to balance age class distributions. We will concentrate our harvest efforts on the oldest age classes to regenerate. Most of the proposed treatments are targeting these stands. These cuts will have retention islands as well as various scattered retention trees remaining.

Soil and topography:

Soils in this compartment include Kalkaska, Rubicon, and Roscommon-AuGres-Croswell sands. Topography is level to gently rolling, with some low hardwood hills in the southwest and southeast corners of the compartment. There is a shallow valley along Kinney Creek. Some flat areas south of Cinder Road have a high water table with some wetlands.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

This part of Benzie County is predominantly forested state land. There are a campground and several cottages and homes along Turtle Lake, just west of the compartment. Private land parcels along Cinder and Miller Roads have low density rural homes.

Unique Natural Features:

Kinney Creek flows underground across most of section 21 and emerges near the west section line. A short stretch of seasonal flowage drains lowland aspen forest on the east side of section 28 into a seasonally wet grassy opening near the center of the section.

Archeological, Historical, and Cultural Features:

There are known concerns within the compartment. All proposed management activities have taken these concerns into consideration.

Special Management Designations or Considerations:

A pocket of oak wilt has been confirmed in section 33 and treatment is being prescribed to contain it. Also, see all other attached proposed treatments.

Watershed and Fisheries Considerations:

Kinney Creek is a designated trout stream that flows through the northern portion of this compartment. Suitable buffers (as outlined in Water Quality Management Practices on Forest Land) should be applied to treatment areas adjacent to Kinney Creek.

Wildlife Habitat Considerations:

Compartment 17 is comprised of a broad outwash plain with few lakes and wetlands. There is a campground nearby and this area receives a fair number of hunters and recreationalists. Kinney Creek transects the middle of this compartment but is mostly underground in this area.

The sandy soils of this land type association (LTA) were often the setting for large wildfires. Felling of encroaching woody vegetation may be necessary to maintain the openings. Many wildlife species prefer areas with forest edge. Such animals include white-tailed deer, white-throated sparrow, and blue racer.

Large areas north of Cinder Road are aspen stands. Presettlement vegetation was mostly upland conifers (white pine) and this area has a natural tendency to revert back to this stage. Since mixed-aged aspen stands are desirable for many wildlife species, management objectives should focus in keeping this area at a mid-successional stage. Timber practices should include a plan for variable age classes within the aspen stands, with the inclusion of large coarse woody debris.

Timber harvest practices that would mimic fires of various intensities should be implemented, when applicable. Animals that may be found here include white-tailed deer, ruffed grouse, smooth green snake, and northern flicker.

The lowland areas within this compartment are mixed lowland shrubs. These areas provide cover and a food source with its many berries. The oak stands should be managed to try to regenerate these species, while still providing hard mast for wildlife.

Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of glacial outwash sand and gravel and postglacial alluvium and minor coarse-textured till. The glacial drift thickness varies between 400 and 600 feet. Beneath the glacial drift is the Devonian Ellsworth Shale. The Ellsworth is used for cement products. A gravel pit is located one and one-half miles to the northwest and there should be potential, especially to the south. This area is located in an area of recent Antrim Shale development. The Compartment is leased for oil and gas development and the Antrim Shale appears to have potential. (Tom Hoane)

Vehicle Access:

There is good vehicle access throughout the compartment.

Survey Needs:

There are no known survey needs within this compartment at this time.

Recreational Facilities and Opportunities:

The Betsie River snowmobile trail crosses section 33. Non-Winter cuts are preferred, however, if a winter cut is silviculturally desirable, then appropriate snowmobile trail protection specifications should be used to accommodate both timber sale, and snowmobiling activities. Additional snowmobile related trail protection specifications should be used if trail is impacted by timber treatments. Dispersed recreational activities in this compartment include hunting, camping, trapping, mushrooming, and berry picking. (T.M.N. 4/14/14)

Fire Protection:

This area has wildfire protection by the Almira Township Fire Department and the Traverse City DNR.

Additional Compartment Information:

Any of the private lands within this compartment should be considered for purchase if they become available. Purchase of these lands would further help to block in State ownership of land within this compartment, thereby making land management easier with better access and allowing more contiguous land area for public enjoyment and use.

The following reports from the Inventory are attached:



- Total Acres by Cover Type and Age Class**
- Cover Type by Harvest Method**
- Proposed Treatments – No Limiting Factors**
- Proposed Treatments – With Limiting Factors**
- Stand Details (Forested and Nonforested)**
- Dedicated and Proposed Special Conservation Areas**
- Site Condition Details**

The following information is displayed, where pertinent, on the attached compartment maps:


- Base feature information, stand boundaries, cover types, and numbers**
- Proposed treatments**
- Site condition boundaries**
- Details on the road access system**

Cover Type & Treatments Map

Compartment: 61017
 T26N, R13W, Sec: 21, 28, 33
 County: Benzie
 Unit: Traverse City
 Mgmt Area: Grand Traverse Moraine
 YOE: 2026
 Acres: 1809.8 GIS Calculated
 Examiner: Craig Allen
 Map Revised: 07/08/2024
 Map Phase: Web-Post




- Snowmobile Trails
- Designated Snowmobile Trails
- Remonumented Section Corners
- Survey Grade Corners
- Berms
- Campground
- Parking Lot
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Lakes and Rivers
- Intermittent Stream
- Lake/Pond
- Perennial River
- Counties
- Compartment Boundary
- Other Treatment - See Comments
- Selection (Group, Single Tree)
- Clearcut (w/Reserves)
- 411 - Northern Hardwood
- 412 - Oak Types
- 413 - Aspen Types
- 419 - Mixed Upland Deciduous
- 421 - Planted Pines
- 422 - Natural Pines
- 611 - Lowland Deciduous Forest
- 122 - Roads/Parking Lot
- 310 - Herbaceous Openland
- 320 - Upland Shrub
- 330 - Low Density Trees
- 622 - Lowland Shrub




Stand Boundary Map

Compartment: 61017
 T26N, R13W, Sec: 21, 28, 33
 County: Benzie
 Unit: Traverse City
 Mgmt Area: Grand Traverse
 Moraine
 YOE: 2026
 Acres: 1809.8 GIS Calculated
 Examiner: Craig Allen
 Map Revised: 07/08/2024
 Map Phase: Web-Post





- Snowmobile Trails
- Designated Snowmobile Trails
- Remonumented Section Corners
- Survey Grade Corners
- Berms
- Campground
- Parking Lot
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Lakes and Rivers
- Intermittent Stream
- Lake/Pond
- Perennial River
- Counties
- Compartment Boundary
- Stand Boundaries
- 411 - Northern Hardwood
- 412 - Oak Types
- 413 - Aspen Types
- 419 - Mixed Upland Deciduous
- 421 - Planted Pines
- 422 - Natural Pines
- 611 - Lowland Deciduous Forest
- 122 - Roads/Parking Lot
- 310 - Herbaceous Openland
- 320 - Upland Shrub
- 330 - Low Density Trees
- 622 - Lowland Shrub
- State Forests




Special Conservation Areas & Site Conditions Map

Compartment: 61017
 T26N, R13W, Sec: 21, 28, 33
 County: Benzie
 Unit: Traverse City
 Mgmt Area: Grand Traverse Moraine
 YOE: 2026
 Acres: 1809.8 GIS Calculated
 Examiner: Craig Allen
 Map Revised: 07/08/2024
 Map Phase: Web-Post



- Snowmobile Trails
- Designated Snowmobile Trails
- Remonumented Section Corners
- Survey Grade Corners
- Berms
- Campground
- Parking Lot
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Lakes and Rivers
- Intermittent Stream
- Lake/Pond
- Perennial River
- Counties
- Compartment Boundary
- SCA
- Available w/ Constraints
- Unavailable
- 5B: Maintain for regeneration purposes
- 5C: Delay treatment for age/size class diversity or exceptional site
- 1C: Other dept or div proc/practices
- 2G: Too wet (sensitive soils, does not include access issues)
- 3G: Other Influence zones - See comments
- 5A: Not able to obtain desirable regeneration
- 5E: Long-Term Retention
- Available w/ Constraints
- Unavailable
- Stand Boundaries
- Cold Water Streams
- High Priority Trout Stream Buffer
- Vernal Pool



Report 1 – Total Acres by Cover Type and Age Class



Age Class

	Non-Forest	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100-109	110-119	120-129	130-139	140-149	150+	Uneven-Aged	Total
Aspen	0	254	121	50	313	85	113	74	74	0	0	0	0	0	0	0	0	16	1099
Herbaceous Openland	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
Low-Density Trees	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25
Lowland Aspen/Balsam Poplar	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	16
Lowland Shrub	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
Mixed Upland Deciduous	0	0	0	0	0	0	0	5	0	0	0	23	0	0	0	0	0	19	47
Northern Hardwood	0	0	5	1	8	0	3	0	0	64	3	200	0	0	0	0	0	57	341
Oak	0	0	0	0	0	0	1	0	0	0	0	83	0	28	0	0	0	8	120
Planted Mixed Pines	0	0	0	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
Red Pine	0	0	0	0	0	0	0	36	0	0	0	0	0	0	0	0	0	0	36
Upland Shrub	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Urban	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
White Pine	0	0	0	0	0	0	0	0	28	51	0	0	0	0	0	0	0	0	79
Total	59	254	126	66	321	85	117	115	102	115	3	306	0	28	0	0	0	116	1812



Report 2 – Treatment Summary

Traverse City Mgt. Unit
Year of Entry: 2026

Acres of Harvest

Compartment 17
Total Compartment Acres: 1,810

Commercial Harvest - 174
Harvests with Site Condition - 0
Next Step Harvest - 0
Habitat Cut - 0

Cover Type by Harvest Method

	Clearcut	Selection	Patch Clearcut	Seed Tree	Shelterwood	Thinning	Overstory Removal	Salvage	Other	Total Acres
Aspen	127	0	0	0	0	0	0	0	0	127
Mixed Upland Deciduous	9	0	0	0	0	0	0	0	0	9
Northern Hardwood	3	32	0	0	0	0	0	0	0	35
Red Pine	3	0	0	0	0	0	0	0	0	3
Total	142	32	0	0	0	0	0	0	0	174

Proposed and Next Step Treatments by Method

	Harvest	Site Prep	Planting	Seeding	Burning	Pesticide	Monitoring	Other	Non-Forest Mgt.	Total Acres
Current	174	0	0	0	0	0	0	26	0	200
Next Step	0	0	0	0	0	0	174	0	0	174
Total	174	0	0	0	0	0	174	26	0	373



S t a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
-----------------------	-------------------	-------	--------------------	-----------------	--------------	-------------	-------------------	---------------------	-------------------------	------------------	----------------

Proposed Treatments:

6	61017006-Cut	3.1	4116 - Mixed N. Hardwood - Aspen	Poletimber Well	75	81-110	Harvest	Clearcut with Retention	4139 - Aspen, Mixed Deciduous	Even-Aged	No
<p><u>Prescription</u> Harvest all species to regenerate and expand aspen component. Except, keep all oak. <u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u></p> <p><u>Acceptable</u> aspen, maple, oak, pine <u>Regen:</u></p> <p><u>Other</u> Add drumming log spec to sale. <u>Comment:</u></p> <p><u>Site Condition</u></p> <p>Proposed Start Date: 10/1 /2025</p>											
8	61017008-NF	2.2	3204 - Mast Producing Shrub	Nonstocked			Unspec ified	NonForestMgt Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub		No
<p><u>Prescription</u> Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> <u>Regen:</u></p> <p><u>Other</u> <u>Comment:</u></p> <p><u>Site Condition</u></p> <p>Proposed Start Date: 10/1 /2025</p>											
13	61017013-Cut	26.9	4130 - Aspen	Poletimber Well	55	Unspec ified	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Harvest all aspen, maple, cherry and merchantable white pine. Protect non-merchantable pine during harvest operations to keep as component of the stand. Mark long term retention areas as shown on inventory map. Leave all oak and mark to leave any legacy trees. <u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u></p> <p><u>Acceptable</u> aspen, maple, cherry, pine, oak <u>Regen:</u></p> <p><u>Other</u> add drumming spec. <u>Comment:</u></p> <p><u>Site Condition</u></p> <p>Proposed Start Date: 10/1 /2025</p>											



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

25	61017025-Cut	27.8	4131 - Aspen, Oak	Sawtimber Well	59	Unspec ified	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
----	--------------	------	-------------------	----------------	----	--------------	---------	-------------------------	-------------	-----------	----

Prescription Harvest all aspen, maple, cherry and merchantable white pine mainly for goal of expansion of aspen. Harvest most red oak but mark scattered leave trees of large oak especially along edge of lamb road on south end of harvest area (for aesthetic purposes). Do not cut any white oak or red pine. Also, mark to leave any "legacy" pine or oak as their are a few within stand. Long-term retention area for this harvest as defined on map (at intersection area of roads).

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen, maple, cherry, white pine, red pine, oak

Regen:

Other

Comment:

Site Condition

Proposed Start Date: 10/1 /2025

28	61017028-Cut	49.5	4131 - Aspen, Oak	Poletimber Well	47	Unspec ified	Harvest	Clearcut with Retention	4131 - Aspen, Oak	Even-Aged	No
----	--------------	------	-------------------	-----------------	----	--------------	---------	-------------------------	-------------------	-----------	----

Prescription Clearcut stand to primarily regenerate and expand aspen, but retain some oak and pine.

Specs: Leave all white oak. Leave a few long term retention islands positioned length-way and parallel to cinder road for visual diversity. Protect sub-merchantable white pine. Also can mark some scattered (2 to 5 per acre) oak and pine for long term retention trees.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen, maple, white pine, red pine, oak, cherry

Regen:

Other Add drumming log spec to sale.

Comment: Not: Retention islands on inventory map are approximate location/size and can be adjusted as deemed appropriate by Forester.

Site Condition

Proposed Start Date: 10/1 /2025

32	61017032-Cut	2.9	42110 - Planted Red Pine	Sawtimber Well	67	141-170	Harvest	Clearcut with Retention	4133 - Aspen, Mixed Pine	Even-Aged	No
----	--------------	-----	--------------------------	----------------	----	---------	---------	-------------------------	--------------------------	-----------	----

Prescription Convert area to mix hardwoods with components of red and white pine. Cut all red pine and hardwoods to allow aspen to regenerate into the stand from the south. Mark to leave small clumps (islands) and or individuals of red pine scattered for species diversity and seed trees. Be sure to leave red pine residual higher in the northwest lobe of the stand to help protect the adjacent super-canopy white pine (to the east) from potential windthrow. Protect advanced white pine regeneration from logging damage as possible.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable aspen, maple, red pine, white pine

Regen:

Other

Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

51	61017051-NF	1.4	3103 - Rubus-Fern	Nonstocked		Unspecified	NonForestMgt	Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub	No
----	-------------	-----	-------------------	------------	--	-------------	--------------	---------------------------	-----------------------------	----

Prescription Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025

54	61017054-NF	2.4	3303 - Mixed Low Density Trees	Nonstocked		Unspecified	NonForestMgt	Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub	No
----	-------------	-----	--------------------------------	------------	--	-------------	--------------	---------------------------	-----------------------------	----

Prescription Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025

55	61017055-NF	12.6	3303 - Mixed Low Density Trees	Nonstocked		Unspecified	NonForestMgt	Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub	No
----	-------------	------	--------------------------------	------------	--	-------------	--------------	---------------------------	-----------------------------	----

Prescription Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

63	61017063-NF	1.1	3301 - Low Density Deciduous Trees	Nonstocked	Unspecified	NonForestMgt	Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub		No
-----------	--------------------	-----	------------------------------------	------------	-------------	--------------	---------------------------	-----------------------------	--	----

Prescription Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025

65	61017065-NF	1.7	31021 - Cool Season Grass	Nonstocked	Unspecified	NonForestMgt	Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub		No
-----------	--------------------	-----	---------------------------	------------	-------------	--------------	---------------------------	-----------------------------	--	----

Prescription Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025

68	61017068-NF	4.5	3301 - Low Density Deciduous Trees	Nonstocked	Unspecified	NonForestMgt	Fruit Tree/Shrub Planting	3204 - Mast Producing Shrub		No
-----------	--------------------	-----	------------------------------------	------------	-------------	--------------	---------------------------	-----------------------------	--	----

Prescription Selectively hand fell woody encroachment to maintain upland brush/grassland community. Leave scattered mast producing trees and shrubs and/or conifers for wildlife food and cover. Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. May need to fertilize plantings and protect with wire cages or tubex.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

70	61017070-Cut	8.5	4130 - Aspen	Poletimber Well	57	81-110	Harvest	Clearcut with Retention	4139 - Aspen, Mixed Deciduous	Even-Aged	No
<p><u>Prescription</u> Manage stand for mix of aspen and sugar maple. Harvest all species to regenerate and expand aspen. Green mark scattered seed trees (aprox.10) of maple leaving the better quality/form log trees for seed source and diversity. These trees are more concentrated in the SW area of the stand. Protect advanced sugar maple as much as possible during logging operations.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> aspen, sugar maple</p> <p><u>Other Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>											

77	61017077-Cut	31.8	4110 - Sugar Maple Association	Sawtimber Well	102	81-110	Harvest	Single Tree Selection	411 - Northern Hardwood	Even-Aged	No
<p><u>Prescription</u> Lightly thin by selection removing poor-form, multi-stem and suppressed trees. Reduce average volume to approximately 80 BA. Goal is to open canopy in places to stimulate sugar maple regen in understory as well as put future growth on better trees.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> sugar maple, basswood, ash, cherry</p> <p><u>Other Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>											

88	61017088-Cut	9.2	4199 - Other Mixed Upland Deciduous	Sawtimber Well	108	81-110	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Manage for mix species stand. Harvest all hardwood species. Harvest merchantable white pine but mark some scattered mature pine for future seed source and protect sub-merchantable pine during logging operations. Long term retention is achieved through leaving the area of the stand untreated to the south east as well as the small area in the southwest corner.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> aspen, maple, oak, cherry, white pine.</p> <p><u>Other Comment:</u> Add drumming spec.</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>											



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
93 61017093-Cut	14.0	4130 - Aspen	Poletimber Well	71	Unspec ified	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Harvest all aspen, maple, cherry and merchantable white pine. Protect sub-merchantable white pine during harvest to keep as a component of the stand. Leave all oak and red pine. Mark to leave in stand any unique or "legacy" trees of any species. Long-term retention for this harvest is portion of stand south of 2-track road (see map) as defined by site condition layer.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Aspen, maple, cherry, white pine, red pine, oak.</p> <p><u>Regen:</u></p> <p><u>Other</u> add drumming log spec.</p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>										

Total Treatment Acreage Proposed: 199.6

Report 4 – Site Conditions

Traverse City Mgt. Unit
 Craig Allen : Examiner

Compartment: 17
 Year of Entry: 2026

Availability for Management

Total Acres	Acres Available	Acres Available With Condition	Acres Not Available
1099	867	173	59

Dominant Site Conditions

	Total Acres	Acres Available	Acres Available With Condition	Acres Not Available	Dominant Site Conditions							
					5B	5C	1C	2G	3G	5A	5E	
1099	867	173	59		Aspen	74	99		34			25
13	11	2	0		Herbaceous Openland		2					
25	23	0	2		Low-Density Trees						2	
16	16	0	0		Lowland Aspen/Balsam Poplar				0			
15	15	0	0		Lowland Shrub				0			
47	27	0	20		Mixed Upland Deciduous	0		5	1			14
340	327	0	13		Northern Hardwood					7	0	5
119	9	63	47		Oak	63			0		47	
15	15	0	0		Planted Mixed Pines							
35	35	0	0		Red Pine							
2	2	0	0		Upland Shrub							
4	4	0	0		Urban							
79	75	0	4		White Pine							4
1,810	1,428	238	144		Total Forested Acres	137	101	5	36	7	48	48
	79%	13%	8%		Relative Percent							

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
2	Unavailable	5A: Not able to obtain desirable regeneration	21	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
3	Unavailable	5E: Long-Term Retention	6	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Traverse City Mgt. Unit
 Craig Allen : Examiner

Compartment: 17
 Year of Entry: 2026

4	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	20	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
5	Unavailable	5E: Long-Term Retention	4	Unspecified	Unspecified	Unspecified	Unspecified
Comments: long term retention areas associated with stand 15 and stand 83 harvest areas.							
6	Unavailable	3G: Other Influence zones - See comments	7	5E: Long-Term Retention	Unspecified	Unspecified	Unspecified
Comments: Unique, old (approx.125-200+yrs) and large (30+dbh) Legacy, super canopy white pine trees scattered throughout. 25 or more of these trees. Majority seem quite healthy. Some big old red oak trees too. Stand also used as long -term retention for harvest area to the south (stand 35).							
7	Unavailable	5A: Not able to obtain desirable regeneration	28	Unspecified	Unspecified	Unspecified	Unspecified
Comments: lack of oak regeneration							
8	Available	5B: Maintain for regeneration purposes	20	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
9	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments: retain area of advanced regen of sugar maple.							

Report 4 – Site Conditions

Traverse City Mgt. Unit

Craig Allen : Examiner

Compartment: 17

Year of Entry: 2026

10	Available	5B: Maintain for regeneration purposes	34	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
11	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	31	3G: Other Influence zones - See comments	Unspecified	Unspecified	Unspecified
Comments: Slopes and seasonal drainage							
12	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments: long term retention associated with harvest in stand 90.							
14	Available	5B: Maintain for regeneration purposes	14	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Let aspen fall out of stand naturally allowing understory to take over stand.							
15	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments: 2 islands within harvest area.							
16	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
17	Unavailable	1C: Other dept or div proc/practices	5	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Traverse City Mgt. Unit

Craig Allen : Examiner

Compartment: 17

Year of Entry: 2026

18	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	55	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Aspen doing fine...Hold off on harvest to stagger age classes of adjacent stands.							
19	Available	5B: Maintain for regeneration purposes	60	Unspecified	Unspecified	Unspecified	Unspecified
Comments: let aspen fall out of stand allowing hardwood regen in understory to take over the stand in time.							
20	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	13	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
23	Available	5B: Maintain for regeneration purposes	10	Unspecified	Unspecified	Unspecified	Unspecified
Comments: white pine seeding-in and doing good in understory...leave stand as is for now. Also, getting good over-story protection from weevil damage.							
24	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
Comments: long-term retention area for harvest of stand 93 (north of road)							
25	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	34	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Traverse City Mgt. Unit
 Craig Allen : Examiner

Compartment: 17
 Year of Entry: 2026

26	Unavailable	5E: Long-Term Retention	4	Unspecified	Unspecified	Unspecified	Unspecified
Comments: long-term retention for harvest surrounding it...stand 25 and 23.							
27	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
28	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
29	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
30	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments: long term retention areas for stand 13							
31	Unavailable	5E: Long-Term Retention	4	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Retention along Cinder road							
32	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments: long term retention area for surrounding timber sale area							

Report 4 – Site Conditions

Traverse City Mgt. Unit

Craig Allen : Examiner

Compartment: 17

Year of Entry: 2026

35	Unavailable	5E: Long-Term Retention	9	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Keep this portion of the stand as only un-treated area of the 4 contiguous stands of northern red oak in this location (stands 47, 48, 88, 57) This area also contains research plots = Many trees with blue numbers (MSU forest health?).							

Mgt. Unit

Compartment: #Type!

Year of Entry:



Report 5 – PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
----------	--------------	-------------	----------------	-------

Comments



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

ERA = Ecological Reference Area
 HCVA = High Conservation Value Area
 SCA = Special Conservation Area

Conservation Area	Type	Description
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen conditions that allow naturally-reproduced or stocked trout populations and those of other coldwater fish species (e.g., slimy sculpin) to persist from year to year. Coldwater streams in Michigan typically provide these conditions due to substantial contributions of groundwater to their stream flows. Such streams are established by Director's action and designated as trout resources by Fisheries Order 210.
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosystems in which the terrestrial ecosystem influences the aquatic ecosystem and vice-versa. Because of the unique conditions adjacent to lakes, streams and open water wetlands, riparian areas harbor a high diversity of plants and wildlife. Riparian communities are ecologically and socially significant in their effects on water quality and quantity, as well as aesthetics, habitat, bank stability, timber production, and their contribution to overall biodiversity.



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments	
1	4131 - Aspen, Oak	Sapling Well	23.2	7	Immature	N/A	Stand was harvested in winter/spring of 2017 with adjacent stands in compartment 16 to regenerate and expand aspen and maple. Most oak and pine were left uncut. Also, some individual retention trees of aspen and maple were marked to leave. A retention island was marked to leave as well along west edge.	
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		
White Pine		15	Pole	8		Red Oak		
Red Maple		10	Sapling	1	7	Low		
White Oak		5	Sapling	1		Variable		
Quaking Aspen		10	Sapling	1	7	Sapling		
Bigtooth Aspen		35	Sapling	1	7			
Red Oak		15	Log/Pole	15	97			
Black Cherry		10	Sapling	1	7			
2	4119 - Mixed Northern Hardwoods	Poletimber Well	7.5	36	1-50	N/A	Also contains a few large white pine.	
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		
Ironwood		5	Pole/Sapling	5		Red Maple		
Red Maple		10	Pole/Sapling	7		Low		
Sugar Maple		50	Pole/Sapling	7	36	Variable		
Black Cherry		10	Pole/Sapling	5		Sapling		
Red Oak		25	Log/Pole	10	76	Variable		
						Sapling		
						Sapling		
						Sapling		
						Sapling		
						Sapling		
3	4133 - Aspen, Mixed Pine	Sapling Well	13.5	37	1-50	N/A	Aspen regen with many remnant white pine. RM, BC, WP, RO seedlings.	
Canopy Species		% Cover	Size Class	DBH	Age			
Red Oak		2	Log/Pole	14				
Quaking Aspen		20	Sapling/Pole	4	37			
White Pine		20	Log/Pole	14	83			
Bigtooth Aspen		58	Sapling/Pole	4	37			
4	4131 - Aspen, Oak	Poletimber Well	6.2	73	Unspecified	N/A		
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		
Red Maple		5	Log/Pole	13		White Pine		
Red Oak		20	Log/XLog/Pole	17	96	Low		
White Pine		5	Pole/Sapling	7		Variable		
Bigtooth Aspen		70	Log/Pole	11	73	Sapling		
5	4131 - Aspen, Oak	Poletimber Well	2.7	73	Unspecified	N/A		
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		
Red Oak		20	XLog/Log	18	96	White Pine		
Bigtooth Aspen		75	Log/Pole	10	73	Low		
Red Maple		5	Log	12		Variable		
						Sapling		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

6	4116 - Mixed N. Hardwood - Aspen	Poletimber Well	3.1	75	81-110	N/A	
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
White Pine		5	Log/Pole	12		Beech	
Sugar Maple		10	Pole/Log	8		White Pine	
Bigtooth Aspen		30	Log/Pole	10		Ironwood	
Red Oak		5	XLog/Log/Pole	20			
Red Maple		50	Log/Pole	10	75		
						Density	
						Avg. Height	
						Size	

7	4130 - Aspen	Poletimber Medium	78.5	37	Unspecified	N/A	BC, WP seedlings. Dry site.
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
Red Oak		2	Log/Pole	16		White Pine	
Bigtooth Aspen		96	Pole	6	37		
White Pine		2	Log/Pole	14			
						Density	
						Avg. Height	
						Size	

8	3204 - Mast Producing Shrub	Nonstocked	2.2		Unspecified	No	
Sub-Canopy Species		Density	Avg. Height	Size			
Black Cherry		High		Tall Shrub			
Bracken Fern		Full		Non-Wood			
Mixed Grasses		Low		Non-Wood			
Aspen (spp.)		Low		Sapling			
Fescue		Low		Non-Wood			
Poverty Grass		High		Non-Wood			
White Pine		Low		Log			

9	42200 - Natural White Pine	Sawtimber Medium	4.2	77	81-110	N/A	Aspen saplings in north part of stand, was cut with stand to north but this stand has denser WP residual. South part of this stand was not cut at that time, has pole aspen along with WP.
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
Bigtooth Aspen		15	Pole/Log	8		Bigtooth Aspen	
White Pine		85	Log/Pole	14	77		
						Density	
						Avg. Height	
						Size	

10	4133 - Aspen, Mixed Pine	Poletimber Well	21.9	16	Unspecified	N/A	
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
White Pine		10	Log/Pole	15		White Pine	
Black Cherry		5	Sapling/Pole	3			
Bigtooth Aspen		45	Sapling/Pole	3	16		
Red Oak		3	Log	17			
Red Maple		7	Sapling/Pole	3	16		
Red Pine		30	Log/Pole	12	90		
						Density	
						Avg. Height	
						Size	



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
11	4130 - Aspen	Sapling Well	6.3	37	Unspecified	N/A			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Bigtooth Aspen		90	Pole/Sapling	6	37	White Pine	Medium	Variable	Sapling
White Pine		5	Log	12		Black Cherry	Medium	5 - 10 feet	Sapling
Red Maple		5	Pole/Sapling	6	37				
12	4119 - Mixed Northern Hardwoods	Poletimber Well	7.4	86	111-140	N/A	Many old "Legacy", super-canopy white pine.		
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
White Pine		15	XLog	26	135	White Pine	Low	Variable	Sapling
Bigtooth Aspen		10	Log/Pole	10		Beech	Medium	Variable	Sapling
Red Oak		5	XLog/Log/Pole	18		Ironwood	Low	>20 feet	Sapling
Red Maple		55	Log/Pole	10	86	Sugar Maple	Low	Variable	Sapling
Sugar Maple		5	Log/Pole	10					
Beech		10	Log/Pole/XLog	14					
13	4130 - Aspen	Poletimber Well	29.9	55	Unspecified	N/A	Scattered small openings with cherry saplings. A few remnant red oak sawlog trees.		
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
White Pine		5	Log/Pole	10		White Pine	Low	>20 feet	Pole
Red Maple		2	Pole/Log	8	55	Black Cherry	Low	5 - 10 feet	Sapling
Bigtooth Aspen		93	Pole/Log	9	55				
14	4130 - Aspen	Sapling Well	44.5	4	Immature	N/A	Harvested in winter/spring of 2020.		
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Bigtooth Aspen		75	Sapling	1	4	White Pine	Low	Variable	Sapling
Red Oak		15	Log/Pole	16	96				
Red Maple		10	Sapling	1					
15	4130 - Aspen	Sapling Well	53.7	6	Immature	N/A	Harvested in march/April of 2018.		
Canopy Species		% Cover	Size Class	DBH	Age				
Red Maple		2	Sapling	1					
White Pine		2	Sapling	1					
Quaking Aspen		5	Sapling	1					
Black Cherry		3	Sapling	1					
Bigtooth Aspen		88	Sapling	1	6				
16	4130 - Aspen	Sapling Well	18.9	27	Unspecified	N/A	Was clearcut with marked residuals.		
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Bigtooth Aspen		85	Sapling/Pole	3	27	White Pine	Low	Variable	Sapling
White Pine		10	Log/Pole	10					
Red Maple		5	Log/Pole	10					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

17	4131 - Aspen, Oak	Poletimber Well	13.1	73	Unspecified	N/A	
-----------	-------------------	-----------------	------	----	-------------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
White Pine	5	Pole	8	
Bigtooth Aspen	70	Log/Pole	10	73
Red Oak	20	XLog/Log/Pole	18	96
Red Maple	5	Log/Pole	12	

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	Medium	Variable	Sapling
Red Maple	Medium	Variable	Sapling

18	4133 - Aspen, Mixed Pine	Poletimber Medium	31.2	73	Unspecified	N/A	Quaking aspen along draw, in contrast to bigtooth in adjacent types. Some blueberry on slopes; wetland shrubs along lower part of fowlage west end of stand, including nannyberry. Scattered older white pine saw log trees.
-----------	--------------------------	-------------------	------	----	-------------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Quaking Aspen	78	Pole/Log	9	73
Black Cherry	2	Log	12	
White Pine	20	Log/Pole	10	59

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	Medium	Variable	Sapling
Nannyberry	Low	10 - 20 feet	Tall Shrub

19	4133 - Aspen, Mixed Pine	Poletimber Well	31.3	27	Unspecified	N/A	
-----------	--------------------------	-----------------	------	----	-------------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Bigtooth Aspen	58	Sapling/Pole	4	27
White Pine	40	Log/Pole	10	
Red Maple	2	Log/Pole	10	

20	3103 - Rubus-Fern	Nonstocked	1.3		Unspecified	No	
-----------	-------------------	------------	-----	--	-------------	----	--

Sub-Canopy Species	Density	Avg. Height	Size
Mixed Grasses	Low		Non-Wood
Serviceberry (Juneberry)	Low		
Hawthorn (spp.)	Trace		Tall Shrub
Black Cherry	Low		Log
Oak (spp.)	Trace		Log
Spotted Knapweed	Trace		Non-Wood
Red Maple	Low		Log
Unlisted - See Comments	Trace		
Bracken Fern	Full		Non-Wood
White Pine	Low		Sapling
Aspen (spp.)	Trace		Pole

21	4139 - Aspen, Mixed Deciduous	Poletimber Well	32.5	49	Unspecified	N/A	Also has some scattered nice mature white oak trees...should be left long term for mast and diversity.
-----------	-------------------------------	-----------------	------	----	-------------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Black Cherry	10	Pole	8	49
Bigtooth Aspen	40	Pole/Log	9	49
Quaking Aspen	10	Pole	8	49
Red Oak	15	Log/Pole	16	97
White Pine	15	Pole	8	
Red Maple	10	Pole/Log	8	49

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	Medium	Variable	Sapling



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

22	42200 - Natural White Pine	Sawtimber Medium	24.2	79	81-110	N/A	Nice stand of natural WP.
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
Red Maple		5	Log/Pole	14		White Pine	
Red Oak		5	Log/Pole	16		Medium	
White Pine		90	Log/Pole/XLog	12	79	Variable	
						Sapling	
						Sapling	

WP age is on a 12" tree; some older remnant WP trees also present, plus younger saps/poles...so quite variable.
Avg. BA in 2023 approx. 80.

23	42201 - Natural White Pine, Mixed Deciduous	Sawtimber Poor	50.7	88	51-80	N/A	
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
Red Oak		10	XLog/Log	20		White Pine	
White Pine		65	Log/Pole	12	88	Medium	
Red Maple		25	Log/Pole	10		Variable	
						Sapling	
						Sapling	

24	3101 - Poverty Grass, Cladonia	Nonstocked	1.7		Unspecified	No	
Sub-Canopy Species		Density	Avg. Height	Size			
Bracken Fern		Trace		Non-Wood			
White Pine		Trace		Sapling			
Black Cherry		Low		Log			
Mixed Grasses		Medium		Non-Wood			
Cladonia (Reindeer moss)		High		Non-Wood			
Red Maple		Low		Log			
Bigtooth Aspen		Low	Unspecified	Sapling			
Red Oak		Low	Unspecified	Sapling			
Poverty Grass		High		Non-Wood			

25	4131 - Aspen, Oak	Sawtimber Well	18.2	59	Unspecified	N/A	
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	
Bigtooth Aspen		67	Pole/Log	9	59	Red Maple	
White Pine		5	Log/Pole	10		Low	
Red Oak		25	Log/XLog	18	101	10 - 20 feet	
Red Maple		3	Pole	6		Sapling	
						Pole	

26	4130 - Aspen	Sapling Well	31.6	6	Immature	N/A	Harvested in march-april 2018. long-term Retention trees and islands on site.
Canopy Species		% Cover	Size Class	DBH	Age		
White Pine		10	Log/Pole/Sap	12			
Red Oak		10	Log/Pole/Sap	16			
Bigtooth Aspen		65	Sapling	1	6		
Red Maple		15	Sapling	1			



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
27	4130 - Aspen	Sapling Poor	36.7	17	Unspecified	N/A	Aspen regen from fall 2006 cut, with residual mature oak and sapling white pine. Small amount of residual red pine, black cherry, white oak, and witch hazel.
Canopy Species		% Cover	Size Class	DBH	Age		
White Pine		5	Sapling/Pole	4	17		
Red Oak		15	XLog/Log/Pole	18	96		
Bigtooth Aspen		65	Sapling/Pole	2	17		
Red Maple		15	Sapling/Pole	2			
28	4131 - Aspen, Oak	Poletimber Well	52.9	47	Unspecified	N/A	Also contains a few white oak trees.
Canopy Species		% Cover	Size Class	DBH	Age		
Red Maple		10	Pole/Log	9	47		
Red Oak		20	Log/XLog/Pole	16			
Bigtooth Aspen		65	Pole	8	47		
White Pine		5	Log/Pole	10			
Sub-Canopy Species		Density	Avg. Height	Size			
White Pine		Low	Variable	Sapling			
29	4123 - Red Oak	Poletimber Well	1.3	53	51-80	N/A	Possible dispose of this parcel: isolated lot. Seedlings: SM, BC, IW, WP. Jack pine rows along road.
Canopy Species		% Cover	Size Class	DBH	Age		
Bigtooth Aspen		5	Pole/Log	9			
Jack Pine		5	Pole	8			
Red Oak		90	Log/Pole	11	53		
Sub-Canopy Species		Density	Avg. Height	Size			
Red Oak		Low	>20 feet	Sapling			
30	4123 - Red Oak	Sawtimber Well	19.1	106	51-80	N/A	Park-like and open understory due to prescribe burn
Canopy Species		% Cover	Size Class	DBH	Age		
White Oak		5	Log	10			
Bigtooth Aspen		5	Pole	8			
Red Maple		5	Pole	8			
Red Oak		85	Log/Pole/XLog	14	106		
31	122 - Road/Parking Lot	Nonstocked	3.8		Unspecified		Cinder Road (paved) and cleared right of way.
32	42110 - Planted Red Pine	Sawtimber Well	2.9	67	141-170	N/A	
Canopy Species		% Cover	Size Class	DBH	Age		
Red Pine		90	Log/Pole	12	67		
Jack Pine		10	Pole	7	67		
Sub-Canopy Species		Density	Avg. Height	Size			
Beech		Medium	Variable	Sapling			
White Pine		High	Variable	Sapling			



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

33 4191 - Mixed Upland Deciduous with Conifer Sawtimber Well 4.9 66 51-80 N/A Some old super-canopy white pine. (30+dbh) Also some big oak, sugar maple, beech.

Canopy Species	% Cover	Size Class	DBH	Age
White Pine	25	XLog/Log/Pole	22	135
Bigtooth Aspen	25	Log/Pole	10	66
Beech	5	XLog/Log	18	
Cottonwood	10	Pole/Log	9	
Sugar Maple	15	XLog/Log/Pole	18	
Red Oak	10	Log/Pole	12	
Red Maple	10	Pole/Log	8	

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	Low	10 - 20 feet	Sapling
Beech	Medium	Variable	Sapling
Ironwood	Low	>20 feet	Sapling

34 4133 - Aspen, Mixed Pine Sapling Well 69.4 6 Immature N/A Area harvested in fall of 2018 for mix of aspen, pine, mixed hardwood regeneration. Lots of Oak and pine left along with retention areas.

Canopy Species	% Cover	Size Class	DBH	Age
White Pine	20	Log/Pole	10	78
Red Maple	15	Sapling	1	
Red Oak	20	Log/Pole	12	105
Bigtooth Aspen	45	Sapling	1	6

Sub-Canopy Species	Density	Avg. Height	Size
Bigtooth Aspen	Medium	< 5 feet	Sapling
White Pine	Medium	Variable	Sapling
Red Maple	Low	10 - 20 feet	Sapling

35 4199 - Other Mixed Upland Deciduous Sapling Well 18.6 6 1-50 N/A Area harvested in January of 2018. Veteran white pine in patches. Old WP stumps.

Canopy Species	% Cover	Size Class	DBH	Age
Bigtooth Aspen	30	Sapling	1	6
White Pine	10	Log/XLog/Pole	17	135
Beech	10	Sapling	1	
Sugar Maple	3	Log/Pole	12	
Red Maple	42	Sapling	1	6
Red Oak	5	Log/XLog/Pole	14	

36 42110 - Planted Red Pine Poletimber Well 10.7 67 141-170 N/A Was 3rd-row thinned (1st thinning). 2nd thinning (select) was done in March, 2018.

Canopy Species	% Cover	Size Class	DBH	Age
Red Oak	3	Log	14	
Red Pine	97	Log/Pole	10	67

Sub-Canopy Species	Density	Avg. Height	Size
Beech	Medium	5 - 10 feet	Sapling
Red Maple	Medium	Variable	Sapling
White Pine	Low	Variable	Sapling

37 4112 - Maple, Beech, Cherry Association Sawtimber Well 13.2 88 81-110 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Basswood	10	Log/Pole	13	
Bigtooth Aspen	8	Pole/Log	9	
Sugar Maple	30	Log/Pole	12	88
Red Oak	2	Pole/Log	9	
Red Maple	50	Log/Pole	12	88

Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	Low	>20 feet	Pole
Ironwood	Medium	>20 feet	Sapling
Beech	Low	Variable	Sapling
White Pine	Low	>20 feet	Sapling



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																														
38	42110 - Planted Red Pine	Poletimber Well	7.4	67	111-140	N/A	2nd (select) thinning done in February 2018																																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Pine</td> <td>95</td> <td>Log/Pole</td> <td>11</td> <td>67</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Pine	95	Log/Pole	11	67	Red Maple	5	Log	12		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Oak</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	Variable	Sapling	Ironwood	Medium	Variable	Sapling	Beech	Medium	Variable	Sapling	Red Oak	Low	< 5 feet	Sapling																														
Canopy Species	% Cover	Size Class	DBH	Age																																																																	
Red Pine	95	Log/Pole	11	67																																																																	
Red Maple	5	Log	12																																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																																		
Red Maple	Low	Variable	Sapling																																																																		
Ironwood	Medium	Variable	Sapling																																																																		
Beech	Medium	Variable	Sapling																																																																		
Red Oak	Low	< 5 feet	Sapling																																																																		
39	3105 - Mixed Upland Herbaceous	Nonstocked	1.4		Unspecified	No	This is used for 2 track and landing area for surrounding stands.																																																														
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Mixed Grasses</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Cladonia (Reindeer moss)</td> <td>Low</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Spotted Knapweed</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>St. Johns Wort</td> <td>Low</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Black Cherry</td> <td>Trace</td> <td></td> <td>Pole</td> </tr> <tr> <td>Red Maple</td> <td>Low</td> <td></td> <td>Log</td> </tr> <tr> <td>Bracken Fern</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Red Pine</td> <td>Low</td> <td></td> <td>Seeding</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Mixed Grasses		Medium		Non-Wood	Cladonia (Reindeer moss)	Low		Non-Wood	Spotted Knapweed	Medium		Non-Wood	St. Johns Wort	Low		Non-Wood	Black Cherry	Trace		Pole	Red Maple	Low		Log	Bracken Fern	Medium		Non-Wood	Red Pine	Low		Seeding																															
Sub-Canopy Species	Density	Avg. Height	Size																																																																		
Mixed Grasses	Medium		Non-Wood																																																																		
Cladonia (Reindeer moss)	Low		Non-Wood																																																																		
Spotted Knapweed	Medium		Non-Wood																																																																		
St. Johns Wort	Low		Non-Wood																																																																		
Black Cherry	Trace		Pole																																																																		
Red Maple	Low		Log																																																																		
Bracken Fern	Medium		Non-Wood																																																																		
Red Pine	Low		Seeding																																																																		
40	4136 - Aspen, Mixed Conifer	Poletimber Well	34.9	37	81-110	N/A	Mosaic of aspen sapling patches, oak/hardwood/aspen poles, and patches of white pine and white spruce plantation - very diverse stand.																																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Oak</td> <td>15</td> <td>Log/Pole</td> <td>10</td> <td>52</td> </tr> <tr> <td>White Spruce</td> <td>10</td> <td>Pole</td> <td>9</td> <td>66</td> </tr> <tr> <td>Quaking Aspen</td> <td>5</td> <td>Pole</td> <td>7</td> <td>37</td> </tr> <tr> <td>White Pine</td> <td>15</td> <td>Log/Pole</td> <td>10</td> <td>58</td> </tr> <tr> <td>Sugar Maple</td> <td>3</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Beech</td> <td>2</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>45</td> <td>Pole</td> <td>7</td> <td>37</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Oak	15	Log/Pole	10	52	White Spruce	10	Pole	9	66	Quaking Aspen	5	Pole	7	37	White Pine	15	Log/Pole	10	58	Sugar Maple	3	Log/Pole	10		Beech	2	Log/Pole	10		Bigtooth Aspen	45	Pole	7	37	Red Maple	5	Log/Pole	10		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Ironwood</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Oak</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Low	Variable	Sapling	Red Maple	Low	Variable	Sapling	White Pine	Medium	Variable	Sapling	Red Oak	Low	Variable	Sapling
Canopy Species	% Cover	Size Class	DBH	Age																																																																	
Red Oak	15	Log/Pole	10	52																																																																	
White Spruce	10	Pole	9	66																																																																	
Quaking Aspen	5	Pole	7	37																																																																	
White Pine	15	Log/Pole	10	58																																																																	
Sugar Maple	3	Log/Pole	10																																																																		
Beech	2	Log/Pole	10																																																																		
Bigtooth Aspen	45	Pole	7	37																																																																	
Red Maple	5	Log/Pole	10																																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																																		
Ironwood	Low	Variable	Sapling																																																																		
Red Maple	Low	Variable	Sapling																																																																		
White Pine	Medium	Variable	Sapling																																																																		
Red Oak	Low	Variable	Sapling																																																																		
41	3105 - Mixed Upland Herbaceous	Nonstocked	1.4		Unspecified	No	2004 WLD survey: A few log cherries. 1/2 bracken fern, 1/2 poverty grass. A few seedling/sapling pine mixed. Spotted knapweed mixed in with poverty grass. Patch of cool summer grasses with ragweed along east edge.																																																														
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Bracken Fern</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Red Oak</td> <td>Trace</td> <td>Unspecified</td> <td>Sapling</td> </tr> <tr> <td>Poverty Grass</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Mixed Grasses</td> <td>Low</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Spotted Knapweed</td> <td>Low</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Black Cherry</td> <td>Low</td> <td></td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td></td> <td>Pole</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Bracken Fern		Medium		Non-Wood	Red Oak	Trace	Unspecified	Sapling	Poverty Grass	Medium		Non-Wood	Mixed Grasses	Low		Non-Wood	Spotted Knapweed	Low		Non-Wood	Black Cherry	Low		Sapling	White Pine	Low		Pole																																			
Sub-Canopy Species	Density	Avg. Height	Size																																																																		
Bracken Fern	Medium		Non-Wood																																																																		
Red Oak	Trace	Unspecified	Sapling																																																																		
Poverty Grass	Medium		Non-Wood																																																																		
Mixed Grasses	Low		Non-Wood																																																																		
Spotted Knapweed	Low		Non-Wood																																																																		
Black Cherry	Low		Sapling																																																																		
White Pine	Low		Pole																																																																		
42	6229 - Mixed lowland shrub	Nonstocked	7.8		Unspecified	No	2004 WLD survey: All shrubs, mountain holly, buttonbush, and willow. Some leatherleaf, sedges, and fern. Unlisted species is ostrich fern.																																																														



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																			
43	4139 - Aspen, Mixed Deciduous	Sapling Well	31.5	6	Immature	N/A	Nice variable species stand. Area harvested in fall of 2018. Old RR grade toward N end.																																																			
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>25</td> <td>Log</td> <td>10</td> <td>108</td> </tr> <tr> <td>Basswood</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>45</td> <td>Sapling</td> <td>1</td> <td>6</td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Red Oak</td> <td>15</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	25	Log	10	108	Basswood	5	Log/Pole	12		Bigtooth Aspen	45	Sapling	1	6	Red Maple	10	Sapling	1		Red Oak	15	Pole/Log	9		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Low</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Oak</td> <td>Low</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	>20 feet	Sapling	Bigtooth Aspen	Medium	< 5 feet	Sapling	Red Oak	Low	>20 feet	Sapling	White Pine	Low	10 - 20 feet	Sapling	Ironwood	Low	Variable	Sapling	
Canopy Species	% Cover	Size Class	DBH	Age																																																						
Sugar Maple	25	Log	10	108																																																						
Basswood	5	Log/Pole	12																																																							
Bigtooth Aspen	45	Sapling	1	6																																																						
Red Maple	10	Sapling	1																																																							
Red Oak	15	Pole/Log	9																																																							
Sub-Canopy Species	Density	Avg. Height	Size																																																							
Red Maple	Low	>20 feet	Sapling																																																							
Bigtooth Aspen	Medium	< 5 feet	Sapling																																																							
Red Oak	Low	>20 feet	Sapling																																																							
White Pine	Low	10 - 20 feet	Sapling																																																							
Ironwood	Low	Variable	Sapling																																																							
44	6229 - Mixed lowland shrub	Nonstocked	2.7		Unspecified	No	Stand cover / info from a 2004 wildlife div survey: A little more open, less shrubs, then mixed lowland shrub that is immediately NE. Unlisted species is ostrich fern.																																																			
		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sedges</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Chokeberry</td> <td>Trace</td> <td></td> <td>Tall Shrub</td> </tr> <tr> <td>Bulrush</td> <td>Medium</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Buckthorn</td> <td>Trace</td> <td></td> <td>Tall Shrub</td> </tr> <tr> <td>Unlisted - See Comments</td> <td>Trace</td> <td></td> <td></td> </tr> <tr> <td>Viburnum</td> <td>Low</td> <td></td> <td>Tall Shrub</td> </tr> <tr> <td>Mountain Holly</td> <td>Low</td> <td></td> <td>Tall Shrub</td> </tr> <tr> <td>Leatherleaf</td> <td>Low</td> <td></td> <td>Tall Shrub</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sedges	Medium		Non-Wood	Chokeberry	Trace		Tall Shrub	Bulrush	Medium		Non-Wood	Buckthorn	Trace		Tall Shrub	Unlisted - See Comments	Trace			Viburnum	Low		Tall Shrub	Mountain Holly	Low		Tall Shrub	Leatherleaf	Low		Tall Shrub																			
Sub-Canopy Species	Density	Avg. Height	Size																																																							
Sedges	Medium		Non-Wood																																																							
Chokeberry	Trace		Tall Shrub																																																							
Bulrush	Medium		Non-Wood																																																							
Buckthorn	Trace		Tall Shrub																																																							
Unlisted - See Comments	Trace																																																									
Viburnum	Low		Tall Shrub																																																							
Mountain Holly	Low		Tall Shrub																																																							
Leatherleaf	Low		Tall Shrub																																																							
45	42110 - Planted Red Pine	Poletimber Well	14.5	67	111-140	N/A	Was 3rd-row thinned. Second thinning (select) was done in April, 2018. A patch of red oak and some red maple along old grade running through stand.																																																			
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Pine</td> <td>95</td> <td>Log/Pole</td> <td>11</td> <td>67</td> </tr> <tr> <td>Red Oak</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Pine	95	Log/Pole	11	67	Red Oak	5	Log/Pole	12		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	Variable	Sapling	Beech	Medium	Variable	Sapling																												
Canopy Species	% Cover	Size Class	DBH	Age																																																						
Red Pine	95	Log/Pole	11	67																																																						
Red Oak	5	Log/Pole	12																																																							
Sub-Canopy Species	Density	Avg. Height	Size																																																							
Red Maple	Medium	Variable	Sapling																																																							
Beech	Medium	Variable	Sapling																																																							
46	4130 - Aspen	Poletimber Well	65.1	37	Unspecified	N/A	Many scattered remnant retention large saw log white pine and red oak. Many Low wet areas with pockets of hemlock and cedar around them.																																																			
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>18</td> <td>Pole</td> <td>7</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>XLog/Log</td> <td>18</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>35</td> <td>Pole</td> <td>7</td> <td>37</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>35</td> <td>Pole</td> <td>7</td> <td>37</td> </tr> <tr> <td>Red Oak</td> <td>2</td> <td>Log/Pole</td> <td>14</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	18	Pole	7		Hemlock	5	Log/Pole	12		White Pine	5	XLog/Log	18		Quaking Aspen	35	Pole	7	37	Bigtooth Aspen	35	Pole	7	37	Red Oak	2	Log/Pole	14		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Black Cherry</td> <td>Low</td> <td>>20 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Low	< 5 feet	Sapling	Red Maple	Medium	>20 feet	Sapling	White Pine	Low	< 5 feet	Sapling	Black Cherry	Low	>20 feet	Sapling
Canopy Species	% Cover	Size Class	DBH	Age																																																						
Red Maple	18	Pole	7																																																							
Hemlock	5	Log/Pole	12																																																							
White Pine	5	XLog/Log	18																																																							
Quaking Aspen	35	Pole	7	37																																																						
Bigtooth Aspen	35	Pole	7	37																																																						
Red Oak	2	Log/Pole	14																																																							
Sub-Canopy Species	Density	Avg. Height	Size																																																							
Beech	Low	< 5 feet	Sapling																																																							
Red Maple	Medium	>20 feet	Sapling																																																							
White Pine	Low	< 5 feet	Sapling																																																							
Black Cherry	Low	>20 feet	Sapling																																																							
47	4123 - Red Oak	Sawtimber Medium	27.7	128	51-80	N/A	Was cut in 2004, (sale# 2-01) . (seed tree/shelterwood)Oak regen research plots in stand.very minimal oak seedlings and they are not growing muchOak wilt pockets NW and S areas of stand. Small clearcut area in south end is from a oak wilt treatment.																																																			
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Oak</td> <td>100</td> <td>Log/XLog/Pole</td> <td>17</td> <td>128</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Oak	100	Log/XLog/Pole	17	128	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Pole</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	Variable	Pole	White Pine	Low	Variable	Sapling	Red Maple	High	Variable	Sapling	Beech	Low	< 5 feet	Sapling																									
Canopy Species	% Cover	Size Class	DBH	Age																																																						
Red Oak	100	Log/XLog/Pole	17	128																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																							
White Pine	Low	Variable	Pole																																																							
White Pine	Low	Variable	Sapling																																																							
Red Maple	High	Variable	Sapling																																																							
Beech	Low	< 5 feet	Sapling																																																							



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

48 4123 - Red Oak Sawtimber Poor 19.8 108 1-50 N/A Shelter wood cut in 7/2008., (oak regen. in 2010, but not advancing yet), some browsing pressure.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	5	Log/Pole	12		Beech	Medium	>20 feet	Sapling
Red Oak	80	Log/Pole/XLog	17	108	Red Maple	Medium	>20 feet	Sapling
Black Cherry	5	Log/Pole	12		Red Oak	Low	Variable	Sapling
Red Maple	10	Log/Pole	12		Ironwood	Medium	>20 feet	Sapling
					Black Cherry	Low	>20 feet	Sapling
					Bigtooth Aspen	Medium	>20 feet	Sapling

Oak wilt pocket in northwest corner of stand. It has been treated with vibratory plow.

49 4111 - S.Maple, Hard Mast Association Sawtimber Well 30.5 108 81-110 N/A East 1/2 thinned in 1998,. All was thinned again in fall/winter of 2019 and sale completed 6/16/20.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	10	Log/Pole	12		Beech	High	Variable	Sapling
Beech	15	Log/Pole	14		Ironwood	High	Variable	Sapling
Basswood	30	Log/Pole	14					
Sugar Maple	40	Log/Pole	12	108				
Black Cherry	5	Log	12					

50 4112 - Maple, Beech, Cherry Association Sawtimber Well 50.7 82 81-110 N/A Many maple are multi-stemmed.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	5	Log/Pole	10		Black Cherry	Low	Variable	Sapling
Red Maple	80	Log/Pole	10	82	Beech	High	Variable	Sapling
Quaking Aspen	5	Pole	8		Ironwood	High	Variable	Sapling
Red Oak	10	Pole/Log	8	57				

51 3103 - Rubus-Fern Nonstocked 1.4 Unspecified No Datat from 2004 wildlife Div survey and comments: Nice, little opening. Unlisted ground species is hawkweed.

Sub-Canopy Species	Density	Avg. Height	Size
St. Johns Wort	Trace		Non-Wood
Oak (spp.)	Trace		Sapling
Black Cherry	Low		Sapling
Cladonia (Reindeer moss)	Low		Non-Wood
Bracken Fern	High		Non-Wood
Poverty Grass	Low		Non-Wood
Unlisted - See Comments	Full		
Sugar Maple	Low		Pole

52 42140 - Planted Mixed Pine Poletimber Well 15.2 29 51-80 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Black Cherry	4	Pole/Log	9	
Jack Pine	40	Pole	5	
Red Pine	50	Pole	5	29
Red Oak	6	Log/Pole	12	



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																														
53	4123 - Red Oak	Poletimber Well	7.5	79	51-80	N/A	Mixed size/age oak.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>10</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Ironwood</td> <td>5</td> <td>Pole</td> <td>7</td> <td></td> </tr> <tr> <td>Red Oak</td> <td>75</td> <td>Log/Pole</td> <td>10</td> <td>79</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	10	Log/Pole	10		Black Cherry	5	Log/Pole	10		Ironwood	5	Pole	7		Red Oak	75	Log/Pole	10	79	Red Maple	5	Log/Pole	10		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Ironwood</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Medium	Variable	Sapling	White Pine	Low	Variable	Sapling	Red Maple	Low	Variable	Sapling	Beech	Low	Variable	Sapling
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Sugar Maple	10	Log/Pole	10																																																		
Black Cherry	5	Log/Pole	10																																																		
Ironwood	5	Pole	7																																																		
Red Oak	75	Log/Pole	10	79																																																	
Red Maple	5	Log/Pole	10																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Ironwood	Medium	Variable	Sapling																																																		
White Pine	Low	Variable	Sapling																																																		
Red Maple	Low	Variable	Sapling																																																		
Beech	Low	Variable	Sapling																																																		
54	3303 - Mixed Low Density Trees	Nonstocked	2.4		Unspecified	No	This opening used for access and landing areas for logging activities in adjacent stands.																																														
55	3303 - Mixed Low Density Trees	Nonstocked	12.6		Unspecified	No	Mix of many species of trees. Many individual and small island clumps of mature black cherry, sugar maple and red maple trees that have advanced sugar maple saplings around the edges. Snowmobile trail runs thru this opening.																																														
56	4112 - Maple, Beech, Cherry Association	Sapling Well	1.3	27	1-50	N/A																																															
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Oak</td> <td>5</td> <td>XLog/Log</td> <td>20</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>65</td> <td>Sapling/Pole</td> <td>3</td> <td>27</td> </tr> <tr> <td>Red Maple</td> <td>20</td> <td>Sapling/Pole</td> <td>3</td> <td>27</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>10</td> <td>Sapling/Pole</td> <td>4</td> <td>27</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Oak	5	XLog/Log	20		Black Cherry	65	Sapling/Pole	3	27	Red Maple	20	Sapling/Pole	3	27	Bigtooth Aspen	10	Sapling/Pole	4	27																											
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Red Oak	5	XLog/Log	20																																																		
Black Cherry	65	Sapling/Pole	3	27																																																	
Red Maple	20	Sapling/Pole	3	27																																																	
Bigtooth Aspen	10	Sapling/Pole	4	27																																																	
57	4123 - Red Oak	Sawtimber Medium	33.6	101	1-50	N/A	Was seed tree cut in 1997 (31-96).																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>2</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Red Oak</td> <td>94</td> <td>Log/Pole</td> <td>12</td> <td>101</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>2</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>White Pine</td> <td>2</td> <td>Pole/Log</td> <td>8</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	2	Pole	6		Red Oak	94	Log/Pole	12	101	Bigtooth Aspen	2	Pole	8		White Pine	2	Pole/Log	8		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Oak</td> <td>Low</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Oak	Low	>20 feet	Sapling	Red Maple	Medium	>20 feet	Sapling	Beech	Low	Variable	Sapling	Bigtooth Aspen	Low	Variable	Sapling					
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Sugar Maple	2	Pole	6																																																		
Red Oak	94	Log/Pole	12	101																																																	
Bigtooth Aspen	2	Pole	8																																																		
White Pine	2	Pole/Log	8																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Red Oak	Low	>20 feet	Sapling																																																		
Red Maple	Medium	>20 feet	Sapling																																																		
Beech	Low	Variable	Sapling																																																		
Bigtooth Aspen	Low	Variable	Sapling																																																		
58	3303 - Mixed Low Density Trees	Nonstocked	2.5		Unspecified	No	This opening used for access and landing areas for logging activities in adjacent stands. old oil/gas well site along west most edge...was plugged in 1997																																														
59	4112 - Maple, Beech, Cherry Association	Sawtimber Well	21.3	107	51-80	N/A	Thinning was done fall/winter of 2019 and sale complete 6/16/20sale 61-055-17																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>60</td> <td>Log/Pole</td> <td>12</td> <td>107</td> </tr> <tr> <td>Red Oak</td> <td>5</td> <td>Log/Pole</td> <td>14</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>25</td> <td>Log/Pole</td> <td>14</td> <td>107</td> </tr> <tr> <td>Black Cherry</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	60	Log/Pole	12	107	Red Oak	5	Log/Pole	14		Sugar Maple	25	Log/Pole	14	107	Black Cherry	10	Log/Pole	12		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	Variable	Sapling	Ironwood	Low	< 5 feet	Sapling													
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Red Maple	60	Log/Pole	12	107																																																	
Red Oak	5	Log/Pole	14																																																		
Sugar Maple	25	Log/Pole	14	107																																																	
Black Cherry	10	Log/Pole	12																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Beech	Medium	Variable	Sapling																																																		
Ironwood	Low	< 5 feet	Sapling																																																		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

60	4139 - Aspen, Mixed Deciduous	Sawtimber Well	59.6	60	81-110	N/A	Various aged quaking aspen clones in a mosaic with northern hardwood. Numerous small openings. Q. aspen poor quality, succeeding to hardwood.																																															
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Sugar Maple</td><td>20</td><td>Log/Pole</td><td>13</td><td></td></tr> <tr><td>Red Maple</td><td>27</td><td>Pole/Log</td><td>8</td><td>35</td></tr> <tr><td>Basswood</td><td>5</td><td>Log/Pole</td><td>13</td><td></td></tr> <tr><td>Black Cherry</td><td>3</td><td>Log/Pole</td><td>11</td><td></td></tr> <tr><td>Quaking Aspen</td><td>40</td><td>Log/Pole</td><td>11</td><td>60</td></tr> <tr><td>Bigtooth Aspen</td><td>5</td><td>Log</td><td>14</td><td></td></tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	20	Log/Pole	13		Red Maple	27	Pole/Log	8	35	Basswood	5	Log/Pole	13		Black Cherry	3	Log/Pole	11		Quaking Aspen	40	Log/Pole	11	60	Bigtooth Aspen	5	Log	14		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Red Maple</td><td>Medium</td><td>Variable</td><td>Sapling</td></tr> <tr><td>Ironwood</td><td>Low</td><td>>20 feet</td><td>Sapling</td></tr> <tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Sapling</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	Variable	Sapling	Ironwood	Low	>20 feet	Sapling	Sugar Maple	Medium	Variable
Canopy Species	% Cover	Size Class	DBH	Age																																																		
Sugar Maple	20	Log/Pole	13																																																			
Red Maple	27	Pole/Log	8	35																																																		
Basswood	5	Log/Pole	13																																																			
Black Cherry	3	Log/Pole	11																																																			
Quaking Aspen	40	Log/Pole	11	60																																																		
Bigtooth Aspen	5	Log	14																																																			
Sub-Canopy Species	Density	Avg. Height	Size																																																			
Red Maple	Medium	Variable	Sapling																																																			
Ironwood	Low	>20 feet	Sapling																																																			
Sugar Maple	Medium	Variable	Sapling																																																			

61	4139 - Aspen, Mixed Deciduous	Poletimber Medium	14.2	65	Unspecified	N/A	Small openings within stand.																																						
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Red Maple</td><td>3</td><td>Pole/Log</td><td>8</td><td></td></tr> <tr><td>Black Cherry</td><td>20</td><td>Pole/Log</td><td>9</td><td></td></tr> <tr><td>Sugar Maple</td><td>15</td><td>Pole</td><td>6</td><td></td></tr> <tr><td>Quaking Aspen</td><td>55</td><td>Pole/Log</td><td>9</td><td>65</td></tr> <tr><td>Red Oak</td><td>7</td><td>Pole/Log</td><td>8</td><td></td></tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	3	Pole/Log	8		Black Cherry	20	Pole/Log	9		Sugar Maple	15	Pole	6		Quaking Aspen	55	Pole/Log	9	65	Red Oak	7	Pole/Log	8		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Sapling</td></tr> <tr><td>Sugar Maple</td><td>High</td><td>Variable</td><td>Sapling</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Low	Variable	Sapling	Sugar Maple	High	Variable	Sapling
Canopy Species	% Cover	Size Class	DBH	Age																																									
Red Maple	3	Pole/Log	8																																										
Black Cherry	20	Pole/Log	9																																										
Sugar Maple	15	Pole	6																																										
Quaking Aspen	55	Pole/Log	9	65																																									
Red Oak	7	Pole/Log	8																																										
Sub-Canopy Species	Density	Avg. Height	Size																																										
Ironwood	Low	Variable	Sapling																																										
Sugar Maple	High	Variable	Sapling																																										

62	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	43.4	107	51-80	N/A	Cut March 2011: removed all aspen and ironwood, thinned hardwoods/oak. One small patch of aspen was left out of the sale for retention. A few black cherry present.																																					
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Red Maple</td><td>35</td><td>Log/Pole</td><td>12</td><td></td></tr> <tr><td>Beech</td><td>10</td><td>Log/Pole</td><td>10</td><td></td></tr> <tr><td>Red Oak</td><td>20</td><td>Log/Pole</td><td>10</td><td></td></tr> <tr><td>Sugar Maple</td><td>35</td><td>Log/Pole</td><td>14</td><td>107</td></tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	35	Log/Pole	12		Beech	10	Log/Pole	10		Red Oak	20	Log/Pole	10		Sugar Maple	35	Log/Pole	14	107	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Sapling</td></tr> <tr><td>Red Oak</td><td>Low</td><td>Variable</td><td>Sapling</td></tr> <tr><td>Beech</td><td>High</td><td>Variable</td><td>Sapling</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Medium	Variable	Sapling	Red Oak	Low	Variable	Sapling	Beech	High	Variable
Canopy Species	% Cover	Size Class	DBH	Age																																								
Red Maple	35	Log/Pole	12																																									
Beech	10	Log/Pole	10																																									
Red Oak	20	Log/Pole	10																																									
Sugar Maple	35	Log/Pole	14	107																																								
Sub-Canopy Species	Density	Avg. Height	Size																																									
Sugar Maple	Medium	Variable	Sapling																																									
Red Oak	Low	Variable	Sapling																																									
Beech	High	Variable	Sapling																																									

63	3301 - Low Density Deciduous Trees	Nonstocked	1.1		Unspecified	No	Mainly sugar maple, oak, and some basswood. Open areas are dominated by poverty grass/cladonia, with some sheep's sorrow in between trees. Bracken fern/rubus underneath trees. Unlisted specie is hawkweed.																																		
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Blackberry/Raspberry</td><td>Low</td><td></td><td>Tall Shrub</td></tr> <tr><td>Basswood</td><td>Trace</td><td></td><td>Log</td></tr> <tr><td>Poverty Grass</td><td>Medium</td><td></td><td>Non-Wood</td></tr> <tr><td>Sheep Sorrel</td><td>Low</td><td></td><td>Non-Wood</td></tr> <tr><td>Cladonia (Reindeer moss)</td><td>Low</td><td></td><td>Non-Wood</td></tr> <tr><td>Sugar Maple</td><td>Medium</td><td></td><td>Log</td></tr> <tr><td>Unlisted - See Comments</td><td>Low</td><td></td><td></td></tr> <tr><td>Bracken Fern</td><td>Medium</td><td></td><td>Non-Wood</td></tr> <tr><td>Red Maple</td><td>Trace</td><td></td><td>Sapling</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Blackberry/Raspberry		Low		Tall Shrub	Basswood	Trace		Log	Poverty Grass	Medium		Non-Wood	Sheep Sorrel	Low		Non-Wood	Cladonia (Reindeer moss)	Low		Non-Wood	Sugar Maple	Medium		Log	Unlisted - See Comments	Low			Bracken Fern	Medium		Non-Wood	Red Maple	Trace	
Sub-Canopy Species	Density	Avg. Height	Size																																						
Blackberry/Raspberry	Low		Tall Shrub																																						
Basswood	Trace		Log																																						
Poverty Grass	Medium		Non-Wood																																						
Sheep Sorrel	Low		Non-Wood																																						
Cladonia (Reindeer moss)	Low		Non-Wood																																						
Sugar Maple	Medium		Log																																						
Unlisted - See Comments	Low																																								
Bracken Fern	Medium		Non-Wood																																						
Red Maple	Trace		Sapling																																						



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

64	4110 - Sugar Maple Association	Sawtimber Medium	7.4	100	81-110	N/A	Thinned 7/2008 which seemed to only stimulate ironwood and beech regen saplings.
-----------	--------------------------------	------------------	-----	-----	--------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Sugar Maple	75	Log/Pole	12	100
Black Cherry	2	Log/Pole	13	
Basswood	20	Log/Pole	14	
Red Oak	3	Pole/Log	9	

Sub-Canopy Species	Density	Avg. Height	Size
Beech	Low	>20 feet	Sapling
Ironwood	Low	>20 feet	Sapling

65	31021 - Cool Season Grass	Nonstocked	1.7		Unspecified	Managed Opening	Oil/gas well site. inactive/plugged in 2015.
-----------	---------------------------	------------	-----	--	-------------	-----------------	--

Sub-Canopy Species	Density	Avg. Height	Size
Unlisted - See Comments	Low		
Mixed Grasses	High		Non-Wood

66	4112 - Maple, Beech, Cherry Association	Sapling Medium	4.7	10	1-50	N/A	This is Small clearcut due to oak wilt (was a part of adjacent stand 47).
-----------	---	----------------	-----	----	------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
Black Cherry	20	Sapling	1	
Red Maple	70	Sapling	1	10
Beech	10	Sapling	1	

67	3104 - Degraded	Nonstocked	2.1		Unspecified	No	Inventory of species done by wildlife division in 2004. Notes from wildlife Div in 2004: Farthest east portion mainly spurge, with hawkweed and some strawberry. Unlisted is hawkweed, mullein, bugemot, bull thistle. Also, wild bugemot and pigweed present.
-----------	-----------------	------------	-----	--	-------------	----	--

Sub-Canopy Species	Density	Avg. Height	Size
Vetch	Trace		Non-Wood
Spotted Knapweed	Low		Non-Wood
Unlisted - See Comments	Trace		
Blackberry/Raspberry	Medium		Tall Shrub
Red Maple	Trace		Log
Leafy Spurge	Medium		Non-Wood
Bracken Fern	Low		Non-Wood
Mixed Grasses	Medium		Non-Wood
Strawberry	Low		Non-Wood
Serviceberry (Juneberry)	Trace		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

68	3301 - Low Density Deciduous Trees	Nonstocked	4.5		Unspecified	No	Species inventory listed was done by wildlife division in 2004. Notes from 2004: Allot of poverty grass, cladonia, hawkweed, rubus. Bracken fern located along perimeter and the NE portion. Seedling red maples underneath large black cherries.				
								Sub-Canopy Species	Density	Avg. Height	Size
								St. Johns Wort	Trace		Non-Wood
								Serviceberry (Juneberry)	Trace		
								Sugar Maple	Trace		Log
								Red Maple	Low		Seeding
								Bracken Fern	Low		Non-Wood
								Black Cherry	Low		Pole
								Juniper	Trace		Tall Shrub
								Cladonia (Reindeer moss)	High		Non-Wood
								Blackberry/Raspberry	Medium		Tall Shrub
								Unlisted - See Comments	High		
Oak (spp.)	Trace		Pole								
Poverty Grass	High		Non-Wood								

69	4111 - S.Maple, Hard Mast Association	Sawtimber Well	34.5	106	81-110	N/A	Was thinned in 2000-2001... Good sugar maple regen after thinning. Mature beech in overstory very large and limby.	
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Beech	30	XLog/Log	18	106	Beech	Medium	Variable	Sapling
Basswood	25	Log	14	106	Sugar Maple	Low	>20 feet	Pole
Sugar Maple	45	Log/Pole	14	106	Sugar Maple	High	Variable	Sapling

70	4130 - Aspen	Poletimber Well	9.8	57	81-110	N/A		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Beech	2	Log/Pole	12		Sugar Maple	Medium	Variable	Sapling
Sugar Maple	8	Log/Pole	12		Beech	Low	Variable	Sapling
Bigtooth Aspen	90	Log/Pole	10	57	Red Maple	Medium	Variable	Sapling

71	4130 - Aspen	Poletimber Well	114.4	31	Unspecified	N/A	Scattered residual oak & other hardwoods. Seasonally wet in places.	
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Red Oak	2	Log/Pole	10		Black Cherry	Low	10 - 20 feet	Sapling
Black Cherry	8	Pole	7	31	Red Maple	Low	Variable	Sapling
Quaking Aspen	90	Pole	7	31				

72	330 - Low-Density Trees	Nonstocked	1.5	0	Unspecified	No	was treated with stand 30
-----------	-------------------------	------------	-----	---	-------------	----	---------------------------



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

74 4110 - Sugar Maple Association Sawtimber Medium 8.5 82 51-80 N/A Almost pure basswood. Lots of mixed hardwood seedlings.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Basswood	80	Log	14	82	Beech	Low	Variable	Sapling
Bigtooth Aspen	10	Log	14		Sugar Maple	Medium	Variable	Sapling
Sugar Maple	10	Pole/Log	8		Ironwood	Low	Variable	Sapling
					Serviceberry (Juneberry)	Low	10 - 20 feet	Tall Shrub
					Red Maple	Low	Variable	Sapling

75 6112 - Lowland Aspen Poletimber Medium 16.4 71 Unspecified N/A Some of stand on low dry ridges, but mostly wetland. A few red oak, white pine on ridges.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Black Cherry	2	Log/Pole	10		Wild Raisin	Low	5 - 10 feet	Tall Shrub
Bigtooth Aspen	6	Log/Pole	11		Red Maple	Medium	Variable	Sapling
Red Oak	2	Log/Pole	14		Dogwood (spp.)	Low	5 - 10 feet	Tall Shrub
Quaking Aspen	40	Pole/Log	9	71				
Red Maple	50	Log/Pole	10	71				

76 6221 - Fen Nonstocked 4.9 Unspecified No

Sub-Canopy Species	Density	Avg. Height	Size
Sedges	High		Non-Wood
Sphagnum Moss	Full		Non-Wood
Red Maple	Trace		Sapling
Quaking Aspen	Low		Pole
Wild Raisin	Low		Tall Shrub
Paper Birch	Trace		Sapling
Blueberry/Bilberry/Cranberry	Low		Tall Shrub
Gray Dogwood	High		Tall Shrub

77 4110 - Sugar Maple Association Sawtimber Well 31.8 102 81-110 N/A lots of multi-stem trees.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Bigtooth Aspen	15	Log	16	76	Sugar Maple	Low	5 - 10 feet	Sapling
Basswood	15	Log/Pole	14		Beech	Low	>20 feet	Sapling
Beech	5	Log/Pole	12		Ironwood	Low	>20 feet	Sapling
Sugar Maple	65	Log/Pole	12	102				

Ring count on aspen is shaky.



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																															
78	4110 - Sugar Maple Association	Sawtimber Well	69.5	102	81-110	N/A	Scattered bigtooth aspen clones and small openings. Some red oak in stand too.																																															
		<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Bigtooth Aspen</td> <td>4</td> <td>Log</td> <td>16</td> <td></td> </tr> <tr> <td>Beech</td> <td>10</td> <td>Pole/Log</td> <td>8</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>3</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>45</td> <td>Log/Pole</td> <td>11</td> <td>102</td> </tr> <tr> <td>Basswood</td> <td>35</td> <td>Log/Pole</td> <td>13</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>3</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table>	Canopy Species	% Cover	Size Class	DBH	Age	Bigtooth Aspen	4	Log	16		Beech	10	Pole/Log	8		Black Cherry	3	Log	12		Sugar Maple	45	Log/Pole	11	102	Basswood	35	Log/Pole	13		Quaking Aspen	3	Log	12				<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Medium</td> <td>>20 feet</td> <td>Sapling</td> </tr> </tbody> </table>	Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	Variable	Sapling	Ironwood	Medium	>20 feet	Sapling		
Canopy Species	% Cover	Size Class	DBH	Age																																																		
Bigtooth Aspen	4	Log	16																																																			
Beech	10	Pole/Log	8																																																			
Black Cherry	3	Log	12																																																			
Sugar Maple	45	Log/Pole	11	102																																																		
Basswood	35	Log/Pole	13																																																			
Quaking Aspen	3	Log	12																																																			
Sub-Canopy Species	Density	Avg. Height	Size																																																			
Beech	Medium	Variable	Sapling																																																			
Ironwood	Medium	>20 feet	Sapling																																																			
79	31021 - Cool Season Grass	Nonstocked	1.8		Unspecified	Managed Opening	Old well pad. Unlisted species is clover.																																															
				<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Mixed Grasses</td> <td>High</td> <td></td> <td>Non-Wood</td> </tr> <tr> <td>Unlisted - See Comments</td> <td>Medium</td> <td></td> <td></td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Mixed Grasses	High		Non-Wood	Unlisted - See Comments	Medium																																							
Sub-Canopy Species	Density	Avg. Height	Size																																																			
Mixed Grasses	High		Non-Wood																																																			
Unlisted - See Comments	Medium																																																					
81	4130 - Aspen	Sapling Well	3.6	16	Unspecified	N/A	Treated under contract 61-054-06-01. cut in Aug. 2007 (all aspen and red maple was cut). Any other species on site was left uncut and should remain until aspen matures again.																																															
		<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>25</td> <td>Sapling</td> <td>2</td> <td>16</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>65</td> <td>Sapling</td> <td>2</td> <td>16</td> </tr> <tr> <td>White Pine</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> </tbody> </table>	Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	25	Sapling	2	16	Bigtooth Aspen	65	Sapling	2	16	White Pine	10	Log/Pole	12				<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>	Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Medium	Variable	Sapling																					
Canopy Species	% Cover	Size Class	DBH	Age																																																		
Red Maple	25	Sapling	2	16																																																		
Bigtooth Aspen	65	Sapling	2	16																																																		
White Pine	10	Log/Pole	12																																																			
Sub-Canopy Species	Density	Avg. Height	Size																																																			
White Pine	Medium	Variable	Sapling																																																			
82	4130 - Aspen	Sapling Well	4.6	16	Unspecified	N/A	treated under contract 61-054-06-01. cut in Aug. 2007 (all aspen and red maple was cut). Any other species on site was left uncut...long lived species that will make it until aspen matures again.																																															
		<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>65</td> <td>Sapling</td> <td>2</td> <td>16</td> </tr> <tr> <td>Red Maple</td> <td>25</td> <td>Sapling</td> <td>2</td> <td>16</td> </tr> </tbody> </table>	Canopy Species	% Cover	Size Class	DBH	Age	White Pine	10	Log/Pole	12		Bigtooth Aspen	65	Sapling	2	16	Red Maple	25	Sapling	2	16			<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>	Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	Variable	Sapling																					
Canopy Species	% Cover	Size Class	DBH	Age																																																		
White Pine	10	Log/Pole	12																																																			
Bigtooth Aspen	65	Sapling	2	16																																																		
Red Maple	25	Sapling	2	16																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																			
White Pine	Low	Variable	Sapling																																																			
83	4130 - Aspen	Sapling Well	21.0	16	Unspecified	N/A	treated under contract 61-054-06-01. cut in Aug. 2007 (all aspen and red maple was cut). Any other species on site was left uncut (wp, oak, cherry) and will remain until aspen matures.																																															
		<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>15</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>60</td> <td>Sapling</td> <td>3</td> <td>16</td> </tr> <tr> <td>Red Maple</td> <td>25</td> <td>Sapling</td> <td>1</td> <td>16</td> </tr> </tbody> </table>	Canopy Species	% Cover	Size Class	DBH	Age	White Pine	15	Log/Pole	10		Bigtooth Aspen	60	Sapling	3	16	Red Maple	25	Sapling	1	16			<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>	Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	Variable	Sapling																					
Canopy Species	% Cover	Size Class	DBH	Age																																																		
White Pine	15	Log/Pole	10																																																			
Bigtooth Aspen	60	Sapling	3	16																																																		
Red Maple	25	Sapling	1	16																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																			
White Pine	Low	Variable	Sapling																																																			
85	4130 - Aspen	Sapling Poor	9.7	15	1-50	N/A	Was clearcut w/residual BA 19 sq ft, cut in fall 2008.																																															
		<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Oak</td> <td>15</td> <td>Log/Pole</td> <td>14</td> <td>105</td> </tr> <tr> <td>White Pine</td> <td>10</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Sapling</td> <td>2</td> <td>15</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>70</td> <td>Sapling</td> <td>2</td> <td>15</td> </tr> </tbody> </table>	Canopy Species	% Cover	Size Class	DBH	Age	Red Oak	15	Log/Pole	14	105	White Pine	10	Pole/Sapling	5		Red Maple	5	Sapling	2	15	Bigtooth Aspen	70	Sapling	2	15																											
Canopy Species	% Cover	Size Class	DBH	Age																																																		
Red Oak	15	Log/Pole	14	105																																																		
White Pine	10	Pole/Sapling	5																																																			
Red Maple	5	Sapling	2	15																																																		
Bigtooth Aspen	70	Sapling	2	15																																																		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

86	4130 - Aspen	Sapling Well	10.4	15	1-50	N/A	Was clearcut w/residual BA 16 sqft, cut in fall 2008.
-----------	--------------	--------------	------	----	------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
White Pine	10	Pole/Sap/Log	8	
Bigtooth Aspen	75	Sapling	2	15
Red Maple	5	Sapling	2	15
Red Oak	10	Log/Pole	14	105

87	4130 - Aspen	Sapling Well	3.3	14	Unspecified	N/A	Area was cut in winter of 2010-2011.
-----------	--------------	--------------	-----	----	-------------	-----	--------------------------------------

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	5	Sapling	2	14	White Pine	Low	Variable	Sapling
Bigtooth Aspen	70	Sapling	2	14				
White Pine	10	Pole/Log	8					
Red Oak	15	Log	16	96				

88	4199 - Other Mixed Upland Deciduous	Sawtimber Well	18.9	108	81-110	N/A	W. pine regen mostly west end but spreading east.
-----------	-------------------------------------	----------------	------	-----	--------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Beech	5	XLog/Log/Pole	18		Ironwood	Low	Variable	Sapling
Bigtooth Aspen	15	Log/Pole	16		White Pine	Medium	Variable	Sapling
Red Oak	50	Log/Pole/XLog	17	108	Red Maple	Low	Variable	Pole
Black Cherry	5	Log	10		Beech	Medium	Variable	Sapling
Red Maple	25	Log/Pole	10					

89	4110 - Sugar Maple Association	Sawtimber Well	2.9	90	51-80	N/A	Lots of old open-grown multi-stem maple.
-----------	--------------------------------	----------------	-----	----	-------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Red Oak	10	Pole/Log	9		Sugar Maple	Low	Variable	Sapling
Black Cherry	5	Pole/Log	9		Red Maple	Medium	Variable	Sapling
Red Maple	10	Pole/Log	9	90	Ironwood	Low	Variable	Sapling
Sugar Maple	75	Log/Pole	16	90				

90	4130 - Aspen	Sapling Medium	16.1	16	1-50	N/A	Stand clearcut July 2008.
-----------	--------------	----------------	------	----	------	-----	---------------------------

Canopy Species	% Cover	Size Class	DBH	Age
Black Cherry	5	Sapling	2	16
Bigtooth Aspen	35	Sapling	2	16
Red Maple	5	Sapling	1	16
Quaking Aspen	50	Sapling	2	16
Red Oak	5	Pole/Log/Sap	9	



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

91	4130 - Aspen	Sapling Medium	9.5	15	Unspecified	N/A	Clearcut in 10/2008 under TSC #610370601. Scattered mature leave trees: RM, BC, RO.
-----------	--------------	----------------	-----	----	-------------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
Quaking Aspen	80	Sapling	2	15
White Pine	15	Sapling	2	
Black Cherry	5	Sapling	2	15

92	4123 - Red Oak	Sawtimber Well	9.5	106	51-80	N/A	Manage for mix oak-white pine.
-----------	----------------	----------------	-----	-----	-------	-----	--------------------------------

Canopy Species	% Cover	Size Class	DBH	Age
Red Maple	3	Pole/Log	8	
White Oak	2	Log	10	
Bigtooth Aspen	5	Pole	8	
Red Oak	90	Log/Pole	14	106

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	High	Variable	Sapling
White Pine	Medium	Variable	Pole

93	4130 - Aspen	Poletimber Well	15.6	71	Unspecified	N/A	
-----------	--------------	-----------------	------	----	-------------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Quaking Aspen	5	Pole	8	
White Pine	2	Log/Pole	12	
Bigtooth Aspen	88	Pole/Log/Sap	8	71
Black Cherry	3	Log/Pole	12	
Red Maple	2	Log/Pole	12	

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	Low	Variable	Sapling

95	4130 - Aspen	Poletimber Medium	3.2	71	Unspecified	N/A	
-----------	--------------	-------------------	-----	----	-------------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Red Maple	2	Log/Pole	10	
White Pine	2	Log/Pole	12	
Black Cherry	3	Log/Pole	10	
Bigtooth Aspen	88	Pole/Log	9	71
Quaking Aspen	5	Pole/Log	9	

Sub-Canopy Species	Density	Avg. Height	Size
White Pine	High	Variable	Sapling

100	4131 - Aspen, Oak	Poletimber Well	54.5	55	81-110	N/A	Younger aspen with a prior residual older RO, WP. WP now all sizes/ages. RM, RO, WP seedlings throughout. Lots of maple-leaved viburnum. A few white oak, sugar maple.
------------	-------------------	-----------------	------	----	--------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Red Oak	25	Log/Pole	14	105
Bigtooth Aspen	50	Pole/Log	9	55
White Pine	15	Log/Pole	12	78
Red Maple	10	Log/Pole	10	

Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	Low	10 - 20 feet	Sapling
White Pine	Medium	Variable	Sapling



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

101 4191 - Mixed Upland Deciduous with Conifer Poletimber Well 4.2 105 81-110 N/A This is a long-term retention strip left along cinder road.

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	10	Log/Pole	10		Red Maple	Low	10 - 20 feet	Sapling
Red Oak	35	Log/Pole	14	105	White Pine	Medium	Variable	Sapling
Bigtooth Aspen	25	Pole/Log	8	55				
White Pine	30	Log/Pole	12	78				

103 4119 - Mixed Northern Hardwoods Sawtimber Well 2.6 55 81-110 N/A This is long-term retention containing oak & pine this retention is associated with adjacent stand 43

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Basswood	11	Log/Pole	12		Red Maple	Low	>20 feet	Sapling
Beech	2	Log	14		Ironwood	High	Variable	Sapling
Bigtooth Aspen	5	Pole/Log	9		White Pine	Medium	10 - 20 feet	Sapling
Red Oak	32	Log/Pole	10	55	Red Oak	Low	>20 feet	Sapling
Sugar Maple	20	Log/Pole	11					
Red Maple	30	Log/Pole	11					

104 4130 - Aspen Poletimber Well 2.1 73 Unspecified N/A Retention area from adjacent stand 17. sale 61-074-16

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	5	Log	12		White Pine	Low	Variable	Sapling
Red Oak	10	XLog/Log/Pole	18	96				
Bigtooth Aspen	75	Log/Pole	10	73				
Black Cherry	10	Log/Pole	10					