

DEPARTMENT OF NATURAL RESOURCES STATE OF MICHIGAN

TIMBER SALE PROSPECTUS #6530

SCHEDULED SALE DATE AND TIME: 9:00 a.m. (local time) on December 16, 2019. LOCATION: GRAYLING MGMT UNIT, 1955 HARTWICK PINES ROAD, GRAYLING, MI 49738.

CONTACT NAME: Thomas Barnes PHONE NUMBER: (989) 348-6371

PROSPECTUS NOTE: The bidder is advised to inspect the sale area and review the location, estimated volumes, operating costs and contract terms of proposed sales. Please be aware that some landowners may request 60 days or more notice for access across their land.

Notice is hereby given that bids will be received by the Unit Manager, GRAYLING MANAGEMENT UNIT, for certain timber on the following described lands:

<u>Tricky Trout Aspen</u> (72-027-19) / T28N, R01E, SEC. 25, E1/2NE,S1/2SW,SWSE. Oscoda County, Advertised Price \$55,897.55, 90.8 Acres, Aspen, Hardwood.

TIMBER SALE INFORMATION

<u>Tricky Trout Aspen (72-027-19)</u> T28N, R01E, SEC. 25.

Oscoda County (Advertised Price \$55,897.55)

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. Bids must be at or above the following advertised price for each species:

PRODUCTS & SPECIES	ESTIMATED UNITS*		ADVERTISED PRICE	
Sawtimber				
Mixed Aspen	101.60	MBF	\$	72.00 / MBF
Northern Pin Oak	13.70	MBF	\$	200.00 / MBF
Red Maple	13.10	MBF	\$	67.00 / MBF
Red Pine	50.40	MBF	\$	120.00 / MBF
Pulpwood				
Balsam Fir	24.00	Cords	\$	19.85 / Cord
Black Spruce	7.00	Cords	\$	21.50 / Cord
Jack Pine	258.00	Cords	\$	24.45 / Cord
Mixed Aspen	722.00	Cords	\$	24.45 / Cord
Mixed Hardwood	179.00	Cords	\$	33.10 / Cord
Northern Pin Oak	70.00	Cords	\$	25.05 / Cord
Paper Birch	11.00	Cords	\$	11.85 / Cord
Red Pine	95.00	Cords	\$	52.90 / Cord
White Pine	49.00	Cords	\$	30.50 / Cord

BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$5,589.76 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
 - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
 - (b) The 10% down payment will be credited towards the first unit cut.
- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 12/31/2021.

Description of Timber by Payment Unit (PU)

Quaking Aspen Northern Pin Oak Red Maple Red Pine Balsam Fir Pulpwood 23.0 Cords Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine Balsam Fir Pulpwood 23.0 Cords Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine Mixed Hardwood Mixed Hardwood Northern Pin Oak Red Pine Mixed Hardwood Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Hardwood Mixed Hardwood Mixed Hardwood Mixed Hardwood Mixed Aspen Mixed Hardwood Mixed	PU	MARKET GROUP	PRODUCT	QUANTITY	UNIT	ACRES	ADVERTISE PRICE
Northern Pin Oak Red Maple Red Pine Balsam Fir Pulpwood 15.0 Cords	1	Mixed Aspen	Sawtimber	60.1	MBF	47.6	\$24,511.20
Red Maple Red Pine Balsam Fir Black Spruce 7.0 Cords		Quaking Aspen		60.1	MBF		
Red Pine Balsam Fir Black Spruce Jack Pine Mixed Aspen Mixed Hardwood Morthern Pin Oak Red Pine Mixed Hardwood Morthern Pin Oak Mixed Hardwood Morthern Pin Oak Mixed Hardwood Morthern Pin Oak Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Maple Mixed Hardwood Morthern Pin Oak Mixed Maple		Northern Pin Oak		2.5	MBF		
Balsam Fir Black Spruce Jack Pine Mixed Aspen Mixed Hardwood Morthern Pin Oak Red Pine Mixed Hardwood Morthern Pin Oak Mixed Pine Mixed Hardwood Mixed Aspen Mixed Hardwood Mixed Aspen Mixed Hardwood Morthern Pin Oak Mixed Hardwood Morthern Pin Oak Red Pine Mixed Hardwood Mixed Hardwood Morthern Pin Oak Red Pine Mixed Hardwood Mixed Hardwood Morthern Pin Oak Red Pine Mixed Hardwood Mixed Hardwood Morthern Pin Oak Red Pine Mixed Hardwood		Red Maple		3.2	MBF		
Black Spruce Jack Pine 123.0 Cords		Red Pine		9.1	MBF		
Jack Pine Mixed Aspen Mixed Hardwood Morthern Pin Oak Red Pine Mixed Aspen Mixed Aspe		Balsam Fir	Pulpwood	23.0	Cords		
Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine White Pine 406.0 51.0 38.0 15.0 Cords H6.0 Cords Cords 2 Northern Pin Oak Red Maple Red Pine Balsam Fir Jack Pine Mixed Hardwood Northern Pin Oak Paper Birch Red Pine White Pine Sawtimber 38.0 MBF 131.0 Cords MBF 131.0 Cords Mixed Hardwood Northern Pin Oak Paper Birch Red Pine White Pine 10.0 Cords Mixed Aspen White Pine Cords MBF MBF MBF 3 Mixed Aspen Quaking Aspen Northern Pin Oak Red Maple Red Pine Jack Pine Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine Mixed Hardwood Northern Pin Oak Red Pine 41.5 MBF MBF MBF MBF 16.1 MBF MBF MBF \$16,60° MBF MBF 3 Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine 7.0 MBF MBF 16.1 Cords MBF \$16,60° MBF 1 Cords Mixed Hardwood Northern Pin Oak Red Pine 12.0 Cords Mixed Hardwood Northern Pin Oak Red Pine MBF MBF 1 Cords Mixed Hardwood Northern Pin Oak Red Pine 12.0 Cords MBF MBF MBF		Black Spruce		7.0	Cords		
Mixed Hardwood Northern Pin Oak Red Pine 51.0 38.0 Cords Cords Cords White Pine 46.0 46.0 Cords Cords Northern Pin Oak Red Maple Red Pine Balsam Fir Jack Pine Sawtimber 38.0 MBF 1.0 Cords 38.0 MBF 2.9 MBF 38.0 MBF 131.0 Cords \$14,784 MBF 2.0 Cords Mixed Hardwood Northern Pin Oak Paper Birch Red Pine White Pine 1.0 Cords 20.0 Cords Cords 20.0 Cords Mixed Aspen Quaking Aspen Northern Pin Oak Red Maple Red Pine Jack Pine Mixed Aspen Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine Sawtimber 4.0 MBF 3.3 MBF 4.0 Cords 3.6 MBF 16.1 MBF MBF 4.0 Cords 3.3 MBF 4.0 Cords 3.6 Cords 3.6 MBF TOTAL: 178.8 MBF		Jack Pine		123.0	Cords		
Northern Pin Oak Red Pine White Pine		Mixed Aspen		406.0	Cords		
Red Pine White Pine		Mixed Hardwood		51.0	Cords		
White Pine 46.0 Cords		Northern Pin Oak		38.0	Cords		
2 Northern Pin Oak Red Maple Red Pine Balsam Fir Jack Pine Mixed Hardwood Northern Pin Oak Paper Birch Red Pine Balsam Fir Jack Pine Mixed Hardwood Northern Pin Oak Paper Birch Red Pine Mixed Aspen Sawtimber 1.0 Cords		Red Pine		15.0	Cords		
Red Maple 2.9 MBF Red Pine 38.0 MBF Balsam Fir Pulpwood 1.0 Cords Jack Pine 131.0 Cords Mixed Hardwood 49.0 Cords Northern Pin Oak 20.0 Cords Paper Birch 11.0 Cords Red Pine 70.0 Cords White Pine 3.0 Cords 3 Mixed Aspen Sawtimber 41.5 MBF 16.1 \$16,60° B. T. Aspen 39.5 MBF MBF MBF 16.1 \$16,60° \$16,60° MBF MB		White Pine		46.0	Cords		
Red Pine 38.0 MBF Balsam Fir Pulpwood 1.0 Cords Jack Pine 131.0 Cords Mixed Hardwood 49.0 Cords Northern Pin Oak 20.0 Cords Paper Birch 11.0 Cords Red Pine 70.0 Cords White Pine 3.0 Cords 3 Mixed Aspen Sawtimber 41.5 MBF 16.1 \$16,60° B. T. Aspen 2.0 MBF MBF 16.1 \$16,60° Wisted Aspen 2.0 MBF MBF<	2	Northern Pin Oak	Sawtimber	3.8	MBF	27.1	\$14,784.85
Balsam Fir Jack Pine Pulpwood 1.0 Cords Mixed Hardwood Northern Pin Oak Paper Birch Red Pine 20.0 Cords White Pine 3.0 Cords White Pine 3.0 Cords Mixed Aspen Quaking Aspen Northern Pin Oak Red Maple Red Pine Sawtimber 41.5 MBF MBF 16.1 \$16,60° Red Pine Jack Pine Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine Pulpwood 7.4 MBF MBF TOTAL: 178.8 MBF		Red Maple		2.9	MBF		
Jack Pine 131.0 Cords Mixed Hardwood 49.0 Cords Northern Pin Oak 20.0 Cords Paper Birch 70.0 Cords Red Pine 3.0 Cords White Pine 3.0 Cords 3 Mixed Aspen 41.5 MBF 16.1 \$16,60° B. T. Aspen 2.0 MBF <		Red Pine		38.0	MBF		
Mixed Hardwood Northern Pin Oak Paper Birch Red Pine White Pine 49.0 Cords 20.0 Cords 11.0 Cords 70.0 Cords 3 Mixed Aspen B. T. Aspen Quaking Aspen Northern Pin Oak Red Maple Red Pine Jack Pine Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine 5awtimber 41.5 MBF 39.5 MBF 2.0 MBF 7.4 MBF 7.0 MBF 3.3 MBF 4.0 Cords 316.0 Cords Mixed Hardwood Northern Pin Oak Red Pine 7.0 MBF 316.0 Cords 79.0 Cords 12.0 Cords 12.0 Cords 12.0 Cords TOTAL: 178.8 MBF		Balsam Fir	Pulpwood	1.0	Cords		
Northern Pin Oak		Jack Pine		131.0	Cords		
Paper Birch Red Pine 70.0 Cords		Mixed Hardwood		49.0	Cords		
Red Pine		Northern Pin Oak		20.0	Cords		
White Pine 3.0 Cords 3 Mixed Aspen B. T. Aspen Quaking Aspen Quaking Aspen Northern Pin Oak Red Maple Red Pine Jack Pine Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine TOTAL: 7.4 MBF		Paper Birch		11.0	Cords		
3 Mixed Aspen Sawtimber 41.5 MBF 16.1 \$16,60° B. T. Aspen 39.5 MBF 16.1 \$16,60° Quaking Aspen 2.0 MBF MBF MBF NBF		Red Pine		70.0	Cords		
B. T. Aspen 39.5 MBF Quaking Aspen 2.0 MBF Northern Pin Oak 7.4 MBF Red Maple 7.0 MBF Red Pine 3.3 MBF Jack Pine Pulpwood 4.0 Cords Mixed Aspen 316.0 Cords Mixed Hardwood 79.0 Cords Northern Pin Oak 12.0 Cords Red Pine 10.0 Cords		White Pine		3.0	Cords		
Quaking Aspen Northern Pin Oak Red Maple Red Pine2.0MBFJack Pine Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine7.0MBFMixed Hardwood Northern Pin Oak Red Pine3.3MBFMixed Hardwood Northern Pin Oak Red Pine79.0CordsCords 12.0CordsTOTAL:178.8MBF	3	Mixed Aspen	Sawtimber	41.5	MBF	16.1	\$16,601.50
Northern Pin Oak Red Maple Red Pine Jack Pine Jack Pine Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine TOTAL: 17.4 MBF 7.0 MBF 7.0 MBF 7.0 Cords 7.2 MBF 7.0 MBF		B. T. Aspen		39.5	MBF		
Red Maple Red Pine Jack Pine Pulpwood 4.0 Cords Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine TOTAL: 178.8 MBF 7.0 MBF 7.0 MBF 7.0 Cords MBF 7.0 Cords 12.0 Cords 12.0 Cords MBF 17.0 Cords 178.8 MBF		Quaking Aspen		2.0	MBF		
Red Pine Jack Pine Pulpwood 4.0 Cords Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine Pulpwood 4.0 Cords Cords TOTAL: 178.8 MBF 1.0 Cords MBF		Northern Pin Oak		7.4	MBF		
Jack Pine Pulpwood 4.0 Cords Mixed Aspen 316.0 Cords Mixed Hardwood Northern Pin Oak Red Pine 10.0 Cords TOTAL: 178.8 MBF		Red Maple		7.0	MBF		
Mixed Aspen Mixed Hardwood Northern Pin Oak Red Pine TOTAL: Mixed Aspen 79.0 Cords 12.0 Cords 10.0 Cords MBF		Red Pine		3.3	MBF		
Mixed Hardwood Northern Pin Oak Red Pine TOTAL: TOTA		Jack Pine	Pulpwood	4.0	Cords		
Northern Pin Oak Red Pine 12.0 Cords 10.0 Cords TOTAL: 178.8 MBF		Mixed Aspen		316.0	Cords		
Red Pine 10.0 Cords TOTAL: 178.8 MBF		Mixed Hardwood		79.0	Cords		
TOTAL: 178.8 MBF		Northern Pin Oak		12.0	Cords		
		Red Pine		10.0	Cords		
TOTAL 4.450 0			TOTAL:	178.8	MBF		
TOTAL: 1,415.0 Cords			TOTAL:	1,415.0	Cords		

Page 3 of 7

Sale Specific Conditions & Requirements

Sale Name: Tricky Trout Aspen Sale Number: 72-027-19 Seq#: 1

1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (1/14)

The sale boundary and Payment Unit boundaries are marked and identified by red and yellow paint. Exterior sale boundary lines against state are marked with red paint, with the exception of the southern boundary of Payment Unit 1 and the eastern boundary of Payment Unit 2, which are unpainted and identified by Farrington Road and Townline Road, respectively. Interior Payment Unit boundaries are marked with yellow paint. The painted boundary line trees are not Included Timber and are to be protected. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1-3, cut all trees that are two (2) inches or more at DBH.

2.2 - Utilization

2.2.3 - Stump heights (4/07)

Stump heights within Payment Unit 2 shall not exceed 6 inches for all trees. This is in order to facilitate planting operations.

3 - Payments

3.3 - Pre-measured Sales

3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Supplement. There will be only one division per Payment Unit.

4 - Transportation

4.1 - Construction

4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, and not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

4.1.7 - Road closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Stumps and brush must be placed along the remainder of the trail. These roads must be rendered impassable to cars and trucks.

4.1.11 - Permits (2/12)

The Purchaser will secure any necessary permits that may be required.

4.2 - Maintenance

4.2.5 - Two wheel drive condition (2/04)

All existing trail roads on and adjacent to the sale area must be passable by two-wheel drive traffic for the duration of the sale.

4.4 - Access

4.4.3 - Access gate (12/08)

Access to Payment Units 2 and 3 will be through the gated hunting trail along the southern boundary (see Timber Sale Map). The access gate must be locked at the completion of each day unless otherwise approved by the Unit Manager or his/her representative.

5 - Operations

5.1 - Notification

5.1.1 - Pre-sale conference (10/16)

A pre-sale conference on site between the Purchaser and sale administrator is required prior to beginning any operations to determine landing and road locations. The Unit Manager or his/her representative must be contacted at least 5 days in advance to schedule the conference.

5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)

No slash or tree tops may exceed 24 inches in height.

5.2.2 - Hazard Trees/Snags

5.2.2.1 - Den trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

5.2.4 - Dead and Down Creation

5.2.4.4 - Dead and down creation, grouse (6/18)

To encourage grouse and other wildlife, in Payment Unit(s) 1-3, leave one, 12" or larger diameter (or largest diameter trees within stand) whole tree on the ground for every 2 acres, preferably a hardwood species such as oak or maple or if no hardwoods are present, a pine species (white or red). These will be evenly scattered throughout the unit.

5.2.4.7 - Dead and down creation: hare, grouse, deer and other species (5/15)

To improve horizontal cover habitat for snowshoe hare, grouse, deer, and other species, the Purchaser is to push over red marked boundary line trees within Payment Unit 1. These trees should be tipped over with the root ball still attached so the base of the tree is suspended off the ground. The crown of the fallen tree should be at or near ground level after it is pushed over.

5.2.29 - Shrub protection (9/07)

Do not cut or damage hawthorn, witch-hazel, dogwood or juneberry. These woody-shrub plants are highly beneficial to various wildlife species.

5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

5.4 - Soil Protection

5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

6 - Safety and Fire Prevention

6.2 - Signing

6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Townline Road and Farrington Road prior to beginning operations. The road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser will provide these signs.

Section Name: Sale Specific Current as of 11/13/2019 3:54:28PM

