

# DEPARTMENT OF NATURAL RESOURCES STATE OF MICHIGAN TIMBER SALE PROSPECTUS #7720

SCHEDULED SALE DATE AND TIME: 9:00 a.m. (local time) on November 6, 2025.

LOCATION: BARAGA MGMT UNIT, 427 US 41 NORTH, BARAGA, MI 49908.

<u>CONTACT NAME:</u> Brad Carlson <u>PHONE NUMBER:</u> (906) 353-6651

<u>PROSPECTUS NOTE:</u> The bidder is advised to inspect the sale area and review the location, estimated volumes, operating costs and contract terms of proposed sales. Please be aware that some landowners may request 60 days or more notice for access across their land.

Notice is hereby given that bids will be received by the Unit Manager, BARAGA MANAGEMENT UNIT, for certain timber on the following described lands:

Bone Yard Mix (11-004-25) / T51N, R34W, SEC. 28, SESE.

T51N, R34W, SEC. 33, E1/2NE, E1/2SE.

Baraga County, Advertised Price \$16,807.50, 57.2 Acres, Aspen, Hardwood.

SALE NOTE: This area has an operating restriction with a restricted harvest period, the allowed harvest period is October 1st to March 14th. See sale spec 5.8.10 for more information regarding the operating restriction.

A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

#### TIMBER SALE INFORMATION

## Bone Yard Mix (11-004-25) T51N, R34W, SEC. 28; T51N, R34W, SEC. 33. Baraga County (Advertised Price \$16,807.50)

SALE NOTE: This area has an operating restriction with a restricted harvest period, the allowed harvest period is October 1st to March 14th. See sale spec 5.8.10 for more information regarding the operating restriction.

A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. All units of volume listed below were estimated using the Inventory Manager computer program and the new Michigan taper model. Bids must be at or above the following advertised price for each product and species:

| PRODUCTS & SPECIES | <b>ESTIMATE</b> | D UNITS* | <u>ADVI</u> | ERTISED PRICE |
|--------------------|-----------------|----------|-------------|---------------|
| Sawtimber          |                 |          |             |               |
| Basswood           | 13.1            | MBF      | \$          | 58.00 / MBF   |
| Black Cherry       | 0.9             | MBF      | \$          | 48.00 / MBF   |
| Sugar Maple        | 30.2            | MBF      | \$          | 291.00 / MBF  |
| Pulpwood           |                 |          |             |               |
| Balsam Fir         | 36              | Cords    | \$          | 5.50 / Cord   |
| Basswood           | 48              | Cords    | \$          | 5.35 / Cord   |
| Box Elder          | 72              | Cords    | \$          | 13.10 / Cord  |
| Mixed Aspen        | 92              | Cords    | \$          | 18.80 / Cord  |
| Mixed Hardwood     | 285             | Cords    | \$          | 13.10 / Cord  |
| Mixed Spruce       | 32              | Cords    | \$          | 11.10 / Cord  |

<sup>\*</sup> The total volume is statistically estimated within plus (+) or minus (-) 20.43 percent. There are an estimated 667 cords on this timber sale, plus or minus 136 cords at the 95% confidence level. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

#### **BOND AND PAYMENT SCHEDULE:**

- 1. A bond in the amount of \$1,680.75 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
  - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
  - (b) The 10% down payment will be credited towards the first unit cut.
  - (c) Payment for each of the following units must be made before cutting begins in that unit:

| PAYMENT UNIT NUMBER | PERCENT OF TOTAL SALE VAL |
|---------------------|---------------------------|
| 01                  | 17.0%                     |
| 02                  | 10.7%                     |
| 03                  | 72.3%                     |

- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 06/30/2029.

#### **SALE STATISTICS**

Volumes were calculated in cubic feet using the Michigan taper model. Cubic foot volume includes all wood inside bark for the product indicated. For display purposes, cubic feet were converted to cords and MBF using a simple conversion factor, e.g. 79 cubic feet per cord and 185 cubic feet per MBF. The cubic foot volumes are precise; the cords and MBF volumes are not. Cubic foot volume cannot be directly converted to cords or boards with precision.

#### **SALE VOLUMES**

The total estimated sale volume may not equal the sum of the species/products due to the nature of statistical calculations associated with double sampling methodology.

| VOLUME           |             | STATISTICAL RANGE IN CORI |         | ANGE IN CORDS |
|------------------|-------------|---------------------------|---------|---------------|
| TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR             | MINIMUM | MAXIMUM       |
| 52,712           | 667         | 20.43%                    | 531     | 804           |

#### **VDU VOLUMES**

A VDU is a Volume Determination Unit. Volumes and their associated statistics are calculated at the VDU level and summarized to the sale level. There is often a one to one relationship between a VDU and a Payment Unit, but not always, depending on the cruise design. Refer to the VDU TO PAYMENT UNIT table.

|        | VOLUME           |             |               | RANGE IN CORDS |         |
|--------|------------------|-------------|---------------|----------------|---------|
| VDU    | TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM        | MAXIMUM |
| 1      | 4,464            | 57          | 83.27%        | 9              | 104     |
| 2      | 16,046           | 203         | 49.68%        | 102            | 304     |
| 4      | 19,707           | 249         | 29.58%        | 176            | 323     |
| 5      | 1,874            | 24          | 63.21%        | 9              | 39      |
| 9      | 2,774            | 35          | 84.09%        | 6              | 65      |
| 11     | 6,962            | 88          | 38.68%        | 54             | 122     |
| 13     | 884              | 11          | 74.43%        | 3              | 20      |
| TOTAL: | 52,712           | 667         |               | 359            | 976     |

## **VDU TO PAYMENT UNIT**

When a VDU is associated with more than one Payment Unit (PU), the VDU volumes are assigned to the PU based on acres of the VDU within the PU.

| VDU    | VDU ACRES | PU | PU ACRES |
|--------|-----------|----|----------|
|        |           |    |          |
| TOTAL: |           |    |          |

## DESCRIPTION OF TIMBER BY PU (PU)

| PU | MARKET GROUP   | PRODUCT   | QUANTITY | UNIT  | ACRES | ADVERTISE PRICE |
|----|----------------|-----------|----------|-------|-------|-----------------|
| 1  | Black Cherry   | Sawtimber | 0.9      | MBF   | 10.5  | \$2,856.00      |
|    | Balsam Fir     | Pulpwood  | 20       | Cords |       |                 |
|    | Basswood       |           | 10       | Cords |       |                 |
|    | Box Elder      |           | 65       | Cords |       |                 |
|    | Mixed Aspen    |           | 73       | Cords |       |                 |
|    | Quaking Aspen  |           | 73       | Cords |       |                 |
|    | Mixed Hardwood |           | 24       | Cords |       |                 |
|    | American Elm   |           | 4        | Cords |       |                 |
|    | Black Cherry   |           | 20       | Cords |       |                 |
|    | Mixed Spruce   |           | 10       | Cords |       |                 |
|    | White Spruce   |           | 10       | Cords |       |                 |
| 2  | Basswood       | Sawtimber | 6.7      | MBF   | 5.2   | \$1,793.40      |
|    | Sugar Maple    |           | 1.8      | MBF   |       |                 |
|    | Basswood       | Pulpwood  | 22       | Cords |       |                 |
|    | Mixed Aspen    |           | 19       | Cords |       |                 |
|    | Quaking Aspen  |           | 19       | Cords |       |                 |
|    | Mixed Hardwood |           | 31       | Cords |       |                 |
|    | Sugar Maple    |           | 29       | Cords |       |                 |
|    | Yellow Birch   |           | 2        | Cords |       |                 |
| 3  | Basswood       | Sawtimber | 6.4      | MBF   | 41.5  | \$12,158.10     |
|    | Sugar Maple    |           | 28.4     | MBF   |       |                 |
|    | Balsam Fir     | Pulpwood  | 16       | Cords |       |                 |
|    | Basswood       |           | 16       | Cords |       |                 |
|    | Box Elder      |           | 7        | Cords |       |                 |
|    | Mixed Hardwood |           | 230      | Cords |       |                 |
|    | Red Maple      |           | 3        | Cords |       |                 |
|    | Sugar Maple    |           | 223      | Cords |       |                 |
|    | Yellow Birch   |           | 4        | Cords |       |                 |
|    | Mixed Spruce   |           | 22       | Cords |       |                 |
|    | White Spruce   |           | 22       | Cords |       |                 |
|    |                | TOTAL:    | 44.2     | MBF   |       |                 |
|    |                | TOTAL:    | 565      | Cords |       |                 |

## Sale Specific Conditions & Requirements

Sale Name: Bone Yard Mix Sale Number: 11-004-25 Seq#: 1

#### 1 - Sale Area

#### 1.2 - Boundaries

#### 1.2.1 - Painted Boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by blue and red paint. Exterior sale boundary lines against private property are marked with blue paint. Exterior sale boundary lines against state are marked with red paint. The painted boundary line trees are not Included Timber and are to be protected unless marked with orange paint.

#### 2 - Timber Specifications

#### 2.1 - Included Timber

#### 2.1.2 - Clearcut Unit(s) w/o Unmerchantable Trees (8/11)

Within Payment Unit(s) 1, cut all trees which meet minimum piece specifications in 2.2 Utilization, except do not cut hemlock, red pine, white pine, cedar, red oak or any tree over 22 inches at DBH, these are not Included Timber and are to be protected if present.

## 2.1.3 - Cut Tree Marked Unit(s) (12/08)

Within Payment Unit(s) 2 and 3, all trees are designated for cutting when marked with orange paint above and below stump height, regardless of merchantability.

#### 2.2 - Utilization

### 2.2.3 - Stump Heights (12/24)

Stump heights within the Sale Area shall not exceed 12 inches for trees greater than 10 inches at DBH and four (4) inches for trees smaller than 10 inches at DBH. A written waiver of this requirement may be obtained if wet summer weather makes winter logging necessary.

## 2.2.4 - Skidding Length (12/24)

Skidding of lengths over 17 feet is permissible as long as the Sale Administrator approves the method and machinery used. If at any point damage exceeds specification 3.4.1, all of the remaining wood must be skid in lengths less than 17 feet.

#### 2.2.5 - Limbed Tree Skidding (12/24)

The skidding of whole trees or tree segments with limbs attached is prohibited, unless approved by the Unit Manager or his/her representative.

## 2.2.7 - Uncut Designated Trees (2/04)

Liquidated damages of \$10.00 per tree will be assessed for every marked tree not cut.

## 2.2.8 - Utilization and Removal (12/24)

All products meeting standards set forth in General Condition and Requirement 2.2 Utilization must be removed from the Sale Area. This is because excess woody debris inhibits regeneration.

## 2.2.9 - No Chipping Permitted (12/08)

Within Payment Unit(s) 1-3, all wood must be removed by whole tree, tree segment, or roundwood, tops may not be chipped.

#### 3 - Payments

## 3.4 - Damaged Timber

#### 3.4.1 - Damaged Timber (12/24)

General Condition and Requirement 3.4 Damaged Timber, defines liquidated damages for undesignated live merchantable trees which are cut or injured. In addition, extreme care should be taken to avoid damage to tree seedlings and saplings.

No damage is acceptable to undesignated live merchantable trees. Within the Sale Area, if more than 5% of trees (> 4.5"

DBH) within a specified area of the sale are damaged, liquidated damages will be assessed for all trees damaged. Rates will be in accordance with General Condition and Requirement 3.4 Damaged Timber. Note that: trees within 10 feet of ruts exceeding 12" will be considered damage due to damage caused to the tree roots (see spec 5.4.1).

#### 4 - Transportation

#### 4.1 - Construction

## 4.1.1 - Stream Crossings, General (1/25)

All stream crossing structures will be temporary and, therefore, shall be provided by the Purchaser and must be removed upon completion of the sale. All permits for stream crossings will be provided by the DNR for crossings on state owned land.

#### 4.1.2 - Stream Crossings, Specific (3/11)

The Gristmill Creek crossing will require the installation of a portable bridge which may be borrowed from the DNR. This installation will be performed in accordance with the specifications on the appropriate permits which shall be provided by the DNR. Please notify the DNR 90 days prior to working on any crossing that requires a permit.

#### 4.1.3 - Slash and Earthen Piles (8/04)

Piles or windrows of earth along roads and landings that have been widened or constructed shall be leveled. Slash from road maintenance or construction, including stumps, shall be dispersed throughout the sale.

#### 4.1.4 - Timber Removed for Construction (3/23)

Trees cut or damaged in the process of pre-approved road, landing, or skid trail construction will be decked in an area separate from other Designated Timber and not removed until measured by the Sale Administrator. Payment will be made at contract prices or average prices, if not on the contract.

#### 4.1.5 - Culverts (5/14)

Roads may require the installation of culverts for cross drainage or at natural drainage-ways. If culverts are needed in these locations, their placement will be specified by the Sale Administrator, and they shall be installed prior to hauling. The culverts shall be new, corrugated metal or plastic gauge. Culverts will be a minimum of 12 inches in diameter and 24 feet in length. If culverts are removed, fill shall be removed from wetland soils as specified. Soils shall be maintained and left in a non-erodible condition, with water bars, seed, fertilizer, mulch, and slash installed as directed by the Sale Administrator and as specified in the BMP manual. Stream crossing permits, if needed, will be obtained by the DNR.

#### 4.1.6 - Road Construction (4/24)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, and not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

## 4.1.7 - Road Closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Contact the Sale Administrator for specific details of design and placement.

## 4.1.11 - Permits (2/12)

The Purchaser will secure any necessary permits that may be required. The DNR will secure any stream crossing permits that may be required, please notify the DNR 90 days prior to working on any crossing that requires a permit.

#### 4.2 - Maintenance

#### 4.2.2 - Fill Material (4/07)

To maintain roads, fill material may be needed in areas where "holes" exist or may be expected to develop. This fill material should be placed before trucking begins.

#### 4.2.4 - Grading (10/16)

For completion of the sale, state forest roads must be graded. In general, this will require a road grader or bulldozer to shape up the roads after forest products have been hauled off site. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. The grading equipment to be used must be approved by the Unit Manager or his/her

representative.

#### 4.2.5 - Two Wheel Drive Condition (2/04)

All existing trail roads on and adjacent to the Sale Area must be passable by two-wheel drive traffic for the duration of the sale.

## 5 - Operations

#### 5.1 - Notification

#### 5.1.1 - Pre-sale Conference (10/16)

A pre-sale conference between the Purchaser and Sale Administrator is required prior to beginning any operations, to determine landing and road locations. The Unit Manager or his/her representative must be contacted at least 10 days in advance to schedule the conference.

#### 5.1.4 - Post-Sale Conference (10/16)

A post-sale conference on site between the Purchaser and sale administrator is required 5 days prior to the completion of active logging operations to determine clean-up and repair of landings, road edges, and the fulfillment of other contract specifications.

## 5.2 - Conduct of Operations

#### 5.2.1 - Slash

#### 5.2.1.1 - Slash Within Sale Area (9/16)

No trees are to be felled outside the Sale Area, and all slash is to be kept at least 10 feet back from the red paint line. If sale boundary lines are along a public road or highway, then slash must be removed 50' from these lines per General Condition & Requirement 5.2.1.

#### 5.2.1.11 - Slash for Reforestation (3/21)

To facilitate reforestation, the Sale Area shall be left with slash evenly distributed. Processing sites shall not be left with a compacted layer of slash; tops from these sites shall be hauled back into the cut area and scattered.

#### 5.2.2 - Hazard Trees/Snags

#### 5.2.2.1 - Den Trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

## 5.2.3 - Operating Restrictions

## 5.2.3.2 - Operating Restrictions (9/11)

Within Payment Unit(s) unless changed by written agreement, all clean-up activities must be completed by June 30 for all areas that were harvested during the previous harvest season. This restriction is to allow the clean-up areas to revegetate before the dry season.

## 5.2.17 - Timber Mats and Interlocking Composite Mats (5/23)

Some roads or skid trails may require extra protection such as that afforded by timber mats, interlocking composite mats, or another approved system. If available, mats may be borrowed from the DNR. A Timber Sale Contract Amendment will be used to document the Purchaser's use of the DNR's mats. Contact the Sale Administrator regarding availability and pick-up. Timber mats are available from various field offices. Composite mats are only available from the Grayling field office and the Marquette ICC. The Purchaser is responsible for picking up and hauling the mats to and from the site. The composite mats will require DNR staff onsite for installation and removal. Contact the Sale Administrator to schedule at least 30 days before desired install/removal date. All mats must be cleaned prior to drop off. This may include, but is not limited to, power washing and brushing to remove mud and debris. A charge of \$700.00 per timber mat and \$2,000.00 per composite mat will be assessed for all damaged or non-returned mats. Damage for the crane/timber mats is defined as three or more broken cants. Damage for the composite mats is defined as cracked or broken mats.

#### 5.2.22 - Operating Caution

#### 5.2.22.1 - Operating Caution (6/11)

It is recommended, but not required, that within Payment Unit(s) 1-3, cutting, skidding, and hauling occur during frozen

winter conditions. The reason for the recommendation is to prevent soil erosion and rutting.

#### 5.2.30 - Landing/Road Topsoil Protection (1/25)

Topsoil on landings and new roads must be removed, stockpiled, and saved. Upon completion of the timber sale, soil must be evenly distributed back over the area for revegetation. In addition, the area must be seeded and mulched per Sale Administrator's instructions.

## 5.2.32 - Decking/Landing Restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

#### 5.2.38 - No Decking Against Live Trees (2/04)

Cut products may not be decked against unmarked or designated leave trees.

### 5.3 - Stream Protection

#### 5.3.2 - Parking Equipment Near Water (10/23)

Within Payment Unit(s) the parking of or storage of equipment is prohibited within 100 feet of water bodies or ground water supplies. All equipment, when not in use for harvest operations, must be parked a minimum of 100 feet away from water sources (streams, rivers, lakes, ponds, vernal pools, ground water sources) and 50 feet away from slopes leading to water sources and/or riparian areas. This restriction is for preventing unforeseen oil and/or fluid leaks from contaminating water bodies and/or ground water supplies.

#### 5.4 - Soil Protection

#### 5.4.1 - Rutting Restriction, General (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased. Note: Trees within 10 feet of ruts exceeding 12" will be considered damage due to damage caused to the tree roots and will be billed in accordance with 3.4 Damaged Timber.

## 5.4.2 - Skid Trails (2/04)

Skid trails up and down slopes should be avoided. If, however, this is unavoidable, these trails will be left in a non-erodible condition using water bars, logs, and slash. Placing of slash on these skid trails while logging is ongoing may alleviate need for any further action. At the direction of the Sale Administrator, seed, fertilizer, and mulch may also be required.

#### 5.4.3 - Erosion Control (12/08)

Skid trails or haul roads may require erosion control structures or berms per direction of the Unit Manager or his/her representative.

## 5.8 - Protection of Endangered Species

#### 5.8.5 - Protection of Raptor Nests (3/13)

All trees with raptor nests will be protected if found during harvesting operations. Notification will be made to the Unit Manager or his/her representative who will notify the Wildlife Biologist so an onsite evaluation and recommendation can be made, if necessary.

## 5.8.10 - Wood Turtle (12/24)

The sale area contains a known occurrence of wood turtles and/or areas of high-quality habitat. The Sturgeon River is a protected river and is identified on the sale map.

- -Within 100 foot buffer, operations are only allowed from October 1 to March 14.
- -Within 660 foot buffer, operations are allowed from October 1 to March 14. Operations may be allowed from March 15 to May 1, with an amendment.

## 6 - Safety and Fire Prevention

## 6.2 - Signing

#### 6.2.1 - Road Posting (10/20)

|                         | g caution signs on M-38 prior to beginning operations. The road solution to warn of logging activity and truck traffic. Signs must be pleted. The Purchaser will provide these signs. |
|-------------------------|---|
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
|                         |   |
| ion Name: Sale Specific | Current as of 9/5/2025 10:49:01AN   |

