

# DEPARTMENT OF NATURAL RESOURCES STATE OF MICHIGAN TIMBER SALE PROSPECTUS #7607

SCHEDULED SALE DATE AND TIME: 10:00 a.m. (local time) on April 21, 2025.

LOCATION: SAULT DNR CUSTOMER SERVICE CENTER, 4131 S. M-129, SAULT STE MARIE, MI 49783.

<u>CONTACT NAME:</u> Kenny Fanelli <u>PHONE NUMBER:</u> (906) 287-1380

<u>PROSPECTUS NOTE:</u> The bidder is advised to inspect the sale area and review the location, estimated volumes, operating costs and contract terms of proposed sales. Please be aware that some landowners may request 60 days or more notice for access across their land.

Notice is hereby given that bids will be received by the Unit Manager, SAULT STE MARIE MANAGEMENT UNIT, for certain timber on the following described lands:

<u>Sprucing Up Gaines</u> (45-005-25) / T45N, R01W, SEC. 21, NENE,S1/2NE. T45N, R01W, SEC. 22, NWNW,S1/2NW,NWSW.

Chippewa County, Advertised Price \$7,419.90, 61.9 Acres, Aspen, Spruce/Fir/Tamarack.

SALE NOTE: A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

## TIMBER SALE INFORMATION

Sprucing Up Gaines (45-005-25) T45N, R01W, SEC. 21; T45N, R01W, SEC. 22. Chippewa County (Advertised Price \$7,419.90)

SALE NOTE: A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. All units of volume listed below were estimated using the Inventory Manager computer program and the new Michigan taper model. Bids must be at or above the following advertised price for each product and species:

PRODUCTS & SPECIES	ESTIMATED UNITS*		<u>ADV</u>	ADVERTISED PRICE	
Sawtimber					
Red Maple	3.9	MBF	\$	73.00 / MBF	
Pulpwood					
Balsam Fir	9	Cords	\$	6.80 / Cord	
Black Spruce	718	Cords	\$	7.15 / Cord	
Mixed Aspen	49	Cords	\$	15.40 / Cord	
Mixed Hardwood	34	Cords	\$	11.65 / Cord	
Tamarack	168	Cords	\$	4.70 / Cord	

<sup>\*</sup> The total volume is statistically estimated within plus (+) or minus (-) 15.24 percent. There are an estimated 986 cords on this timber sale, plus or minus 150 cords at the 95% confidence level. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

## **BOND AND PAYMENT SCHEDULE:**

- 1. A bond in the amount of \$593.59 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
  - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
  - (b) The 10% down payment will be credited towards the first unit cut.
  - (c) Payment for each of the following units must be made before cutting begins in that unit:

PAYMENT UNIT NUMBER PERCENT OF TOTAL SALE VALUE 01

54.5% 02 45.5%

- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 12/31/2029.

# **SALE STATISTICS**

Volumes were calculated in cubic feet using the Michigan taper model. Cubic foot volume includes all wood inside bark for the product indicated. For display purposes, cubic feet were converted to cords and MBF using a simple conversion factor, e.g. 79 cubic feet per cord and 185 cubic feet per MBF. The cubic foot volumes are precise; the cords and MBF volumes are not. Cubic foot volume cannot be directly converted to cords or boards with precision.

#### SALE VOLUMES

The total estimated sale volume may not equal the sum of the species/products due to the nature of statistical calculations associated with double sampling methodology.

VOLUME			STATISTICAL RANGE IN CORDS		
TOTAL CUBIC FEET TOTAL CORDS		PERCENT ERROR	MINIMUM	MAXIMUM	
77,926	986	15.24%	836	1,137	

# **VDU VOLUMES**

A VDU is a Volume Determination Unit. Volumes and their associated statistics are calculated at the VDU level and summarized to the sale level. There is often a one to one relationship between a VDU and a Payment Unit, but not always, depending on the cruise design. Refer to the VDU TO PAYMENT UNIT table.

	VOLUME			RANGE IN CORDS	
VDU	TOTAL CUBIC FEET	TOTAL CORDS	PERCENT ERROR	MINIMUM	MAXIMUM
14	77,926 986		15.25%	836	1,137
TOTAL:	77,926	986		836	1,137

## **VDU TO PAYMENT UNIT**

When a VDU is associated with more than one Payment Unit (PU), the VDU volumes are assigned to the PU based on acres of the VDU within the PU.

VDU	VDU ACRES	PU	PU ACRES	
14	14 61.9		33.6	
14 61.9		2	28.3	
TOTAL: 123.8			61.9	

# **DESCRIPTION OF TIMBER BY PU (PU)**

PU	MARKET GROUP	PRODUCT	QUANTITY	UNIT	ACRES	ADVERTISE PRICE
1	Red Maple	Sawtimber	2.1	MBF	33.6	\$4,040.65
	Balsam Fir	Pulpwood	5	Cords		
	Black Spruce		390	Cords		
	Mixed Aspen		27	Cords		
	B. T. Aspen		2	Cords		
	Balsam Poplar		2	Cords		
	Quaking Aspen		23	Cords		
	Mixed Hardwood		19	Cords		
	Paper Birch		2	Cords		
	Red Maple		15	Cords		
	∍berry (Juneberry)		2	Cords		
	Tamarack		91	Cords		
2	Red Maple	Sawtimber	1.8	MBF	28.3	\$3,379.25
	Balsam Fir	Pulpwood	4	Cords		
	Black Spruce		328	Cords		
	Mixed Aspen		22	Cords		
	B. T. Aspen		1	Cords		
	Balsam Poplar		1	Cords		
	Quaking Aspen		20	Cords		
	Mixed Hardwood		15	Cords		
	Paper Birch		1	Cords		
	Red Maple		12	Cords		
	eberry (Juneberry)		2	Cords		
	Tamarack		77	Cords		
		TOTAL:	3.9	MBF		
		TOTAL:	978	Cords		

# Sale Specific Conditions & Requirements

Sale Name: Sprucing Up Gaines Sale Number: 45-005-25 Seq#: 1

#### 1 - Sale Area

#### 1.2 - Boundaries

## 1.2.1 - Painted Boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by blue and red paint. Exterior sale boundary lines against private property are marked with blue paint. Exterior sale boundary lines against state are marked with red paint. If Payment Units are split during the course of the contract, the new interior boundary lines may be marked with yellow paint. The painted boundary line trees are not Included Timber and are to be protected. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

## 2 - Timber Specifications

## 2.1 - Included Timber

# 2.1.1 - Clearcut Unit(s) with Unmerchantable Trees (6/14)

Within Payment Unit(s) 1 and 2, cut all trees that are two (2) inches or more at DBH, except do not cut pine, oak, hemlock, or yellow birch.

# 3 - Payments

### 3.3 - Pre-measured Sales

## 3.3.4 - Dividing Payment Units (7/14)

Payment Unit(s) 1 and 2 may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Amendment. There will be only one division per Payment Unit.

## 4 - Transportation

## 4.1 - Construction

### 4.1.4 - Timber Removed for Construction (3/23)

Trees cut or damaged in the process of pre-approved road, landing, or skid trail construction will be decked in an area separate from other Designated Timber and not removed until measured by the Sale Administrator. Payment will be made at contract prices or average prices, if not on the contract.

## 4.1.6 - Road Construction (4/24)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, not left in windrows, and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

## 4.1.7 - Road Closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing double earthen berms at strategic locations. These roads must be rendered impassable to cars and trucks.

## 5 - Operations

# 5.2 - Conduct of Operations

# 5.2.1 - Slash

### 5.2.1.8 - Slash Height (12/08)

No slash or tree tops may exceed 24 inches in height.

## 5.2.2 - Hazard Trees/Snags

## 5.2.2.1 - Den Trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

## 5.2.4 - Dead and Down Creation

# 5.2.4.3 - Dead and Down Creation, Dead Trees (6/07)

Except as provided for in General Condition and Requirement 5.2.2, no dead trees, standing or down, are to be cut, skidded, or processed.

# 5.2.4.6 - Dead and Down Creation, Other (9/09)

To create hare habitat, within Payment Unit(s) 1 and 2, leave slash in piles measuring 6' tall and 12' in diameter along the edge of the payment units. Leave one pile every 150 feet.

# 5.2.22 - Operating Caution

## 5.2.22.1 - Operating Caution (6/11)

It is recommended, but not required, that within Payment Unit(s) 1 and 2, cutting, skidding, and hauling occur during dry summer or frozen winter conditions. The reason for the recommendation is because of wet soils within the harvest area.

# 5.2.32 - Decking/Landing Restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

## 5.2.38 - No Decking Against Live Trees (2/04)

Cut products may not be decked against unmarked or designated leave trees.

## 5.2.41 - Snowmobile Trail Protection (9/11)

The snowmobile trail is shown on the Timber Sale Map. Do not cut or damage posts with orange trail markers or traffic control signs. The trail must be maintained and restored to a condition equal to or better than before the sale. If the trail road is to be used for hauling during the snowmobile season, then a snow-covered base must be left on the trail. No decking of forest products will be permitted along the snowmobile trail. All stumps within 20 feet of the snowmobile trail must be cut at ground level.

# 5.4 - Soil Protection

## 5.4.6 - Wet Area Protection (5/10)

No harvesting operations, including skidding and felling, are to take place within the buffered surface water area. This area is located between Payment Units 1 and 2 and is identified on the Timber Sale Map. Care must be taken by the Purchaser to identify and avoid operating in these areas of the timber sale.

## 6 - Safety and Fire Prevention

# 6.2 - Signing

## 6.2.2 - Snowmobile Trail Posting (10/20)

The Purchaser is responsible for posting and maintaining caution signs on the snowmobile trail prior to beginning operations during the snowmobile season (approximately December 1 to March 31). The trail must be posted at appropriate distances from the Sale Area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser will provide these signs.

## 7 - Other Conditions

# 7.2 - Extensions

## 7.2.5 - Weather-Related Extension (1/13)

If weather conditions during the operating period of this contract prevent harvesting, this sale may qualify for a weather-related extension. If approved, the normal extension fee would be waived. To qualify, there must be a documented

	attempt each year to harvest in the difficult portion of the sale.		
ct	ion Name: Sale Specific	Current as of 2/27/2025	3:02:14PM

Michigan I	Department of Natural R	Resources - Fores	st Resources Divis	ion [	Sale Number	Date	<u> </u>
TIMBER SALE MAP					<b>45-005-25</b>	03/10/	
	nation provided by authorit	1		led.	Scale		Of
Forest Management Unit	County	Mapped By: Lo				Page •	
Sault Ste Marie Mgt Unit	Chippewa	Cruised By: Lo	ouis Radecki		1:10,000	1	1
Township Range Section( 45N 01W Subdivis	· ·	51/2NE; Sec. 22	NWNW,S1/2NW,N	WSW;			
	Cover Type	, ,			Densit	v	
E = Swamp Hardwoods M = Maple F = Spruce/Fir MC = Mixe	ne O = Oak P = Lowland Id Brush Q = Mixed Sy and Mix Forest R = Red Pine Beech, Birch S = Black Spi Conifer T = Tamaracl	Poplar UM = wamp Conifer $V = W = W = W = W = W = W = W = W = W = $	White Pine Non Stocked Sand	1 = See 2 = See 3 = See 4 = Pole	n Stocked 5 Edling Sapling Poor 6 Edling Sapling Medium 7 Edling Sapling Well 8	= Pole Timbe = Pole Timbe = Saw Timbe = Saw Timbe = Saw Timbe	r Well r Poor r Medium
G = Grass $MD = MixeH = Hemlock$ $N = Marsh$	d Deciduous	Ζ = 1	Water	Locat		,,,,,,,	ε
Payment Unit Number  1 33.6 2 28.3		Spi	rucing Up Gaines	75			-
			61.9 Acres	4	ES ) (	<b>*</b>	(
			N	Kin	cheloe		<b>314</b>
0 0.13 0.25		0.5 Miles	W	TI			
S3	\MC	Q1	J				
A6					L0		
A3 (	P1				ccess PU 2 north of urface Water Buffer	L	0
MD6		Access PU 1 along this trail	<b>/~~</b>	١ /	2/6		LO
	$\rightarrow$ $\nearrow$	/ Q3					
	A3		-		3/15		
R6		(	<b>1</b> se				
V0		. }	-		1) 8	1	C6
		15	$\sim$	Surfac			
A3	R9			Nater Bu			
= 11	21					5	
1 ======	<b>4</b> 19	_		Y		Z0	
R6	Surfa	ace Water Buffer		_ [	LO		
R9	Surve	ey Grade Corner	PVT		Potential alter	rnate	
X0 M6	2	Grade Corner			access for PU		
A6	Agair	te Line (Blue) nst State (Red)				Use QR Coo	
XO	/ Igan	eational Trails			A3	1,46 %-55	
MDG		st Access Route				January (*) Collador	퉦믮
MD6		inistrative Access	s Only			- 70	X(#)
R9 Alling	— Pave	d Road	1		M9 eM		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		ernment Gravel/[	Dirt 1				
<b>第一</b>	- <b>-</b> - Priva	te Gravel/Dirt	` ` `	0,6		隊逐	