

DEPARTMENT OF NATURAL RESOURCES STATE OF MICHIGAN TIMBER SALE PROSPECTUS #7753

SCHEDULED SALE DATE AND TIME: 9:00 a.m. (local time) on December 2, 2025. LOCATION: GAYLORD MGMT UNIT, 1732 WEST M 32, GAYLORD, MI 49735.

<u>CONTACT NAME:</u> Lucas Merrick <u>PHONE NUMBER:</u> (989) 732-3541

<u>PROSPECTUS NOTE:</u> The bidder is advised to inspect the sale area and review the location, estimated volumes, operating costs and contract terms of proposed sales. Please be aware that some landowners may request 60 days or more notice for access across their land.

Notice is hereby given that bids will be received by the Unit Manager, GAYLORD MANAGEMENT UNIT, for certain timber on the following described lands:

<u>Ice Cubed Aspen</u> (52-036-25) / T29N, R03W, SEC. 14, NWNW,S1/2NW.
Otsego County, Advertised Price \$12,922.95, 37.0 Acres, Aspen, Hardwood.

SALE NOTE: This is an Aspen Salvage sale with good access.

TIMBER SALE INFORMATION

Ice Cubed Aspen (52-036-25)
T29N, R03W, SEC. 14.
Otsego County (Advertised Price \$12,922.95)

SALE NOTE: This is an Aspen Salvage sale with good access.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. All units of volume listed below were estimated using the Inventory Manager computer program and the new Michigan taper model. Bids must be at or above the following advertised price for each product and species:

| PRODUCTS & SPECIES | ESTIMATED UNITS* | | ADVERTISED PRICE | |
|--------------------|------------------|-------|------------------|-------------|
| Pulpwood | | | | |
| B. T. Aspen | 799 | Cords | \$ | 8.95 / Cord |
| Beech | 49 | Cords | \$ | 8.70 / Cord |
| Black Cherry | 34 | Cords | \$ | 8.70 / Cord |
| Quaking Aspen | 224 | Cords | \$ | 8.95 / Cord |
| Red Maple | 350 | Cords | \$ | 8.70 / Cord |

^{*} The total volume is statistically estimated within plus (+) or minus (-) 32.37 percent. There are an estimated 1,457 cords on this timber sale, plus or minus 472 cords at the 95% confidence level. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$1,292.30 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
 - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
 - (b) The remainder is due before cutting begins.
 - (c) Payment for each of the following units must be made before cutting begins in that unit:

PAYMENT UNIT NUMBER

01

PERCENT OF TOTAL SALE VALUE

100.0%

- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 12/31/2027.

SALE STATISTICS

Volumes were calculated in cubic feet using the Michigan taper model. Cubic foot volume includes all wood inside bark for the product indicated. For display purposes, cubic feet were converted to cords and MBF using a simple conversion factor, e.g. 79 cubic feet per cord and 185 cubic feet per MBF. The cubic foot volumes are precise; the cords and MBF volumes are not. Cubic foot volume cannot be directly converted to cords or boards with precision.

SALE VOLUMES

The total estimated sale volume may not equal the sum of the species/products due to the nature of statistical calculations associated with double sampling methodology.

| VOL | UME | | STATISTICAL RA | ANGE IN CORDS |
|------------------|-------------|---------------|----------------|---------------|
| TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 115,074 | 1,457 | 32.37% | 985 | 1,928 |

VDU VOLUMES

A VDU is a Volume Determination Unit. Volumes and their associated statistics are calculated at the VDU level and summarized to the sale level. There is often a one to one relationship between a VDU and a Payment Unit, but not always, depending on the cruise design. Refer to the VDU TO PAYMENT UNIT table.

| | VOLUME | | | RANGE IN CORDS | |
|--------|------------------|-------------|---------------|----------------|---------|
| VDU | TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 4 | 115,074 | 1,457 | 32.38% | 985 | 1,928 |
| TOTAL: | 115,074 | 1,457 | | 985 | 1,928 |

VDU TO PAYMENT UNIT

When a VDU is associated with more than one Payment Unit (PU), the VDU volumes are assigned to the PU based on acres of the VDU within the PU.

| VDU | VDU ACRES | PU | PU ACRES |
|--------|-----------|----|----------|
| | | | |
| TOTAL: | | | |

DESCRIPTION OF TIMBER BY PU (PU)

| PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|----|---------------|----------|----------|-------|-------|-----------------|
| 1 | B. T. Aspen | Pulpwood | 799 | Cords | 37.0 | \$12,922.95 |
| | Beech | | 49 | Cords | | |
| | Black Cherry | | 34 | Cords | | |
| | Quaking Aspen | | 224 | Cords | | |
| | Red Maple | | 350 | Cords | | |
| | | TOTAL: | 1,456 | Cords | | |

Sale Specific Conditions & Requirements

Sale Name: Ice Cubed Aspen Sale Number: 52-036-25 Seq#: 1

1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted Boundaries (9/19)

The sale boundary and Payment Unit boundary is marked and identified by blue and red paint. Exterior sale boundary lines against private property are marked with blue paint. Exterior sale boundary lines against state are marked with red paint. The painted boundary line trees are not Included Timber and are to be protected.

2 - Timber Specifications

2.1 - Included Timber

2.1.2 - Clearcut Unit(s) w/o Unmerchantable Trees (8/11)

Within Payment Unit(s) 1, cut all trees which meet minimum piece specifications in 2.2 Utilization, except do not cut red and white pine or any oak trees.

4 - Transportation

4.1 - Construction

4.1.3 - Slash and Earthen Piles (8/04)

Piles or windrows of earth along roads and landings that have been widened or constructed shall be leveled. Slash from road maintenance or construction, including stumps, shall be dispersed throughout the sale.

4.1.6 - Road Construction (4/24)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, not left in windrows, and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

4.1.7 - Road Closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Contact the Sale Administrator for specific details of design and placement.

4.2 - Maintenance

4.2.4 - Grading (10/16)

For completion of the sale, state forest roads must be graded. In general, this will require a road grader or bulldozer to shape up the roads after forest products have been hauled off site. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. The grading equipment to be used must be approved by the Unit Manager or his/her representative.

5 - Operations

5.1 - Notification

5.1.1 - Pre-sale Conference (10/16)

A pre-sale conference on site between the Purchaser and Sale Administrator is required prior to beginning any operations to determine landing and road locations. The Unit Manager or his/her representative must be contacted at least three (3) days in advance to schedule the conference.

5.1.3 - Well Heads and Natural Gas Pipelines (11/15)

The Purchaser is responsible for contacting the gas or pipeline company and MISS DIG prior to operating equipment in the

vicinity of well heads or natural gas pipelines. Contact the sale administrator for assistance if necessary.

5.1.4 - Post-Sale Conference (10/16)

A post-sale conference on site between the Purchaser and sale administrator is required five (5) days prior to the completion of active logging operations to determine clean-up and repair of landings, road edges, and the fulfillment of other contract specifications.

5.2 - Conduct of Operations

5.2.32 - Decking/Landing Restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge. Contact Sale Administrator for additional details for restoration of landing site if necessary.

5.2.33 - Gas Well Revegetation (12/08)

In the event that the gas well is utilized for a landing, the site must be revegetated with a seeding mixture specified by the Unit Manager or his/her representative.

5.4 - Soil Protection

5.4.1 - Rutting Restriction, General (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which are 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

5.8 - Protection of Endangered Species

5.8.5 - Protection of Raptor Nests (3/13)

All trees with raptor nests will be protected if found during harvesting operations. Notification will be made to the Unit Manager or his/her representative who will notify the Wildlife Biologist so an onsite evaluation and recommendation can be made, if necessary.

6 - Safety and Fire Prevention

6.2 - Signing

6.2.1 - Road Posting (10/20)

The Purchaser is responsible for posting and maintaining caution signs on Chub Lake Drive prior to beginning operations. The road must be posted at appropriate distances from the Sale Area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser will provide these signs.

7 - Other Conditions

7.2 - Extensions

7.2.2 - No Extensions (3/09)

There will be no extensions granted on this contract.

7.5 - Loss

7.5.1 - Deteriorating Timber (7/09)

The Sale Area has received damage from the Ice Storm in late March 2025. The Purchaser should harvest the wood as soon as possible. The Department of Natural Resources is held free of responsibility of any further damage or deterioration due to delay in harvesting.

Section Name: Sale Specific Current as of 10/22/2025 8:33:15AM



Gaylord Mgt Unit

Michigan Department of Natural Resources - Forest Resources Division

TIMBER SALE MAP

This information provided by authority of Part 525, 1994 PA 451, as amended.

 Mapped By: Scheele
 Scale
 Page
 Of

 Cruised By: Scheele
 1:15,840
 1
 1

Sale Number

Township Range Section(s) and

Forest Management Unit

29N 03W Subdivision(s) Sec. 14 NWNW,S1/2NW;

County

Otsego

0.5

| Cover Type | | | | | |
|-----------------|-------------------------------|-------------------------|------------------------|--|--|
| A = Aspen | J = Jack Pine | O = Oak | U = Upland Brush | | |
| B = Paper Birch | K = Rock | P = Lowland Poplar | UM = Upland Mix Forest | | |
| C = Cedar | L = Lowland Brush | Q = Mixed Swamp Conifer | V = Bog or Marsh | | |
| D = Treed Bog | LM = Lowland Mix Fores | t R = Red Pine | W = White Pine | | |
| E = Swamp Hard | woods M = Maple, Beech, Birch | S = Black Spruce | X = Non Stocked | | |
| F = Spruce/Fir | MC = Mixed Conifer | T = Tamarack | Y = Sand | | |
| G = Grass | MD = Mixed Deciduous | | Z = Water | | |
| H = Hemlock | N = Marsh | | | | |

| Density | | | |
|-----------------------------|------------------------|--|--|
| 0 = Non Stocked | 5 = Pole Timber Medium | | |
| 1 = Seedling Sapling Poor | 6 = Pole Timber Well | | |
| 2 = Seedling Sapling Medium | 7 = Saw Timber Poor | | |
| 3 = Seedling Sapling Well | 8 = Saw Timber Medium | | |
| 4 = Pole Timber Poor | 9 = Saw Timber Well | | |
| Locator Map 1:100,000 | | | |

Date

Payment Unit Acres Number


37


0.25

Ice Cubed Aspen

37.0 Acres







Legend

- Sale Boundary (Red)
- Private Line (Blue)
- Recreational Trails
- === Forest Access Route
 - Paved Road
- Government Gravel/Dirt
- - Private Gravel/Dirt
- Field Grade Corner

