

**FOREST TREATMENT PROPOSAL
Compartment**Proposal #
G72-992Drafted/Reviewed
10/06/2026

Forest Management Unit		County	Timber Sale Number: 72-830-25	YOE: 2024 Compartment: 7926307/329
Grayling		Oscoda	Sale Admin Staff: G. Price/M. Lovelace	Stands: 2, 6, 11, 12
Township 24N	Range 06E	Section(s) and Subdivision(s) Sec. 3 and 15	Harvest Completed By: 6/3/2026	ACRES: 319
			Contract TCR Date: 1/26/2026	Covertime Obj: Planted RP

Proofing CommentsREC:
ORV/Snowmobile trail run through stand.WATER:
AuSable River to South

HAL: none

MNFI: none

Drafted & Reviewed: 10/06/2026 GP

Activity Tracking**Prescription**

Cover Type Obj: Planted RP

Acceptable Regeneration is a fully stocked stand of red pine with minor component of other native species.

Approved Methods: Trench, Spray and Plant to RP at standard spacing per USFS specifications.

**Use QR Code to
Open Map in App****Implementation Notes**

Comments: FTP Name: GNA2 AuSable KW the Sequel

The stands were harvested twice due to too much residual after 1st harvest. Sale was chip harvested both times. Oak regen is DENSE. do not trench or plant through the Red excluded area. where there is higher density residual oak. Do not trench through any roads. Trench through landings.

