


Section 31 T 23 N R 12 W

Information shown is from the 1970 survey by W. Botzer

This copy by Griffin



 = Monument (Brass Capped)
 = Iron or Conc. Monument

Unknown or Computed

N 89° 50' 03" W
2724.42
Wilcox 1977

589°49'49" E
2618.88
Wilcox, 1977

Section corner common to
Sections 31 & 32 on the
South line of T23N R12W

1833 G.L.O. Survey

Monn - Set

Witness

#1 Y. Pine 10" N 61 1/2 E 27 lbs

#2 Y. Pine 10" N 20 W 25 lbs

1848 G.L.O. Survey of T22W

R12W

Monn - Post - This sec. corner common to
Sec. 31 & on N 1/4 P line is
common with the said cor. a

Sec. 31 & 32

Witness - None taken

1909 Survey by Fargo Eng. Company

Monn. Found old stake & stumps

of both US witnesses - set
1" iron pipe with line around

Witnesses

#3 Y. P. Stp 24" N 37 E 7 1/2 lbs

#4 W. P. Stp. 28" N 71 W 69 lbs

1969 Survey by W. William Batzer

ELS # 136 2 1/2

Monn - Set 1" X 24" Black Iron

Pipe from Fargo witness.

corner is 4' N of center

line of iron

Witnesses - (40d spikes on side of witnesses)

#5 Red Pine 14" 53 E 50 E 45.14'

#6 Oak 12" N 69 E 40' W 42.54'

#7 W. Pine 6" N 32 E 45 E 47.20'

#8 Fargo W. Stump (Pine N 71 W 45.5')

EAST 1/4 COR. OF
SEC. 31, 23-12
FOUND 1" ϕ x 30" $\pm$ GALV. PIPE
SET BY FARGO ENG. 1909
#6918
12-29-69
BATZER, HANSEN
BUTTE
(W/ BENT BOT.)

NEW WITS:

RED PINE 7" N 39°-30' W, 5.92'

RED PINE 8" N 31°-15' E, 5.08'

RED PINE 4" S 2°-00' E, 7.00'

S.E. COR. SEC. 31, 23-12

1/2" x 24" BLACK IRON PIPE SET
FROM 1 FARGO WIT. & E. LINE WORKING

4' N OF ϕ OF TRAIL

RED PINE 14" S 3°-30' E, 45.14'

OAK 12" N 69°-40' W, 42.54'

W. PINE 6" N 32°-45' E, 47.20'

FARGO WIT STUMP - PINE - N 71° W, 45.5'

SET 10 $\downarrow$ SPIKES AT ALL WIT.

POINTS (APPROX TREE CENTER) &

BEARINGS TO TREE CENTER

BOB -
THANKS FOR THE
HELP -

Bill Batzer

I put 7150-4-5 on dist

