

CERTIFICATE OF SURVEY

Sheet 1 of 2

LISER 77 PART 250

NO: 199586
DATE: 1-27-1997


Map of survey for: DAVID LENTZ

DESCRIPTION: The NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of section 33, T.23N.-R.12W. lying East of M-37 Highway, Springville Township, Wexford County, Michigan.

NOTE: See sheet 2 Of 2 for PARCEL descriptions

1997 OCT 24 PM 2:21

John L. Bonney
WEXFORD COUNTY, MI.
REGISTERED SURVEYOR



SCALE: 1 INCH = 200 FEET
DIMENSIONS IN FEET

I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE PLATTED AND/OR DESCRIBED ON 1-27-1997, AND THAT THE RATIO OF CLOSURE ON THE UNADJUSTED FIELD OBSERVATIONS OF SUCH SURVEY WAS 1/10,000 +, AND THAT ALL OF THE REQUIREMENTS OF P.A. 152 1970 HAVE BEEN COMPLIED WITH.

LEGEND

● - IRON STAKE
- - - FENCE LINE
R - RECORDED DIMENSION
D - DEED DIMENSION
M - MEASURED DIMENSION
C - CENTER LINE
□ - WOOD STAKE

This survey was made from the above legal description which was given to us as a complete description of the property. Both map and description should be compared with the Abstract of Title or Title Policy for any exceptions, omissions or differences in description.



GORDON L. BONNEY
5239 S. EDEN LK. RD.
CUSTER, MI 49405

BY *Gordon L. Bonney*
Registered Land Surveyor
#12016

PH. 757-9264

CERTIFICATE OF SURVEY

RECEIVED

OCT 16 PM 2 02

WEXFORD COUNTY, MI
REGISTER OF DEEDS

SPACE RESERVED FOR REGISTER OF DEEDS

Legend

- IRON SET
- IRON FOUND
- ⊙ MONUMENT FOUND
- ▲ NAIL SET
- ▲ NAIL FOUND
- ⊕ GOVERNMENT 1/4 CORNER
- SECTION CORNER
- ⊕ CENTER 1/4 CORNER
- (R) RECORD
- (M) MEASURED

Scale: 1" = 200'

0 100' 200' 400'

N.E. COR., SEC. 33,
T23N, R12WN. 1/4 COR., SEC. 33,
T23N, R12WC/L NO. 24 RD. (66")
AND NORTH LINE, SEC. 33

N89°17'51"W

300.01'

165.00'

33.00'

33.15'

46.33'

150'

2615.99'

810.12'

R/W

1317.37'

580.76'

NORTH 1/4 CORNER
SEC. 34, T23N, R12W

FD WEXFORD CO MON

N55E POWER POLE 41.02'

S25E FENCE POST 42.50'

S09W 8" RED PINE 73.20'

N70W POWER POLE 80.01'

33.60'

47.10'

34.15'

32.60'

32°W

5' OAK

580.76'

S00°14'53"W

300.01'

177.67'

693.47'

N89°17'51"W

215.79'

496.69'

1248.81'

572.12'

N11°34'54"W

200.00'

180.00'

180.00'

1312.55'

464.90'

1312.55'

E 1/4 COR., SEC. 33,
T23N, R12W

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

1314.99'

S00°04'14"W

1314.99'

2679.66'

EAST LINE, SEC. 33

CERTIFICATE OF SURVEY

NW COR.
SECTION 33
FND. 5" SQ. MON. (USFS)
P. POLE N37W 36.53'
12" R. PINE N61E 83.13'
12" R. PINE S17E 48.51'
6" MAPLE S46W 72.15'

N $\frac{1}{4}$ COR.
SECTION 33
FND. WEX. CO. MON.
FEN. COR. N08E 33.55'
24" MAPLE N52E 47.06'
12" J. PINE S03E 34.07'
8" OAK S30W 32.56'

NORTH SECTION LINE
& NO. 24 ROAD (66' WIDE-PUBLIC)
S88°58'43"E 2616.17'

1308.24'

911.92'

S88°58'46"E



33' R/W LINE

PARCEL (1)

COM AT SE COR OF NE 1/4 OF NW 1/4: N 1320 FT;
W 231 FT; S 300 FT; W 165 FT; S 1020 FT; E TO
BEG & EXC N 300 FT OF E 165 FT THEREOF --10
A M/L-- SP. SEC. 33 T23N R12W -MESICK-

PARCEL (2)

W 165 FT OF E 396 FT OF N 300 FT OF NE 1/4
OF NW 1/4 THEREOF --1 A. M/L-- SP. SEC. 33
T23N R12W -MESICK-



LEGEND

- Fd. 1.5" Pipe Per 1916 Survey by Walter Johnson
- Set Stake on Line
- Set Iron
- Fd. Iron
- ⊙ Sec. 1/4 Cor.
- ⊙ Sec. Cor.
- R Record
- P Prorated
- M Measured
- C Computed


200 0 200
Scale 1" = 200'

PROPERTY LINE FALLS
IN $\pm$ E-W FENCELINE

396.00'
N89°05'16"W
NORTH 1/4 LINE

SE COR OF
NE 1/4 OF
NW 1/4

I hereby certify that I have surveyed the parcel of land-described, that said survey was performed with a field error of closure "of 1 in 5000 or greater", and that I have fully complied with the requirements of Sec. #3, Act #132, P.A. 1970.



Dated:

10/18

2007

Christopher J. McCrimmon, P.S. No. 47962

COPYRIGHT 2003 LCM Surveying & Engineering



Surveying & Engineering LLC

PH. 231-743-3000 Fax. 231-743-3001
225 E. MAIN ST. MARION, MI 49665

DATE: 10/16/07

DRN BY: FTW

CHD BY: WES

SHEET 1 OF 1

CLIENT: RONALD GRAY


Part of the NW $\frac{1}{4}$
Section 33, T23N, R12W,
Springville Twp., Wexford Co., MI.

FB/PG:
109/20

JOB NO.:
07286

CONTROL DIAGRAM

COORDINATES

[illegible][illegible]

Legend

[illegible]

4. Mail 1ST
 5. Add postage 1/4 cent
 6. Write address
 7. Center 1/4 cent
 8. Seal
 9. Insert in the envelope
 10. Put in mail
 11. Put in mail
 12. Put in mail
 13. Put in mail
 14. Put in mail
 15. Put in mail
 16. Put in mail
 17. Put in mail
 18. Put in mail
 19. Put in mail
 20. Put in mail
 21. Put in mail
 22. Put in mail
 23. Put in mail
 24. Put in mail
 25. Put in mail
 26. Put in mail
 27. Put in mail
 28. Put in mail
 29. Put in mail
 30. Put in mail
 31. Put in mail
 32. Put in mail
 33. Put in mail
 34. Put in mail
 35. Put in mail
 36. Put in mail
 37. Put in mail
 38. Put in mail
 39. Put in mail
 40. Put in mail
 41. Put in mail
 42. Put in mail
 43. Put in mail
 44. Put in mail
 45. Put in mail
 46. Put in mail
 47. Put in mail
 48. Put in mail
 49. Put in mail
 50. Put in mail
 51. Put in mail
 52. Put in mail
 53. Put in mail
 54. Put in mail
 55. Put in mail
 56. Put in mail
 57. Put in mail
 58. Put in mail
 59. Put in mail
 60. Put in mail
 61. Put in mail
 62. Put in mail
 63. Put in mail
 64. Put in mail
 65. Put in mail
 66. Put in mail
 67. Put in mail
 68. Put in mail
 69. Put in mail
 70. Put in mail
 71. Put in mail
 72. Put in mail
 73. Put in mail
 74. Put in mail
 75. Put in mail
 76. Put in mail
 77. Put in mail
 78. Put in mail
 79. Put in mail
 80. Put in mail
 81. Put in mail
 82. Put in mail
 83. Put in mail
 84. Put in mail
 85. Put in mail
 86. Put in mail
 87. Put in mail
 88. Put in mail
 89. Put in mail
 90. Put in mail
 91. Put in mail
 92. Put in mail
 93. Put in mail
 94. Put in mail
 95. Put in mail
 96. Put in mail
 97. Put in mail
 98. Put in mail
 99. Put in mail
 100. Put in mail

[illegible]

Robert F. Wilson
Professor, Survey No. 284

[illegible]

BOB MITCHELL
 HONORARY SECRETARY
 World Wrestling Federation
 and
 National Wrestling Alliance
 10000 Sunset Blvd.
 Los Angeles, CA 90068
 Tel: (213) 475-1000
 Fax: (213) 475-1001

[illegible]

CONTROL DIAGRAM