

SLAGLE TOWNSHIP (T 22 N, R 12 W)

Sec. 6,	NW Sec. Cor.	Conc. Mon. USFS 1966	6" R. Pine 7" W. Oak 10" W. Oak 4" R. Pine Cedar Post	N45°E S44°E S43°W N67°W W	77.86' 65.77' 70.32' 58.66' 33.00'
Sec. 7,	SW Sec. Cor.	½" Bolt Old Witness Book	10" Maple Pine Stump	NE SE	58.60' 40.50'
	SE Sec. Cor.	¾" Bolt Old Witness Book	6" J. Pine 6" J. Pine	SE SW	33.62' 37.85'
Sec. 8,	S 1/4 Cor.	¾" Bolt Old Witness Book	CCC Marker	S	30.95'
	SE Sec. Cor.	¾" Bolt Old Witness Book	Pine Stum 20" Oak	SW SE	52.70' 43.40'
Sec. 9,	SE Sec. Cor.	2" Iron Pipe Old Witness Book	11" Apple SW Tavern Cor. Conc. Proj. Mark. F.P. Stub P.P.	S40°W N23°E S57°E SW NW	80.05' 87.39' 58.13' 47.50' 48.00'


BLADE

LINE

WETLAND

CO


KEY MAP



① N 1/4 Post Sec. 32 10' Hemlock, 53°E, 17' 10' Birch, N 1/4W, 22'	② N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	③ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	④ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
⑤ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	⑥ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑦ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑧ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
⑨ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	⑩ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑪ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑫ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
⑬ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	⑭ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑮ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑯ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
⑰ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	⑱ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑲ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	⑳ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㉑ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㉒ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉓ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉔ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㉕ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㉖ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉗ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉘ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㉙ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㉚ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉛ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉜ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㉝ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㉞ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㉟ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊱ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㊲ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㊳ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊴ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊵ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㊶ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㊷ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊸ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊹ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㊺ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㊻ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊼ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊽ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'
㊾ N 1/4 Post Sec. 32 10' Birch, 33°W, 21'	㊿ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊿ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'	㊿ E 1/4 Post Sec. 31 10' Birch, N 1/4W, 22'

22 - 12

T 22N R 12W M. HITCH.



CORNER RECORD FILE GUIDE (Rectangular Surveys)

LEGEND

- Corner having information on form 5680-2 in this file.

Book 3 & 4
H A2 DA
K A1 DA

MONUMENT CORNER

FILING INSTRUCTION

File 5680-2 card record by letter and number coordinates behind the file guide for the township in which it falls.

File the 5680-2 card record by letter and then by number i.e., all A cards first, then E cards etc.

The first card behind the file guide (if data have been obtained and recorded) will be card A-1 for N.W. Township Corner, then card A-2 for 1/16 corner then card A-3 for 1/4 corner etc.

WILCOX + ERIKSON DA

5680-5

GPO 892-953

Index No. N 13LAND CORNER RECORD
(RECTANGULAR SURVEYS)N9-7150-4 (Rev. 6/13/6)
GPO 806-9

T. 22N R. 12W Mer. N.F. County Rock State Ill.
Corner common to sections 10, 12, 21, 23 and 11, 13, 22, 24

EXISTING SURVEYS

Original Government Survey		Original Evidence Found	
Year surveyed _____	By _____	Year of search _____	By _____
Original monument _____ (wood post, stone, pile of stones, pipe, etc.)	Monument found _____	Monument found _____	
Bearing Trees		Original Bearing Trees Found	
Species _____	Species _____	Diameter _____	Diameter _____
Diameter _____	Diameter _____	Bearing _____	Bearing _____
Bearing _____	Bearing _____	Distance _____	Distance _____
Distance _____	Distance _____	Evidence of Subsequent Corner Restoration Found	
Subsequent Corner Restoration		Evidence of Subsequent Corner Restoration Found	
Year surveyed <u>1972</u>	By <u>R. Griffin</u>	Year of search <u>1972</u>	By <u>R. Griffin</u>
Where filed or recorded _____		<u>Ed. R2-Rod of intersection with Plastic top RLS# 14-102</u>	
Monument _____ (wood post, stone, pile of stones, pipe, etc.)			
Bearing Trees, Reference Objects		Bearing Trees, Reference Objects	
Species <u>1 1/2" sp.</u>	Species <u>60" oak</u>	Species <u>1 1/2" sp.</u>	Species <u>(60") NE side</u>
Diameter <u>1 1/2" sp.</u>	Diameter <u>60" oak</u>	Diameter <u>1 1/2" sp.</u>	Diameter <u>(60") NE side</u>
Bearing <u>1 1/2" sp.</u>	Bearing <u>60" oak</u>	Bearing <u>1 1/2" sp.</u>	Bearing <u>(60") NE side</u>
Distance <u>147.5</u>	Distance <u>60" oak</u>	Distance <u>1 1/2" sp.</u>	Distance <u>(60") NE side</u>
<u>147.5 (1972)</u>			