

Land Corner Recordation Certificate

Authority: MCL 54.205

For corner(s) in:

Mecosta County

Aetna Township

Corner Type

Survey
Township

Corner
Code

Original Public Land
Survey Corner

T _____ R _____
T _____ R _____
T _____ R _____
T _____ R _____

Property
Controlling
Corner

S _____ T _____ R _____
S _____ T _____ R _____
S _____ T _____ R _____
S _____ T _____ R _____

Protracted Public Land
Survey Corner

T 13N R 10W D08
T _____ R _____
T _____ R _____
T _____ R _____

1	A	B	C	D	E	F	G	H	I	J	K	L	M	1
2		6		5		4		3		2		1		2
3														3
4		7		8		9		10		11		12		4
5														5
6		18		17		16		15		14		13		6
7														7
8		19		20		21		22		23		24		8
9														9
10		30		29		28		27		26		25		10
11														11
12		31		32		33		34		35		36		12
13	A	B	C	D	E	F	G	H	I	J	K	L	M	13


Part A: Corner(s) History

2002: Gerald J. Gray, PS#17741: Unrecorded survey for Exit Realty:
Set PK nail in Monroe Road @ ¼ lines
N80°E, 82.72', Nail 14" Spruce
S60°E, 68.38' Center Tele. Riser
S60°W, 69.28', Nail 6" Pine
N60°W, 68.85', Nail Twin Maple

Part B: Surveyor's Report on Perpetuation or Monumentation of Corner(s)

Found PK nail and brass tag in asphalt road. According to my measurements of April 25, 2024, this point is within 0.10' of the intersection of ¼ lines.

Document # 202400005844 REMON COR
Mecosta County, Michigan
Karen Hahn, Register of Deeds
Recorded: 09/10/2024 11:48 AM
RCOR LIBER 107 PAGE 434



Part C: Field Evidence of Perpetuation or Monumentation of Corner(s)

Found PK nail and replaced with Mecosta County Remonumentation monument in monument box.

- Found nail, 20" stump, N78°E, 82.93'
- Found nail, 12" white pine, S57°W, 69.19'
- Found nail, 16" maple, N62°W, 68.73'
- Found nail, 7" poplar, S7°W, 34.83'
- Found capped iron #30104, South, 33.00'

Date of Observation	Latitude	Longitude	Datum and Adjustment Year	Epoch Date
April 25, 2024	N43°30'14.906"	W85°31'55.975"	NAD_83(2011)	2010.0000
Coordinates were determined by RTK GPS ties to a local base network tied to multiple published NGS control points.				
This data is reported strictly as a navigational aid to the approximate location of the corner, and should not be relied upon to establish or reestablish the corner position. It should not be relied upon for use in establishing property boundaries, and no guarantee of accuracy is made or intended relative to such use.				

I, Ronald Raymond Bischer, in a field survey on April 25, 2024, certify under the requirements of the State Survey and Remonumentation Act, 1990 PA 345, MCL 54.261 to 54.279, and the Corner Recordation Act, 1970 PA 74, MCL 54.201 to 54.210d, that the corner(s) identified and described hereon has been perpetuated or monumented as described in Parts A, B, and C above, pursuant to the laws and rules of the State of Michigan.

Ronald R. Bischer

Ronald Raymond Bischer

Professional Surveyor's

License No.:

4001052469

Mid-Michigan Engineering

302 S. Warren Ave.

Big Rapids, MI 49307

AUGUST 19, 2024

Date



I, Michael C. Barger, state that the corner(s) identified and described hereon and perpetuated or monumented as described in Parts A, B, and C above was presented to and reviewed by the Peer Review Group on May 7, 2024 and is accepted for filing in the Mecosta County Remonumentation Program.

Michael C. Barger

Michael C. Barger

Professional Surveyor's

License No.:

4001046653

September 3, 2024

Date



202400005844

REMONUMENTATION

T13N R10W D08

Page 3 of 3