

NewageCo


KEY MAP

73N E 11W

6



I 13N R 14W



KEY MAP

① NW COR SEC 30 STAKE #1 DAK STAKE SW LEG. TIE. N 28° E 92.0' 10" B. OAK WEST 56.2' NW COR. OLD ROAD MONMOUTH, SE LK 30" B OAK 580° E 78.9'	② W 1/4 POST SEC 30 SW LEG. OF TIE. N 10° E 122.7' 24" B. OAK 580° E 126.2'	③ SW COR SEC 30 AKLE STAKE SW LEG. OF TIE. N 28° E 110.8' Pole N 55° W 44.5' B. OAK 10" 549° W 59.0' " " 20" N 28° W 52.0'	④ E 1/4 POST SEC 30 150' E GUMED STAKE SW OAK N 55° E 55.2' 30" " 550° E 58.4' 20" " 5 W 52.9'
⑤ SE COR SEC 30 1" GAS PIPE 50.5' 18" OAK N 20° E 41.4'	⑥ NW COR SEC 16 RAN. OF OLD STAKE W. OAK N 34° W 47.2' " " 3 71 1/2° E 65 L	⑦ W 1/4 POST SEC 16 STONE 14" WHITE OAK N 64 1/2° W 84.6' 20" " N 72 1/4° E 147' SW COR T. HALL N 54 1/2° E 99 L	⑧ SW COR SEC 16 18" WHITE OAK N 72 1/2° E 20.5 L 12" " 530 1/2° W 75.7 L
⑨ W 1/4 POST SEC 21 PLOW POINT 16" WHITE OAK 29 L 10" MAPLE 37. L USGS 225	⑩ SW COR SEC 21 STONE 18" BLACK OAK N 35 3/4° W 79.2 TEL POLE EAST 42 L	⑪ W 1/4 POST SEC 28 1/4" 120 N 12" RAD OAK 542° W 30.5 L 10" WHITE " N 28° E 3.5 L	⑫ SW COR SEC 10 150 L FD. AXE HELVE YP 12 N 54 1/2° E 72 L FAN N 75 1/2° W 63.5 L YPS 3 1/2° W 22 L
⑬ W 1/4 POST SEC 15 FD. RAN. 30 L D. STK 10" W. O. N 70 1/2° E 54 L 10" B. O. N 23 1/2° W 58 1/2 L	⑭ SW 1/4 COR SEC 15 Set tile 1st pr C. W. O. N 19 1/2° W 65.3 L B. W. O. N 33 1/2° W 55 1/2 L	⑮ S 1/4 POST SEC 15 FD ST. OF 2 W. 1/2 & OLD STK	⑯ Intermediate P S Line Sec 16 TIE. SEC. E of 1/4 COR W. O. S 55° W 12 B. O. N 65° W 12
⑰ S 1/4 POST SEC 31 30" OAK (BLACK) 12" CHERRY N 40° E 47.0' NW POST SEC. 6 71 1/2° N. 1/2 W. 65 L 33.0	⑱ N 1/4 POST SEC 31 FRY. SET BY P. S. SHERMAN 12" WHITE PINE N 30° W 36.9 " " 12" WHITE PINE N 45° W 60.2	⑲ NE COR SEC 14 FUD. PLANT MAN. AT CORNER OF 16TH E-W & BEECH AV. N-S 14" WHITE OAK 33 1/2° S 40° E 4.504 14" MAPLE PRINCE ALICE 540 W 46.61 51" LIGHT PLE PK. S. SIDE EAST 23.43 Corner 15 PK. SW. SIDE N 65° W 65.88 10" OAK PK. SW. SIDE N 65° W 65.88	⑳ E 1/4 POST SEC 14 FUD. TIE. GROCKERY - SET 1/2 X 3/4 TIED 2.32 W of T. TIE. 34" W. PINE N. W. 1/4 CORNER N 75° W 77.20 34" W. PINE N. W. 1/4 CORNER N 75° W 77.20 51" CYCLOPE. FENCE EAST 29.60 E. GATE POST. E. RAN. SOUTH 42.18 P. POLE N. W. 1/4 CORNER N 50° W 42.70
⑳ E 1/4 POST SEC 11 FUD. SET. OF. MARKER B. BEECH PIPE N 55° E 122.00 30" OAK PRINCE ALICE 540 E 27.00 32" OAK " N 55° E 29.43 16" OAK " N 55° E 27.13 TOP BANK CORNER IN LINE WITH BEECHER RD EXTENDED SOUTH.	㉑ E 1/4 POST SEC 24 FD. CORNER. PLAT. MAN. 12. FENCE PK. E. SIDE N 40° E 20.19 5" R. PINE PK. S. SIDE N 55° W 4.94 1" W. PINE PK. N. SIDE 56° E 20.54 Corner 15 26 E. P. E. N 55° E 10.04	㉒ W 1/4 POST SEC 24 FD. STANDARD OF P. S. PIPE 12" TRIPLE OAK PK. N. SIDE 57° W 35.89 12" OAK " SW. SIDE 57° W 39.08 14" OAK PK. N. SIDE 54° E 54.2 E-W WALKING TRAIL NORTH 12	㉓ NE COR SEC 33 FD. 3/4" PIPE B. POLE B. POLE B. POLE N 40° E 73.30 S 60° E 51.24 S 51° W 111.95 S 14° W 88.32
FB 1425-2127 FANSEER MAR 87 SEC	FB 1441-219 FANSEER JULY 87 SEC	FB 1441-219 FANSEER JULY 87 SEC	FB 1435-267 FANSEER MAR 87 SEC

134 R 11 W