

# DEPARTMENT OF NATURAL RESOURCES STATE OF MICHIGAN

# TIMBER SALE PROSPECTUS #6728

SCHEDULED SALE DATE AND TIME: 3:00 p.m. (local time) on September 10, 2020. LOCATION: GAYLORD MGMT UNIT, 1732 WEST M 32, GAYLORD, MI 49735.

PROSPECTUS NOTE: The bidder is advised to inspect the sale area and review the location, estimated volumes, operating costs and contract terms of proposed sales. Please be aware that some landowners may request 60 days or more notice for access across their land.

Notice is hereby given that bids will be received by the Unit Manager, GAYLORD MANAGEMENT UNIT, for certain timber on the following described lands:

<u>Turtle Lake Aspen</u> (52-005-20) / T29N, R02W, SEC. 4 , E1/2SW,SE. Otsego County, Advertised Price \$52,956.55, 82.7 Acres, Hardwood, Aspen.

SALE NOTE: Good access and operating terrain. This sale has oak wilt operating restrictions (see spec. 5.2.3.5 for details).

Heads Up Red Pine (52-007-20) / T29N, R06W, SEC. 36, E1/2SW,SE. Antrim County, Advertised Price \$137,042.25, 85.0 Acres, Red Pine, Hardwood.

SALE NOTE: No operating restrictions, flat terrain, lots of brush, 2 inch spec, chipping required, stump heights must be 6 inches or lower.

Patchwork Mix (52-012-20) / T29N, R06W, SEC. 36, NW,SWNE,NESW,NWSE. Antrim County, Advertised Price \$66,279.25, 50.8 Acres, Red Pine, Aspen.

SALE NOTE: Access off of county roads will need some brushing. Heavy under story, and porcupine damage.

Over Yonder Hardwoods (52-028-19) / T32N, R04W, SEC. 6, S1/2SW,SWSE. T32N, R04W, SEC. 7, NW,NWNE. Charlevoix County, Advertised Price \$66,185.40, 172.3 Acres, Hardwood, Sugar Maple.

SALE NOTE: The only access through state land is along the snowmobile trail, though there is potential access through private as well. The sale includes some steep areas.

A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions. Access may be through private or other public land.

# BID INSTRUCTIONS (VER. 07/02/2018):

# 1. Scheduled Bid Location, Date, and Time (2/11)

Bids must be received by the Unit Manager, GAYLORD OFFICE, 1732 West M 32, Gaylord, MI 49735, no later than 3:00 p.m. (local time) on September 10, 2020. For further information concerning this sale, contact Lucas Merrick at 989-732-3541 extension 5440.

# 2. Bidder's Qualifications (5/16)

Purchaser shall obtain workers compensation insurance to cover claims under Michigan's Worker's Disability Compensation Act of 1969 or similar employee benefit act of any other state applicable to an employee. If all or part of a timber sale was prepared by a private contractor, the contractor and that contractor's company are not permitted to bid on the timber sale contract. Bids will not be accepted from individuals or companies appearing on the DNR/FRD No-Bid List. This list contains the names of purchasers who previously failed to execute a contract within 21-days or who have a history of poor performance.

# 3. Preparation of Sealed Bids (5/16)

Bid Forms may be completed online thru Michigan DNR Timber Sale Online Bidding (OLB) at www.michigan.gov/timberbidding or by completing the hardcopy Bid Form found in the Timber Sale Prospectus . Hardcopy Bid Forms shall be manually signed in ink. Registration in OLB is considered your 'signature' for all bids submitted thru that system. Bid prices must be entered for each species and product in the Bid Price column for all material subject to bidding and all fill-in blanks must be completed. If erasures or other changes appear on the hardcopy Bid Form, each erasure or change must be initialed by the person signing the bid.

# 4. Submission of Sealed Bids (5/16)

Bid forms may be obtained from the Unit Manager or thru OLB. Bids may be submitted hardcopy or thru OLB. All hardcopy bids must be submitted on the bid form and in an envelope clearly identified as described in this section. NOTE: Only one bid form per bid envelope. Sealed bids must be submitted to the Unit office designated in the prospectus and must be submitted at or prior to the time established in the prospectus. The envelope should show on the outside (a) the sale name or number and (b) the date and time of bid opening, as shown in the prospectus. Bids received after the time specified in the sale prospectus are late bids and will be rejected.

It is possible for a bidder to submit multiple bids on a single sale. For example, a bid may be submitted hardcopy and a bid may be submitted thru OLB. Or, two bidders from the same company could both submit bids on the same sale. If this were to happen, the State would accept all bids received and award the contract accordingly. All bidding and contractual requirements would apply to all bids received.

# 5. Public Opening of Sealed Bids (7/16)

If conditions permit, the sealed bids will be publicly opened and posted at the time and place set in the prospectus.

If a bidder, present at a bid opening, has submitted bids on more than one sale, that bidder may withdraw their unopened bid envelopes or announce the withdrawal of their online bid after being declared the successful bidder on one sale.

# 6. Award of Contract (1/11)

Award of the contract will be made to the Bidder whose bid, conforming to the prospectus, is most advantageous to the State of Michigan on the basis of total value at rates bid for the estimated quantities. The State reserves the right to reject any bid or waive any minor irregularity in bids received. A written award mailed (or otherwise furnished) to the successful Bidder shall be deemed to result in a binding contract without further action by either party.

# 7. Down Payment (1/11)

The Bidder to whom award is made must make a down payment within 21 days of the sale award. The amount of the down payment will be calculated as shown in the Bond and Payment Schedule of this prospectus. Only cash may be used to meet this requirement.

# 8. Performance Security (1/11)

As guarantee of faithful performance, a cash bond, certificate of deposit, surety bond or irrevocable letter of credit (LOC) is required within 21 days of the sale award. The amount of the performance security is shown in the Bond and

Payment Schedule of this prospectus. If an LOC or surety is used, the coverage must extend for at least 6 months beyond the contract expiration.

# 9. Timber Sale Contract (7/18)

Additional conditions and requirements common to all timber sales are listed on the timber sale contract (R4031) and are available on line at www.michigan.gov/timber. Contact the Unit Manager for additional information or a sample contract. Within 21 days of the date of the award letter, the bidder must sign the contract and provide the required down payment, performance security, and verification of worker's disability compensation. The down payment and performance security shall be in accordance with the provisions of the timber sale contract, in the sums stated in this prospectus. If these actions are not taken, then the Bidder, the Bidder's corporation, and the corporation's principals may not be permitted to bid on State timber sales for a period of 3 months after the first offense, 6 months after the second offense, and 1 year after the third offense. An offense will only be counted against the Bidder for 5 years. In addition, the Bidder certifies that if awarded this contract, the Bidder will complete the timber sale contract in accordance with its terms and any modifications thereof including requirements to purchase, cut, and remove the included timber by the expiration date.

Payment Unit values in the State Forest Timber Sale Contract are calculated based on the advertised value of the Payment Unit as a percentage of the total advertised value of the contract. The advertised value of each Payment Unit is given in the Description of Timber by Payment Unit table on the Timber Sale Information page. For example, if the value of Payment Unit 1 is advertised as \$1,500 and the total Timber Sale value is advertised as \$10,000, the contract price for Payment Unit 1 will be 15% of the total bid price (\$1,500/\$10,000 \* 100).

# 10. Disclaimer of Estimates and Bidder's Warranty of Inspection (7/16)

Before submitting this bid, the Bidder is advised and cautioned to inspect the sale area, review the requirements of the sale contract, and take other steps as may be reasonably necessary to ascertain the location, estimated volumes, construction estimates, and operating costs of the proposed sale. Failure to do so will not relieve the Bidder from responsibility for completing the contract.

The Bidder warrants that this bid is submitted solely on the basis of the Bidder's examination and inspection of the quality and quantity of the timber offered for sale and the Bidder's opinion of the value thereof and the costs of recovery . No reliance should be placed on the State of Michigan's estimates of timber quality, quantity or costs of recovery. Bidder further acknowledges that the State of Michigan: (i) expressly disclaims any warranty of fitness of timber for any purpose; (ii) offers this timber as is without any warranty of quality (merchantability) or quantity and (iii) expressly disclaims any warranty as to the quantity or quality of timber sold.

# 11. Certification and Chain-of-Custody (10/14)

Unless otherwise indicated in the contract under section 7 – Other Conditions of the Sale Specific Conditions & Requirements, the area encompassed by this timber sale is certified to the standards of the Forest Stewardship Council (FSC) - Certificate #SCS-FM/COC-00090N and the Sustainable Forestry Initiative (SFI) - Certificate # NSF-SFIS-5Y031-SF5. Forest products from this sale may be delivered to the mill as "FSC 100% and / or SFI certified" as long as the contractor hauling the forest products is chain-of-custody (COC) certified or covered under a COC certificate from the destination mill. The purchaser is responsible for maintaining COC after leaving the sale area.

# 12. Good Neighbor Authority (GNA) Requirements (7/16)

If the name of this timber sales contains the acronym GNA, it is authorized by the Good Neighbor Authority (GNA) and covered by various agreements between the U.S. Forest Service and the State. The timber sale occurs on federal land and the following conditions apply:

GNA contracts on US Forest Service land will not be awarded to purchasers on the Federal list of excluded parties. The System for Award Management (SAM) will be checked for active excluded parties prior to award of contract. In addition, the Bidder to whom award is made must complete an Assurance Regarding Felony Conviction or Tax Delinquent Status for Corporate Applicants (AD-3031).

# 13. Good Neighbor Authority (GNA) Requirements, con't (9/16)

Bidder certifies, by signing this bid form, that to the best of Bidder's knowledge that the following representations are accurate and complete.

a. That the Bidder and its principals are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntary excluded from timber sales (covered transactions) by any Federal department or agency.

b. That the Bidder and its principals have not within a 3-year period preceding this bid been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.

c. That the Bidder and its principals are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph b of this certification.

d. That the Bidder and its principals have not within a 3-year period preceding this bid had one or more public transactions (Federal, State, or local) terminated for breach or default of a timber or forest product contract.

Bidders that cannot certify this requirement, in whole or in part, shall submit an explanation with their bid.

DAN EICHINGER Director

# TIMBER SALE INFORMATION

#### <u>Turtle Lake Aspen (52-005-20)</u> T29N, R02W, SEC. 4. Otsego County (Advertised Price \$52,956.55)

SALE NOTE: Good access and operating terrain. This sale has oak wilt operating restrictions (see spec. 5.2.3.5 for details).

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. Bids must be at or above the following advertised price for each species:

PRODUCTS & SPECIES	ESTIMATE	D UNITS*	ADV	ERTISED PRICE
Sawtimber				
Mixed Aspen	43.70	MBF	\$	38.00 / MBF
Paper Birch	5.00	MBF	\$	25.00 / MBF
Red Maple	68.20	MBF	\$	50.00 / MBF
Red Oak	107.40	MBF	\$	116.00 / MBF
Red Pine	138.70	MBF	\$	82.00 / MBF
White Pine	66.00	MBF	\$	32.00 / MBF
Pulpwood				
Mixed Aspen	400.00	Cords	\$	13.15 / Cord
Paper Birch	9.00	Cords	\$	8.50 / Cord
Red Maple	402.00	Cords	\$	17.80 / Cord
Red Oak	237.00	Cords	\$	12.80 / Cord
Red Pine	99.00	Cords	\$	31.75 / Cord
White Pine	198.00	Cords	\$	15.90 / Cord

\* The total volume is statistically estimated within plus (+) or minus (-) 11.42 percent. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

#### BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$2,648.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule :
  - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
  - (b) The 10% down payment will be credited towards the first unit cut.

(c) Payment for each of the following units must be made before cutting begins in that unit: PAYMENT UNIT NUMBER 01
PERCENT OF TOTAL SALE VALUE 19.4%

01	19.4%
02	20.5%
03	31.8%
04	28.3%

4. If no cutting takes place, the 10% down payment will not be refunded.

5. Operations on the contract issued will terminate on 12/21/2023.

# Description of Timber by Payment Unit (PU)

1Mixed Aspen B. T. Aspen Quaking AspenSawtimber12.7MBF 4.912.2\$10,272.2B. T. Aspen Quaking Aspen4.9MBF12.2\$10,272.2Paper Birch Red Maple5.0MBF19.3MBFRed Oak Red Pine32.6MBF11.3MBFWhite Pine Mixed Aspen8.1MBF11.3MBFMixed Aspen Paper Birch Red MaplePulpwood33.0Cords10.2Red Oak Red Maple9.0Cords10.210.2Red Oak Red Maple58.0Cords10.210.2Red Oak Red Oak58.0Cords10.210.2Red Pine White Pine9.0Cords10.210.2White Pine54.0Cords10.210.210.2Red Pine White Pine54.0Cords10.210.2Red Pine White Pine54.0Cords10.210.2 </th <th>PU</th> <th>MARKET GROUP</th> <th>PRODUCT</th> <th>QUANTITY</th> <th>UNIT</th> <th>ACRES</th> <th>ADVERTISE PRICE</th>	PU	MARKET GROUP	PRODUCT	QUANTITY	UNIT	ACRES	ADVERTISE PRICE
B. T. Aspen Quaking Aspen Paper Birch Red Maple         4.9         MBF MSF           Red Maple Red Oak Red Oak         5.0         MBF           White Pine Mixed Aspen Paper Birch Red Maple         13.3         MBF           Red Maple         11.3         MBF           Red Maple         11.3         MBF           Red Maple         11.3         MBF           Red Maple         0.0         Cords           Red Maple         7.0         Cords           Red Maple         54.0         Cords           Red Maple         7.9         MBF         17.9           Red Maple         7.9         MBF         17.9           Red Maple         7.9         MBF         17.9           Red Maple         12.4         MBF         17.9           Red Maple         13.0         MBF         17.9           Red Maple         13.0         MBF         17.9           Red Maple         13.0         MBF         17.9           Red Maple         12.4         MBF         17.9           Red Maple         13.0         Cords         16.3           Red Pine         27.0         Cords         16.3           Mixed Aspen							
Quaking Aspen Paper Birch         7.8         MBF           Red Dak         5.0         MBF           Red Dak         32.6         MBF           Red Dak         32.6         MBF           Red Pine         11.3         MBF           White Pine         8.1         MBF           Red Maple         75.0         Cords           Red Maple         75.0         Cords           Red Oak         58.0         Cords           Red Pine         90         Cords           White Pine         54.0         Cords           White Pine         7.3         MBF           Quaking Aspen         1.1         MBF           Red Pine         90         Cords           Quaking Aspen         1.1         MBF           Red Aspen         12.4         MBF           Red Maple         13.0         MBF           Red Maple         12.4         MBF           Red Maple         12.4         MBF           Red Maple         12.4         MBF           Red Maple         12.4         MBF           Red Pine         23.0         Cords           Quaking Aspen         1.7	I		Sawumber			12.2	φ10,272.20
Paper Birch Red Maple         5.0         MBF         19.3         MBF           Red Oak         3.2.6         MBF         11.3         MBF           White Pine         11.3         MBF         11.3         MBF           White Pine         8.1         MBF         11.3         MBF           Mixed Aspen         Pulpwood         3.0         Cords         11.3         MBF           Red Maple         76.0         Cords         11.3         MBF         11.3 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
Red Maple         19.3         MBF         1           Red Oak         32.6         MBF         32.6         MBF           Red Pine         11.3         MBF         1         MBF           White Pine         8.1         MBF         1         1           Pape Birch         9.0         Cords         1         1           Red Maple         75.0         Cords         1         1         1           Red Maple         58.0         Cords         1 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Red Oak         32.6         MBF         III.3         MBF           Red Pine         11.3         MBF         III.3         MBF           White Pine         8.1         MBF         III.3         MBF           Mixed Aspen         Pulpwood         33.0         Cords         Cords           Red Maple         75.0         Cords         Cords         III.3           Red Dak         58.0         Cords         III.3         III.3           Red Maple         7.0         Cords         III.3         III.3           Red Maple         7.0         Cords         III.3         III.3           White Pine         7.9         MBF         17.9         \$10.838.1           Red Maple         11.1         MBF         III.3         IIII.3         IIII.3         IIII.3         IIII.3		-					
Red Pine White Pine Mixed Aspen Paper Birch Red Maple         Pulpwood         11.3 8.1 8.1 MBF         MBF         Image: Cords Cords           Red Maple         75.0 Cords         Cords         Feed Oak         58.0 Cords         Cords           Red Pine White Pine         9.0 Cords         Cords         Feed Cords         Feed Cords         Feed Cords           2         Mixed Aspen Quaking Aspen Red Maple         Sawtimber         7.9 Feed Maple         MBF         17.9 Feed Cords         \$10.838.1 Feed Cords           Red Dine White Pine         1.1 Mixed Aspen Red Maple         MBF         Feed Cords         Feed Cords           Red Pine White Pine         1.1 Mixed Aspen Red Maple         Pulpwood         93.0 Cords         Cords         Feed Cords           3         Mixed Aspen Red Maple         Pulpwood         93.0 Cords         Cords         Feed Cords           3         Mixed Aspen Red Maple         Sawtimber         12.2 MBF         MBF         Feed Cords           3         Mixed Aspen Red Maple         Sawtimber         12.2 MBF         MBF         Feed Cords           Red Pine White Pine         22.9 MBF         MBF         Feed Cords         Feed Cords         Feed Cords           4         Mixed Aspen Red Maple         Sawtimber         10.9 MBF		-					
White Pine Mixed Aspen Paper Birch Red Maple         Pulpwood         33.0         Cords           Red Maple Red Oak         58.0         Cords            Red Maple         75.0         Cords            Red Pine         9.0         Cords            White Pine         54.0         Cords            Queking Aspen Queking Aspen Red Maple         Sawtimber         7.9         MBF         17.9         \$10,838.1           Red Pine Queking Aspen Red Maple         Sawtimber         1.1         MBF             Red Aspen Queking Aspen Red Maple         1.1         MBF               Red Aspen Red Maple         90,0         Cords                Red Pine White Pine         11.7         MBF                Red Maple Red Oak         Sawtimber         12.2         MBF              Red Pine         3.0         Cords                Red Aspen Red Oak         29.6         MBF							
Mixed Aspen Paper Birch Red Maple         Pulpwood         33.0         Cords           Red Maple         75.0         Cords           Red Oak         58.0         Cords           Red Pine         9.0         Cords           White Pine         54.0         Cords           2         Mixed Aspen B. T. Aspen Quaking Aspen Red Maple         Sawtimber         7.9         MBF         17.9         \$10.838.1           Red Oak         8.7         Maple         12.4         MBF         17.9         \$10.838.1           Red Oak         19.0         MBF         18.7         \$10.838.1           Red Oak         19.0         Cords         19.0         \$10.838.1           Red Maple         12.1         MBF         19.0         \$10.833.0           Red Oak							
Paper Birch Red Maple         9.0         Cords Cords           Red Pine         75.0         Cords           Red Pine         9.0         Cords           White Pine         54.0         Cords           2         Mixed Aspen Quaking Aspen         Sawtimber         7.9         MBF         17.9         \$10,838.1           Red Coak         1.1         MBF         17.9         \$10,838.1           Red Maple         1.1         MBF         17.9         \$10,838.1           Red Maple         1.1         MBF         17.9         \$10,838.1           Red Coak         12.4         MBF         17.9         \$10,838.1           Red Coak         12.4         MBF         17.9         \$10,838.1           Red Coak         12.4         MBF         17.9         \$10,838.1           Red Pine         32.3         MGF         17.9         \$10,830.1           White Pine         12.2         MBF         17.9         \$10,870.3           Mixed Aspen         Sawtimber         12.2         MBF         17.9         \$16,870.3           Red Pine         23.0         Cords         18.7         Aspen         10.5         MBF         19.4							
Red Maple         Red Oak         75.0         Cords           Red Oak         58.0         Cords         68.0         Cords           White Pine         54.0         Cords         7.9         MBF         17.9         \$10.838.1           B. T. Aspen         Sawtimber         7.9         MBF         17.9         \$10.838.1           Red Maple         17.1         MBF         17.9         \$10.838.1           Red Maple         12.4         MBF         17.9         \$10.838.1           Red Maple         12.4         MBF         17.9         \$10.838.1           Red Maple         12.4         MBF         18.7         \$10.838.1           Red Maple         12.4         MBF         19.7         \$10.838.1           Red Pine         32.3         MBF         19.7         \$10.830.1           White Pine         13.0         Cords         19.7         \$10.7           Red Maple         10.5         MBF         19.7         \$16.870.3           B. T. Aspen         10.5         MBF         19.7         \$16.870.3           Red Maple         19.4         MBF         19.7         \$16.870.3           Red Maple         19.4			Pulpwood		Cords		
Red Dak Red Prine         Sawtimber         58.0 9.0         Cords Cords           2         Mixed Aspen B. T. Aspen         Sawtimber         7.9         MBF         17.9         \$10,838.1           2         Mixed Aspen Quaking Aspen         Aspen         6.8         MBF         17.9         \$10,838.1           Red Maple         1.1         MBF         17.9         \$10,838.1           Red Maple         2.3         MBF         17.9         \$10,838.1           Red Maple         1.1         MBF         17.9         \$10,838.1           Red Oak         19.0         MBF         17.9         \$10,838.1           Red Cak         19.0         MBF         17.9         \$10,838.1           White Pine         32.3         MBF         17.9         \$10,838.1           Mixed Aspen         Pulpwood         93.0         Cords         17.0         17.0           Red Oak         23.0         Cords         17.7         MBF         17.9         \$16,870.3           B         B. T. Aspen         10.5         MBF         18.7         \$16,870.3           Red Pine         10.5         MBF         17.9         \$16,870.3           Red Pine         10.5 <td></td> <td>-</td> <td></td> <td></td> <td>Cords</td> <td></td> <td></td>		-			Cords		
Red Pine White Pine         9,0         Cords Cords           2         Mixed Aspen B. T. Aspen         Sawtimber         7,9         MBF         17.9         \$10,838.1           2         Marked Aspen Quaking Aspen         Sawtimber         7,9         MBF         17.9         \$10,838.1           8         T. Aspen         1.1         MBF         17.9         \$10,838.1           Red Maple         12.4         MBF         18.7         \$10,838.1           Red Coak         19.0         MBF         19.0         MBF           Red Pine         3.2.3         MBF         19.0         MBF           White Pine         14.7         MBF         19.0         MBF           Red Maple         8.3.0         Cords         Cords         19.0           Red Pine         23.0         Cords         19.0         MBF         19.0           J Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           Guaking Aspen         10.5         MBF         27.9         \$16,870.3           Red Pine         50.5         MBF         19.4         MBF           Red Oak         22.9         MBF         19.0         10.0 <td></td> <td>Red Maple</td> <td></td> <td>75.0</td> <td>Cords</td> <td></td> <td></td>		Red Maple		75.0	Cords		
White Pine         54.0         Cords           2         Mixed Aspen B. T. Aspen Quaking Aspen Red Maple         Sawtimber         7.9         MBF         17.9         \$10,838.1           Red Maple         1.1         MBF         17.9         \$10,838.1           Red Pine         12.4         MBF         17.9         \$10,838.1           White Pine         13.0         Cords         18.7         \$10,838.1           Red Maple         8.0         Cords         18.7         \$10,838.1           Red Maple         13.0         Cords         18.7         \$16,870.3           B. T. Aspen         10.5         MBF         19.7         \$16,870.3           Red Maple         17.7         MBF         19.7         \$16,870.3           Red Maple         17.7         MBF         19.7         \$16,870.3           Red Pine         10.5         MBF         19.7         \$16,870.3           Mixed Aspen         Pulpwood         <		Red Oak		58.0	Cords		
2         Mixed Aspen B. T. Aspen Quaking Aspen Red Maple         Sawtimber         7.9         MBF         17.9         \$10,838.1           Red Maple Red Oak         12.4         MBF         MBF         14.4         MBF           Red Pine Mixed Aspen Red Pine         32.3         MBF         14.4         MBF         14.7           Mixed Aspen Red Maple         Pulpwood         93.0         Cords         14.7         MBF           Red Pine White Pine         23.0         Cords         14.7         MBF         14.7           3         Mixed Aspen B. T. Aspen Quaking Aspen Red Maple         Sawtimber         12.2         MBF         27.9         \$16,870.3           3         Mixed Aspen Red Maple         Sawtimber         12.2         MBF         27.9         \$16,870.3           3         Mixed Aspen Red Maple         Sawtimber         12.2         MBF         27.9         \$16,870.3           4         Maple         19.4         MBF         27.9         \$16,870.3         \$16,870.3           4         Mixed Aspen Red Maple         19.4         MBF         4         \$14,975.9           4         Mixed Aspen Quaking Aspen Quaking Aspen Red Maple         10.9         MBF         24.7         \$14,975.9		Red Pine		9.0	Cords		
B. T. Aspen Quaking Aspen Red Maple         6.8         MBF MBF           Red Maple         1.1         MBF           Red Oak         19.0         MBF           Red Pine         32.3         MBF           Mixed Aspen         Pulpwood         93.0         Cords           Red Maple         23.0         Cords         Red Maple           Red Oak         45.0         Cords         Red Pine           White Pine         33         Mixed Aspen         Sawtimber         12.2           3         Mixed Aspen         Sawtimber         12.2         MBF           Quaking Aspen         1.7         MBF         MBF           Red Maple         19.4         MBF         MBF           Red Maple         19.4         MBF         MBF           Quaking Aspen         1.7         MBF         MBF           Red Maple         19.4         MBF         Red Oak         Red Pine           Red Maple         19.0         Gords         Red Pine         Stot So		White Pine		54.0	Cords		
B. T. Aspen Quaking Aspen Red Maple         6.8         MBF MI           Red Maple         1.1         MBF           Red Oak         19.0         MBF           Red Pine         32.3         MBF           Mixed Aspen         Pulpwood         93.0         Cords           Red Maple         23.0         Cords         Red           Red Pine         23.0         Cords         Red           White Pine         33.0         Cords         Saver           White Pine         33         Mixed Aspen         Saver           Quaking Aspen         10.5         MBF         27.9           Quaking Aspen         1.7         MBF         116,870.3           Red Maple         19.4         MBF         116,870.3           Red Maple         19.4         MBF         116,870.3           Red Maple         19.4         MBF         116,870.3           Red Maple         17.7         MBF         116,870.3           Red Maple         19.0         MBF         116,870.3           Red Maple         17.7         MBF         116,870.3           Red Maple         17.7         MBF         116,975.9           Red Maple	2	Mixed Aspen	Sawtimber	7.9	MBF	17.9	\$10,838.10
Quaking Aspen Red Maple         1.1         MBF           Red Maple         12.4         MBF           Red Oak         19.0         MBF           Red Pine         32.3         MBF           White Pine         14.7         MBF           Mixed Aspen         Pulpwood         93.0         Cords           Red Maple         83.0         Cords         Feed Maple           Red Maple         33.0         Cords         Feed Maple           Red Pine         23.0         Cords         Feed Maple           Red Pine         23.0         Cords         Feed Maple           White Pine         37.0         Cords         Feed Maple           Red Aspen         10.5         MBF         Feed Maple           Red Maple         19.4         MBF         Feed Maple           Red Pine         22.9         MBF         Feed Maple           Red Maple         12.0         Cords         Feed Maple           Red Maple         12.0         Cords         Feed Maple           Red Maple         10.5         MBF         Feed Maple           Red Maple         17.0         Cords         Feed Maple           Red Maple         17.				6.8	MBF		
Red Maple       12.4       MBF         Red Oak       19.0       MBF         Red Pine       32.3       MBF         White Pine       14.7       MBF         Mixed Aspen       Pulpwood       93.0       Cords         Red Maple       83.0       Cords       Red Maple         Red Oak       45.0       Cords       Cords         White Pine       37.0       Cords       Cords         White Pine       Sawtimber       12.2       MBF       27.9 <i>Quaking Aspen</i> Sawtimber       12.2       MBF       Sattime         Red Oak       27.9       \$16,870.3       MBF       Sattime         Red Maple       Sawtimber       12.2       MBF       Sattime         Red Maple       19.4       MBF       Sattime       Sattime         Red Maple       19.4       MBF       Sattime       Sattime         Red Oak       29.6       MBF       Sattime       Sattime         Red Maple       129.0       Cords       Sattime       Sattime         Red Maple       Sattime       Sattime       Sattime       Sattime         Mixed Aspen       Sattimber       10.9       MB							
Red Oak         19.0         MBF           Red Pine         32.3         MBF           Mixed Aspen         Pulpwood         93.0         Cords           Red Oak         45.0         Cords           Red Oak         45.0         Cords           Red Oak         45.0         Cords           Red Oak         45.0         Cords           White Pine         23.0         Cords           White Pine         23.0         Cords           Mixed Aspen         Sawtimber         12.2         MBF           Quaking Aspen         17.7         MBF           Red Oak         22.9         MBF           Red Maple         19.4         MBF           Red Maple         29.6         MBF           Red Maple         29.9         MBF           Red Maple         20.0         Cords           Red Maple         12.0         Cords           Red Maple         12.0         Cords           Red Maple         12.0         Cords           Red Maple         12.0         Cords           Red Maple         11.0         Cords           B. T. Aspen         9.4         MBF							
Red Pine         32.3         MBF         Image: MBF           White Pine         14.7         MBF           Mixed Aspen         Pulpwood         93.0         Cords           Red Maple         83.0         Cords         Image: MBF           Red Oak         45.0         Cords         Image: MBF           Red Pine         23.0         Cords         Image: MBF           White Pine         37.0         Cords         Image: MBF           B. T. Aspen         10.5         MBF         Image: MBF           Quaking Aspen         1.7         MBF         Image: MBF           Red Oak         22.9         MBF         Image: MBF           Red Oak         22.9         MBF         Image: MBF           White Pine         22.9         MBF         Image: MBF           Mixed Aspen         Pulpwood         145.0         Cords           Red Maple         122.0         Cords         Image: MBF           Mixed Aspen         Pulpwood         145.0         Cords           Red Pine         35.0         Cords         Image: MBF           Mixed Aspen         Sawtimber         10.9         MBF         24.7           Quaking Aspen		-					
White Pine Mixed Aspen         Pulpwood         14.7 93.0         Cords Cords           Red Maple         83.0         Cords           Red Maple         83.0         Cords           Red Oak         45.0         Cords           White Pine         23.0         Cords           White Pine         37.0         Cords           B. T. Aspen Quaking Aspen Red Maple         Sawtimber         12.2         MBF         27.9         \$16,870.3           Red Oak         93.0         Cords         MBF         27.9         \$16,870.3           Red Maple         10.5         MBF         27.9         \$16,870.3           Red Maple         19.4         MBF         40.4         40.4           Red Oak         29.6         MBF         40.4         40.4           Red Oak         29.6         MBF         40.4         40.4           Red Pine         50.5         MBF         40.4         40.4           Red Oak         71.0         Cords         40.4         40.4         40.4           Red Pine         35.0         Cords         40.4         40.4         40.4         40.4         40.4         40.4         40.4         40.4         40.4							
Mixed Aspen Red Maple         Pulpwood         93.0         Cords           Red Maple         83.0         Cords         1           Red Oak         45.0         Cords         1           Red Oak         23.0         Cords         1           White Pine         37.0         Cords         1           Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           B. T. Aspen         10.5         MBF         1         1         MBF         1           Quaking Aspen         1.7.7         MBF         1							
Red Maple         83.0         Cords           Red Oak         45.0         Cords           White Pine         23.0         Cords           Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           Maple         1.7         MBF         27.9         \$16,870.3           Red Maple         1.7         MBF         27.9         \$16,870.3           Red Maple         1.7         MBF         1.1         MBF           Red Maple         1.1         MBF         1.1         MBF         1.1           White Pine         22.9         MBF         1.1         <			Dulpurand				
Red Oak Red Pine         45.0         Cords           3         Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           3         Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           3         B. T. Aspen         10.5         MBF         27.9         \$16,870.3           Quaking Aspen         10.5         MBF         10.5         MBF           Red Oak         29.6         MBF         10.5         MBF           Red Oak         29.6         MBF         10.5         MBF         10.5           White Pine         50.5         MBF         12.9         MBF         10.9		-	Pulpwood				
Red Pine White Pine         23.0         Cords Cords         Image: Cords for the system of		-					
White Pine         37.0         Cords         Image: Cords           3         Mixed Aspen         Sawtimber         12.2         MBF         27.9         \$16,870.3           3         B. T. Aspen         10.5         MBF         27.9         \$16,870.3           Quaking Aspen         10.5         MBF         10.5         MBF         10.5         MBF           Red Maple         19.4         MBF         10.5         MBF         10.5         MBF         10.5         10.5         MBF         10.5         10.5         MBF         10.5							
3         Mixed Aspen B. T. Aspen Quaking Aspen Red Maple         Sawtimber         12.2         MBF         27.9         \$16,870.3           Red Maple         10.5         MBF         10.5         ME         10.5							
B. T. Aspen Quaking Aspen         10.5         MBF MBF           Red Maple         1.7         MBF           Red Maple         19.4         MBF           Red Oak         29.6         MBF           White Pine         22.9         MBF           Mixed Aspen         Pulpwood         145.0         Cords           Red Maple         129.0         Cords         Red Maple           Red Oak         71.0         Cords         Cords           Red Oak         71.0         Cords         Sawtimber           Mixed Aspen         Sawtimber         10.9         MBF         24.7           Mixed Aspen         Sawtimber         10.9         MBF         4           Mixed Aspen         Sawtimber         10.9         MBF         4           Quaking Aspen         1.5         MBF         4         14.975.9           Red Oak         26.2         MBF         4         4         4.00         4.00           Red Pine         20.3         MBF         4         4.00         4.00         4.00           Red Maple         115.0         Cords         4.00         4.00         4.00         4.00           Red Oak							
Quaking Aspen Red Maple         1.7         MBF           Red Maple         19.4         MBF           Red Oak         29.6         MBF           Red Pine         50.5         MBF           White Pine         22.9         MBF           Mixed Aspen         Pulpwood         145.0         Cords           Red Maple         129.0         Cords         Red Maple           Red Oak         71.0         Cords         Red Maple           White Pine         35.0         Cords         Red Maple           White Pine         57.0         Cords         Statistical Aspen           Mixed Aspen         Sawtimber         10.9         MBF         24.7 <i>Quaking Aspen</i> 17.1         MBF         4           Red Maple         17.1         MBF         4           Red Pine         20.3         MBF         4           White Pine         20.3         MBF         4           Mixed Aspen         Pulpwood         129.0         Cords           Red Pine         20.3         MBF         4           White Pine         32.0         Cords         4           Maple         115.0         Cord	3	-	Sawtimber			27.9	\$16,870.30
Red Maple       19.4       MBF         Red Oak       29.6       MBF         Red Pine       50.5       MBF         White Pine       22.9       MBF         Mixed Aspen       Pulpwood       145.0       Cords         Red Maple       129.0       Cords          Red Maple       129.0       Cords          Red Oak       71.0       Cords          Red Pine       35.0       Cords          White Pine       57.0       Cords          4       Mixed Aspen       Sawtimber       10.9       MBF       24.7       \$14,975.9         B. T. Aspen       9.4       MBF             Quaking Aspen       Sawtimber       10.9       MBF            Red Maple       17.1       MBF							
Red Oak         29.6         MBF         Image: MBF           Red Pine         50.5         MBF         Image: MBF           White Pine         22.9         MBF         Image: MBF           Mixed Aspen         Pulpwood         145.0         Cords           Red Maple         129.0         Cords         Image: MBF           Red Oak         71.0         Cords         Image: MBF           Red Oak         71.0         Cords         Image: MBF           White Pine         35.0         Cords         Image: MBF           White Pine         35.0         Cords         Image: MBF           Mixed Aspen         Sawtimber         10.9         MBF         24.7 <i>B. T. Aspen</i> 9.4         MBF         MBF <i>Quaking Aspen</i> 17.1         MBF         MBF           Red Maple         20.3         MBF         Image: MBF           Red Oak         20.3         MBF         Image: MBF           White Pine         20.3         MBF         Image: MBF           Mixed Aspen         Pulpwood         129.0         Cords         Image: MBF           Red Maple         115.0         Cords         Image: MBF							
Red Pine       50.5       MBF       Image: Second		-		19.4			
White Pine       22.9       MBF       MBF         Mixed Aspen       Pulpwood       145.0       Cords         Red Maple       129.0       Cords       129.0         Red Oak       71.0       Cords       129.0         Red Oak       71.0       Cords       129.0         White Pine       35.0       Cords       14.0         Mixed Aspen       Sawtimber       10.9       MBF       24.7       \$14,975.9         B. T. Aspen       9.4       MBF       14.1       \$14,975.9       \$14,975.9         B. T. Aspen       9.4       MBF       15.1       \$MBF       14.0       \$14,975.9         Red Maple       17.1       MBF       14.0       \$14,975.9       \$14,975.9         Red Maple       17.1       MBF       14.0       \$14,975.9         Red Oak       26.2       MBF       14.0       \$14.975.9         White Pine       20.3       MBF       14.0       14.0         White Pine       20.3       MBF       14.0       14.0         Red Maple       115.0       Cords       14.0       14.0         Red Oak       63.0       Cords       14.0       14.0         <		Red Oak		29.6	MBF		
Mixed Aspen       Pulpwood       145.0       Cords       Image: Cords		Red Pine		50.5	MBF		
Red Maple       129.0       Cords          Red Oak       71.0       Cords          Red Pine       35.0       Cords          White Pine       57.0       Cords          Mixed Aspen       Sawtimber       10.9       MBF       24.7       \$14,975.9         B. T. Aspen       9.4       MBF       24.7       \$14,975.9         Quaking Aspen       1.5       MBF           Red Oak       26.2       MBF           Red Pine       20.3       MBF           White Pine       20.3       MBF           Mixed Aspen       Pulpwood       129.0       Cords          Mixed Aspen       Pulpwood       129.0       Cords          Red Maple       115.0       Cords           Red Oak       63.0       Cords           Red Pine       32.0       Cords           White Pine       50.0       Cords		White Pine		22.9	MBF		
Red Oak       71.0       Cords       Image: Cords of the cords o		Mixed Aspen	Pulpwood	145.0	Cords		
Red Pine         35.0         Cords           White Pine         57.0         Cords           Mixed Aspen         Sawtimber         10.9         MBF         24.7         \$14,975.9           B. T. Aspen         9.4         MBF         4         \$14,975.9           B. T. Aspen         9.4         MBF         4         \$14,975.9           Red Maple         1.5         MBF         4         \$14,975.9           Red Maple         17.1         MBF         4         \$14,975.9           Red Maple         17.1         MBF         4         \$14,975.9           Red Oak         26.2         MBF         4         \$14,975.9           White Pine         20.3         MBF         4         \$15.0         \$14,975.9           Mixed Aspen         Pulpwood         129.0         Cords         \$14.9         \$15.9           Red Maple         115.0         Cords         \$14.9         \$15.9         \$16.9         \$16.9           Red Oak         63.0         Cords         \$15.9         \$15.9         \$15.9         \$15.9           White Pine         50.0         Cords         \$15.9         \$15.9         \$15.9         \$15.9         \$15.9		Red Maple		129.0	Cords		
White Pine         57.0         Cords           4         Mixed Aspen         Sawtimber         10.9         MBF         24.7         \$14,975.9           B. T. Aspen         9.4         MBF         10.9         MBF         24.7         \$14,975.9           B. T. Aspen         9.4         MBF         10.9         MBF         10.9         10.9         \$14,975.9           B. T. Aspen         9.4         MBF         10.9         MBF         10.9         \$14,975.9           Quaking Aspen         Quaking Aspen         1.5         MBF         10.9         \$14,975.9           Red Maple         17.1         MBF         10.9         MBF         10.9         10.9           Red Oak         26.2         MBF         10.9         10.9         10.9         10.9           White Pine         20.3         MBF         10.9		Red Oak		71.0	Cords		
4Mixed Aspen B. T. Aspen Quaking Aspen Red Maple Red Oak Red PineSawtimber10.9MBF 9.424.7\$14,975.9Red Maple Red Pine1.5MBF		Red Pine		35.0	Cords		
4Mixed Aspen B. T. Aspen Quaking Aspen Red Maple Red Oak Red PineSawtimber10.9MBF 9.424.7\$14,975.9Red Maple Red Pine1.5MBF							
B. T. Aspen Quaking Aspen9.4MBFQuaking Aspen1.5MBFRed Oak26.2MBFRed Pine44.6MBFWhite Pine20.3MBFMixed AspenPulpwood129.0CordsRed Oak63.0Cords115.0CordsRed Oak32.0Cords115.0CordsRed Pine50.0Cords115.0CordsRed Pine115.0SondSond115.0Red Pine129.0MBF115.0CordsRed Pine129.0KersKersKersRed Pine100.0KersKersKersRed Pine100.0KersKersKersWhite Pine50.0Kers	4	Mixed Aspen	Sawtimber	10.9	MBF	24.7	\$14,975,95
Quaking Aspen1.5MBFRed Maple17.1MBFRed Oak26.2MBFRed Pine44.6MBFWhite Pine20.3MBFMixed AspenPulpwood129.0CordsRed Maple115.0Cords14Red Oak63.0Cords14Red Pine32.0Cords14White Pine50.0Cords14TOTAL:429.0MBF		-					ļ ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Red Maple17.1MBFRed Oak26.2MBFRed Pine44.6MBFWhite Pine20.3MBFMixed AspenPulpwood129.0CordsRed Maple115.0CordsRed Oak63.0CordsRed Pine32.0CordsWhite Pine50.0Cords							
Red Oak26.2MBFRed Pine44.6MBFWhite Pine20.3MBFMixed AspenPulpwood129.0CordsRed Maple115.0Cords115.0Red Oak63.0Cords115.0Red Pine32.0Cords115.0White Pine50.0Cords115.0TOTAL:429.0MBF							
Red Pine44.6MBFWhite Pine20.3MBFMixed AspenPulpwood129.0CordsRed Maple115.0CordsRed Oak63.0CordsRed Pine32.0CordsWhite Pine50.0CordsTOTAL:429.0MBF							
White Pine20.3MBFMixed AspenPulpwood129.0CordsRed Maple115.0CordsRed Oak63.0CordsRed Pine32.0CordsWhite Pine50.0CordsTOTAL:429.0							
Mixed AspenPulpwood129.0CordsRed Maple115.0CordsRed Oak63.0CordsRed Pine32.0CordsWhite Pine50.0CordsTOTAL:429.0							
Red Maple115.0CordsRed Oak63.0CordsRed Pine32.0CordsWhite Pine50.0CordsTOTAL:429.0			Dulpwood				
Red Oak63.0CordsRed Pine32.0CordsWhite Pine50.0CordsTOTAL:429.0		-	rupwood				
Red Pine     32.0     Cords       White Pine     50.0     Cords   TOTAL: 429.0 MBF		-					
White Pine     50.0     Cords       TOTAL:     429.0     MBF							
TOTAL: 429.0 MBF							
		White Pine		50.0	Cords		
TOTAL: 1,345.0 Cords			TOTAL:	429.0	MBF		
			TOTAL:	1,345.0	Cords		

Sale Number: 52-005-20 Seg#: 1

### Sale Name: Turtle Lake Aspen

#### 1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by blue, red and yellow paint. Exterior sale boundary lines against private property are marked with blue paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with Red X's; no harvesting activities may occur within these areas. The painted boundary line trees are not Included Timber and are to be protected. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

# 2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1, 2, 3 & 4, cut all trees that are two (2) inches or more at DBH, except within Payment Unit 1, do not cut any tree marked with teal paint. In Payment Units 2, 3 & 4, disregard the teal paint, these trees are Included Timber and are designated to be cut.

### 3 - Payments

3.3 - Pre-measured Sales

3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Supplement. There will be only one division per Payment Unit.

3.4 - Damaged Timber

3.4.1 - Damaged timber (7/16)

General Condition and Requirement 3.4 Damaged Timber, defines liquidated damages for undesignated live merchantable trees which are cut or injured.

No damage is acceptable to undesignated live merchantable trees. Within the sale area, if more than 5% of trees (> 4.5" DBH) within a specified area of the sale are damaged, liquidated damages will be assessed for all trees damaged. Rates will be in accordance with General Condition and Requirement 3.4 Damaged Timber.

# 4 - Transportation

### 4.1 - Construction

```
4.1.12 - No new roads (1/12)
```

No new roads will be permitted within the sale area. All operations are limited to existing roads. Skid trails only will be allowed.

### 4.2 - Maintenance

# 4.2.4 - Grading (10/16)

For completion of the sale, state forest roads must be graded. In general, this will require a road grader or bulldozer to shape up the roads after forest products have been hauled off site. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. The grading equipment to be used must be approved by the Unit Manager or his/her representative.

4.2.5 - Two wheel drive condition (2/04)

All existing trail roads on and adjacent to the sale area must be passable by two-wheel drive traffic for the duration of the sale.

### 5 - Operations

# 5.1 - Notification

5.1.3 - Well heads and natural gas pipelines (11/15)

The Purchaser is responsible for contacting the gas or pipeline company and MISS DIG, 15 days prior to operating equipment in the vicinity of well heads or natural gas pipelines.

# 5.1.4 - Post-sale conference (10/16)

A post-sale conference on site between the Purchaser and sale administrator is required 5 days prior to the completion of active logging operations to determine clean-up and repair of landings, road edges, and the fulfillment of other contract specifications.

# 5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)

No slash or tree tops may exceed twenty four (24) inches in height.

5.2.1.13 - Dispose of slash as directed (12/05)Slash is to be disposed of as directed by the sale administrator.

# 5.2.2 - Hazard Trees/Snags

5.2.2.1 - Den trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

# 5.2.3 - Operating Restrictions

# 5.2.3.5 - Oak wilt restriction (1/18)

Within the sale area, unless changed by written agreement, cutting, skidding, hauling within the sale and brushing of access roads to the sale are not permitted during the period of April 15 to July 15. Operations may be allowed if specific steps are taken to prevent damaging uncut oak during the high risk period. Those steps may include completing all road brushing before April 15th and clearing a tree-length buffer along uncut oak cover before April 15th. This is necessary to reduce the spread of oak wilt. For more information, contact the Unit Manager or his/her representative.

# 5.2.29 - Shrub protection (1/20)

Do not cut or damage hawthorn, witch-hazel, dogwood or juneberry. These woody-shrub plants are highly beneficial to various wildlife species.

# 5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be either removed or scattered away from landing and loading areas and may not be windrowed on the edge.

5.2.38 - No decking against live trees (2/04)

Cut products may not be decked against unmarked or designated leave trees.

# 5.4 - Soil Protection

# 5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

5.8 - Protection of Endangered Species

5.8.5 - Protection of raptor nests (3/13)


All trees with raptor nests will be protected if found during harvesting operations. Notification will be made to the Unit Manager or his/her representative who will notify the Wildlife Biologist so an on-site evaluation and recommendation can be made, if necessary.

# **6 - Safety and Fire Prevention**

### 6.2 - Signing

### 6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Turtle Lake Road prior to beginning operations. The road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. Signs may be provided upon request.



# TIMBER SALE INFORMATION

#### Heads Up Red Pine (52-007-20) T29N, R06W, SEC. 36. Antrim County (Advertised Price \$137,042.25)

SALE NOTE: No operating restrictions, flat terrain, lots of brush, 2 inch spec, chipping required, stump heights must be 6 inches or lower.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. Bids must be at or above the following advertised price for each species:

PRODUCTS & SPECIES	<u>ESTIMATE</u>	D UNITS*	ADV	ERTISED PRICE
Sawtimber				
Black Cherry	1.80	MBF	\$	197.00 / MBF
Quaking Aspen	2.20	MBF	\$	45.00 / MBF
Red Maple	10.50	MBF	\$	59.00 / MBF
Red Pine	860.80	MBF	\$	97.00 / MBF
Sugar Maple	12.90	MBF	\$	196.00 / MBF
Pulpwood				
Mixed Aspen	33.00	Cords	\$	15.55 / Cord
Mixed Hardwood	100.00	Cords	\$	21.05 / Cord
Red Pine	1,262.00	Cords	\$	37.50 / Cord

\* The total volume is statistically estimated within plus (+) or minus (-) 12.82 percent. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

#### BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$6,852.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule :
  - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
  - (b) The 10% down payment will be credited towards the first unit cut.
  - (c) Payment for each of the following units must be made before cutting begins in that unit: PAYMENT UNIT NUMBER PERCENT OF TOTAL SALE VALUE

01	29.1%
02	20.2%
03	21.9%
04	28.8%

4. If no cutting takes place, the 10% down payment will not be refunded.

5. Operations on the contract issued will terminate on 12/31/2022.

# Description of Timber by Payment Unit (PU)

PU	MARKET GROUP	PRODUCT	QUANTITY	UNIT	ACRES	ADVERTISE PRICE
1	Red Pine	Sawtimber	262.2	MBF	25.1	\$39,942.25
	Mixed Aspen	Pulpwood	7.0	Cords		
	Red Pine		384.0	Cords		
2	Black Cherry	Sawtimber	1.3	MBF	16.6	\$27,683.15
	Quaking Aspen		1.6	MBF		
	Red Maple		7.5	MBF		
	Red Pine		154.1	MBF		
	Sugar Maple		9.2	MBF		
	Mixed Aspen	Pulpwood	11.0	Cords		
	Mixed Hardwood		72.0	Cords		
	Red Pine		226.0	Cords		
3	Red Pine	Sawtimber	196.4	MBF	18.8	\$29,944.10
	Mixed Aspen	Pulpwood	6.0	Cords		
	Red Pine		288.0	Cords		
4	Black Cherry	Sawtimber	0.5	MBF	24.5	\$39,472.75
	Quaking Aspen		0.6	MBF		
	Red Maple		3.0	MBF		
	Red Pine		248.1	MBF		
	Sugar Maple		3.7	MBF		
	Mixed Aspen	Pulpwood	9.0	Cords		
	Mixed Hardwood		28.0	Cords		
	Red Pine		364.0	Cords		
		TOTAL:	888.2	MBF		
		TOTAL:	1,395.0	Cords		

### Sale Specific Conditions & Requirements

### Sale Name: Heads Up Red Pine

Sale Number: 52-007-20 Seq#: 1

### 1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by red and yellow paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with red paint; no harvesting activities may occur within these areas. The painted boundary line trees are not Included Timber and are to be protected unless marked with orange paint. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

#### 2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1-4, cut all trees that are two (2) inches or more at DBH.

2.2 - Utilization

2.2.2 - Chipping required (2/18)

This sale must be chip harvested to facilitate subsequent planting operations. The Purchaser has the option to produce sawlogs or pulpwood bolts, but the remaining portion of the trees must be chipped and hauled. Products may be produced as roundwood and forwarded to decking areas in final product length, but the tops must be left intact and skidded to the landing for chipping in order to minimize the amount of residual slash. If market conditions limit the practicality of chipping, tops and slash must be arranged as directed by the sale administrator, in a manner which will not inhibit future planting operations. A chipping exemption may be obtained, if the proposed operation is determined to be suitable for planting by reforestation staff. This exemption must be granted in writing. The requirement to retain approximately 1/6 to 1/3 of tree tops and limbs less than four inches in diameter is still applicable (G. C. & R. 2.2).

2.2.3 - Stump heights (4/07)

Stump heights within the sale area shall not exceed six (6) inches for all trees. This is in order to facilitate planting operations.

### 3 - Payments

3.3 - Pre-measured Sales

### 3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Supplement. There will be only one division per Payment Unit.

### 4 - Transportation

4.1 - Construction

4.1.3 - Slash and earthen piles (8/04)

Piles or windrows of earth along roads and landings that have been widened or constructed shall be leveled. Slash from road maintenance or construction, including stumps, shall be dispersed throughout the sale.

### 4.1.4 - Timber removed for construction (12/09)

Trees cut or damaged in the process of pre-approved road, landing or skid trail construction will be decked in an area separate from other Designated Timber and not removed until measured by the sale administrator. Payment will be made at the specified Purchase Unit Price.

#### 4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be

severed and laid flat on the ground. Slash shall be scattered, not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

### 4.1.7 - Road closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. These roads must be rendered impassable to cars and trucks. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Stumps and brush must be placed along the remainder of the trail. All stumps from road building and landing construction must be reserved to block any newly constructed roads upon completion of the sale. These stumps shall be scattered along the road system to prohibit vehicular movement. Contact the sale administrator for details of design and placement.

### 4.2 - Maintenance

4.2.4 - Grading (10/16)

For completion of the sale, state forest roads must be graded. In general, this will require a road grader or bulldozer to shape up the roads after forest products have been hauled off site. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. The grading equipment to be used must be approved by the Unit Manager or his/her representative.

### 4.2.5 - Two wheel drive condition (2/04)

All existing trail roads on and adjacent to the sale area must be passable by two-wheel drive traffic for the duration of the sale.

### 5 - Operations

### 5.1 - Notification

5.1.3 - Well heads and natural gas pipelines (11/15)

The Purchaser is responsible for contacting the MISS DIG 30 days prior to operating equipment in the vicinity of well heads or natural gas pipelines.

### 5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)No slash or tree tops may exceed twenty four (24) inches in height.

5.2.1.13 - Dispose of slash as directed (12/05)Slash is to be disposed of as directed by the sale administrator.

### 5.2.2 - Hazard Trees/Snags

5.2.2.1 - Den trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

# 5.2.3 - Operating Restrictions

# 5.2.3.6 - Bark beetle restriction (12/08)

In the event drought creates a high risk of pine bark beetle infestation, pine is not to be cut during the period March 1 through July 1, unless all portions of trees greater than two inches in diameter are removed from the sale area, reduced to chips, or treated to the satisfaction of the Unit Manager or his/her representative, within fifteen days of being severed from the stump. Pine log decks, pulpwood piles and treetops that are piled for chipping in the fall or winter within a 1/4 mile of susceptible sites must be removed before March 15. Residual slash must not be placed in piles or rows and must be spread over the site for quick drying. The Department of Natural Resources will exercise this specification if the risk of damage warrants.

### 5.2.29 - Shrub protection (1/20)

Do not cut or damage hawthorn, witch-hazel, dogwood or juneberry. These woody-shrub plants are highly beneficial to various wildlife species.

### 5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

### 5.4 - Soil Protection

# 5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

### 5.8 - Protection of Endangered Species

### 5.8.3 - Red shoulder hawk or goshawk (2/16)

In the event that an active red shoulder hawk or goshawk nest is found, the contract may be amended to protect the nest site until the nest is determined to be inactive. The value of the trees in this excluded area will be refunded or credited to the Purchaser. The nest will be buffered with a five-chain radius (eight acre) protection area, centered on the nest tree, in which there will be no cutting or new roads constructed. Avoid human disturbance, including loading and skidding, in the protection area.

An additional zone of five chains (ten chains centered on the active nest tree) will be established in which there is no management activity from March 15 to July 15. Limit biomass harvesting and chipping operations within this ten-chain zone, retain the maximum one-third of residues per the Woody Biomass Harvesting Guidelines (Michigan DNR 2010). Nests determined to be inactive will be protected with a one-chain no-harvest buffer.

### 6 - Safety and Fire Prevention

### 6.2 - Signing


### 6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Cinder Hill Road prior to beginning operations. The road must be posted at appropriate distances from the sale area, to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser shall provide these signs.

### 8 - Performance and Settlement

- 8.3 Uncompleted or Terminated Contracts
  - 8.3.1 Completion of contract, chipping (1/16)

In addition to cutting, all chipping must be completed by the contract expiration date. If chipping has not been completed, an extension fee or damages may be charged per General Condition & Requirement 7.2 and 8.3.



# TIMBER SALE INFORMATION

#### Patchwork Mix (52-012-20) T29N, R06W, SEC. 36. Antrim County (Advertised Price \$66,279.25)

SALE NOTE: Access off of county roads will need some brushing. Heavy under story, and porcupine damage.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. Bids must be at or above the following advertised price for each species:

PRODUCTS & SPECIES	ESTIMATE	ED UNITS*	AD\	/ERTISED PRICE
Sawtimber				
Mixed Aspen	10.30	MBF	\$	35.00 / MBF
Red Pine	570.60	MBF	\$	75.00 / MBF
Sugar Maple	2.80	MBF	\$	151.00 / MBF
Pulpwood				
Mixed Aspen	26.00	Cords	\$	11.95 / Cord
Mixed Hardwood	34.00	Cords	\$	16.20 / Cord
Red Pine	757.00	Cords	\$	28.85 / Cord

\* The total volume is statistically estimated within plus (+) or minus (-) 13.30 percent. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

### BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$3,314.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule :
- (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
- (b) The 10% down payment will be credited towards the first unit cut.
- (c) Payment for each of the following units must be made before cutting begins in that unit: PAYMENT UNIT NUMBER PERCENT OF TOTAL SALE VALUE

PERCENT OF TOTAL SALE
44.0%
52.6%
3.4%

4. If no cutting takes place, the 10% down payment will not be refunded.

5. Operations on the contract issued will terminate on 12/31/2022.

# Description of Timber by Payment Unit (PU)

PU	MARKET GROUP	PRODUCT	QUANTITY	UNIT	ACRES	ADVERTISE PRICE
1	Mixed Aspen	Sawtimber	3.1	MBF	20.6	\$29,188.05
	Quaking Aspen		3.1	MBF		
	Red Pine		248.9	MBF		
	Mixed Aspen	Pulpwood	17.0	Cords		
	Mixed Hardwood		14.0	Cords		
	Red Pine		346.0	Cords		
2	Mixed Aspen	Sawtimber	7.2	MBF	27.1	\$34,870.50
	B. T. Aspen		6.1	MBF		
	Quaking Aspen		1.1	MBF		
	Red Pine		304.4	MBF		
	Sugar Maple		2.8	MBF		
	Mixed Aspen	Pulpwood	9.0	Cords		
	Mixed Hardwood		20.0	Cords		
	Red Pine		379.0	Cords		
3	Red Pine	Sawtimber	17.3	MBF	3.1	\$2,220.70
	Red Pine	Pulpwood	32.0	Cords		
		TOTAL:	583.7	MBF		
		TOTAL:	817.0	Cords		

### Sale Specific Conditions & Requirements

### Sale Name: Patchwork Mix

Sale Number: 52-012-20 Seq#: 1

#### 1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by red and yellow paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with red paint; no harvest activities may occur within these areas. The painted boundary line trees are not Included Timber and are to be protected unless marked with orange paint. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

#### 2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1 and 2, cut all trees that are two (2) inches or more at DBH, except within Payment Unit 2, do not cut any green marked tree.

2.1.2 - Clearcut unit(s) w/o unmerchantable trees (8/11)

Within Payment Unit(s) 3, cut all red pine trees which meet minimum piece specifications in 2.2 Utilization, except do not cut any green marked tree.

Trees of other species may be cut with approval of the sale administrator. This is to allow for equipment operation. The fore-mentioned trees are not Included Timber and shall be severed at ground level, then placed next to the stump.

2.2 - Utilization

2.2.4 - Skidding length (2/14)

Skidding of un-limbed tops or lengths over seventeen (17) feet is not permissible within Payment Unit 3.

#### 2.2.9 - No chipping permitted (12/08)

Within Payment Unit(s) 3, all wood must be removed by either tree segment or as round-wood. No chipping shall be permitted.

### 3 - Payments

3.3 - Pre-measured Sales

### 3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Supplement. There will be only one division per Payment Unit.

#### 3.4 - Damaged Timber

3.4.1 - Damaged timber (7/16)

General Condition and Requirement 3.4 Damaged Timber, defines liquidated damages for undesignated live merchantable trees which are cut or injured. In addition, extreme care should be taken to avoid damage to tree seedlings and saplings.

Within Payment Unit 3, if more than 50% of the tree seedlings or saplings (1/4" to 4.5" DBH) within a specified portion of the sale area are damaged, liquidated damages will be assessed at \$500 per acre for all acreage within that specified portion of the sale area that was damaged.

No damage is acceptable to undesignated live merchantable trees. Within the sale area, if more than 5% of trees (> 4.5" DBH) within a specified area of the sale are damaged, liquidated damages will be assessed for all trees damaged. Rates will be in accordance with General Condition and Requirement 3.4 Damaged Timber, or at a rate of \$50 per sawtimber tree and

25\$ per pole sized tree, whichever is greater.

### 4 - Transportation

### 4.1 - Construction

### 4.1.3 - Slash and earthen piles (8/04)

Piles or windrows of earth along roads and landings that have been widened or constructed shall be leveled. Slash from road maintenance or construction, including stumps, shall be dispersed throughout the sale.

# 4.1.4 - Timber removed for construction (12/09)

Trees cut or damaged in the process of pre-approved road, landing or skid trail construction will be decked in an area separate from other Designated Timber and not removed until measured by the sale administrator. Payment will be made at the specified Purchase Unit Price.

### 4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

### 4.2 - Maintenance

# 4.2.4 - Grading (10/16)

For completion of the sale, state forest roads must be graded. In general, this will require a road grader or bulldozer to shape up the roads after forest products have been hauled off site. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. The grading equipment to be used must be approved by the Unit Manager or his/her representative.

### 4.2.5 - Two wheel drive condition (2/04)

All existing trail roads on and adjacent to the sale area must be passable by two-wheel drive traffic for the duration of the sale.

# 5 - Operations

### 5.1 - Notification

5.1.3 - Well heads and natural gas pipelines (11/15)

The Purchaser is responsible for contacting the gas line operator or MISS DIG, 30 days prior to operating equipment in the vicinity of well heads or natural gas pipelines.

### 5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)No slash or tree tops may exceed twenty four (24) inches in height.

### 5.2.2 - Hazard Trees/Snags

5.2.2.1 - Den trees (10/16)Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

### 5.2.3 - Operating Restrictions

# 5.2.3.6 - Bark beetle restriction (12/08)

In the event drought creates a high risk of pine bark beetle infestation, pine is not to be cut during the period March 1 through July 1, unless all portions of trees greater than two inches in diameter are removed from the sale area, reduced to chips, or treated to the satisfaction of the Unit Manager or his/her representative, within fifteen days of being severed from the stump. Pine log decks, pulpwood piles and treetops that are piled for chipping in the fall or winter within a 1/4 mile of susceptible sites must be removed before March 15. Residual slash must not be placed in piles or rows and must

be spread over the site for quick drying. The Department of Natural Resources will exercise this specification if the risk of damage warrants.

### 5.2.3.11 - Coppice regeneration protection (4/10)

Timber harvesting in any Payment Unit must be completed before significant sprouting occurs in that Payment Unit, to minimize damage to new regeneration. Any post harvest operation, such as chipping, must be completed before sprouting of regeneration occurs. If it is anticipated that chipping will be delayed, tops shall be carried to one central location or left un-chipped. The Unit Manager or his/her representative may cease such operations if sprouting occurs before the operation is complete.

### 5.2.29 - Shrub protection (1/20)

Do not cut or damage hawthorn, witch-hazel, dogwood or juneberry. These woody-shrub plants are highly beneficial to various wildlife species.

### 5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

5.2.38 - No decking against live trees (2/04)

Cut products may not be decked against unmarked or designated leave trees.

### 5.4 - Soil Protection

### 5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

### 5.8 - Protection of Endangered Species

# 5.8.3 - Red shoulder hawk or goshawk (2/16)

In the event that an active red shoulder hawk or goshawk nest is found, the contract may be amended to protect the nest site until the nest is determined to be inactive. The value of the trees in this excluded area will be refunded or credited to the Purchaser. The nest will be buffered with a five-chain radius (eight acre) protection area, centered on the nest tree, in which there will be no cutting or new roads constructed. Avoid human disturbance, including loading and skidding, in the protection area.

An additional zone of five chains (ten chains centered on the active nest tree) will be established in which there is no management activity from March 15 to July 15. Limit biomass harvesting and chipping operations within this ten-chain zone, retain the maximum one-third of residues per the Woody Biomass Harvesting Guidelines (Michigan DNR 2010). Nests determined to be inactive will be protected with a one-chain no-harvest buffer.

# 5.8.5 - Protection of raptor nests (3/13)


All trees with raptor nests will be protected if found during harvesting operations. Notification will be made to the Unit Manager or his/her representative who will notify the Wildlife Biologist so an on-site evaluation and recommendation can be made, if necessary.

### **6 - Safety and Fire Prevention**

### 6.2 - Signing

### 6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Cinder Hill Road prior to beginning operations. The road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser shall provide these signs.



# TIMBER SALE INFORMATION

#### Over Yonder Hardwoods (52-028-19) T32N, R04W, SEC. 6; T32N, R04W, SEC. 7. Charlevoix County (Advertised Price \$66,185.40)

SALE NOTE: The only access through state land is along the snowmobile trail, though there is potential access through private as well. The sale includes some steep areas.

A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions. Access may be through private or other public land.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. Bids must be at or above the following advertised price for each species:

PRODUCTS & SPECIES	ESTIMATE	ED UNITS*	<u>ADV</u>	ERTISED PRICE
Sawtimber				
Basswood	430.20	MBF	\$	23.00 / MBF
Beech	84.30	MBF	\$	24.00 / MBF
Quaking Aspen	51.90	MBF	\$	24.00 / MBF
Red Maple	177.20	MBF	\$	32.00 / MBF
Sugar Maple	226.70	MBF	\$	106.00 / MBF
Pulpwood				
Basswood	520.00	Cords	\$	3.65 / Cord
Mixed Hardwood	1,852.00	Cords	\$	11.35 / Cord
Quaking Aspen	48.00	Cords	\$	8.40 / Cord

\* The total volume is statistically estimated within plus (+) or minus (-) 9.63 percent. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

#### BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$3,309.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule :
  - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
  - (b) The 10% down payment will be credited towards the first unit cut.

(c) Payment for each of the following units must be made before cutting begins in that unit: PAYMENT UNIT NUMBER PERCENT OF TOTAL SALE VALUE

01	32.1%
02	18.8%
03	26.1%
04	23.0%

4. If no cutting takes place, the 10% down payment will not be refunded.

5. Operations on the contract issued will terminate on 12/31/2023.

Description of Timber by Payment Unit (PU)		escription of Timber by Payment Unit (PU)
--	--	---

PU	MARKET GROUP	PRODUCT	QUANTITY	UNIT	ACRES	ADVERTISE PRICE
1	Basswood	Sawtimber	217.9	MBF	59.1	\$21,220.70
	Beech		29.3	MBF		
	Sugar Maple		99.5	MBF		
	Basswood	Pulpwood	264.0	Cords		
	Mixed Hardwood		352.0	Cords		
2	Basswood	Sawtimber	23.0	MBF	22.1	\$12,429.15
	Beech		11.4	MBF		
	Quaking Aspen		6.8	MBF		
	Red Maple		29.6	MBF		
	Sugar Maple		49.7	MBF		
	Basswood	Pulpwood	46.0	Cords		
	Mixed Hardwood		435.0	Cords		
	Quaking Aspen		17.0	Cords		
3	Basswood	Sawtimber	170.0	MBF	60.3	\$17,302.85
	Beech		24.4	MBF		
	Red Maple		38.0	MBF		
	Sugar Maple		47.6	MBF		
	Basswood	Pulpwood	195.0	Cords		
	Mixed Hardwood		514.0	Cords		
4	Basswood	Sawtimber	19.3	MBF	30.8	\$15,232.70
	Beech		19.2	MBF		
	Quaking Aspen		45.1	MBF		
	Red Maple		109.6	MBF		
	Sugar Maple		29.9	MBF		
	Basswood	Pulpwood	15.0	Cords		
	Mixed Hardwood		551.0	Cords		
	Quaking Aspen		31.0	Cords		
		TOTAL:	970.3	MBF		
		TOTAL:	2,420.0	Cords		

### Sale Name: Over Yonder Hardwoods

Sale Number: 52-028-19 Seq#: 3

### 1 - Sale Area

1.2 - Boundaries

# 1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by blue, red and yellow paint. Exterior sale boundary lines against private property are marked with blue paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with red paint; no harvesting activities may occur within these areas. Regeneration gaps within Payment Units 1 and 3 are marked with timber teal paint. The painted boundary line trees are not Included Timber and are to be protected unless marked with orange paint. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

# 2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 2 and 4, cut all trees that are two (2) inches or more at DBH, except do not cut oak or any trees marked with pink paint.

# 2.1.3 - Cut tree marked unit(s) (12/08)

Within Payment Unit(s) 1 and 3, all trees are designated for cutting when marked with orange paint above and below stump height, regardless of merchantability. In addition, all beech trees are designated for cutting unless marked with pink paint. Also, within the timber teal painted regeneration gaps, all trees over 6 feet are designated for cutting, except do not cut oak or any trees marked with pink paint.

### 2.2 - Utilization

# 2.2.4 - Skidding length (2/14)

Skidding of lengths over 17 feet is permissible as long as the timber sale administrator approves the method and machinery used. If at any point damage exceeds specification 3.4.1, all of the remaining wood must be skid in lengths less than 17 feet.

# 3 - Payments

3.3 - Pre-measured Sales

# 3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Supplement. There will be only one division per Payment Unit.

3.4 - Damaged Timber

### 3.4.1 - Damaged timber (7/16)

General Condition and Requirement 3.4 Damaged Timber, defines liquidated damages for undesignated live merchantable trees which are cut or injured. In addition, extreme care should be taken to avoid damage to tree seedlings and saplings.

Within the sale area, if more than 50% of the tree seedlings or saplings (1/4" to 4.5" DBH) within a specified portion of the sale area are damaged, liquidated damages will be assessed at \$500 per acre for all acreage within that specified portion of the sale area that was damaged.

No damage is acceptable to undesignated live merchantable trees. Within the sale area, if more than 5% of trees (> 4.5" DBH) within a specified area of the sale are damaged, liquidated damages will be assessed for all trees damaged. Rates will be in accordance with General Condition and Requirement 3.4 Damaged Timber.

### 4 - Transportation

### 4.1 - Construction

### 4.1.3 - Slash and earthen piles (8/04)

Piles or windrows of earth along roads and landings that have been widened or constructed shall be leveled. Slash from road maintenance or construction, including stumps, shall be dispersed throughout the sale.

### 4.1.4 - Timber removed for construction (12/09)

Trees cut or damaged in the process of pre-approved road, landing or skid trail construction will be decked in an area separate from other Designated Timber and not removed until measured by the sale administrator. Payment will be made at the specified Purchase Unit Price.

# 4.1.5 - Culverts (5/14)

Roads may require the installation of culverts for cross drainage or at natural drainage-ways. If culverts are needed in these locations, their placement will be specified by the sale administrator and they shall be installed prior to hauling. The culverts shall be new, corrugated metal or plastic gauge. If culverts are removed, fill shall be removed from wetland soils as specified. Soils shall be maintained and left in a non-erodible condition, with water bars, seed, fertilizer, mulch, and slash installed as directed by the sale administrator and as specified in the BMP manual. Stream crossing permits, if needed, will be obtained by the DNR.

# 4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, and not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

### 4.1.7 - Road closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Stumps and brush must be placed along the remainder of the trail. These roads must be rendered impassable to cars and trucks. Contact the sale administrator for specific details of design and placement.

### 4.2 - Maintenance

# 4.2.4 - Grading (10/16)

For completion of the sale, state forest roads must be graded. In general, this will require a road grader or bull dozer to shape up the roads after forest products have been hauled off site. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. The grading equipment to be used must be approved by the Unit Manager or his/her representative.

# 4.2.5 - Two wheel drive condition (2/04)

All existing trail roads on and adjacent to the sale area must be passable by two-wheel drive traffic for the duration of the sale.

### 4.4 - Access

### 4.4.1 - Private property access (3/11)

Permission for access across private land is the responsibility of the Purchaser. Should the Purchaser desire to cross private land, a copy of the written permission from the private land-owner may be required by the DNR.

# 5 - Operations

5.2 - Conduct of Operations

### 5.2.1 - Slash

5.2.1.8 - Slash height (12/08)No slash or tree tops may exceed 36 inches in height.

5.2.1.13 - Dispose of slash as directed (12/05)Slash is to be disposed of as directed by the sale administrator.

### 5.2.2 - Hazard Trees/Snags

### 5.2.2.1 - Den trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

### 5.2.3 - Operating Restrictions

### 5.2.3.3 - Bark slippage restriction (3/09)

Within Payment Unit(s) 1 and 3, unless changed by written agreement, cutting and skidding are not permitted during the period of April 15 to July 15. This restriction is because of bark slippage.

### 5.2.3.5 - Oak wilt restriction (1/18)

Within Payment Units 2 and 4, unless changed by written agreement, cutting, skidding, hauling within the sale and brushing of access roads to the sale are not permitted during the period of April 15 to July 15. Operations may be allowed if specific steps are taken to prevent damaging uncut oak during the high risk period. Those steps may include completing all road brushing before April 15th and clearing a tree-length buffer along uncut oak cover before April 15th. This is necessary to reduce the spread of oak wilt. For more information, contact the Unit Manager or his/her representative.

### 5.2.3.11 - Coppice regeneration protection (4/10)

Timber harvesting in Payment Unit 1 and 3 must be completed before significant sprouting occurs in that Payment Unit so as to minimize damage to the new regeneration. Any post harvest operations, such as chipping, must be completed before sprouting of regeneration occurs. If it is anticipated that chipping will be delayed, then tops shall be carried to one central location or left unchipped. The Unit Manager or his/her representative may cease such operations if sprouting occurs before the operation is complete.

### 5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

### 5.2.38 - No decking against live trees (2/04)

Cut products may not be decked against unmarked or designated leave trees.

### 5.2.41 - Snowmobile trail protection (9/11)

The snowmobile trail is shown on the Timber Sale Map. Do not cut or damage posts with orange trail markers or traffic control signs. If the trail is used, it must be maintained and restored to a condition equal to or better than before the sale. The road maintenance/restoration must be done prior to December 1. If the trail is used for hauling, it must be graded to the satisfaction of the Unit Manager or his/her representative prior to December 1st. If the trail road is to be used for hauling during the snowmobile season, then a snow covered base must be left on the trail. The snowmobile trail may only be crossed at right angles. Maintain a 20 foot wide slash, debris, and rut free zone daily using the snowmobile trail as the centerline. No decking of forest products will be permitted along the snowmobile trail. All stumps within 20 feet of the snowmobile trail must be cut at ground level.

### 5.4 - Soil Protection

# 5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

### 5.4.2 - Skid trails (2/04)

Skid trails up and down slopes should be avoided. If however this is unavoidable, these trails will be left in a non-erodible condition using water bars, logs, and slash. Placing of slash on these skid trails while logging is ongoing may alleviate need for any further action. At the direction of the sale administrator, seed, fertilizer, and mulch may also be required.

### 5.4.3 - Erosion control (12/08)

Skid trails or haul roads may require erosion control structures or berms per direction of the Unit Manager or his/her representative.

### 5.8 - Protection of Endangered Species

### 5.8.5 - Protection of raptor nests (3/13)

All trees with raptor nests will be protected if found during harvesting operations. Notification will be made to the Unit Manager or his/her representative who will notify the Wildlife Biologist so an on-site evaluation and recommendation can be made, if necessary.

### 6 - Safety and Fire Prevention


### 6.2 - Signing


### 6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Chandler Hill and/or Thumb Lake Road (depending on which are used) prior to beginning operations. The road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser will provide these signs.

### 6.2.2 - Snowmobile trail posting (8/09)

The Purchaser is responsible for posting and maintaining caution signs on the snowmobile trail prior to beginning operations during the snowmobile season (approximately December 1 to March 31). The trail must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed. The Purchaser will provide these signs.







#### TIMBER SALE / SEALED BID STATE OF MICHIGAN / DNR

#### **BID FORM**

# Heads Up Red Pine (52-007-20) T29N, R06W, SEC. 36; Antrim COUNTY

In response to the notice of sale to be held 3:00 p.m. (local time) on September 10, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

PRODUCTS & SPECIES Sawtimber	<u>ESTIMATED</u>	VOLUME*	<u>A</u>	DVERTISED PRICE	<b>BID PRICE/UNIT</b>
Black Cherry	1.80	MBF	\$	197.00/MBF	\$
Quaking Aspen	2.20	MBF	\$	45.00/MBF	\$
Red Maple	10.50	MBF	\$	59.00/MBF	\$
Red Pine	860.80	MBF	\$	97.00/MBF	\$
Sugar Maple	12.90	MBF	\$	196.00/MBF	\$
Pulpwood					
Mixed Aspen	33.00	Cords	\$	15.55/Cord	\$
Mixed Hardwood	100.00	Cords	\$	21.05/Cord	\$
Red Pine	1,262.00	Cords	\$	37.50/Cord	\$

\*The volumes are statistically estimated within plus (+) or minus (-) 12.82 percent. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

FEDERAL ID:	_ or SOCIAL SECURITY NUMBER:	
Company or individual bidding:		_
Company representative's name:		_
Address:		_
City: Sta	ate:Zip:	

IF AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX.

Individual or company representative's signature: \_\_\_\_\_\_ Date:\_\_\_\_\_ Date:\_\_\_\_\_

Phone number :\_\_\_\_\_ Email (optional):\_\_\_\_\_

THE WINNING BIDDER MUST COMPLETE THE VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE (ON REVERSE SIDE IF DOUBLE SIDED) WITHIN 21 DAYS OF SALE AWARD DATE

TOF NATURAL BED	Michigan Department of Natur Forest Resources Div			FOR DEPARTMENT USE ONLY Sale Number (XX – XXX – XX – XX)				
adu Michigan - 57	TIMBER SAL	.E						
	VERIFICATION OF WORKE	R'S DISABII IT	Y	Forest Management Unit:				
	COMPENSATION ACT C			Forest Management Onit.				
		-	- d					
VEDIEL	As required by Act 317, P.A. 1969 (Work Part 5 of Act 451 of 1994, as	amended.						
	VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE							
sale	This verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract.							
	Iddition, if boxes 2B or 2C are check nty-one (21) days of the contract awa			Certificate of Insurance must be submitted within e timber sale contract.				
• All	Information must be typed or printed	except for written	signatures.					
Please	Check Appropriate Categories:							
-	business is organized as (you <b>must</b>	check <u>one</u> of the	boxes below):	:				
	Sole Proprietorship (individual)							
	Partnership							
C. [	Corporation							
2. You	u <b>must</b> check <u>one</u> of the boxes below	v:						
A. [	I certify my business is a sole propriet Worker's Compensation Laws.	orship and it has no	employees but	the sole proprietor. I am not subject to the				
	Exclusion (BWC-337, Rev. 5/96). I w questions or a copy of the BWC-337,	ill provide a copy of please call the Wor	the Notice of Ex ker's Compensa	sation Act through the use of an approved Notice of xclusion within 21 days of the contract award. (For ation Bureau at 517-322-1195). an original Certificate of Insurance within twenty-				
	one (21) days of the contract award.							
	ou have checked item 2(A) or 2(B), n yourself, including family members			of <b>both</b> full-time and part-time employees, other ou must enter "0").				
	Full-time Er	nnlovees		Part-time Employees				
		npioyees						
Name of E	Business		Federal ID (or)	Social Security No.				
Address			Telephone					
Otto		Otata						
City		State	ZIP					
	certify that the above information is s affecting my coverage during any o			tify the Michigan DNR of any changes that occur ions.				
Signati	ure of Owner or Authorized Representative							
Title			Da	te				

Please complete the "SEALED BID" information on the next page

PR 4031-5 (Rev. 10/30/2012)

#### TIMBER SALE / SEALED BID STATE OF MICHIGAN / DNR

#### **BID FORM**

### Turtle Lake Aspen (52-005-20) T29N, R02W, SEC. 4; Otsego COUNTY

In response to the notice of sale to be held 3:00 p.m. (local time) on September 10, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

PRODUCTS & SPECIES Sawtimber	<u>ESTIMATED</u>	VOLUME*	AD	VERTISED PRICE	<b>BID PRICE/UNIT</b>
Mixed Aspen	43.70	MBF	\$	38.00/MBF	\$
Paper Birch	5.00	MBF	\$	25.00/MBF	\$
Red Maple	68.20	MBF	\$	50.00/MBF	\$
Red Oak	107.40	MBF	\$	116.00/MBF	\$
Red Pine	138.70	MBF	\$	82.00/MBF	\$
White Pine	66.00	MBF	\$	32.00/MBF	\$
Pulpwood					
Mixed Aspen	400.00	Cords	\$	13.15/Cord	\$
Paper Birch	9.00	Cords	\$	8.50/Cord	\$
Red Maple	402.00	Cords	\$	17.80/Cord	\$
Red Oak	237.00	Cords	\$	12.80/Cord	\$
Red Pine	99.00	Cords	\$	31.75/Cord	\$
White Pine	198.00	Cords	\$	15.90/Cord	\$

\*The volumes are statistically estimated within plus (+) or minus (-) 11.42 percent. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

FEDERAL ID:	or SOCIAL SECU	JRITY NUMBER:	
Company or individual bidding:			-
Company representative's name:			
Address:			_
City:	State:	Zip:	_

IF AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX.

Individual or company representative's signature:

Phone number :\_\_\_\_\_ Email (optional):\_\_\_\_\_

\_\_\_\_\_ Date:\_\_\_\_\_

THE WINNING BIDDER MUST COMPLETE THE VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE (ON REVERSE SIDE IF DOUBLE SIDED) WITHIN 21 DAYS OF SALE AWARD DATE

TOF NATURAL BED	Michigan Department of Natur Forest Resources Div			FOR DEPARTMENT USE ONLY Sale Number (XX – XXX – XX – XX)				
adu Michigan - 57	TIMBER SAL	.E						
	VERIFICATION OF WORKE	R'S DISABII IT	Y	Forest Management Unit:				
	COMPENSATION ACT C			Forest Management Onit.				
		-	- d					
VEDIEL	As required by Act 317, P.A. 1969 (Work Part 5 of Act 451 of 1994, as	amended.						
	VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE							
sale	This verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract.							
	Iddition, if boxes 2B or 2C are check nty-one (21) days of the contract awa			Certificate of Insurance must be submitted within e timber sale contract.				
• All	Information must be typed or printed	except for written	signatures.					
Please	Check Appropriate Categories:							
-	business is organized as (you <b>must</b>	check <u>one</u> of the	boxes below):	:				
	Sole Proprietorship (individual)							
	Partnership							
C. [	Corporation							
2. You	u <b>must</b> check <u>one</u> of the boxes below	v:						
A. [	I certify my business is a sole propriet Worker's Compensation Laws.	orship and it has no	employees but	the sole proprietor. I am not subject to the				
	Exclusion (BWC-337, Rev. 5/96). I w questions or a copy of the BWC-337,	ill provide a copy of please call the Wor	the Notice of Ex ker's Compensa	sation Act through the use of an approved Notice of xclusion within 21 days of the contract award. (For ation Bureau at 517-322-1195). an original Certificate of Insurance within twenty-				
	one (21) days of the contract award.							
	ou have checked item 2(A) or 2(B), n yourself, including family members			of <b>both</b> full-time and part-time employees, other ou must enter "0").				
	Full-time Er	nnlovees		Part-time Employees				
		npioyees						
Name of E	Business		Federal ID (or)	Social Security No.				
Address			Telephone					
Otto		Otata						
City		State	ZIP					
	certify that the above information is s affecting my coverage during any o			tify the Michigan DNR of any changes that occur ions.				
Signati	ure of Owner or Authorized Representative							
Title			Da	te				

Please complete the "SEALED BID" information on the next page

PR 4031-5 (Rev. 10/30/2012)

#### TIMBER SALE / SEALED BID STATE OF MICHIGAN / DNR

#### **BID FORM**

#### Over Yonder Hardwoods (52-028-19) T32N, R04W, SEC. 6; T32N, R04W, SEC. 7; Charlevoix COUNTY

In response to the notice of sale to be held 3:00 p.m. (local time) on September 10, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

PRODUCTS & SPECIES Sawtimber	ESTIMATED	VOLUME*	<u>AD</u>	VERTISED PRICE	<b>BID PRICE/UNIT</b>
Basswood	430.20	MBF	\$	23.00/MBF	\$
Beech	84.30	MBF	\$	24.00/MBF	\$
Quaking Aspen	51.90	MBF	\$	24.00/MBF	\$
Red Maple	177.20	MBF	\$	32.00/MBF	\$
Sugar Maple	226.70	MBF	\$	106.00/MBF	\$
Pulpwood					
Basswood	520.00	Cords	\$	3.65/Cord	\$
Mixed Hardwood	1,852.00	Cords	\$	11.35/Cord	\$
Quaking Aspen	48.00	Cords	\$	8.40/Cord	\$

\*The volumes are statistically estimated within plus (+) or minus (-) 9.63 percent. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

FEDERAL ID:	or SOCIAL SECU	RITY NUMBER:	<u> </u>
Company or individual bidding:			-
Company representative's name:			
Address:			_
City: S	State:	Zip:	_

IF AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX.

Individual or company representative's signature: \_\_\_\_\_\_ Date:\_\_\_\_\_ Date:\_\_\_\_\_

Phone number :\_\_\_\_\_ Email (optional):\_\_\_\_\_

THE WINNING BIDDER MUST COMPLETE THE VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE (ON REVERSE SIDE IF DOUBLE SIDED) WITHIN 21 DAYS OF SALE AWARD DATE

TOF NATURAL ARESOUR	Michigan Department of Natura Forest Resources Divis			FOR DEPARTMENT USE ONLY Sale Number (XX – XXX – XX – XX)				
auto - Michigan - 50	TIMBER SAL	E	ľ					
	VERIFICATION OF WORKER	R'S DISABILITY		Forest Management Unit:				
	COMPENSATION ACT C			orest Management Onit.				
	As required by Act 317, P.A. 1969 (Worke	-						
VEDIEIC	Part 5 of Act 451 of 1994, as	amended.						
sale	This verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract.							
	Idition, if boxes 2B or 2C are checke ity-one (21) days of the contract awar			Certificate of Insurance must be submitted within timber sale contract.				
All Ir	nformation must be typed or printed e	except for written sig	gnatures.					
Please (	Check Appropriate Categories:							
-	1. My business is organized as (you <b>must</b> check <u>one</u> of the boxes below):							
	Sole Proprietorship (individual)							
	Partnership							
C. L	Corporation							
2. You	must check one of the boxes below	r:						
A. 🗆	I certify my business is a sole proprieto Worker's Compensation Laws.	orship and it has no e	mployees but t	he sole proprietor. I am not subject to the				
	Exclusion (BWC-337, Rev. 5/96). I will questions or a copy of the BWC-337, J	I provide a copy of the please call the Worke	e Notice of Exc er's Compensat	ation Act through the use of an approved Notice of clusion within 21 days of the contract award. (For ion Bureau at 517-322-1195). n original Certificate of Insurance within twenty-				
				of <b>both</b> full-time and part-time employees, other I must enter "0").				
	Full-time Err	iployees		Part-time Employees				
Name of Bu	usiness		Federal ID (or) S	ocial Security No.				
Address			Telephone					
			( )					
City		State	ZIP					
in factors	certify that the above information is a affecting my coverage during any o			y the Michigan DNR of any changes that occur ns.				
2.9/14/0								
Title			Date					

Please complete the "SEALED BID" information on the next page

PR 4031-5 (Rev. 10/30/2012)

#### TIMBER SALE / SEALED BID STATE OF MICHIGAN / DNR

#### **BID FORM**

Date:

### Patchwork Mix (52-012-20) T29N, R06W, SEC. 36; Antrim COUNTY

In response to the notice of sale to be held 3:00 p.m. (local time) on September 10, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

PRODUCTS & SPECIES Sawtimber	<u>ESTIMATED</u>	VOLUME*	<u>AD</u>	VERTISED PRICE	BID PRICE/UNIT
Mixed Aspen	10.30	MBF	\$	35.00/MBF	\$
Red Pine	570.60	MBF	\$	75.00/MBF	\$
Sugar Maple	2.80	MBF	\$	151.00/MBF	\$
Pulpwood					
Mixed Aspen	26.00	Cords	\$	11.95/Cord	\$
Mixed Hardwood	34.00	Cords	\$	16.20/Cord	\$
Red Pine	757.00	Cords	\$	28.85/Cord	\$

\*The volumes are statistically estimated within plus (+) or minus (-) 13.30 percent. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

FEDERAL ID:	or SOCIAL SECURITY NUMBE	ER:	·	
Company or individual bidding:			-	
Company representative's name:			-	
Address:			_	
City: S	state: Zip:		_	

IF AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX.

Individual or company representative's signature:

Phone number :\_\_\_\_\_ Email (optional):\_\_\_\_\_

NOF NATURAL PERSONA	Michigan Department of Natura Forest Resources Divis			FOR DEPARTMENT USE ONLY Sale Number (XX – XXX – XX – XX)	
and Michigan . 50	TIMBER SAL	E			
	VERIFICATION OF WORKER	R'S DISABILITY	e	Forest Management Unit:	
	COMPENSATION ACT C				
	As required by Act 317, P.A. 1969 (Worke	-	~		
VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE					
sale	Γhis verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract.				
	n addition, if boxes 2B or 2C are checked, then Notice of Exclusion or Certificate of Insurance must be submitted within twenty-one (21) days of the contract award and prior to the issuance of the timber sale contract.				
All Information must be typed or printed except for written signatures.					
Please Check Appropriate Categories:					
-	, j j j j j j j j j j j j j j j j j j j				
	A. Sole Proprietorship (individual)				
	B. Partnership				
C. 🗋	C. Corporation				
2. You	You <b>must</b> check <u>one</u> of the boxes below:				
A. 🗆	A. I certify my business is a sole proprietorship and it has no employees but the sole proprietor. I am not subject to the Worker's Compensation Laws.				
	<ul> <li>B. I certify my business has satisfied its o bligation to the Worker's Compensation Act through the use of an approved Notice of Exclusion (BWC-337, Rev. 5/96). I will provide a copy of the Notice of Exclusion within 21 days of the contract award. (For questions or a copy of the BWC-337, please call the Worker's Compensation Bureau at 517-322-1195).</li> <li>C. I certify my business has a Worker's Compensation Policy. I will provide an original Certificate of Insurance within twenty-one (21) days of the contract award.</li> </ul>				
Full-time Employees			Part-time Employees		
Name of Bu	Isiness		Federal ID (or) S	Social Security No.	
Address			Telephone		
			( )		
City		State	ZIP		
I hereby certify that the above information is true and correct. I agree to notify the Michigan DNR of any changes that occur in factors affecting my coverage during any of my present and future operations.					
Title	e Date				

Please complete the "SEALED BID" information on the next page

PR 4031-5 (Rev. 10/30/2012)