

DEPARTMENT OF NATURAL RESOURCES STATE OF MICHIGAN

TIMBER SALE PROSPECTUS #6777

SCHEDULED SALE DATE AND TIME: 9:00 a.m. (local time) on December 16, 2020. LOCATION: ROSCOMMON MGMT UNIT, PO BOX 218, ROSCOMMON, MI 48653.

PROSPECTUS NOTE: The bidder is advised to inspect the sale area and review the location, estimated volumes, operating costs and contract terms of proposed sales. Please be aware that some landowners may request 60 days or more notice for access across their land.

Notice is hereby given that bids will be received by the Unit Manager, ROSCOMMON MANAGEMENT UNIT, for certain timber on the following described lands:

Grass Lake Red Pine (71-007-20) / T21N, R03W, SEC. 20, N1/2SE, SESE.

T21N, R03W, SEC. 20, W1/2NW,S1/2NE,NWSW,S1/2SW.

Roscommon County, Advertised Price \$84,266.90, 79.0 Acres, Red Pine, White Pine.

SALE NOTE: A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

Reserve Road Aspen (71-008-20) / T20N, R03W, SEC. 5, NENE.

T21N, R03W, SEC. 20, E1/2NW,N1/2NE,SWNE.

T21N, R03W, SEC. 31, E1/2NE, NESE.

T21N, R03W, SEC. 32, SWNW, SENE, NWSW, NESE, S1/2SE.

Roscommon County, Advertised Price \$98,957.90, 108.8 Acres, Aspen, Red Pine.

SALE NOTE: A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

West Side Story (71-010-20) / T21N, R03W, SEC. 12, SW.

T21N, R03W, SEC. 13, NENW, S1/2NW, SW.

T21N, R03W, SEC. 14, SENE, NESE.

Roscommon County, Advertised Price \$146,485.30, 135.1 Acres, Aspen, Red Pine.

SALE NOTE: The snowmobile trail may not be used for any timber sale operations from December 1 to March 31. Alternative access is available during this period.

A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

BID INSTRUCTIONS (VER. 07/02/2018):

1. Scheduled Bid Location, Date, and Time (2/11)

Bids must be received by the Unit Manager, ROSCOMMON OFFICE, PO BOX 218, ROSCOMMON, MI 48653, no later than 9:00 a.m. (local time) on December 16, 2020. For further information concerning this sale, contact Patrick Mohney at 989-275-4622 extension 2740.

2. Bidder's Qualifications (5/16)

Purchaser shall obtain workers compensation insurance to cover claims under Michigan's Worker's Disability Compensation Act of 1969 or similar employee benefit act of any other state applicable to an employee. If all or part of a timber sale was prepared by a private contractor, the contractor and that contractor's company are not permitted to bid on the timber sale contract. Bids will not be accepted from individuals or companies appearing on the DNR/FRD No-Bid List. This list contains the names of purchasers who previously failed to execute a contract within 21-days or who have a history of poor performance.

3. Preparation of Sealed Bids (5/16)

Bid Forms may be completed online thru Michigan DNR Timber Sale Online Bidding (OLB) at www.michigan.gov/timberbidding or by completing the hardcopy Bid Form found in the Timber Sale Prospectus. Hardcopy Bid Forms shall be manually signed in ink. Registration in OLB is considered your 'signature' for all bids submitted thru that system. Bid prices must be entered for each species and product in the Bid Price column for all material subject to bidding and all fill-in blanks must be completed. If erasures or other changes appear on the hardcopy Bid Form, each erasure or change must be initialed by the person signing the bid.

4. Submission of Sealed Bids (5/16)

Bid forms may be obtained from the Unit Manager or thru OLB. Bids may be submitted hardcopy or thru OLB. All hardcopy bids must be submitted on the bid form and in an envelope clearly identified as described in this section. NOTE: Only one bid form per bid envelope. Sealed bids must be submitted to the Unit office designated in the prospectus and must be submitted at or prior to the time established in the prospectus. The envelope should show on the outside (a) the sale name or number and (b) the date and time of bid opening, as shown in the prospectus. Bids received after the time specified in the sale prospectus are late bids and will be rejected.

It is possible for a bidder to submit multiple bids on a single sale. For example, a bid may be submitted hardcopy and a bid may be submitted thru OLB. Or, two bidders from the same company could both submit bids on the same sale. If this were to happen, the State would accept all bids received and award the contract accordingly. All bidding and contractual requirements would apply to all bids received.

5. Public Opening of Sealed Bids (7/16)

If conditions permit, the sealed bids will be publicly opened and posted at the time and place set in the prospectus.

If a bidder, present at a bid opening, has submitted bids on more than one sale, that bidder may withdraw their unopened bid envelopes or announce the withdrawal of their online bid after being declared the successful bidder on one sale.

6. Award of Contract (1/11)

Award of the contract will be made to the Bidder whose bid, conforming to the prospectus, is most advantageous to the State of Michigan on the basis of total value at rates bid for the estimated quantities. The State reserves the right to reject any bid or waive any minor irregularity in bids received. A written award mailed (or otherwise furnished) to the successful Bidder shall be deemed to result in a binding contract without further action by either party.

7. Down Payment (1/11)

The Bidder to whom award is made must make a down payment within 21 days of the sale award. The amount of the down payment will be calculated as shown in the Bond and Payment Schedule of this prospectus. Only cash may be used to meet this requirement.

8. Performance Security (1/11)

As guarantee of faithful performance, a cash bond, certificate of deposit, surety bond or irrevocable letter of credit (LOC) is required within 21 days of the sale award. The amount of the performance security is shown in the Bond and

Payment Schedule of this prospectus. If an LOC or surety is used, the coverage must extend for at least 6 months beyond the contract expiration.

9. Timber Sale Contract (7/18)

Additional conditions and requirements common to all timber sales are listed on the timber sale contract (R4031) and are available on line at www.michigan.gov/timber. Contact the Unit Manager for additional information or a sample contract. Within 21 days of the date of the award letter, the bidder must sign the contract and provide the required down payment, performance security, and verification of worker's disability compensation. The down payment and performance security shall be in accordance with the provisions of the timber sale contract, in the sums stated in this prospectus. If these actions are not taken, then the Bidder, the Bidder's corporation, and the corporation's principals may not be permitted to bid on State timber sales for a period of 3 months after the first offense, 6 months after the second offense, and 1 year after the third offense. An offense will only be counted against the Bidder for 5 years. In addition, the Bidder certifies that if awarded this contract, the Bidder will complete the timber sale contract in accordance with its terms and any modifications thereof including requirements to purchase, cut, and remove the included timber by the expiration date.

Payment Unit values in the State Forest Timber Sale Contract are calculated based on the advertised value of the Payment Unit as a percentage of the total advertised value of the contract. The advertised value of each Payment Unit is given in the Description of Timber by Payment Unit table on the Timber Sale Information page. For example, if the value of Payment Unit 1 is advertised as \$1,500 and the total Timber Sale value is advertised as \$10,000, the contract price for Payment Unit 1 will be 15% of the total bid price (\$1,500/\$10,000 * 100).

10. Disclaimer of Estimates and Bidder's Warranty of Inspection (7/16)

Before submitting this bid, the Bidder is advised and cautioned to inspect the sale area, review the requirements of the sale contract, and take other steps as may be reasonably necessary to ascertain the location, estimated volumes, construction estimates, and operating costs of the proposed sale. Failure to do so will not relieve the Bidder from responsibility for completing the contract.

The Bidder warrants that this bid is submitted solely on the basis of the Bidder's examination and inspection of the quality and quantity of the timber offered for sale and the Bidder's opinion of the value thereof and the costs of recovery . No reliance should be placed on the State of Michigan's estimates of timber quality , quantity or costs of recovery. Bidder further acknowledges that the State of Michigan: (i) expressly disclaims any warranty of fitness of timber for any purpose; (ii) offers this timber as is without any warranty of quality (merchantability) or quantity and (iii) expressly disclaims any warranty as to the quantity or quality of timber sold.

11. Certification and Chain-of-Custody (10/14)

Unless otherwise indicated in the contract under section 7 – Other Conditions of the Sale Specific Conditions & Requirements, the area encompassed by this timber sale is certified to the standards of the Forest Stewardship Council (FSC) - Certificate #SCS-FM/COC-00090N and the Sustainable Forestry Initiative (SFI) - Certificate #NSF-SFIS-5Y031-SF5. Forest products from this sale may be delivered to the mill as "FSC 100% and / or SFI certified" as long as the contractor hauling the forest products is chain-of-custody (COC) certified or covered under a COC certificate from the destination mill. The purchaser is responsible for maintaining COC after leaving the sale area.

12. Good Neighbor Authority (GNA) Requirements (7/16)

If the name of this timber sales contains the acronym GNA, it is authorized by the Good Neighbor Authority (GNA) and covered by various agreements between the U.S. Forest Service and the State. The timber sale occurs on federal land and the following conditions apply:

GNA contracts on US Forest Service land will not be awarded to purchasers on the Federal list of excluded parties. The System for Award Management (SAM) will be checked for active excluded parties prior to award of contract. In addition, the Bidder to whom award is made must complete an Assurance Regarding Felony Conviction or Tax Delinquent Status for Corporate Applicants (AD-3031).

13. Good Neighbor Authority (GNA) Requirements, con't (9/16)

Bidder certifies, by signing this bid form, that to the best of Bidder's knowledge that the following representations are accurate and complete.

- a. That the Bidder and its principals are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntary excluded from timber sales (covered transactions) by any Federal department or agency.
- b. That the Bidder and its principals have not within a 3-year period preceding this bid been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
- c. That the Bidder and its principals are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph b of this certification.
- d. That the Bidder and its principals have not within a 3-year period preceding this bid had one or more public transactions (Federal, State, or local) terminated for breach or default of a timber or forest product contract.

Bidders that cannot certify this requirement, in whole or in part, shall submit an explanation with their bid.

DAN EICHINGER
Director

TIMBER SALE INFORMATION

Grass Lake Red Pine (71-007-20)

T21N, R03W, SEC. 20.

Roscommon County (Advertised Price \$84,266.90)

SALE NOTE: A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. All units of volume listed below were estimated using the T-Sale computer program and our traditional volume equations. Bids must be at or above the following advertised price for each product and species:

| PRODUCTS & SPECIES | ESTIMATE | D UNITS* | <u>ADVE</u> | RTISED PRICE |
|--------------------|-----------------|----------|-------------|--------------|
| Sawtimber | | | | |
| B. T. Aspen | 23.2 | MBF | \$ | 59.00 / MBF |
| BI/R/Hybrid Oak | 29.7 | MBF | \$ | 86.00 / MBF |
| Jack Pine | 14.1 | MBF | \$ | 23.00 / MBF |
| Red Pine | 451.3 | MBF | \$ | 94.00 / MBF |
| White Pine | 145.5 | MBF | \$ | 40.00 / MBF |
| Pulpwood | | | | |
| BI/R/Hybrid Oak | 113 | Cords | \$ | 14.25 / Cord |
| Jack Pine | 163 | Cords | \$ | 11.65 / Cord |
| Mixed Aspen | 141 | Cords | \$ | 20.80 / Cord |
| Red Maple | 6 | Cords | \$ | 13.35 / Cord |
| Red Pine | 366 | Cords | \$ | 38.50 / Cord |
| White Pine | 574 | Cords | \$ | 19.45 / Cord |

^{*} The total volume is statistically estimated within plus (+) or minus (-) 11.16 percent. There are an estimated 2,689 cords on this timber sale, plus or minus 300 cords at the 95% confidence level. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$4,213.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
 - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
 - (b) The 10% down payment will be credited towards the first unit cut.
 - (c) Payment for each of the following units must be made before cutting begins in that unit:

| PAYMENT UNIT NUMBER | PERCENT OF TOTAL SALE VALUE |
|---------------------|-----------------------------|
| 01 | 13.4% |
| 02 | 26.7% |
| 03 | 23.7% |
| 04 | 23.9% |
| 05 | 12.3% |

- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 03/31/2023.

SALE STATISTICS

SALE VOLUMES

| VOL | UME | STATIS | | ANGE IN CORDS |
|------------------|-------------|---------------|---------|---------------|
| TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 212,438 | 2,689 | 11.16% | 2,389 | 2,989 |

VDU VOLUMES

A VDU is a Volume Determination Unit. Volumes and their associated statistics are calculated at the VDU level and summarized to the sale level. There is often a one to one relationship between a VDU and a Payment Unit, but not always, depending on the cruise design. Refer to the VDU TO PAYMENT UNIT table.

| | VOLUME | | | RANGE II | N CORDS |
|--------|------------------|-------------|---------------|----------|---------|
| VDU | TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 151 | 26,220 | 332 | 40.27% | 198 | 466 |
| 155 | 104,241 | 1,320 | 17.65% | 1,087 | 1,552 |
| 157 | 81,986 | 1,038 | 13.02% | 903 | 1,173 |
| TOTAL: | 212,447 | 2,689 | | 2,188 | 3,191 |

VDU TO PAYMENT UNIT

When a VDU is associated with more than one Payment Unit (PU), the VDU volumes are assigned to the PU based on acres of the VDU within the PU.

| VDU | VDU ACRES | PU | PU ACRES |
|--------|-----------|----|----------|
| 151 | 5.9 | 5 | 5.9 |
| 155 | 43.6 | 3 | 21.7 |
| | | 4 | 21.9 |
| 157 | 29.5 | 1 | 9.9 |
| | | 2 | 19.6 |
| TOTAL: | 79.0 | | 79.0 |

DESCRIPTION OF TIMBER BY PAYMENT UNIT (PU)

| PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|----|---------------------|-----------|----------|--------|-------|-----------------|
| 1 | BI/R/Hybrid Oak | Sawtimber | 7.2 | MBF | 9.9 | \$11,322.05 |
| | Jack Pine | | 0.5 | MBF | | |
| | Red Pine | | 60.2 | MBF | | |
| | White Pine | | 19.0 | MBF | | |
| | BI/R/Hybrid Oak | Pulpwood | 17 | Cords | | |
| | Jack Pine | | 7 | Cords | | |
| | Mixed Aspen | | 16 | Cords | | |
| | B. T. Aspen | | 13 | Cords | | |
| | Quaking Aspen | | 3 | Cords | | |
| | Red Pine | | 53 | Cords | | |
| | White Pine | | 81 | Cords | | |
| 2 | BI/R/Hybrid Oak | Sawtimber | 14.2 | MBF | 19.6 | \$22,440.40 |
| | Jack Pine | | 1.0 | MBF | | |
| | Red Pine | | 119.3 | MBF | | |
| | White Pine | | 37.6 | MBF | | |
| | BI/R/Hybrid Oak | Pulpwood | 34 | Cords | | |
| | Jack Pine | | 15 | Cords | | |
| | Mixed Aspen | | 31 | Cords | | |
| | B. T. Aspen | | 26 | Cords | | |
| | Quaking Aspen | | 5 | Cords | | |
| | Red Pine | | 105 | Cords | | |
| | White Pine | | 161 | Cords | | |
| 3 | B. T. Aspen | Sawtimber | 9.1 | MBF | 21.7 | \$19,994.35 |
| | Jack Pine | | 6.3 | MBF | | |
| | Red Pine | | 107.6 | MBF | | |
| | White Pine | | 30.8 | MBF | | |
| | BI/R/Hybrid Oak | Pulpwood | 21 | Cords | | |
| | Jack Pine | ' | 65 | Cords | | |
| | Mixed Aspen | | 45 | Cords | | |
| | B. T. Aspen | | 37 | Cords | | |
| | Quaking Aspen | | 8 | Cords | | |
| | Red Pine | | 91 | Cords | | |
| | White Pine | | 127 | Cords | | |
| 4 | B. T. Aspen | Sawtimber | 9.1 | MBF | 21.9 | \$20,171.70 |
| | Jack Pine | | 6.3 | MBF | | . , |
| | Red Pine | | 108.6 | MBF | | |
| | White Pine | | 31.1 | MBF | | |
| | BI/R/Hybrid Oak | Pulpwood | 21 | Cords | | |
| | Jack Pine | ' | 66 | Cords | | |
| | Mixed Aspen | | 46 | Cords | | |
| | B. T. Aspen | | 37 | Cords | | |
| | Quaking Aspen | | 9 | Cords | | |
| | Red Pine | | 91 | Cords | | |
| | White Pine | | 129 | Cords | | |
| 5 | B. T. Aspen | Sawtimber | 5.0 | MBF | 5.9 | \$10,338.40 |
| 9 | Bl/R/Hybrid Oak | | 8.3 | MBF | 0.5 | ψ10,000.40 |
| | Red Pine | | 55.6 | MBF | | |
| | White Pine | | 27.0 | MBF | | |
| | Bl/R/Hybrid Oak | Pulpwood | 27.0 | Cords | | |
| | Jack Pine | | 10 | Cords | | |
| | Mixed Aspen | | 3 | Cords | | |
| | B. T. Aspen | | 3 | Cords | | |
| | Red Maple | | 6 | Cords | | |
| | Red Maple | Sawtimber | 1.4 | MBF | | |
| | Red Maple Red Maple | Pulpwood | 3 | Cords | | |
| | Red Pine | r uipwood | 26 | Cords | | |
| | INCUFIIC | | 20 | Louius | Ī | |

DESCRIPTION OF TIMBER BY PAYMENT UNIT (PU), CON'T

| PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|---------|--------------|----------|----------|-------|-------|-----------------|
| 5 con't | White Pine | Pulpwood | 76 | Cords | | |
| | | TOTAL: | 663.8 | MBF | | |
| | | TOTAL: | 1,363 | Cords | | |

Sale Specific Conditions & Requirements

Sale Name: Grass Lake Red Pine Sale Number: 71-007-20 Seg#: 1

1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by red and yellow paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with red paint; no harvesting activities may occur within these areas. The painted boundary line trees are not Included Timber and are to be protected. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1-5, cut all trees that are two (2) inches or more at DBH.

2.2 - Utilization

2.2.2 - Chipping required (2/18)

This area must be chip harvested to facilitate subsequent planting operations. The Purchaser has the option to produce sawlogs or pulpwood bolts, but the remaining portion of the trees must be chipped and hauled. The requirement to retain approximately 1/6 to 1/3 of tree tops and limbs less than four inches in diameter is still applicable (G. C. & R. 2.2).

2.2.3 - Stump heights (4/07)

Stump heights within the Sale Area shall not exceed 12 inches for trees greater than 10 inches DBH and 4 inches for trees smaller than 10 inches DBH. This is in order to facilitate planting operations.

3 - Payments

3.3 - Pre-measured Sales

3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Amendment. There will be only one division per Payment Unit.

3.6 - Payment Unit Cutting Schedule

3.6.2 - One active unit (12/08)

Each Payment Unit must be completed to the satisfaction of the Unit Manager or his/her representative before the next unit may be opened.

4 - Transportation

4.1 - Construction

4.1.3 - Slash and earthen piles (8/04)

Piles or windrows of earth along roads and landings that have been widened or constructed shall be leveled. Slash from road maintenance or construction, including stumps, shall be dispersed throughout the sale.

4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, and not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

4.1.7 - Road closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Stumps and brush must be placed along the remainder of the trail. These roads must be rendered impassable to cars and trucks. Contact the sale administrator for specific details of design and placement.

4.2 - Maintenance

4.2.1 - Hauling restriction (12/08)

Hauling may be restricted on forest roads by the Unit Manager or his/her representative. The restriction may occur during spring breakup or during wet weather conditions.

4.2.3 - Road maintenance (8/13)

The following road maintenance may be needed: Within 60 days of completion of hauling, or if no hauling occurs for 60 days, the road must be maintained and graded. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. Damages will be assessed if grading/repair does not occur.

4.2.5 - Two wheel drive condition (2/04)

All existing trail roads on and adjacent to the sale area must be passable by two-wheel drive traffic for the duration of the sale.

5 - Operations

5.1 - Notification

5.1.3 - Well heads and natural gas pipelines (11/15)

The Purchaser is responsible for contacting the oil well company prior to operating equipment in the vicinity of well heads or natural gas pipelines. Contact Muskegon Development at 989-772-4900.

5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)

No slash or tree tops may exceed 24 inches in height.

5.2.1.11 - Slash for reforestation (5/07)

To facilitate reforestation, the sale area shall be left with slash evenly distributed. Bunched tops within the cutting area shall be broken up and scattered. Stumps shall be cut low to the ground. Processing sites shall not be left with a compacted layer of slash; tops from these sites shall be hauled back into the cut area and scattered.

5.2.2 - Hazard Trees/Snags

5.2.2.1 - Den trees (10/16)

Obvious hollow and/or den trees shall be protected and left standing unless they are a safety hazard.

5.2.3 - Operating Restrictions

5.2.3.6 - Bark beetle restriction (12/08)

In the event drought creates a high risk of pine bark beetle infestation, pine is not to be cut during the period March 1 through July 1, unless all portions of trees greater than two inches in diameter are removed from the sale area, reduced to chips, or treated to the satisfaction of the Unit Manager or his/her representative, within fifteen days of being severed from the stump. Pine log decks, pulpwood piles and treetops that are piled for chipping in the fall or winter within a 1/4 mile of susceptible sites must be removed before March 15. Residual slash must not be placed in piles or rows and must be spread over the site for quick drying. The Department of Natural Resources will exercise this specification if the risk of damage warrants.

5.2.4 - Dead and Down Creation

5.2.4.3 - Dead and down creation, dead trees (6/07)

Except as provided for in General Condition and Requirement 5.2.2, no dead trees, standing or down, are to be cut,

skidded, or processed.

5.2.29 - Shrub protection (1/20)

Do not cut or damage hawthorn, witch-hazel, dogwood or juneberry. These woody-shrub plants are highly beneficial to various wildlife species.

5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

5.2.39 - ORV trail/route protection (4/18)

The recreational trail bordering the west side of Payment Unit 3 is an ORV trail and it is shown on the Timber Sale Map. Trees with yellow ORV markers shall be cut off above the markers and at least 5 feet above ground. All stumps within 5 feet of the trail must be cut flush with the ground. Maintain a 10 foot wide slash, debris, and rut free zone daily using the ORV trail or route as the centerline. Do not run equipment down the ORV trail or route.

5.2.41 - Snowmobile trail protection (9/11)

The recreational trail adjacent to Payment Unit 5 is a snowmobile trail and it is shown on the Timber Sale Map. Do not cut or damage posts with orange trail markers or traffic control signs. If the trail is used for hauling, it must be graded to the satisfaction of the Unit Manager or his/her representative prior to December 1st. The snowmobile trail may not be used for any timber sale operations from December 1 to March 31. The snowmobile trail may only be crossed at right angles. Maintain a 20 foot wide slash, debris, and rut free zone daily using the snowmobile trail as the centerline. No decking of forest products will be permitted along the snowmobile trail. All stumps within 20 feet of the snowmobile trail must be cut at ground level.

5.4 - Soil Protection

5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

5.4.3 - Erosion control (12/08)

Skid trails or haul roads may require erosion control structures or berms per direction of the Unit Manager or his/her representative.

6 - Safety and Fire Prevention

6.2 - Signing

6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Grass Lake Road and Reserve Road prior to beginning operations. The road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed.


6.2.2 - Snowmobile trail posting (8/09)

The Purchaser is responsible for posting and maintaining caution signs on the snowmobile trail prior to beginning operations during the snowmobile season (approximately December 1 to March 31). The trail must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed.

6.2.3 - Recreational trail posting (2/10)

The Purchaser is responsible for posting and maintaining caution signs on the ORV trail prior to beginning operations. The trail must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic at both ends of the trail. Signs must be removed when harvest operations are suspended or completed.

Section Name: Sale Specific Current as of 11/17/2020 2:34:58PM



TIMBER SALE INFORMATION

Reserve Road Aspen (71-008-20)

T20N, R03W, SEC. 5; T21N, R03W, SEC. 20; T21N, R03W, SEC. 31; T21N, R03W, SEC. 32. Roscommon County (Advertised Price \$98,957.90)

SALE NOTE: A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. All units of volume listed below were estimated using the T-Sale computer program and our traditional volume equations. Bids must be at or above the following advertised price for each product and species:

| PRODUCTS & SPECIES | ESTIMATE | D UNITS* | <u>ADVE</u> | RTISED PRICE |
|--------------------|-----------------|----------|-------------|--------------|
| Sawtimber | | | | |
| BI/R/Hybrid Oak | 84.8 | MBF | \$ | 86.00 / MBF |
| Mixed Aspen | 148.1 | MBF | \$ | 59.00 / MBF |
| Red Maple | 43.4 | MBF | \$ | 58.00 / MBF |
| Red Pine | 278.5 | MBF | \$ | 94.00 / MBF |
| White Oak | 15.1 | MBF | \$ | 79.00 / MBF |
| White Pine | 124.1 | MBF | \$ | 40.00 / MBF |
| Pulpwood | | | | |
| Balsam Fir | 24 | Cords | \$ | 20.60 / Cord |
| Jack Pine | 20 | Cords | \$ | 11.65 / Cord |
| Mixed Aspen | 1,148 | Cords | \$ | 20.80 / Cord |
| Mixed Oak | 239 | Cords | \$ | 14.25 / Cord |
| Red Maple | 226 | Cords | \$ | 13.35 / Cord |
| Red Pine | 225 | Cords | \$ | 38.50 / Cord |
| White Pine | 431 | Cords | \$ | 19.45 / Cord |

^{*} The total volume is statistically estimated within plus (+) or minus (-) 8.15 percent. There are an estimated 3,701 cords on this timber sale, plus or minus 302 cords at the 95% confidence level. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$4,948.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
 - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
 - (b) The 10% down payment will be credited towards the first unit cut.
 - (c) Payment for each of the following units must be made before cutting begins in that unit:

| PAYMENT UNIT NUMBER | PERCENT OF TOTAL SALE VALUE |
|---------------------|-----------------------------|
| 01 | 23.4% |
| 02 | 12.3% |
| 03 | 10.8% |
| 04 | 8.0% |
| 05 | 21.9% |
| 06 | 23.6% |
| | |

- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 03/31/2023.

SALE STATISTICS

SALE VOLUMES

| VOLUME | | | STATISTICAL RA | ANGE IN CORDS |
|------------------|-------------|---------------|----------------|---------------|
| TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 292,418 | 3,701 | 8.15% | 3,400 | 4,003 |

VDU VOLUMES

A VDU is a Volume Determination Unit. Volumes and their associated statistics are calculated at the VDU level and summarized to the sale level. There is often a one to one relationship between a VDU and a Payment Unit, but not always, depending on the cruise design. Refer to the VDU TO PAYMENT UNIT table.

| | VOLUME | | | RANGE II | N CORDS |
|--------|------------------|-------------|---------------|----------|---------|
| VDU | TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 8 | 114,842 | 1,454 | 14.43% | 1,244 | 1,663 |
| 79 | 61,233 | 775 | 16.90% | 644 | 906 |
| 103 | 116,367 | 1,473 | 11.74% | 1,300 | 1,646 |
| TOTAL: | 292,442 | 3,702 | | 3,188 | 4,215 |

VDU TO PAYMENT UNIT

When a VDU is associated with more than one Payment Unit (PU), the VDU volumes are assigned to the PU based on acres of the VDU within the PU.

| TOTAL: | 108.8 | | 108.8 |
|--------|-----------|----|----------|
| | | 6 | 20.1 |
| 103 | 38.7 | 5 | 18.6 |
| | | 4 | 15.3 |
| 79 | 36.2 | 3 | 20.9 |
| | | 2 | 11.7 |
| 8 | 33.9 | 1 | 22.2 |
| VDU | VDU ACRES | PU | PU ACRES |

DESCRIPTION OF TIMBER BY PAYMENT UNIT (PU)

| PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|----|------------------------------|-----------|----------|---------|-------|-----------------|
| 1 | BI/R/Hybrid Oak | Sawtimber | 33.1 | MBF | 22.2 | \$23,124.40 |
| | Mixed Aspen | | 61.0 | MBF | | |
| | B. T. Aspen | | 53.3 | MBF | | |
| | Quaking Aspen | | 7.7 | MBF | | |
| | Red Maple | | 12.4 | MBF | | |
| | Red Pine | | 24.0 | MBF | | |
| | White Oak | | 2.8 | MBF | | |
| | White Pine | | 45.8 | MBF | | |
| | Balsam Fir | Pulpwood | 3 | Cords | | |
| | Jack Pine | | 4 | Cords | | |
| | Jack Pine | Sawtimber | 0.9 | MBF | | |
| | Jack Pine | Pulpwood | 2 | Cords | | |
| | Mixed Aspen | | 287 | Cords | | |
| | B. T. Aspen | | 217 | Cords | | |
| | Quaking Aspen | | 70 | Cords | | |
| | Mixed Oak | | 78 | Cords | | |
| | Bl/R/Hybrid Oak | | 68 | Cords | | |
| | White Oak | | 10 | Cords | | |
| | Red Maple | | 64 | Cords | | |
| | Red Pine | | 28 | Cords | | |
| | White Pine | | 130 | Cords | | |
| 2 | BI/R/Hybrid Oak | Sawtimber | 17.5 | MBF | 11.7 | \$12,207.20 |
| | Mixed Aspen | | 32.2 | MBF | | |
| | B. T. Aspen | | 28.1 | MBF | | |
| | Quaking Aspen | | 4.1 | MBF | | |
| | Red Maple | | 6.6 | MBF | | |
| | Red Pine | | 12.7 | MBF | | |
| | White Oak | | 1.5 | MBF | | |
| | White Pine | | 24.1 | MBF | | |
| | Balsam Fir | Pulpwood | 1 | Cords | | |
| | Jack Pine | ' | 2 | Cords | | |
| | Jack Pine | Sawtimber | 0.5 | MBF | | |
| | Jack Pine | Pulpwood | 1 | Cords | | |
| | Mixed Aspen | , | 151 | Cords | | |
| | B. T. Aspen | | 114 | Cords | | |
| | Quaking Aspen | | 37 | Cords | | |
| | Mixed Oak | | 42 | Cords | | |
| | BI/R/Hybrid Oak | | 36 | Cords | | |
| | White Oak | | 6 | Cords | | |
| | Red Maple | | 33 | Cords | | |
| | Red Pine | | 15 | Cords | | |
| | White Pine | | 69 | Cords | | |
| 3 | Bl/R/Hybrid Oak | Sawtimber | 17.3 | MBF | 20.9 | \$10,699.60 |
| | Mixed Aspen | | 15.3 | MBF | | ψ.ο,σσσ.σσ |
| | B. T. Aspen | | 15.3 | MBF | | |
| | Red Maple | | 14.1 | MBF | | |
| | Red Pine | | 13.7 | MBF | | |
| | White Oak | | 6.2 | MBF | | |
| | White Pine | | 0.6 | MBF | | |
| | Balsam Fir | Pulpwood | 9 | Cords | | |
| | Mixed Aspen | | 148 | Cords | | |
| | B. T. Aspen | | 148 | Cords | | |
| | Mixed Oak | | 52 | Cords | | |
| | | | 39 | Cords | | |
| | | | | ı CUIUS | 1 | i |
| | BI/R/Hybrid Oak White Oak | | 13 | Cords | | |

DESCRIPTION OF TIMBER BY PAYMENT UNIT (PU), CON'T

| Mixed Aspen 11.2 MBF B. T. Aspen 11.2 MBF Red Maple 10.3 MBF Red Pine 10.0 MBF White Oak 4.6 MBF White Pine 0.4 MBF Balsam Fir Pulpwood 7 Cords Mixed Aspen 109 Cords B. T. Aspen 109 Cords Mixed Oak 29 Cords Bl/R/Hybrid Oak 29 Cords White Oak 10 Cords Red Maple 55 Cords Red Pine 6 Cords White Pine 15 Cords | PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|---|---------|---------------------------------------|-------------|----------|-------|-------|-----------------|
| BIR/Hybrid Oak Mixed Aspen B. T. Aspen Red Maple Red Pine White Pine Bisam Fir Pulpwood Pulp | 3 con't | Red Pine | Pulpwood | 8 | Cords | | |
| Mixed Aspen 11.2 MBF M | | White Pine | | 20 | Cords | | |
| B. T. Aspen Red Maple Red Pine Mise Oak Mise | 4 | BI/R/Hybrid Oak | Sawtimber | 12.6 | MBF | 15.3 | \$7,885.35 |
| Red Maple Red Pine 10.3 MBF 10.0 MBF | | Mixed Aspen | | 11.2 | MBF | | |
| Red Pine White Oak White Pine Balsam Fir Pulpwood White Pine Balsam Fir Pulpwood White Pine Balsam Fir Mixed Aspen B. T. Aspen Mixed Aspen B. T. Aspen Mixed Aspen B. T. Aspen Mixed Aspen Balsam Fir Pulpwood Mixed Aspen Mixed A | | B. T. Aspen | | 11.2 | MBF | | |
| White Oak White Pine 0.4 MBF Balsam Fir Pulpwood 7 Cords Mixed Aspen 109 Cords BirRifybrid Oak 39 Cords White Oak 29 Cords Red Maple 55 Cords Red Maple 6 Cords Red Pine 6 Cords White Pine 15 Cords BirRifybrid Oak MBF 18.6 \$21.65* Mixed Aspen 2.1 MBF 18.6 \$21.65* BirRifybrid Oak MBF MBF MBF \$21.65* Mixed Aspen 2.1 MBF MBF \$21.65* Balsam Fir Pulpwood 2 Cords MBF WBF Jack Pine 7 Cords | | Red Maple | | 10.3 | MBF | | |
| White Pine Balsam Fir Mixed Aspen B. T. Aspen Mixed Oak BURHybrid Oak Mixed Aspen Mi | | Red Pine | | 10.0 | MBF | | |
| Balsam Fir Mixed Aspen | | White Oak | | 4.6 | MBF | | |
| Mixed Aspen | | White Pine | | 0.4 | MBF | | |
| B. T. Aspen Mixed Oak 39 Cords B/R/Hybrid Oak 29 Cords White Oak 29 Cords Red Maple 55 Cords Red Maple 6 Cords Took Mixed Aspen 15 Cords MBF Took Mixed Aspen 13.7 MBF M | | Balsam Fir | Pulpwood | 7 | Cords | | |
| Mixed Oak 39 Cords Bi/R/Hybrid Oak 29 Cords Red Maple 10 Cords Red Pine 6 Cords White Pine 15 Cords 5 Bl/R/Hybrid Oak Sawtimber 13.7 Mixed Aspen 2.1 MBF B. T. Aspen 0.4 MBF Quaking Aspen 0.4 MBF Red Pine 104.8 MBF White Pine 25.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 217 Cords Mixed Oak 13 Cords Bl/R/Hybrid Oak 11 Cords White Pine 95 Cords Bl/R/Hybrid Oak 11 Cords White Pine 95 Cords B J. Aspen 0.4 MBF Quaking Aspen 0.4 MBF Red Pine 113.3 MBF | | Mixed Aspen | | 109 | Cords | | |
| BI/R/Hybrid Oak 29 Cords White Oak Red Maple 55 Cords 6 Cords 6 Cords White Pine 15 Cords MBF | | B. T. Aspen | | 109 | Cords | | |
| White Oak Red Maple Red Pine Red Pine Sawtimber Sawtim | | Mixed Oak | | 39 | Cords | | |
| Red Maple Red Pine | | BI/R/Hybrid Oak | | 29 | Cords | | |
| Red Maple Red Pine Mittle Pine Mittl | | · · | | 10 | Cords | | |
| Red Pine White Pine Sawtimber Sawt | | Red Maple | | 55 | | | |
| White Pine | | • | | 6 | Cords | | |
| Sawtimber Sawt | | | | | | | |
| Mixed Aspen 13.7 MBF B. T. Aspen 0.4 MBF Quaking Aspen 104.8 MBF Red Pine 104.8 MBF White Pine 25.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Cords Mixed Aspen 217 Cords Cords B. T. Aspen 25 Cords Cords Quaking Aspen 25 Cords Cords Mixed Oak 11 Cords Cords White Oak 2 Cords Cords Red Pine 81 Cords Cords White Pine 95 Cords MBF B. T. Aspen 0.4 MBF \$23,385 Mixed Aspen 0.4 MBF \$23,385 Red Pine 113.3 MBF MBF White Pine 113.3 MBF MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Cords Jack Pine 7 Cords Cords Mixed Aspen 28 Cords Cords Mixed Aspen 28 Cords Cords | 5 | BI/R/Hybrid Oak | Sawtimber | | | 18.6 | \$21,651.95 |
| B. T. Aspen Quaking Aspen Red Pine MBF | Ü | | | | | | Ψ=1,001100 |
| Quaking Aspen 0.4 MBF Red Pine 104.8 MBF White Pine 25.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 217 Cords B. T. Aspen 25 Cords Quaking Aspen 25 Cords Mixed Oak 11 Cords BI/R/Hybrid Oak 11 Cords White Pine 95 Cords 6 BI/R/Hybrid Oak 14.7 MBF Mixed Aspen 14.3 MBF Red Pine 113.3 MBF White Pine 27.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords Mixed Aspen 236 Cords Mixed Aspen 28 Cords Mixed Aspen 28 | | · · | | | | | |
| Red Pine White Pine Balsam Fir Pulpwood 2 Cords Cords Tocords Cords | | · · · · · · · · · · · · · · · · · · · | | | | | |
| White Pine Balsam Fir Jack Pine Jack Pine Pulpwood 2 Cords Mixed Aspen Mixed Aspen B. T. Aspen Quaking Aspen Mixed Oak Bl/R/Hybrid Oak White Pine 25 Cords Cords Mixed Aspen B. T. Aspen Quaking Aspen Red Pine Mixed Aspen Pulpwood 13 Cords Cords Mixed Aspen B. T. Aspen Quaking Aspen Red Pine Mixed Aspen Mixed Aspen Mixed Aspen Balsam Fir Jack Pine Mixed Aspen Mixed Oak Mixed | | | | | | | |
| Balsam Fir Jack Pine Jack Pine Jack Pine Mixed Aspen Mixed Aspen Mixed Oak Mixed Oak Mite Pine Mixed Aspen Mixed Aspen Mixed Aspen Mixed Oak Mite Pine Mixed Aspen Mixed Mixed Aspen Mixed Mixed Mixed Aspen Mixed Mixed Mixed Aspen Mixed Mixed Mixed Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed Aspen Mixed | | | | | | | |
| Jack Pine | | | Pulnwood | | | | |
| Jack Pine | | | l dipwood | | | | |
| Mixed Aspen 217 Cords B. T. Aspen 192 Cords Quaking Aspen 25 Cords Mixed Oak 13 Cords Bl/R/Hybrid Oak 2 Cords Red Pine 81 Cords White Pine 95 Cords Bl/R/Hybrid Oak 14.7 MBF Mixed Aspen 14.7 MBF B. T. Aspen 0.4 MBF Quaking Aspen 113.3 MBF Red Pine 113.3 MBF White Pine 27.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords Mixed Aspen 28 Cords Mixed Aspen 28 Cords Mixed Oak 15 Cords Mixed Oak 12 Cords Mixed Oak 3 Cords | | | | | | | |
| B. T. Aspen Quaking Aspen 25 Cords | | | | · · | | | |
| Quaking Aspen 25 Cords Mixed Oak 13 Cords BI/R/Hybrid Oak 2 Cords Red Pine 81 Cords White Pine 95 Cords 6 BI/R/Hybrid Oak Sawtimber 2.2 MBF 20.1 \$23,386 Mixed Aspen 14.7 MBF MBF 4 ABF 4 | | | | | | | |
| Mixed Oak 13 Cords BI/R/Hybrid Oak 2 Cords Red Pine 81 Cords White Pine 95 Cords 6 BI/R/Hybrid Oak Mixed Aspen Sawtimber 2.2 MBF 20.1 \$23,385 Mixed Aspen 14.7 MBF MBF 4 ABF 4 ABF | | • | | | | | |
| BI/R/Hybrid Oak White Oak Red Pine White Pine White Pine White Pine Sawtimber Sawtimbe | | | | | | | |
| White Oak Red Pine White Pine Pulpwood Pulpwo | | | | | | | |
| Red Pine 81 Cords White Pine 95 Cords BI/R/Hybrid Oak Sawtimber 2.2 MBF 20.1 \$23,389 Mixed Aspen 14.7 MBF 20.1 \$23,389 Mixed Aspen 14.7 MBF MBF MBF Quaking Aspen 113.3 MBF MBF MBF MBF MBF Description Cords Cords <td< td=""><td></td><td>· ·</td><td></td><td></td><td></td><td></td><td></td></td<> | | · · | | | | | |
| White Pine 95 Cords 6 Bl/R/Hybrid Oak Mixed Aspen Sawtimber 2.2 MBF 20.1 \$23,389 Mixed Aspen 14.7 MBF MBF 4 4 MBF 4 MBF 4 4 MBF 4 ABF | | | | | | | |
| 6 Bl/R/Hybrid Oak Mixed Aspen Sawtimber 2.2 MBF 20.1 \$23,389 Mixed Aspen 14.7 MBF 20.1 \$23,389 B. T. Aspen 0.4 MBF 0.4 MBF Quaking Aspen 113.3 MBF 0.4 MBF White Pine 27.6 MBF 0.4 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Cords Mixed Aspen 236 Cords Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | | | | | | |
| Mixed Aspen 14.7 MBF B. T. Aspen 0.4 MBF Quaking Aspen 113.3 MBF Red Pine 27.6 MBF White Pine 27.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords Mixed Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords BI/R/Hybrid Oak 12 Cords White Oak 3 Cords | 6 | | Sawtimbor | | | 20.1 | ¢22 380 40 |
| B. T. Aspen 14.3 MBF Quaking Aspen 0.4 MBF Red Pine 113.3 MBF White Pine 27.6 MBF Balsam Fir 2 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords Mixed Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Mixed Oak 12 Cords White Oak 3 Cords | O | • | Sawtillibel | | | 20.1 | φ23,309.40 |
| Quaking Aspen 0.4 MBF Red Pine 113.3 MBF White Pine 27.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords BI/R/Hybrid Oak 12 Cords White Oak 3 Cords | | • | | | | | |
| Red Pine 113.3 MBF White Pine 27.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | • | | | | | |
| White Pine 27.6 MBF Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | | | 1 | | | |
| Balsam Fir Pulpwood 2 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | | | | | | |
| Jack Pine 7 Cords Jack Pine 7 Cords Mixed Aspen 236 Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | | Bulpwood | | | | |
| Jack Pine 7 Cords Mixed Aspen 236 Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | | Fulpwood | | | | |
| Mixed Aspen 236 Cords B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | - | | | | | |
| B. T. Aspen 208 Cords Quaking Aspen 28 Cords Mixed Oak 15 Cords Bl/R/Hybrid Oak 12 Cords White Oak 3 Cords | | | | | | | |
| Quaking Aspen28CordsMixed Oak15CordsBI/R/Hybrid Oak12CordsWhite Oak3Cords | | | | | _ | | |
| Mixed Oak Bl/R/Hybrid Oak White Oak 3 Cords | | · · · · · · · · · · · · · · · · · · · | | | | | |
| BI/R/Hybrid Oak White Oak 3 Cords | | | | · · | | | |
| White Oak 3 Cords | | | | | | | |
| | | | | | | | |
| INGUITING O/ COIUS | | | | l | | | |
| White Pine 102 Cords | | | | | | | |
| | | Wille Fille | <u> </u> | <u> </u> | | | |
| TOTAL: 694.0 MBF | | | TOTAL: | | MBF | | |
| TOTAL: 2,313 Cords | | | TOTAL: | 2,313 | Cords | | |

Sale Specific Conditions & Requirements

Sale Name: Reserve Road Aspen Sale Number: 71-008-20 Seq#: 1

1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by blue, red and yellow paint. Exterior sale boundary lines against private property are marked with blue paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with red paint; no harvesting activities may occur within these areas. The painted boundary line trees are not Included Timber and are to be protected. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1-6, cut all trees that are two (2) inches or more at DBH, except do not cut green marked trees.

2.1.15 - Hazard trees near roads (7/13)

Cut and remove all standing dead trees within 100 feet of the cleared portion of Reserve Road. These trees must be scattered back into the sale area.

2.2 - Utilization

2.2.3 - Stump heights (4/07)

Stump heights within the Sale Area shall not exceed 12 inches for trees greater than 10 inches DBH and 4 inches for trees smaller than 10 inches DBH.

3 - Payments

3.3 - Pre-measured Sales

3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Amendment.

4 - Transportation

4.1 - Construction

4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, and not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

4.1.7 - Road closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Stumps and brush must be placed along the remainder of the trail. These roads must be rendered impassable to cars and trucks. Contact the sale administrator for specific details of design and placement.

4.2 - Maintenance

4.2.1 - Hauling restriction (12/08)

Hauling may be restricted on forest roads by the Unit Manager or his/her representative. The restriction may occur during

spring breakup or during wet weather conditions.

4.2.3 - Road maintenance (8/13)

The following road maintenance may be needed: Within 60 days of completion of hauling, or if no hauling occurs for 60 days, the road must be maintained and graded. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. Damages will be assessed if grading/repair does not occur.

5 - Operations

5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)

No slash or tree tops may exceed 24 inches in height.

5.2.3 - Operating Restrictions

5.2.3.11 - Coppice regeneration protection (4/10)

Timber harvesting in any Payment Unit must be completed before significant aspen sprouting occurs in that Payment Unit so as to minimize damage to the new regeneration. Any post harvest operations, such as chipping, must be completed before sprouting of regeneration occurs. If it is anticipated that chipping will be delayed, then tops shall be carried to one central location or left unchipped. The Unit Manager or his/her representative may cease such operations if sprouting occurs before the operation is complete.

5.2.4 - Dead and Down Creation

5.2.4.2 - Dead and down creation, hare and grouse (1/14)

To improve habitat for snowshoe hare, grouse, and other species, the Purchaser is to leave one (1) slash pile on the ground for every two acres. Piles shall consist of larger diameter pieces on the ground and smaller diameter pieces on top to create cavities. They should be scattered along the lowland edges of the sale within 100' of the sale boundary. Pile materials can be of any tree species and can be un-merchantable pieces of wood or full trees.

5.2.4.3 - Dead and down creation, dead trees (6/07)

Except as provided for in General Condition and Requirement 5.2.2, no dead trees, standing or down, are to be cut, skidded, or processed. Exception: See Spec 2.1.15 - Hazard trees near roads.

5.2.4.4 - Dead and down creation, grouse (6/18)

To encourage grouse and other wildlife, in Payment Unit(s) 1-6, leave one, 12" or larger diameter (or largest diameter trees within stand) whole tree on the ground for every 2 acres, preferably a hardwood species such as oak or maple or if no hardwoods are present, a pine species (white or red). These trees will be evenly scattered throughout the unit, preferably at least two chains from any roads, two-tracks, or trails open to vehicles.

5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

5.2.39 - ORV trail/route protection (4/18)

Reserve Road is also an ORV trail as shown on the Timber Sale Map. Do not cut trees or damage posts with yellow/orange ORV markers. Trees with yellow ORV markers shall be cut off above the markers and at least 5 feet above ground. All stumps within 5 feet of the trail must be cut flush with the ground. Maintain a 20 foot wide slash, debris, and rut free zone daily using the ORV trail or route as the centerline. Skidding across the trail or route may only occur in locations approved by the sale administrator.

6 - Safety and Fire Prevention

6.2 - Signing

6.2.1 - Road posting (9/09)


The Purchaser is responsible for posting and maintaining caution signs on Reserve Road prior to beginning operations. The


road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed.

6.2.3 - Recreational trail posting (2/10)

The Purchaser is responsible for posting and maintaining caution signs on the ORV trail prior to beginning operations. The trail must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic at both ends of the trail. Signs must be removed when harvest operations are suspended or completed.

Section Name: Sale Specific Current as of 11/19/2020 8:51:47AM





| Page 22 of 38 |
|---------------|
|---------------|

TIMBER SALE INFORMATION

West Side Story (71-010-20)

T21N, R03W, SEC. 12; T21N, R03W, SEC. 13; T21N, R03W, SEC. 14. Roscommon County (Advertised Price \$146,485.30)

SALE NOTE: The snowmobile trail may not be used for any timber sale operations from December 1 to March 31. Alternative access is available during this period.

A recreation site such as a trail, pathway, or campground is within the sale area or the vicinity. Certain restrictions/specifications may be applicable including time restrictions.

A timber sale contract for this lump sum, sealed bid timber sale will be awarded to the responsible bidder offering the highest sealed bid price. All units of volume listed below were estimated using the T-Sale computer program and our traditional volume equations. Bids must be at or above the following advertised price for each product and species:

| PRODUCTS & SPECIES | ESTIMATED UNITS* | | <u>ADV</u> | ERTISED PRICE |
|--------------------|-------------------------|-------|------------|---------------|
| Sawtimber | | | | |
| BI/R/Hybrid Oak | 52.3 | MBF | \$ | 86.00 / MBF |
| Mixed Aspen | 542.4 | MBF | \$ | 59.00 / MBF |
| Red Pine | 282.8 | MBF | \$ | 94.00 / MBF |
| White Oak | 15.5 | MBF | \$ | 79.00 / MBF |
| White Pine | 102.7 | MBF | \$ | 40.00 / MBF |
| Pulpwood | | | | |
| Balsam Fir | 74 | Cords | \$ | 20.60 / Cord |
| Jack Pine | 50 | Cords | \$ | 11.65 / Cord |
| Mixed Aspen | 2,436 | Cords | \$ | 20.80 / Cord |
| Mixed Oak | 240 | Cords | \$ | 14.25 / Cord |
| Red Maple | 285 | Cords | \$ | 13.35 / Cord |
| Red Pine | 290 | Cords | \$ | 38.50 / Cord |
| White Pine | 355 | Cords | \$ | 19.45 / Cord |

^{*} The total volume is statistically estimated within plus (+) or minus (-) 6.41 percent. There are an estimated 5,721 cords on this timber sale, plus or minus 367 cords at the 95% confidence level. The estimated units are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

BOND AND PAYMENT SCHEDULE:

- 1. A bond in the amount of \$7,324.00 to insure faithful performance of the conditions of the contract will be deposited by the successful bidder within 21 days of the sale award.
- 2. Cutting in any sale or unit without the required advance payment would be considered a trespass.
- 3. Total payment must be paid in advance or according to the following schedule:
 - (a) Ten percent (10%) of the sale value must be paid within 21 days of the sale award.
 - (b) The 10% down payment will be credited towards the first unit cut.
 - (c) Payment for each of the following units must be made before cutting begins in that unit:

| PAYMENT UNIT NUMBER | PERCENT OF TOTAL SALE VALUE |
|---------------------|-----------------------------|
| 01 | 6.8% |
| 02 | 29.0% |
| 03 | 14.0% |
| 04 | 4.9% |
| 05 | 30.8% |
| 06 | 13.9% |
| 07 | 0.6% |

- 4. If no cutting takes place, the 10% down payment will not be refunded.
- 5. Operations on the contract issued will terminate on 03/31/2023.

SALE STATISTICS

SALE VOLUMES

| VOL | UME | | STATISTICAL RA | ANGE IN CORDS |
|------------------|-------------|---------------|----------------|---------------|
| TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 451,953 | 5,721 | 6.41% | 5,354 | 6,088 |

VDU VOLUMES

A VDU is a Volume Determination Unit. Volumes and their associated statistics are calculated at the VDU level and summarized to the sale level. There is often a one to one relationship between a VDU and a Payment Unit, but not always, depending on the cruise design. Refer to the VDU TO PAYMENT UNIT table.

| | VOLUME | | | RANGE II | N CORDS |
|--------|------------------|-------------|---------------|----------|---------|
| VDU | TOTAL CUBIC FEET | TOTAL CORDS | PERCENT ERROR | MINIMUM | MAXIMUM |
| 68 | 22,792 | 289 | 25.06% | 216 | 361 |
| 72 | 105,694 | 1,338 | 12.71% | 1,168 | 1,508 |
| 122 | 225,735 | 2,857 | 9.21% | 2,594 | 3,121 |
| 124 | 69,417 | 879 | 14.82% | 748 | 1,009 |
| 125 | 2,820 | 36 | 42.51% | 21 | 51 |
| 224 | 25,533 | 323 | 23.79% | 246 | 400 |
| TOTAL: | 451,991 | 5,721 | | 4,994 | 6,449 |

VDU TO PAYMENT UNIT

When a VDU is associated with more than one Payment Unit (PU), the VDU volumes are assigned to the PU based on acres of the VDU within the PU.

| TOTAL: | 135.1 | | 135.1 |
|--------|-----------|----|----------|
| 224 | 9.4 | 4 | 9.4 |
| 125 | 5.1 | 7 | 5.1 |
| 124 | 19.6 | 3 | 19.6 |
| | | 6 | 20.5 |
| 122 | 65.8 | 5 | 45.3 |
| 72 | 26.4 | 2 | 26.4 |
| 68 | 8.8 | 1 | 8.8 |
| VDU | VDU ACRES | PU | PU ACRES |

DESCRIPTION OF TIMBER BY PAYMENT UNIT (PU)

| PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|----|-----------------|-----------|----------|-------|-------|-----------------------|
| 1 | BI/R/Hybrid Oak | Sawtimber | 14.3 | MBF | 8.8 | \$9,964.60 |
| | Mixed Aspen | | 5.0 | MBF | | |
| | B. T. Aspen | | 5.0 | MBF | | |
| | Red Pine | | 47.6 | MBF | | |
| | White Oak | | 3.4 | MBF | | |
| | White Pine | | 11.1 | MBF | | |
| | Jack Pine | Pulpwood | 9 | Cords | | |
| | Jack Pine | | 9 | Cords | | |
| | Mixed Aspen | | 2 | Cords | | |
| | B. T. Aspen | | 2 | Cords | | |
| | Mixed Oak | | 38 | Cords | | |
| | BI/R/Hybrid Oak | | 18 | Cords | | |
| | White Oak | | 20 | Cords | | |
| | Red Pine | | 55 | Cords | | |
| | White Pine | | 23 | Cords | | |
| 2 | BI/R/Hybrid Oak | Sawtimber | 7.6 | MBF | 26.4 | \$42,482.25 |
| | Mixed Aspen | | 26.4 | MBF | | . , |
| | B. T. Aspen | | 26.4 | MBF | | |
| | Red Pine | | 208.2 | MBF | | |
| | White Oak | | 12.1 | MBF | | |
| | White Pine | | 54.2 | MBF | | |
| | Jack Pine | Pulpwood | 36 | Cords | | |
| | Jack Pine | Sawtimber | 0.8 | MBF | | |
| | Jack Pine | Pulpwood | 34 | Cords | | |
| | Mixed Aspen | | 133 | Cords | | |
| | B. T. Aspen | | 133 | Cords | | |
| | Mixed Oak | | 85 | Cords | | |
| | BI/R/Hybrid Oak | | 34 | Cords | | |
| | White Oak | | 51 | Cords | | |
| | Red Pine | | 214 | Cords | | |
| | White Pine | | 254 | Cords | | |
| 3 | BI/R/Hybrid Oak | Sawtimber | 12.3 | MBF | 19.6 | \$20,504.75 |
| _ | Mixed Aspen | | 75.3 | MBF | | 1 _0,000 0 |
| | B. T. Aspen | | 60.1 | MBF | | |
| | Quaking Aspen | | 15.2 | MBF | | |
| | Red Pine | | 23.9 | MBF | | |
| | White Pine | | 22.7 | MBF | | |
| | Balsam Fir | Pulpwood | 21 | Cords | | |
| | Mixed Aspen | | 407 | Cords | | |
| | B. T. Aspen | | 274 | Cords | | |
| | Quaking Aspen | | 133 | Cords | | |
| | Mixed Oak | | 72 | Cords | | |
| | BI/R/Hybrid Oak | | 42 | Cords | | |
| | White Oak | | 30 | Cords | | |
| | Red Maple | | 82 | Cords | | |
| | Red Maple | Sawtimber | 3.8 | MBF | | |
| | Red Maple | Pulpwood | 74 | Cords | | |
| | Red Pine | | 14 | Cords | | |
| | White Pine | | 15 | Cords | | |
| 4 | Mixed Aspen | Sawtimber | 37.3 | MBF | 9.4 | \$7,114.70 |
| • | Quaking Aspen | Cavanibo | 37.3 | MBF |] 3.4 | Ψ1,117.70 |
| | White Pine | | 37.3 | MBF | | |
| | Balsam Fir | Pulpwood | 3.0 8 | Cords | | |
| | Mixed Aspen | | 193 | Cords | | |
| | Quaking Aspen | | 193 | Cords | | |
| | Red Maple | | 32 | Cords | | |
| | | | | | | |

DESCRIPTION OF TIMBER BY PAYMENT UNIT (PU), CON'T

| PU | MARKET GROUP | PRODUCT | QUANTITY | UNIT | ACRES | ADVERTISE PRICE |
|---------|-----------------|----------------|----------|-------|-------|-----------------|
| 4 con't | Red Maple | Pulpwood | 32 | Cords | | |
| | White Pine | | 8 | Cords | | |
| 5 | Bl/R/Hybrid Oak | Sawtimber | 12.5 | MBF | 45.3 | \$45,079.05 |
| | Mixed Aspen | | 274.3 | MBF | | |
| | B. T. Aspen | | 252.9 | MBF | | |
| | Quaking Aspen | | 21.4 | MBF | | |
| | White Pine | | 7.5 | MBF | | |
| | Balsam Fir | Pulpwood | 29 | Cords | | |
| | Mixed Aspen | | 1,167 | Cords | | |
| | B. T. Aspen | | 773 | Cords | | |
| | Quaking Aspen | | 394 | Cords | | |
| | Mixed Oak | | 31 | Cords | | |
| | BI/R/Hybrid Oak | | 31 | Cords | | |
| | Red Maple | | 110 | Cords | | |
| | Red Maple | Sawtimber | 7.9 | MBF | | |
| | Red Maple | Pulpwood | 94 | Cords | | |
| | White Pine | , | 38 | Cords | | |
| 6 | Bl/R/Hybrid Oak | Sawtimber | 5.6 | MBF | 20.5 | \$20,408.15 |
| Ū | Mixed Aspen | Gawanison | 124.1 | MBF | 20.0 | Ψ20,100.10 |
| | B. T. Aspen | | 114.4 | MBF | | |
| | Quaking Aspen | | 9.7 | MBF | | |
| | White Pine | | 3.4 | MBF | | |
| | Balsam Fir | Pulpwood | 13 | Cords | | |
| | Mixed Aspen | l ulpwood | 529 | Cords | | |
| | B. T. Aspen | | 350 | Cords | | |
| | Quaking Aspen | | 179 | Cords | | |
| | Mixed Oak | | 14 | Cords | | |
| | BI/R/Hybrid Oak | | 14 | Cords | | |
| | Red Maple | | 50 | Cords | | |
| | Red Maple | Sawtimber | 3.6 | MBF | | |
| | Red Maple | Pulpwood | 43 | Cords | | |
| | White Pine | Fulpwood | 17 | Cords | | |
| 7 | | Carretinals an | | | F 4 | #024.0 (|
| 7 | Red Pine | Sawtimber | 3.1 | MBF | 5.1 | \$931.80 |
| | Balsam Fir | Pulpwood | 3 | Cords | | |
| | Jack Pine | 0 " 1 | 5 | Cords | | |
| | Jack Pine | Sawtimber | 0.9 | MBF | | |
| | Jack Pine | Pulpwood | 3 | Cords | | |
| | Mixed Aspen | | 5 | Cords | | |
| | Quaking Aspen | | 5 | Cords | | |
| | Red Maple | | 11 | Cords | | |
| | Red Maple | | 11 | Cords | | |
| | Red Pine | | 7 | Cords | | |
| | | TOTAL: | 995.7 | MBF | | |
| | | TOTAL: | 3,730 | Cords | | |
| | | | | | | |

Sale Specific Conditions & Requirements

Sale Name: West Side Story Sale Number: 71-010-20 Seq#: 1

1 - Sale Area

1.2 - Boundaries

1.2.1 - Painted boundaries (9/19)

The sale boundary and Payment Unit boundaries are marked and identified by red and yellow paint. Exterior sale boundary lines against state are marked with red paint. Interior Payment Unit boundaries are marked with yellow paint. Retention patches are marked with red paint; no harvesting activities may occur within these areas. The painted boundary line trees are not Included Timber and are to be protected unless marked with orange paint. Yellow painted trees designating an interior Payment Unit boundary are only to be cut when all surrounding Payment Units have been paid.

2 - Timber Specifications

2.1 - Included Timber

2.1.1 - Clearcut unit(s) with unmerchantable trees (6/14)

Within Payment Unit(s) 1-6, cut all trees that are two (2) inches or more at DBH.

2.1.3 - Cut tree marked unit(s) (12/08)

Within Payment Unit(s) 7, all trees are designated for cutting when marked with orange paint above and below stump height, regardless of merchantability. In addition, cut all aspen, red maple, and jack pine that meet minimum piece specifications in 2.2 Utilization.

2.1.15 - Hazard trees near roads (7/13)

Cut and remove all standing dead trees within 100 feet of the cleared portion of Boyce Lake Road, the snowmobile trail/ORV route, and the powerline on the west side of M-18. These trees must be scattered back into the sale area.

2.2 - Utilization

2.2.2 - Chipping required (2/18)

Payment Unit 1 and 2 must be chip harvested to facilitate subsequent planting operations. The Purchaser has the option to produce sawlogs or pulpwood bolts, but the remaining portion of the trees must be chipped and hauled. Products may be produced as roundwood and forwarded to decking areas in final product length, but the tops must be left intact and skidded to the landing for chipping in order to minimize the amount of residual slash. The requirement to retain approximately 1/6 to 1/3 of tree tops and limbs less than four inches in diameter is still applicable (G. C. & R. 2.2).

2.2.3 - Stump heights (4/07)

Stump heights within Payment Unit(s) 1 and 2 shall not exceed 12 inches for trees greater than 10 inches DBH and 4 inches for trees smaller than 10 inches DBH.

2.2.6 - Roundwood operation required (5/07)

The skidding of whole trees or tree segments with limbs attached is prohibited within Payment Unit(s) 7. All products must be produced as roundwood and forwarded to existing roads or landing areas in final product length.

2.2.9 - No chipping permitted (12/08)

Within Payment Unit(s) 7, tops and limbs may not be chipped.

3 - Payments

3.3 - Pre-measured Sales

3.3.4 - Dividing payment units (7/14)

Payment Unit(s) may be divided at the request of the Purchaser and upon approval of the Unit Manager. Dividing Payment Units is a contract modification which requires a Timber Sale Contract Amendment.

3.4 - Damaged Timber

3.4.1 - Damaged timber (7/16)

General Condition and Requirement 3.4 Damaged Timber, defines liquidated damages for undesignated live merchantable trees which are cut or injured.

No damage is acceptable to undesignated live merchantable trees. Within the Payment Unit 7, if more than 5% of trees (> 4.5" DBH) within a specified area of the sale are damaged, liquidated damages will be assessed for all trees damaged. Rates will be in accordance with General Condition and Requirement 3.4 Damaged Timber.

3.6 - Payment Unit Cutting Schedule

3.6.2 - One active unit (12/08)

Each Payment Unit must be completed to the satisfaction of the Unit Manager or his/her representative before the next unit may be opened.

4 - Transportation

4.1 - Construction

4.1.6 - Road construction (1/09)

Construction of new roads or improvements of existing roads shall be done in such a way as to minimize the environmental and visual impacts. Merchantable trees shall be cut and utilized unless otherwise directed. Non-merchantable trees shall be severed and laid flat on the ground. Slash shall be scattered, and not left in windrows and kept a minimum of 10 feet back from the road edge. Stumps shall be set upright, not left on edge, and be moved at least 10 feet away from the road edge. Disturbed soil shall be feathered into the woods and not left in berms or windrows.

4.1.7 - Road closure (10/11)

All new roads built into the sale must be blocked to vehicle traffic upon completion of the sale. Overgrown roads that are reopened shall be considered new roads. In general, this will require constructing a four (4') foot high berm of stumps and logs covered with earth. Stumps and brush must be placed along the remainder of the trail. These roads must be rendered impassable to cars and trucks. Contact the sale administrator for specific details of design and placement.

4.2 - Maintenance

4.2.3 - Road maintenance (8/13)

The following road maintenance may be needed: Within 60 days of completion of hauling, or if no hauling occurs for 60 days, the road must be maintained and graded. This includes cleaning of drainage areas, grading, crowning and filling with gravel, if necessary. Damages will be assessed if grading/repair does not occur.

5 - Operations

5.2 - Conduct of Operations

5.2.1 - Slash

5.2.1.8 - Slash height (12/08)

No slash or tree tops may exceed 24 inches in height.

5.2.3 - Operating Restrictions

5.2.3.3 - Bark slippage restriction (3/09)

Within Payment Unit(s) 7, unless changed by written agreement, cutting and skidding are not permitted during the period of April 15 to July 15. This restriction is because of bark slippage.

5.2.3.11 - Coppice regeneration protection (4/10)

Timber harvesting in Payment Unit(s) 3 - 6 must be completed before significant aspen sprouting occurs in that Payment Unit so as to minimize damage to the new regeneration. Any post harvest operations, such as chipping, must be completed before sprouting of regeneration occurs. If it is anticipated that chipping will be delayed, then tops shall be carried to one central location or left unchipped. The Unit Manager or his/her representative may cease such operations if sprouting occurs before the operation is complete.

5.2.4 - Dead and Down Creation

5.2.4.2 - Dead and down creation, hare and grouse (1/14)

To improve habitat for snowshoe hare, grouse, and other species, the Purchaser is to leave one (1) slash pile on the ground for every two acres, within Payment Units 3 - 6. Piles shall consist of larger diameter pieces on the ground and smaller diameter pieces on top to create cavities. They should be scattered along the swamp edges of the sale within 100 feet of the sale boundary or positioned per the sale administrators instructions.

5.2.4.3 - Dead and down creation, dead trees (6/07)

Except as provided for in General Condition and Requirement 5.2.2, no dead trees, standing or down, are to be cut, skidded, or processed.

5.2.4.4 - Dead and down creation, grouse (6/18)

To encourage grouse and other wildlife, in Payment Unit(s) 3 - 6, leave one 12" or larger diameter (or largest diameter trees within stand) whole tree on the ground for every 2 acres, preferably a hardwood species such as oak or maple or if no hardwoods are present, a pine species (white or red). These trees will be evenly scattered throughout the unit, preferably at least two chains from any roads, two-tracks, or trails open to vehicles.

5.2.29 - Shrub protection (1/20)

Do not cut or damage hawthorn, witch-hazel, dogwood or juneberry. These woody-shrub plants are highly beneficial to various wildlife species.

5.2.32 - Decking/landing restoration (9/13)

All decking and landing areas must have the surface area restored to a condition equal to or better than before. This is to ensure the proper regeneration of the stand. Wood debris, chips and "cookies" from trimmings must be removed or scattered away from landing and loading areas and may not be windrowed on the edge.

5.2.38 - No decking against live trees (2/04)

Cut products may not be decked against unmarked or designated leave trees.

5.2.39 - ORV trail/route protection (4/18)

The trail thru and adjacent to Payment Unit 5 is an ORV route and is shown on the Timber Sale Map. Do not damage posts with yellow ORV markers. Trees with yellow ORV markers shall be cut off above the markers and at least 5 feet above ground. All stumps within 5 feet of the trail must be cut flush with the ground. Maintain a 20 foot wide slash, debris, and rut free zone daily using the ORV trail or route as the centerline. Use of the trail must be kept to a minimum to avoid conflicts with ORV users. Skidding across the trail or route may only occur in locations approved by the sale administrator.

5.2.41 - Snowmobile trail protection (9/11)

The trail thru and adjacent to Payment Units 1 and 5 is a snowmobile trail and is shown on the Timber Sale Map. Do not cut or damage posts with orange trail markers or traffic control signs. If the trail is used, it must be maintained and restored to a condition equal to or better than before the sale. If the trail is used for hauling, it must be graded to the satisfaction of the Unit Manager or his/her representative prior to December 1st. The snowmobile trail may not be used for any timber sale operations from December 1 to March 31. The snowmobile trail may only be crossed at right angles. Maintain a 20 foot wide slash, debris, and rut free zone daily using the snowmobile trail as the centerline. No decking of forest products will be permitted along the snowmobile trail. All stumps within 20 feet of the snowmobile trail must be cut at ground level.

5.4 - Soil Protection

5.4.1 - Rutting restriction, general (7/16)

Operations are to cease immediately if equipment and weather conditions result in rutting of roads and/or skid trails which is 12 inches or greater in depth and 50 feet in length. The Unit Manager or his/her representative may restrict hauling and/or skidding if ruts exceed the specified depth. With the Unit Manager or his/her representative's approval, the Purchaser may return to the area when the risk of rutting has decreased.

5.4.3 - Erosion control (12/08)

Skid trails or haul roads may require erosion control structures or berms per direction of the Unit Manager or his/her representative.

5.4.6 - Wet area protection (5/10)

No harvesting operations, including skidding and felling, are to take place within the vernal pond areas or drainages. When harvesting occurs, there should be no disturbance to the vernal pond depressions and drainages. All equipment, trees and tops should be kept out of these areas. Within 100 feet of the pond, equipment should only be used when the soil is in a dry or frozen condition. Care must be taken by the Purchaser to identify and avoid operating in these areas of the timber sale.

These areas have been painted out of the sale with appropriate buffers, but care must be taken to protect adjacent areas within the sale.

6 - Safety and Fire Prevention

6.2 - Signing

6.2.1 - Road posting (9/09)

The Purchaser is responsible for posting and maintaining caution signs on Boyce Lake Road prior to beginning operations. The road must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed.


6.2.2 - Snowmobile trail posting (8/09)

The Purchaser is responsible for posting and maintaining caution signs on the snowmobile trail prior to beginning operations during the snowmobile season (approximately December 1 to March 31). The trail must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic. Signs must be removed when harvest operations are suspended or completed.

6.2.3 - Recreational trail posting (2/10)

The Purchaser is responsible for posting and maintaining caution signs on the ORV route prior to beginning operations. The trail must be posted at appropriate distances from the sale area to warn of logging activity and truck traffic at both ends of the trail. Signs must be removed when harvest operations are suspended or completed.

Section Name: Sale Specific Current as of 11/19/2020 7:49:41AM



BID FORM

ROSCOMMON MANAGEMENT UNIT ROSCOMMON OFFICE

Grass Lake Red Pine (71-007-20) T21N, R03W, SEC. 20; Roscommon COUNTY

In response to the notice of sale to be held 9:00 a.m. (local time) on December 16, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

| PRODUCTS & SPECIES Sawtimber | <u>ESTIMATED</u> | VOLUME* | <u>AD</u> | VERTISED PRICE | BID PRICE/UNIT |
|------------------------------|------------------|---------|-----------|----------------|----------------|
| B. T. Aspen | 23.2 | MBF | \$ | 59.00/MBF | \$ |
| BI/R/Hybrid Oak | 29.7 | MBF | \$ | 86.00/MBF | \$ |
| Jack Pine | 14.1 | MBF | \$ | 23.00/MBF | \$ |
| Red Pine | 451.3 | MBF | \$ | 94.00/MBF | \$ |
| White Pine | 145.5 | MBF | \$ | 40.00/MBF | \$ |
| Pulpwood | | | | | |
| BI/R/Hybrid Oak | 113 | Cords | \$ | 14.25/Cord | \$ |
| Jack Pine | 163 | Cords | \$ | 11.65/Cord | \$ |
| Mixed Aspen | 141 | Cords | \$ | 20.80/Cord | \$ |
| Red Maple | 6 | Cords | \$ | 13.35/Cord | \$ |
| Red Pine | 366 | Cords | \$ | 38.50/Cord | \$ |
| White Pine | 574 | Cords | \$ | 19.45/Cord | \$ |
| | | | | | |

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

FEDERAL ID: - ____ or SOCIAL SECURITY NUMBER:____-_

| | Company or individual bidding: | | | | |
|--|---|--------|------|--|--|
| | Company representative's name: | | | | |
| | Address: | | | | |
| | City: | State: | Zip: | | |
| IF AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX. | | | | | |
| Individual | dividual or company representative's signature: Date: | | | | |
| Phone nu | hone number : Email (optional): | | | | |

THE WINNING BIDDER MUST COMPLETE THE VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE (ON REVERSE SIDE IF DOUBLE SIDED) WITHIN 21 DAYS OF SALE AWARD DATE

^{*}The volumes are statistically estimated within plus (+) or minus (-) 11.16 percent at 95% confidence level. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.



Michigan Department of Natural Resources Forest Resources Division

TIMBER SALE **VERIFICATION OF WORKER'S DISABILITY** COMPENSATION ACT COMPLIANCE

| FOR DEPARTMENT USE ONLY | | |
|----------------------------------|--|--|
| Sale Number (XX – XXX – XX – XX) | | |
| | | |
| Forest Management Unit: | | |
| | | |

As required by Act 317, P.A. 1969 (Worker's Compensation) and Part 5 of Act 451 of 1994, as amended.

VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE

- This verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract.

| • | twenty-one (21) days of the contract award and prior to the issuance of the timber sale contract. | | | | |
|-------|---|---|--|--|--|
| • | All Information must be typed or printed except for written signatures. | | | | |
| PΙε | Please Check Appropriate Categories: | | | | |
| 1. | 1. My business is organized as (you must check <u>one</u> of the boxes be | low): | | | |
| | A. ☐ Sole Proprietorship (individual) | | | | |
| | B. 🗌 Partnership | | | | |
| | C. Corporation | | | | |
| 2. | 2. You must check <u>one</u> of the boxes below: | | | | |
| | A. I certify my business is a sole proprietorship and it has no employee Worker's Compensation Laws. | s but the sole proprietor. I am not subject to the | | | |
| | B. I certify my business has satisfied its o bligation to the Worker's Con Exclusion (BWC-337, Rev. 5/96). I will provide a copy of the Notice questions or a copy of the BWC-337, please call the Worker's Com | of Exclusion within 21 days of the contract award. (For | | | |
| | C. I certify my business has a Worker's Compensation Policy. I will proone (21) days of the contract award. | ovide an original Certificate of Insurance within twenty- | | | |
| 3. | If you have checked item 2(A) or 2(B), you must indicate the nur than yourself, including family members and active partners (if nonFull-time Employees | | | | |
| lan | Name of Business Federal II | O (or) Social Security No. | | | |
| ادادا | Address Telephon | | | | |
| Aaa | Address Telephon (|) | | | |
| City | City State ZIP | | | | |
| n f | hereby certify that the above information is true and correct. I agree to a factors affecting my coverage during any of my present and future operations. Signature of Owner or Authorized Representative | | | | |
| 7 | Title | Date | | | |

Please complete the "SEALED BID" information on the next page

PR 4031-5 (Rev. 10/30/2012)

BID FORM

ROSCOMMON MANAGEMENT UNIT ROSCOMMON OFFICE

West Side Story (71-010-20)

T21N, R03W, SEC. 12; T21N, R03W, SEC. 13; T21N, R03W, SEC. 14;

In response to the notice of sale to be held 9:00 a.m. (local time) on December 16, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

| PRODUCTS & SPECIES Sawtimber | ESTIMATED ' | VOLUME* | <u>AD\</u> | ERTISED PRICE | BID PRICE/UNIT | _ |
|------------------------------|-------------|---------|------------|---------------|----------------|---|
| BI/R/Hybrid Oak | 52.3 | MBF | \$ | 86.00/MBF | \$ | |
| Mixed Aspen | 542.4 | MBF | \$ | 59.00/MBF | \$ | |
| Red Pine | 282.8 | MBF | \$ | 94.00/MBF | \$ | |
| White Oak | 15.5 | MBF | \$ | 79.00/MBF | \$ | |
| White Pine | 102.7 | MBF | \$ | 40.00/MBF | \$ | |
| Pulpwood | | | | | | |
| Balsam Fir | 74 | Cords | \$ | 20.60/Cord | \$ | |
| Jack Pine | 50 | Cords | \$ | 11.65/Cord | \$ | |
| Mixed Aspen | 2,436 | Cords | \$ | 20.80/Cord | \$ | |
| Mixed Oak | 240 | Cords | \$ | 14.25/Cord | \$ | |
| Red Maple | 285 | Cords | \$ | 13.35/Cord | \$ | |
| Red Pine | 290 | Cords | \$ | 38.50/Cord | \$ | |
| White Pine | 355 | Cords | \$ | 19.45/Cord | \$ | |
| i | | | | | | |

^{*}The volumes are statistically estimated within plus (+) or minus (-) 6.41 percent at 95% confidence level. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

| | FEDERAL ID: | or SOCIAL | L SECURITY NUMBER:_ | | |
|---|---------------------------------|-----------|---------------------|--|--|
| | Company or individual bidding:_ | | | | |
| | Company representative's name | e: | | | |
| | Address: | | | | |
| | City: | State: | Zip: | | |
| F AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX. | | | | | |
| ndividual or company representative's signature: Date: | | | | | |
| hone nu | one number : Email (optional): | | | | |

THE WINNING BIDDER MUST COMPLETE THE VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE (ON REVERSE SIDE IF DOUBLE SIDED) WITHIN 21 DAYS OF SALE AWARD DATE



Michigan Department of Natural Resources Forest Resources Division

TIMBER SALE **VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE**

| FOR DEPARTMENT USE ONLY |
|----------------------------------|
| Sale Number (XX – XXX – XX – XX) |
| Forest Management Unit: |

As required by Act 317, P.A. 1969 (Worker's Compensation) and

Signature of Owner or Authorized Representative

Title

| | Part 5 of Act 451 of 1994, as amended. | | | | |
|---------|---|----------------------|--|--|--|
| VE | RIFICATION OF WORKER'S DISABILIT | Y COMPENSATI | ON ACT COMPLIANCE | | |
| • | This verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract. | | | | |
| • | In addition, if boxes 2B or 2C are checked, then Notice of Exclusion or Certificate of Insurance must be submitted within twenty-one (21) days of the contract award and prior to the issuance of the timber sale contract. | | | | |
| • | All Information must be typed or printed e | except for written s | ignatures. | | |
| Ple | ease Check Appropriate Categories: | | | | |
| 1. | My business is organized as (you must check <u>one</u> of the boxes below): A. ☐ Sole Proprietorship (individual) B. ☐ Partnership C. ☐ Corporation | | | | |
| 2. | You must check one of the boxes below: A. I certify my business is a sole proprietorship and it has no employees but the sole proprietor. I am not subject to the Worker's Compensation Laws. B. I certify my business has satisfied its o bligation to the Worker's Compensation Act through the use of an approved Notice of Exclusion (BWC-337, Rev. 5/96). I will provide a copy of the Notice of Exclusion within 21 days of the contract award. (For questions or a copy of the BWC-337, please call the Worker's Compensation Bureau at 517-322-1195). C. I certify my business has a Worker's Compensation Policy. I will provide an original Certificate of Insurance within twenty-one (21) days of the contract award. | | | | |
| 3. | If you have checked item 2(A) or 2(B), than yourself, including family members | | e the number of both full-time and part-time employees, other rs (if none, you must enter "0"). | | |
| | Full-time En | nployees | Part-time Employees | | |
| Nam | ne of Business | | Federal ID (or) Social Security No. | | |
| Address | | | Telephone () | | |
| City | | State | ZIP | | |
| | ereby certify that the above information is actors affecting my coverage during any c | | I agree to notify the Michigan DNR of any changes that occur future operations. | | |

Please complete the "SEALED BID" information on the next page

Date

BID FORM

ROSCOMMON MANAGEMENT UNIT ROSCOMMON OFFICE

Reserve Road Aspen (71-008-20)

T20N, R03W, SEC. 5; T21N, R03W, SEC. 20; T21N, R03W, SEC. 31; T21N, R03W,

In response to the notice of sale to be held 9:00 a.m. (local time) on December 16, 2020, I am hereby submitting my sealed bid (firm offer) for the following forest products to be cut. Bids for individual species must be at or above the advertised price. All non-responsive bid forms may be rejected.

| PRODUCTS & SPECIES Sawtimber | ESTIMATED | VOLUME* | <u>AD\</u> | ERTISED PRICE | BID PRICE/UNIT |
|------------------------------|-----------|---------|------------|---------------|----------------|
| BI/R/Hybrid Oak | 84.8 | MBF | \$ | 86.00/MBF | \$ |
| Mixed Aspen | 148.1 | MBF | \$ | 59.00/MBF | \$ |
| Red Maple | 43.4 | MBF | \$ | 58.00/MBF | \$ |
| Red Pine | 278.5 | MBF | \$ | 94.00/MBF | \$ |
| White Oak | 15.1 | MBF | \$ | 79.00/MBF | \$ |
| White Pine | 124.1 | MBF | \$ | 40.00/MBF | \$ |
| Pulpwood | | | | | |
| Balsam Fir | 24 | Cords | \$ | 20.60/Cord | \$ |
| Jack Pine | 20 | Cords | \$ | 11.65/Cord | \$ |
| Mixed Aspen | 1,148 | Cords | \$ | 20.80/Cord | \$ |
| Mixed Oak | 239 | Cords | \$ | 14.25/Cord | \$ |
| Red Maple | 226 | Cords | \$ | 13.35/Cord | \$ |
| Red Pine | 225 | Cords | \$ | 38.50/Cord | \$ |
| White Pine | 431 | Cords | \$ | 19.45/Cord | \$ |
| | | | | | |

^{*}The volumes are statistically estimated within plus (+) or minus (-) 8.15 percent at 95% confidence level. These estimated volumes are final and not subject to adjustment. Prospective bidders are urged to examine this timber and to make their own estimates of quantity and quality.

I understand that any or all bids may be rejected. All bids must be signed and all bid items must be bid or the bid form may be rejected. I also understand that consideration and awarding a contract will be based upon my past performance and ability to complete the contract based upon equipment and staffing subject to my control.

| | FEDERAL ID: | or SOCIAL SE | CURITY NUMBER: | | |
|---|---------------------------------|--------------|----------------|----------|--|
| | Company or individual bidding: | | | <u></u> | |
| | Company representative's name: | | | <u> </u> | |
| | Address: | | | | |
| | City: | State: | Zip: | | |
| F AVAILABLE, PLEASE PLACE THE PERSONALIZED LABEL FROM YOUR PROSPECTUS IN THE ABOVE BOX. | | | | | |
| ndividual or company representative's signature: Date: | | | | | |
| Phone nu | none number : Email (optional): | | | | |
| | | | | | |

THE WINNING BIDDER MUST COMPLETE THE VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE (ON REVERSE SIDE IF DOUBLE SIDED) WITHIN 21 DAYS OF SALE AWARD DATE



Michigan Department of Natural Resources Forest Resources Division

TIMBER SALE **VERIFICATION OF WORKER'S DISABILITY** COMPENSATION ACT COMPLIANCE

| FOR DEPARTMENT USE ONLY |
|----------------------------------|
| Sale Number (XX – XXX – XX – XX) |
| Forest Management Unit: |

As required by Act 317, P.A. 1969 (Worker's Compensation) and Part 5 of Act 451 of 1994, as amended.

VERIFICATION OF WORKER'S DISABILITY COMPENSATION ACT COMPLIANCE

- This verification must be completed and submitted within 21 days of contract award and prior to the issuance of the timber sale contract.

| • | twenty-one (21) days of the contract award and prior to the issuance of the timber sale contract. | | | |
|-----------|--|--|--|--|
| • | All Information must be typed or printed except for written signatures. | | | |
| Ple | ase Check Appropriate Categories: | | | |
| 1. | My business is organized as (you must check <u>one</u> | of the boxes below): | | |
| | A. Sole Proprietorship (individual) | | | |
| | B. Partnership | | | |
| | C. Corporation | | | |
| 2. | You must check <u>one</u> of the boxes below: | | | |
| | A. I certify my business is a sole proprietorship and it Worker's Compensation Laws. | t has no employees but the sole proprietor. I am not subject to the | | |
| | Exclusion (BWC-337, Rev. 5/96). I will provide a c | the Worker's Compensation Act through the use of an approved Notice of copy of the Notice of Exclusion within 21 days of the contract award. (For the Worker's Compensation Bureau at 517-322-1195). | | |
| | C. I certify my business has a Worker's Compensation one (21) days of the contract award. | on Policy. I will provide an original Certificate of Insurance within twenty- | | |
| 3. | than yourself, including family members and active Full-time Employees | indicate the number of both full-time and part-time employees, other partners (if none, you must enter "0"). Part-time Employees | | |
| lam | ne of Business | Federal ID (or) Social Security No. | | |
| Addr | ress | Telephone | | |
| City | State | ZIP | | |
| n fa _ | ereby certify that the above information is true and contactors affecting my coverage during any of my prese signature of Owner or Authorized Representative | orrect. I agree to notify the Michigan DNR of any changes that occurent and future operations. | | |
| T | iitle | Date | | |
| | | | | |

Please complete the "SEALED BID" information on the next page