# Landscape Stewardship Plan

# Oakland County, Michigan



By Tyler Mitchell March 2017 This Landscape Stewardship Plan is funded in part through a Fiscal Year 2015 Landscape Scale Restoration grant for "Developing Nine Landscape Stewardship Plans in Michigan" (15-DG-11420004-175). The United States Forest Service, State and Private Forestry granted \$336,347 in federal funds to the Michigan Department of Natural Resources, Forest Resources Division which along with its partners provided \$337,113 in matching non-federal funds. The Department of Natural Resources administered the grant in partnership with The Nature Conservancy, Huron Pines, The Stewardship Network and the Remote Environmental Assessment Laboratory.

In accordance with Federal law and the U.S. Department of Agriculture policy, this institution is prohibited from discriminating on the basis of race, color, national origin, sex, age, or disability.

#### Acknowledgements

We would like to thank the United States Forest Service for funding the project and the DNR Forest Stewardship staff (especially Mike Smalligan) for coordination. We are grateful for the information provided by many private landowners, public agencies, and nonprofit organization staff. Josh Liesen from Huron Pines provided much of the material for the Project Introduction section of this document, and Dr. Hugh Brown provided valuable content for this document.

#### Contact Information:

The Stewardship Network 416 Longshore Drive Ann Arbor, MI 48825 (734) 395-4483 Staff@stewardshipnetwork.org <u>www.stewardshipnetwork.org</u>



# **Table of Contents**

1. Executive Summary	3
2. Project Introduction	4
2.1 Project Goals and Objectives	7
2.2 The Need for Active Forest Stewardship	8
2.3 Methodology: A Landscape Approach to Natural Resource Conservation	8
3. Landscape Context	11
3.1 The Physical, Ecological and Cultural Landscape	11
3.1.1 Geographic Scope	11
3.1.2 Cultural Landscape	13
3.1.3 Climate, Geology, Topography and Land Cover	13
3.1.4 Soils	17
3.1.5 Water	
3.1.6 Wetlands	20
3.1.7 Biological Diversity	20
3.1.8 Timber	21
3.1.9 Forest Health	21
3.1.10 Tourism and Recreation	27
3.1.11 Fish and Wildlife Habitat	
3.1.12 Threatened and Endangered Species	29
3.1.13 Archaeological, Cultural and Historic Sites	31
3.1.14 Fire Management	31
3.2 Local Resource Providers and Existing Stewardship Plans	
3.2.1 Government Agencies and Land Managers	
3.2.3 Private Sector Natural Resource Professionals	46
4. Landscape Stewardship Stories	52
4.1 Oak Wilt Prevention and Treatment in Oakland County	52
4.2 Using Prescribed Fire to Manage the Oak Barrens Ecosystem	53
4.3 Managing Hazardous Trees in Oakland County's Parks	54

4.4 Planning Green Corridors in a Highly Urbanized Region	55
4.5 Managing County Road Right-of-way Trees	56
4.6 Managing your forest as a private landowner	57
4.7 Christmas Tree Farms and Sustainable Practices	58
4.8 Acoustic Monitors in Forest Management	59
4.9 Protecting Forest Integrity in Oakland County	60
4.10 Permaculture and Trees in Oakland County	62
5. Develop Your Own Story: Resources and Services for Landowners	63
5.1 Forest Stewardship Program	63
5.2 American Tree Farm System	63
5.3 Qualified Forest Program	64
5.4 Commercial Forest Program	65
5.5 Environmental Quality Incentives Program	65
5.6 Best Management Practices for Forest Health, Water Quality and Wildlife	65
5.7 Capital Gains Tax Information	68
Appendix 1: Glossary of Common Forestry Terms	69
Appendix 2: Michigan Laws Related to Forestry	
Appendix 3: Threatened, Endangered, and Special Concern Species	
Appendix 4: Additional Resources for Landowners	

#### 1. Executive Summary

This Landscape Stewardship Plan for Oakland County is one of nine such plans that were developed through a larger grant project funded by U.S. Forest Service and administered by the Michigan Department of Natural Resources (DNR). The intent of developing this plan was to connect the people and organizations to each other and to forest stewardship information, resources, and assistance programs, thereby increasing our collective capacity to protect and maintain the forests products, services, and values on which this region depends. Only by working collaboratively at the landscape scale we can better address landscape-scale challenges that threaten the health and sustainability of our forests and other natural resources.

Oakland County is a region with a diverse economy and a varied landscape. Boasting over 1,400 inland lakes and the headwaters of 6 major rivers, Oakland County's landscape is in a constant struggle over preserving natural areas while serving more than 12% of the population of the state of Michigan. Once considered "up north" to Detroiters, the region's tourism and outdoor recreation economies are under constant threat of being swallowed up by urban sprawl. Oakland County is home to several threatened and endanger species including the Poweshiek skipperling, eastern massasauga rattlesnake, and northern long-eared bat. The maintenance of healthy and productive forests, protection of rare species, and preservation of high quality water resources is integral to maintaining the sustainable natural resource base needed to serve the diverse population of Oakland County.

The sustainable management of this resource base faces a diverse set of threats and challenges. Factors such as climate change, invasive species, tree diseases and insect pests, habitat fragmentation, nonpoint source pollution, limited financial resources for sustainable land stewardship practices place our forests, water resources, wildlife, and human communities at risk. A major goal of the Landscape Stewardship Plan is to increase interest, awareness, and participation in active land stewardship opportunities throughout Oakland County, which is also an important first step in alleviating many of the other challenges mentioned above.

A good first step in this process is to coordinate with landowners to develop customized Forest Stewardship Plans, which characterize existing resource features found on a particular property and identify strategies for meeting each landowners' goals through on-the-ground stewardship activities that also yield public benefits such as protection of clean water, provision of wildlife habitat, and mitigation of various negative factors acting on the landscape scale. In fact, the idea for this Landscape Stewardship Plan project was based on the idea of these individual Forest Stewardship Plans, which, due to their limited geographic scope, fail to fully address some of the biggest challenges to management. While a collaborative landscape-scale approach to stewardship is therefore critical, success ultimately still depends on the participation of individuals.

Each of the nine Landscape Stewardship Plans characterizes the focal ecosystem's physical, biological, and cultural resources, including a summary of existing resource assessments and stewardship plans. The process of developing each Landscape Stewardship Plan has brought

resource professionals and other stakeholders closer together, and the plans serve to connect landowners and land managers with information about practices and programs that will help people take the next step toward becoming more engaged land managers.

A key element of each Landscape Stewardship Plan is the collection of inspirational stewardship stories told by the people living or working within the focal landscapes. Through these stories, local landowners and land managers share why and how they are active stewards of their own forests. Whether that means a small private property or a vast area of public land, these stories are told with the hope of inspiring other landowners and land managers to join in and become actively involved in the stewardship of our collective forest resources. Our forests are, after all, interconnected with all of the other physical, ecological, and cultural elements of the landscape we call home.



# 2. Project Introduction

This Landscape Stewardship Plan focuses on The Stewardship Network's Headwaters Cluster, which includes all of Oakland County, and was developed by The Stewardship Network as part of a larger collaboration to promote sustainable stewardship of private and public forest land across the state of Michigan. The larger project began in 2015 when the Michigan Department of Natural Resources (DNR) received a grant from the United State Forest Service (USFS) to partner with Huron Pines, The Nature Conservancy, and The Stewardship Network (all of which are 501(c)(3) nonprofit and non-governmental conservation organizations) to develop nine such landscape stewardship plans, each covering unique Michigan ecosystems (Figure 2.1).

Each of the nine Landscape Stewardship Plans covers a one-to-four county area in Michigan, characterizes the physical and cultural context of the focal landscape, and connects landowners to assistance programs by summarizing available opportunities and providing program contact information. Each Landscape Stewardship Plan also includes a collection of stewardship stories told by the local landowners and land managers working within each focal landscape. Rather than simply listing recommended land management practices, these stories demonstrate why and how real people, in their own words, choose to actively and sustainably manage their land.

The purpose of these Landscape Stewardship Plans is to inspire people to become more active environmental stewards by showcasing opportunities through stories and by connecting people with the resources that can help them take the next steps in that process. By increasing the voluntary participation in land stewardship activities, we are ultimately working to protect and preserve Michigan's unique natural resources. This can only be achieved at the landscape scale – with private and public land managers all working in concert to maintain healthy forests, clean water, and other natural resources for the use and enjoyment of current and future generations.


The Stewardship Network developed six Landscape Stewardship Plans covering a large swath of the southern Lower Peninsula. This region is a mosaic of densely populated urban areas, sprawling agricultural lands and small private forests. There is comparatively little forest land under public ownership in southern Michigan. Seventy-five percent of Michigan's 10 million residents live in this region, so land management activities across this area of the state have the potential to impact a large number of people.

Huron Pines developed two of the nine Landscape Stewardship Plans. In addition to the Jack Pines Ecosystem plan, Huron Pines wrote a second plan featuring Michigan's Northern Hardwoods, with a focus on Cheboygan and Otsego counties. Both of these northern Lower Peninsula landscapes contain fairly large tracts of forest land under a mixture of private, state, and federal ownership. This rural area contains intact and functional forests, but long-term protection of these resources faces many challenges. The Nature Conservancy developed one Landscape Stewardship Plan for the eastern Upper Peninsula, which covers parts of Alger, Luce, Mackinac and Schoolcraft counties—an area dominated by large blocks of public and private forest land.

While the lead organizations were responsible for developing their respective Landscape Stewardship Plans, the content of each plan was generated with substantial input from other resource professionals, the landowners, and land managers willing to tell their stories, and based upon existing resource assessments, stewardship plans, and other available literature.

Project partners also worked with Dr. Stuart Gage, Michigan State University professor emeritus, to install at least one acoustic monitoring device in each landscape to capture the "soundscape" of each landscape. The sounds of the forest tell a story of their own. Eventually, a web site will be created to host an interactive "story map" that will allow people to view stories in their region, share their own stories, and listen to the stories of the forest.

Finally, a portion of the grant funding will be administered by the DNR to provide cost-share to landowners within the nine landscape focus areas for developing and implementing unique Forest Stewardship Plans for their properties.



**Figure 2.1** Map of areas covered by the nine Landscape Stewardship Plans. TSN Headwaters is Oakland County. (DNR, 2017)

# 2.1 Project Goals and Objectives

Michigan's forests face myriad threats—invasive species, tree diseases, habitat fragmentation, financial challenges—that sometimes make it difficult to achieve forest stewardship goals. It is estimated that only 20% of Michigan's 11 million non-industrial private forest lands are being actively managed, yet active stewardship of private forest land is vital to the long-term health and productivity of the forest resources (including soil, water, and wildlife) on which our local economies and communities depend. Therefore, the overarching goal of this project is to increase interest, awareness, and participation in active forest stewardship opportunities through the development of nine Landscape Stewardship Plans covering strategic and unique forest ecosystems throughout the state of Michigan.

Specific objectives that we seek to accomplish in order to achieve that goal include:

- Objective 1: Describe the physical, cultural, and resource management context of each of the nine landscapes to serve as a comprehensive reference for landowners and land managers.
- Objective 2: Facilitate collaborative management of multi-county areas by state, federal, and local resource agencies, nonprofit conservation organizations, private sector professionals, and individual landowners.
- Objective 3: Promote sustainable forest management practices and encourage people to be more active stewards of their land (e.g., develop and implement a Forest Stewardship Plan).
- Objective 4: Connect people with tools, resources, and programs to help them take the next steps toward achieving their personal land management goals and increase our collective capacity to manage forest resources at the landscape scale.

These Landscape Stewardship Plans also aim to support and inform strategies for addressing national priorities and state-level issues identified in "Michigan Forest Resource Assessment and Strategy," which was completed by the DNR in 2010. These priorities and issues are:

- National Priority 1: Conserve Working Forest Landscapes
  - o Issue 1.1: Promote Sustainable Active Management of Private Forests
  - Issue 1.2: Reduce Divestiture, Parcelization, and Conversion of Private Forestlands
  - o Issue 1.3: Reduce the High Cost of Owning Private Forestland
- National Priority 2: Protect Forests from Threats
  - o Issue 2.1: Maintain and Restore Aquatic Ecosystems and Watersheds
  - o Issue 2.2: Reduce Threats from Invasive Species, Pests, and Disease
  - o Issue 2.3: Reduce Impact of Recreational Activities on Forest Resources
- National Priority 3: Enhance Public Benefits from Forests
  - Issue 3.1: Maintain Markets for Utilization of Forest Products
  - o Issue 3.2: Maintain Ecosystem Services from Private Forestlands
  - Issue 3.3: Provide Effective Conservation Outreach for Private Forestlands
  - Issue 3.4: Maintain Community Quality of Life and Economic Resiliency

- Issue 3.5: Maintain and Enhance Scenic and Cultural Quality on Private Forestland
- o Issue 3.6: Maintain Forested Ecosystems for Biodiversity and for Wildlife Habitat
- Issue 3.7: Maintain and Enhance Access to Recreational Activities on Private Forestlands

#### 2.2 The Need for Active Forest Stewardship

Forest land accounts for 55% of Michigan's total land area, and of Michigan's 20 million acres of forests, 12 million of those acres are privately owned. State and federal agencies are responsible for managing our public lands, but the overall health of Michigan's unique forest, water and wildlife resources ultimately depends on the collective management activities of all landowners. Unfortunately, a survey conducted by Michigan State University revealed that only about 20% of Michigan's non-industrial private forest lands are currently under active management.

The condition of a particular forest property is highly dependent on the condition of other forest lands throughout the landscape. Conversely, the management actions (or lack of active forest management) on a single property can impact forests, rivers, wildlife, property, and people far beyond the boundary of that individual piece of land. Native wildlife, forest fires, harmful invasive species, diseases, and insect pests all move freely among private and public land — they do not recognize property boundaries. Likewise, rivers and streams flowing from one property to the next carry the effects of poor land management activities downstream (or even upstream, as is the case with dams or poorly designed road crossings that block fish passage).

Maintenance of healthy forest landscapes is also important at the regional and global scale. We depend on our forests for timber and other forest products, to provide wildlife habitat, to help mitigate climate change, to protect the quality and quantity of our water resources, and for the myriad aesthetic, recreational, and spiritual values they provide. Protecting our forest products, services, and values starts with active stewardship of individual properties by landowners and land managers. Because widespread threats to forest health act scales larger than single parcels, our approach to maintaining healthy, functional, and sustainable forests must also incorporate landscape-scale considerations. The purpose of this project is to encourage and inspire people to actively manage their forests to realize benefits for both individual landowners and the larger community. The next section describes our methodology for doing so.

#### 2.3 Methodology: A Landscape Approach to Natural Resource Conservation

The Michigan DNR applied for and was awarded funding by the USFS in 2015 to coordinate with Huron Pines, The Stewardship Network, and The Nature Conservancy to develop nine Landscape Stewardship Plans. These partners strategically identified landscape types containing a set of unique physical and cultural features that help define each landscape area while also distinguishing them from other landscapes. Of course, ecological landscapes do not adhere to our political boundaries and tend to transition gradually and unevenly from one landscape type to another. However, for the purpose of managing landscape-scale issues and challenges while also keeping the project areas manageable and relevant to local landowners and land managers, we've defined each landscape area as ranging from one to four counties in geographic scope.

One advantage of defining the project area based on county boundaries is that these align with jurisdictional areas of different resource agencies and nonprofit organizations. Therefore, the assistance programs, resources, and opportunities offered within each landscape project area are generally consistent and the background information and stewardship stories are tailored to a particular local audience. Nevertheless, people in surrounding counties or other areas with similar characteristics will generally also find that these landscape stewardship plans are useful.

The Headwaters region in Oakland County was identified as a good landscape of focus because of its important resources that make this region unique, and the large population located in the area. Oakland County's distinctive geologic history has shaped the features of this landscape. Nearly all the hills and lakes in Oakland County were formed during the retreat of the last continental glacier. Deposition of glacial till across this region led to many natural areas being saved from becoming farm land. Early settlers had difficulty removing the unevenly distributed pebbles and boulders from their lands. Many properties that were once farmed have since returned to nature as Oakland County's economy boomed alongside the developing auto industry of Detroit. Dubbed "Automation Alley" by local leaders, Oakland County has grown with one foot in the urban culture of Metro-Detroit, and one foot in the history of its roots as an "up-north" getaway in Southeast Michigan.

The Stewardship Network coordinated with the Landscape Stewardship Plan partners to develop the text in Section 2, including the project background and project goals, objectives and methodology. To complete Section 3: Landscape Context, The Stewardship Network conducted a review of existing resource assessments and management plans/strategies. We also met with government agencies, private resource providers, and nonprofit organizations to collect information on the various assistance programs and opportunities that are available, with a focus on forest stewardship. Contacts for each program are included to make it easy for property owners and land managers to learn more and to take the next step toward becoming a more active land steward.

A collection of stewardship stories, told by local landowners and land managers, are included in Section 4 to illustrate some of the opportunities and practices that people are doing in the area. Rather than simply providing a list of recommendations that property owners should be doing, we hope these stories inspire others to learn more about their properties unique qualities, examine their relationship with the land, and take advantage of the opportunities that are out there to help them as they begin or continue to act as a steward of the earth. The Stewardship Network and our partners identified people that are doing great things on their land and who want to tell their stories. We had conversations with individual, corporate, state, and federal land owners, and managers to hear about the wide range of land stewardship activities people are doing here in Oakland County. All landowner stories were provided voluntarily for inclusion in this plan and with permission to distribute in the hopes of encouraging other landowners to become active land stewards.

Forests also tell their own stories. An acoustic monitoring device was placed in a forested preserve in Rose Township, which recorded for one minute every thirty minutes from October through December 2016. Similar acoustic monitoring devices were deployed in several other landscapes throughout the state of Michigan. The Michigan DNR is planning to host an online story map where people can read the stewardship stories collected through this project, submit their own stories, view images and listen to sounds of our forests.

For your convenience, a summary of the available assistance programs, additional resources, and contacts is included at the end of the plan to guide you to becoming an active land steward.

## 3. Landscape Context


The Headwaters ecosystem of Oakland County invokes a variety of images and feelings from different folks. It is a landscape defined by pocket lakes and abundant rivers and streams. It is all at once rural, urban, and suburban. It is also defined by the diversity of the people of Oakland County. Communities in Oakland County rely heavily on the various natural resources that surround them, and the health and continued existence of those natural resources depend on the people who care for and manage them. Active and collaborative stewardship of private and public lands will be essential if we are to successfully address the threats facing our forests, water resources, and wildlife that define who we are and how we live in Oakland County.

Our use and management of the Headwaters landscape has evolved over time—from the early settlement homesteading of the nineteenth century and subsequent failed attempts to farm the rock laden soils, to its current use for outdoor recreation, commercial enterprise, and private residences.

### 3.1 The Physical, Ecological and Cultural Landscape

#### 3.1.1 Geographic Scope

This Landscape Stewardship Plan covers Oakland County in Southeast Michigan. This county lies at the heart of six watersheds that extend out across most of Southeast Michigan. (Figure 3.1 and 3.2). Oakland County extends over 907 square miles (or 580,549 acres) including 40 square



miles of surface water features. Population density steadily climbs heading from the urbanized Southeast to rural Northwest.

Although this plan has been specifically tailored for the landowners and land managers living or working Oakland County, most of its information and many of the listed resources, assistance programs, and Best Management Practices (BMPs) in this plan are largely applicable to the greater Headwaters Region, which extends into several surrounding counties.

Figure 3.1 Aerial perspective of the 5 rivers originating within the Headwaters Region of Oakland County.




Figure 3. Surface-water drainage basins of Oakland County, Michigan. Drainage to Belle River not shown due to scale constraints.

Figure 3.2 Major watershed drainage basins and township boundaries of Oakland County.

#### 3.1.2 Cultural Landscape

The cultural landscape of Oakland County, a county with over 1.2 million residents (2010 US census), is a rapidly changing and growing identity. Its largest communities are located in the urbanized south in the cities of Troy, Farmington Hills, and Southfield. Farther north and west lay the rural communities of Rose, Holly, and Springfield. Oakland County has little in the way of agricultural land, representing only 4.5% of land use in the county. Rural communities are surrounded in large part by recreation and conservation areas. This mostly undeveloped landscape is dominated by expansive wetland complexes, rolling hills left behind on the terminal moraines of retreating glaciers, and of course many inland lakes. A drive through the rural northwest will reveal miles of scenic dirt roads lined with pockets of privately owned forests and open grasslands. The sense of common identity comes from a feeling that these diverse communities are united by a single thread – the surrounding natural resources that we all rely on to maintain the quality of life enjoyed in Oakland County.

The people of Oakland County have always had close relationship with the forests, waters, and wildlife of the Headwaters region. Early European settlers utilized the abundant rivers and streams for transporting and milling timber to be shipped to Detroit. The lack of land suitable for farming led to the preservation of large areas to be used for recreation, hunting, fishing, and trapping.

Outdoor recreation is a favorite pastime for Oakland County residents. The County boasts two major park systems, several state recreation areas, and numerous municipal parks. Major festivals and events are centered around natural resources, and draw hundreds of visitors annually. Hunting, hiking, camping, wildlife viewing, and winter sports also draw visitors to the area and are important recreational activities for the people that live here.

The residents of the Headwaters Region in Oakland County primarily own small lots according to 2015 Oakland County Government statistics. The large majority (>90%) of landowners own parcels less than an acre in size. Private landowners holding more than 10 acres represent a mere 0.5% of parcels in Oakland County. Due to the fragmented nature of forested lots in this region, collaboration between neighbors and communities is imperative to ensure the protection of privately held forested lands.

#### 3.1.3 Climate, Geology, Topography and Land Cover

Oakland County, Michigan has a humid continental climate with hot summers and no dry season. Rainfall in this region is lower than other areas in the United States. The average rainfall is about 30 inches annually, compared to a national average of 36.5 inches annually. However, Oakland county has more precipitation days than the national average.

The warm season lasts from late May to mid-September. The cold season spans from late November through early March (Figure 3.3). Oakland County, Michigan averages lower temperatures in summer and winter than the national average. This gives this area a pleasant summer, but can result in harsh winter weather patterns. The presence of many lakes and wetlands can help buffer summer heat waves and prevent rapid drops in overnight temperature during the winter. As global climate destabilization becomes a more widespread issue, residents of Oakland County will rely on these surface water features to maintain a comfortable local climate and ecologically vibrant natural communities.




Figure 3.3 Temperature and Parcipitation averages for Pontiac, Michigan, a city located near the middle of Oakland County (http://www.usclimatedata.com/climate/pontiac/michigan/united-states/usmi0681)

The Headwaters region of Oakland County is an area of relatively little elevation change. The topography of the county is generally sloping from higher elevation in the northwest corner, dropping to the southeast as the landscape shifts from rolling hills left by glacial terminal moraines to the outwash plain of the southeast. This relatively flat topography of the southeast may have been an important factor for early settlers looking for places to build, leading to the increased population density and urbanization of this region of Oakland County.


Land use in Oakland County is dominated by small parcel single family residential homes (Figure 3.4.) The glacial till soils left little area suitable for farming, and this history has translated to very little agricultural land use in this region. The urbanized southeast landscape shows very few large recreation and conservation areas, and smaller mean residential lot sizes. The majority of the large conservation areas, almost all of the agricultural lands, and the majority of the larger parcel-size single family residences are concentrated in the rural

northwest. As urban sprawl continues to encroach from the southeast, many of these agricultural lands are being developed into sub-acre residential and commercial plots.

Pre-settlement vegetation of Oakland County was dominated by Black Oak Barrens as well as Beech-Sugar Maple Forest and Oak-Hickory Forest communities (Figure 3.5.) Black Oak Barren communities are highly dependent on natural fire cycles, with a seasonally bimodal peak in flammability. These habitats relied heavily on fire to prevent canopy closure and woody vegetation dominance. With European settlement and the ensuing disruption of natural fire cycles, canopy closure began to create woody dominated landscapes and have changed much of the vegetated landscape in Oakland County. Many native species, including Threatened and Endangered species, rely on the functional ecosystem services these landscapes provide. Forest managers and other natural areas managers in Oakland County have begun to reintroduce a natural fire cycle to these overgrown areas in an attempt to restore pre-settlement vegetation communities.

OUNTY MICHIGAN CONOMIC DEVELOPMENT COMMUNITY AFFAIRS							2015	Land Use S	Statistic
Land Use	Area (ac.)	Area (%)	Parcels	Parcels (%)	Single Family By Lot Size	Area (ac.)	Area (%)	Parcels P	arcels (
Agricultural	26,119,1	4.5%	708	0.2%	10 acres or greater	30,163.5	13.3%	1,714	0.5
Single Family Residential	226,838.4	39.1%	363,434	84.8%	5 to 9.9 acres	30,282.5	13.3%	3,901	1.1
Multiple Family	13,559.4	2.3%	2,512	0.6%	2.5 to 4.9 acres	28,645.6	12.6%	8,016	2.2
Mobile Home Park	3,358.6	0.6%	235	0.1%	1 to 2.4 acres	36,664.7	16.2%	23,653	6.5
Commercial/Office	18,120.1	3.1%	12,705	3.0%	14,000 to 43,559 sq. ft.	57,220.1	25.2%	113,731	31.3
Industrial	18,468.8	3.2%	5,878	1.4%	8,000 to 13,999 sq. ft.	27,444.0	12.1%	110,455	30.4
Public/Institutional	21,330.8	3.7%	3,138	0.7%	Less than 8,000 sq. ft.	13,879.6	6.1%	101,258	27.9
Recreation/Conservation	83,087.5	14.3%	6,760	1.6%	More than one unit per parcel	2,538.4	1.1%	706	0.2
Transp./Utility/Comm.	6,305.7	1.1%	1,206	0.3%	Single Family Sub-total	226,838.4	100.0%	363,434	100.0
Extractive	6,199.8	1.1%	113	0.0%					
Vacant	61,772.8	10.6%	31,883	7.4%					
Water	35,247.8	6.1%				1 13 1 1 1		-	
Railroad Right-of-Way	1,023.6	0.2%			Just A driver		1 2	T	
Road Right-of-Way	59,116.8	10.2%			A	堂中日中	-		ANO.
Total	580,549.3	100.0%	428,572	100.0%	A THE NEW WAR	JU alt is		A PERMIT	- 10-
□Agricultural □Single Family Residential □Multiple Family	$ \land $								<b>计</b> 很
Mobile Home Park Commercial/Office			/			ALC.			
Industrial					点である。ための				artis -
Public/Institutional					A DE CONTRACTOR		A		-
Recreation/Conservation					74 94		10 - 20 B		12-20月
Transp./Utility/Comm.						With Desk	The Bar	A AL	
Extractive					ALL THE REAL OF		Contraction of the		
Vacant				/		THE REAL PROPERTY OF	and a		
	C			/	1- A				
Water				/	The second second	Des star	E.B. Soft		
Railroad Right-of-Way				/		The second second	4 6 6	AND NOT	A
Road Right-of-Way						e-4	X		
For more information, maps, or questions about this data, please contact the Oakland County One Stop Shop at (248) 858-0720.					<b>起 雪沙</b> 雪如				Yar I.

Figure 3.4 Oakland County Land Use Statistics (Oakland County Economic Development and Community Affairs, 2015)



#### 3.1.4 Soils

The history of Oakland County can be read in its surface geology and soil makeup. Oakland County is referred to as the "interlobate" region of Southeast Michigan. The last glaciation period ended approximately 14,000 years ago, when two large glacial lobes retreated across Oakland County. The Saginaw Lobe in the northern part of the county and the Huron-Erie Lobe to the south were separated by an ice-free area which tracked through Commerce, Waterford, and Oxford Townships (Figure 3.6.)

This area formed a conduit for large quantities of water and sediment flowing off the melting glaciers, known as outwash. The sediments transported in this conduit were sorted by size and layered vertically. Deposits left on either edge of this outwash plain by the terminal moraine resulted in an unsorted deposition of clays, sands, pebbles, and boulders. These areas have a much lower rate of permeability due to the higher fraction of clay deposits.




Figure 3.6 Surficial geology of Oakland County.

#### 3.1.5 Water

The headwaters region in Oakland County is highly dependent on its local surface and ground water features. From the unique geologic history of its formation and soil composition, to the presence of more than 1,000 inland lakes, Oakland County has been endowed with an abundance of water resources. Waters from Oakland County discharge into six major river systems: Clinton, Detroit, Flint, Huron, Shiawassee, and St. Clair. More than half of the water flowing in these rivers over the course of a year is ground-water discharge to the river through the streambed. The Environmental Protection Agency has maps of the watersheds and information about water quality and other characteristics at: <a href="https://cfpub.epa.gov/surf/county.cfm?fips\_code=26125">https://cfpub.epa.gov/surf/county.cfm?fips\_code=26125</a>

The principal source of drinking water varies by municipality, with a clear line drawn along the glacial divide previously represented. The northwest region of Oakland County relies mainly on ground-water supplies, whereas the urbanized southeast region relies on surface-water supplies (Figure 3.8.) Non-point source pollution caused by industrial and agricultural run-off is a constant threat to these water resources. Forestry and land managers must take steps to ensure surface and ground water resources are considered and protected. The services these features provide to Oakland County residents include recreation, drinking water, wildlife habitat, stormwater and flood storage, temperature regulation, and property value improvement. The protection of these resources is paramount to ensure the health of natural communities in Oakland County, and farther downstream from these headwaters.




Figure 3.8 Principal sources of drinking water, by municipality, in Oakland County. (Oakland County Health Division, 1999)

#### 3.1.6 Wetlands

Wetlands are incredibly important to the health of natural communities in the Headwaters Region of Oakland County. Wetlands are excellent filters, removing contaminants, sediments, and nutrients from waters moving downstream. They provide habitat to a variety of unique species including rare orchids, endangered reptiles and insects, and migrating waterfowl. Wetlands operate as precipitation and evapotranspiration regulators, helping buffer rapid temperature change in adjacent forested areas. In Oakland County, wetlands are scattered across the northwest region's landscape, with some diminishing of size and number in the urbanized southeast. However, many soil areas that include wetland soils can still be found in this highly urbanized area.

The Michigan Department of Environmental Quality reported on the "Status and Trends of Michigan's Wetlands: Pre-European Settlement to 2005 in 2014" and showed a loss of about 55% of the county's wetlands from pre-settlement to 2005. Losses for the county for the period of 1978 to 2005 were 4% leaving 51,601 acres of wetlands intact.

The development of the southeastern zone, and the conversion of historically wetland area to residential properties, has led to a number of complications including a major loss in stormwater storage and flood control capacity. These communities have struggled to adapt to the loss of these natural stormwater retention areas as hardscape cover has expanded with continued development. These issues were highlighted in 2012 and 2013 when rainwater from severe storms closed highways, flooded homes, and stopped commerce and business in this region for several days. It is important that land managers and foresters understand the symbiosis that exists between wetlands and forests, and that they ensure the protection of these adjacent wetland areas is worked into any forest management plan.

#### 3.1.7 Biological Diversity

The careful and consistent management of forested areas in Oakland County helps sustain the unique biological diversity enjoyed in the Headwaters Region. Boasting over 1,400 inland lakes, the county has productive sport fisheries, a diverse array of natural shoreline and submerged plants, and rare mussels, reptiles, amphibians and insects that live in or near many of the lakes. The quality of these aquatic habitats is highly dependent on the responsible management of adjacent forested lands, and the protection of the riparian areas that border our lakes.

Similarly, the protection and stewarding of our forested lands helps protect local game species including the white-tailed deer and wild turkey. These resources are important to local communities who have a strong legacy of hunting in these forests, and provide an opportunity for residents to personally connect with the protection of these lands. Invasive plant species are a constant threat to these forested lands, where rapid overgrowth interferes with young tree generation, reduces native species habitat, and can impact recreational access and thus community valuation of these forest resources. Oakland County has also had issues with tree diseases and pests which reduce the diversity of trees in forested areas.

#### 3.1.8 Timber

The Headwaters Region in Oakland County has valuable timber resources available in its forested lands. These areas are generally protected from commercial logging operations as they are ecologically valuable and not of a commercially viable size. Oakland County is home to 108 forest industries, which utilize wood materials in the manufacture of value-added products. For more information, visit michigandnr.com/wood/

#### 3.1.9 Forest Health

The health of forested natural areas is constantly threatened by the continued urban sprawl occurring in Oakland County. The last areas of relatively large, continuously forested areas are protected as recreation and conservation areas. Habitat fragmentation is a major issue in Oakland County, where there are no State or Federally protected forests. (There are, however, State parks and recreation areas that are partially forested.) It falls to the individual landowner to ensure the protection of their forested lands.

Anyone who has recently looked at forests in southeastern Michigan has seen the effects of the Emerald Ash Borer (*Agrilus planipennis*) which has decimated most types of ash and left skeletons of trees in the forest. That may be the most obvious example of impacts to forest health but there are a host of other concerns worthy of attention. Keeping trees healthy requires observation to detect problems and taking appropriate action to maintain them. Non-native species such as autumn olive (*Elaeagnus umbellate*) and garlic mustard (*Alliaria petiolata*) also threaten forest health and landowners should be knowledgeable about identification and control of invasive species.

The health of individual trees can be assessed by looking at their structure and appearance. Having a canopy that branches over at least one third of the height of the tree is helpful to obtain the light required for photosynthesis. Emergents are trees that are above others in the canopy, dominants get light from above and some from the sides, codominants get light from above and but not from the sides and suppressed or overtopped trees have crowns below the canopy which reduces light and tree vigor. Trees that have small or low canopies are more likely to lose the competition for light and die before reaching optimum size (this applies less to trees and shrubs that are adapted to low light conditions).

The insect with the most impact on Michigan forests in recent years has been the Emerald Ash Borer (EAB). Many of the larger ash trees in the Lower Peninsula have been infected and the area is under a quarantine which prevents the movement of regulated materials (any timber product except wood chips smaller than one inch in two dimensions) outside of the quarantined area. The borer tends not to attack small-diameter trees and ash trees still being established from seed, so if the borer population can be controlled, there may be more ash trees in Michigan forests in the future. One of the most important practices is to not transport firewood more than about 10 miles from its original location to help prevent another disaster like Emerald Ash Borer.

EAB Link: http://www.michigan.gov/mdard/0,4610,7-125-2390\_18298---,00.html

Gypsy moths (*Lymantria dispar dispar*) have also presented a problem for area forests. The Michigan Department of Agriculture and Rural Development has a Gypsy Moth Suppression Program that assesses gypsy moth damage, provides landowners with information, and treats areas where landowners permit with aerially applied Bt and Gypcheck. Populations have subsequently declined to a minimal level. Landowners should be observant and contact their local Conservation District if populations reach a nuisance level.

Other insects that are on the watch list for Michigan include the Asian longhorned beetle (*Anoplophora glabripennis*), spruce budworm (*Choristoneura fumiferana*), and hemlock wooly adelgid (*Adelges tsugae*). Although it has not yet been reported in Oakland County, the Asian longhorned beetle is a major threat because it is a generalist that attacks maples, oaks, and many other species of trees. The adult beetles are about 1-inch-long and have very long antennae (about 2 inches) with distinctive black and white bands on each segment. The females create roundish pits when they lay their eggs and the adults leave round exit holes when they emerge after having developed from the larval stage. The damage (like emerald ash borer) is done by the larvae that feed and excavate channels below the bark. Given the level of commerce and travel by people in and out of Michigan, landowners should monitor their woods to see if any obvious signs of forest pests are present and contact a forester or other natural resource professional for advice with dealing with such problems. For more information, see: http://msue.anr.msu.edu/news/forest\_pests

The breaking up of large tracks of land into smaller parcels to be sold off for residential or commercial development is a major contributor to the stress on wildlife populations in this region. Some animal populations rely on large, intact habitats in which they can freely move without the interruption of human development. Fragmented habitats are also more vulnerable to the introduction of invasive species, the effects of climate change, and pollution from surrounding land uses.

One major threat to forest health in Oakland County is the presence of the fungus Oak Wilt (*Ceratocystis fagacearum*), which can decimate healthy oak forests (especially red oaks). The wounding of trees or improper pruning and tree management can expose the sap of these trees to a beetle which carries the fungus on its carapace. The fungus enters the vascular tissue of the tree and disrupts its normal regulatory functions, causing the tree to die in a matter of weeks. Treatment of Oak Wilt (Figure 3.9) is costly and difficult, because trees showing symptoms of Oak Wilt are generally already doomed. In the case of this fungus, an ounce of prevention is indeed worth a pound of cure, and educating professional foresters and private landowners alike can lead to successful outcomes in dealing with this disease proactively.

One key for control is to avoid pruning or harvesting during warm months (April to Oct. 15) and to remove infected trees quickly to avoid spread of the fungus. If red or black oaks are damaged during warm months, tree wound sealant or latex house paint should be applied immediately to prevent infection. Cut trees can be debarked or chipped and processed as saw logs or biomass. If used for firewood, it should be covered under a clear plastic tarp sealed by soil or rocks to avoid transmission of spores by insects. Other techniques such as trenching to prevent spread by root grafts or injection of fungicide can be used to protect neighboring trees but these practices are relatively expensive and more appropriate for residential areas or individual trees with high value.



Figure 3.9 A mature oak tree is treated with a fungicide via root flare injection to prevent Oak Wilt

Additional diseases that may impact Michigan trees include sudden oak death, thousand cankers (attacks walnut trees), Heterobasidion root disease (a fungal pathogen), white pine blister rust, and beech bark disease. Spruce needlecast is a common fungal pathogen frequently seen on Colorado blue spruce trees older than fifteen years. The DNR publishes a Forest Health Highlights Report annually that contains information on pests and diseases (the 2015 report is available on their website). DNR Link: <u>http://www.michigan.gov/dnr/0,4570,7-153-30301\_30830---,00.html</u>

Timber stand improvement involves pruning and the removal of trees that are of lower quality or in the wrong place. Pruning (which should be done in the dormant season) can be used to

remove low limbs to produce a higher quality saw log. There are many common mistakes made in pruning, so the landowner should study the subject or hire a professional to do this work. A forester can be hired to mark the trees to be thinned or weeded (just like in a vegetable garden, one can select preferred plants). These operations can contribute to forest health by increasing growth of remaining trees and helping them to resist insects and diseases. There are several ways to deal with the material removed, including pulp sale, fire-wood harvest, or creating brush piles for wildlife. There are also machines that can grind up woody debris and create mulch on the soil surface (resulting in faster decomposition of branches). Tree Owner's Manual: www.na.fs.fed.us/urban/treeownersmanual/

#### Invasive Plant Species

A non-native invasive species is one whose introduction causes harm to the economy, environment, or human health, and usually spreads aggressively. Many non-native species in Michigan, including fruits, vegetables, field crops, livestock, and domestic animals, are important to our economy and most are not harmful. Compared to natives, non-native invasive plants typically have less herbivory (consumption by animals) and fewer disease organisms affecting them in their new environment. Invasive species cause harm when they out-compete native species by reproducing and spreading rapidly thus reducing the health of natural and managed communities.

Typical, prioritized steps in planning and implementing an invasive species control program are:

- Map known populations.
- Determine whether it occurs in high-quality habitat or on important recreational lands
- Prioritize high-value sites for treatment
- Choose appropriate control methods, given site conditions and available resources
- Obtain permits (if required for method used, i.e., herbicide application in wetlands)
- If using herbicide, be sure to read the product label before applying and follow manufacturers' directions closely
- Eradicate smaller satellite populations focusing on seed-producing plants first
- Treat larger infestations on sites with lower value later
- Monitor to ensure desired results are being achieved

One of the keys to avoiding infestation by invasive plants is to have a healthy community of native or intentionally introduced plants (crops, orchards, etc.). The more robust the desired vegetation is, the less likely that invasive species will proliferate. Soil-disturbing activities such as plowing, land clearing, and vehicle use can create a favorable zone for invasive plant establishment. Disturbance should usually be followed quickly by reseeding or planting to limit invasive species competition.

A timber harvest can have serious unintended negative effects on a forest ecosystem if the landowner does not realize that there are invasive species in the understory. If the harvest

opens the canopy, the extra light could cause invasive species that had been fairly innocuous to grow, reproduce, and take over the open ground rapidly. For this reason, landowners should be aware of invasive species in the area and plan to treat such infestations prior to a harvest. Cutting or mowing is not effective on many of these species and may actually make them more of a problem, so please seek treatment recommendations from Michigan DNR, Cooperative Invasive Species Management Area, or your local conservation district. Information, including photos and identification modules, can be found at <u>www.misin.msu.edu</u>

#### Invasive Shrubs

Woody invasive shrubs such as autumn olive, bush honeysuckles, and common and glossy buckthorns are a particularly important problem because they completely alter the forest community and, in many cases, prevent the growth of native species. Many invasive herbaceous shrubs (Japanese knotweed, giant knotweed, Bohemian knotweed, Japanese barberry, and multiflora rose) can negatively impact forest systems. The following paragraph covers autumn olive, but information for other invasive shrubs is similar.

Autumn olive can reach heights of 20 feet with multiple stems supporting leaves that are olive colored on the bottom (making it fairly easy to identify). The shrub leafs out in March and can retain leaves until November making it difficult for other plants to survive in its shade. It is a nitrogen fixer and the altered nutrient levels can change the native plant and microbial communities. While it grows faster in full sun, it is moderately shade tolerant and will invade forests. It produces thousands of seeds that are transported by birds and mammals. Control can be achieved through several methods, some of which can be used in combination. Fire will set the plant back, but will not usually kill the autumn olive shrub. Because the plant stump sprouts after fire or cutting, it is usually treated with herbicide (triclopyr appears to be an effective chemical). The herbicide can be sprayed on a cut stump (avoid spring when sap is rising), applied to foliage (normally done in late fall when other plants are dormant), or as a basal bark treatment (apply to lower 18 inches of trunk except when sap is rising).

#### Invasive Trees

Black locust, Norway maple, and tree of heaven are the key invasive tree species found in Monroe County. These tree species can be locally abundant but are typically not as widespread of a problem as invasive shrubs. Black locust can spread clonally and can become an aggressive invader on sandy post-agricultural areas, but its rot-resistant timber is considered useful for fencing materials. Landowners should be aware of how to identify and treat these species if needed.

#### Vine Management

Fast-growing vines (oriental bittersweet, English ivy, Japanese honeysuckle, Chinese yam, black swallow-wort, pale swallow-wort, mile-a-minute weed, and kudzu) should be treated. They can cause structural problems because they add so much weight that can break branches or topple the tree. The vines also shade the tree's leaves and the competition can reduce tree growth. A few vines even grow thick enough to "strangle" the tree. Some vines that start as a groundcover

(such as ivy), form a dense mat of leaves on the tree's base which traps moisture against the trunk and can result in fungal and bacterial diseases. Native grape vines can cause damage, but poison ivy and Virginia creeper usually don't damage trees and they do serve as a food source for wildlife.

https://midwesternplants.org/2015/02/25/vines-growing-on-trees-good-or-bad/

#### Invasive Herbaceous Plants

Depending on how open the canopy is, a landowner may encounter herbaceous invasive species such as garlic mustard, spotted knapweed, black jetbead, dame's rocket, and others. Garlic mustard is a biennial, herbaceous plant that has the ability to dominate the forest floor, limit the growth of other species, and prevent reproduction of native species. It spends its first year as a rosette and then sends up a flowering stalk in the second year that produces a prolific number of seeds. The seed is transported by birds, rodents, deer, and humans and can remain viable for 10 years, even in very harsh condition. Garlic mustard releases allelopathic compounds that harm other plants by interfering with mycorrhizal relationships (an interaction between fungi and plant roots that provides nutrients to the plant). Control can be achieved by pulling (preferably before flowering), herbicide application (early season application can be done before other plants emerge) and by limiting disturbance and maintaining a high level of canopy. Treatment has to be performed over multiple years to reduce the negative impacts of the invasive. For invasive species control, monitor the land to determine infestations early in their development, treat satellite populations first and then work towards more densely infested weed areas to be efficient.

http://www.ipm.msu.edu/invasive\_species/garlic\_mustard/about\_garlic\_mustard

#### Aquatic Invasives

There are many problem plants that thrive in water and property owners on lakes, streams, and wetlands should be aware and able to identify them as they can limit land use and cause significant harm to healthy systems. Wetland and aquatic invasive species in the area include flowering rush, European frogbit, yellow floating heart, non-native phragmites, reed canarygrass, purple loosestrife, hydrilla, curly leafed pondweed, and Eurasian milfoil. Plant growth is accelerated by excess nutrients from lawn and agricultural runoff, increased surface runoff due to increased impermeable surfaces (roads), failed septics, and other sources. Treatment of invasive species in wetlands or aquatic systems should only be done with wetland safe products and with the appropriate DEQ permits. Establishing natural vegetative shoreline buffers can also reduce issues with problem plants.

Some of the aquatic invasive animals are invasive carp (silver, bighead and grass), Northern snakehead, red swamp crayfish, zebra mussel, quagga mussel, and New Zealand mudsnail. To avoid the spread of these invasive species, boats (motorized and non-motorized) should be fully cleaned, drained of any bilge or other water, and dried before leaving a launch site. Boats should be left to dry for five days before entering another body of water Tackle should be decontaminated before changing locations and all bait should only be disposed of in a trash can. <u>http://www.michigan.gov/deq/0,4561,7-135-3313\_3681\_3710-134641--,00.html</u>

#### Resources for Landowners

Cooperative Invasive Species Management Areas (CISMA) are a collaboration of private landowners, non-governmental organizations, natural resource management groups, governmental agencies, and others who are interested in combating invasive species. Michigan's DNR, DEQ, and the Agriculture and Rural Development Department (DARD) funded a CISMA for Oakland County. CISMA: <u>http://www.michiganinvasives.org/occisma/</u>

The Midwest Invasive Species Information Network (MISIN) is a regional effort to develop and provide an early detection and rapid response resource for invasive species. The goal of this regional resource is to assist in the detection and identification of invasive species in support of the successful management of invasive species. To report an invasive species sighting, visit <u>www.michiganinvasives.org</u>

See Section 3.2. for listings of agencies that address invasive species.

#### 3.1.10 Tourism and Recreation

Oakland County draws in tourism from nearby counties, including nearly half of the county's work force who commute from neighboring counties. This Oakland County also has the highest per capita income of any in the state, and is among the highest in the nation. This means that ample tax dollars are available to fund recreation and environmental stewardship initiatives.

The county has multiple DNR State Recreation Areas including: Highland Holly Lake, Ortonville Pontiac Lake, and Proud Lake all of which have hiking and other recreational opportunities available. There are also state parks such as Dodge No. 4, Pontiac Lake, and Seven Lakes. In addition, there are many other parks managed by local units of government (cities, townships, etc.). Oakland County is home to the Detroit Zoo and the Sea Life Michigan Aquarium.

A seven-mile water trail in the Shiawassee River begins in Holly, Michigan at Water Works Park and extends downstream to Strom Park in Fenton, Michigan. There are signs that discuss the trail, its history, and what to expect along the trail. Access points include the City of Fenton's boat launch at Strom Park, the Keepers of the Shiawassee's canoe launch in Bush Park, and the Michigan Department of Natural Resources' boat launch in Lake Ponemah. The City of Linden has a take-out above and a put-in below Linden Mill Pond Dam. The trail continues to be extended as University of Michigan-Flint's University Outreach program works with local governments. <u>https://en.wikipedia.org/wiki/Shiawassee\_River\_Heritage\_Water\_Trail</u>



Canoeing the Shiawassee River in February 2006 near Holly, Michigan. Image by Willi H2O <u>https://commons.wikimedia.org/w/index.php?curid=4625621</u>

#### Trail and Transportation Planning

Active trail and pathway planning has been going on in Oakland County for more than 40 years. This resulting non-motorized network is envisioned to serve a diverse range of users of all ages and abilities, to promote active and healthy lifestyles, and to provide safe and well-maintained linkages to important natural, cultural, and civic destinations, as well as other points of interest within and outside the county. The 61 communities in Oakland County represent a cross section of urban to suburban to rural. There are a variety of non-motorized facilities that exist and are planned to create a connected system of greenways and trails across the landscape. <u>https://www.oakgov.com/edca/planning/Pages/trails-pathways.aspx</u>

#### 3.1.11 Fish and Wildlife Habitat

The habitat needs of different animal species vary greatly from patches of plants measuring less than an acre to territories of about ten square miles for large predators such as bears and coyotes. Some species prefer edge habitat, while others require large blocks of grassland or forests. What benefits one species may be detrimental to another, so a landowner who wants to manipulate habitat needs to decide which animals they want to favor. Another strategy is to have multiple types of habitat (mature forest, early successional forest, prairie, wetlands, etc.) to satisfy the needs of several species. Most stewardship plans address wildlife habitat and there are many practices that can be used to create or improve support for animals. To survive, animals need food, water, cover, and enough space to live and reproduce. These resources can be provided by appropriate management of existing natural areas or restoration of plant communities that support the target species.

#### White-tailed Deer

The premier game species in Michigan is the white-tailed deer which thrives in a mixed habitat of woodlots, brushy areas, meadows, and croplands. They feed in different areas depending on

season but will eat grasses, legumes, weeds, fruit, agricultural crops, acorns, leaves, and woody plant stems. Cedar swamps, shrubby areas, and tall prairie grasses can help provide winter cover. Overpopulation can damage the understory of wood lots, reduce yields in crop fields, and result in higher mortality due to diseases, parasites, and malnourishment. Management to increase deer populations includes creating forest openings, thinning timber stands, burning to reduce invasive shrubs that are not readily eaten, establishing food plots, and planting native trees and shrubs for year-round food and cover. The most common strategy for reducing deer numbers is through hunting. For natural areas near human dwellings, harvesting can be done by sharpshooters or bow hunters who have demonstrated proficiency. The desired deer population depends on management goals, but 20 to 30 deer per square mile can be supported by much of the local area habitat. Most landowners don't have enough area to support the home range of larger animals like deer that can use several hundred acres or more so they may want to cooperate with neighbors to achieve management goals.

For more information, see: <u>http://www.michigan.gov/dnr/0,4570,7-153-10363\_10856\_10905-56904--,00.html</u>

#### Resources for Landowners

Support for wildlife habitat is available from both public and nonprofit entities. The DNR has several programs such as the Private Lands Program and the Wildlife Habitat Grant Program for government, profit or non-profit groups, and individuals interested in conservation. The US Fish and Wildlife Service has the Partners for Fish & Wildlife program which works with private landowners to improve fish and wildlife habitat on their lands through voluntary, community-based stewardship programs for conservation. See Section 3.2.1.

There are also many nonprofit organizations that are dedicated to providing wildlife habitat including: Audubon, Ducks Unlimited, National Wild Turkey Federation , Pheasants Forever, Ruffed Grouse Society, Quality Deer Management Association, and Trout Unlimited. Many of these organizations have programs to provide financial and technical assistance for enhancing wildlife. Michigan United Conservation Clubs form local units to help property owners manage habitat for animals that range more widely such as deer and turkeys. Conservation Districts work with all of these groups as well as landowners to provide wildlife habitat assistance. See Section 3.2.2.

#### 3.1.12 Threatened and Endangered Species

Biological diversity is a term that describes the variety and abundance of species, communities, and ecosystems at spatial scales that range from local to global. Michigan has more vegetation types than any other Midwestern state (it is also the 11th largest and the biggest state east of the Mississippi River). Oakland County has a diverse collection of animals, plants, and plant communities. The main repository for plant and animal distribution information is the Michigan Natural Features Inventory (part of Michigan State University Extension).

The Michigan Natural Features Inventory (MNFI) program conducts field surveys to locate and identify threatened and endangered species and communities throughout the state; maintains a database of all relevant species and community locations; provides data summaries and analysis in support of environmental reviews; and provides biological expertise to individuals, agencies, and other interested parties. This information can be used to reveal population trends and ecological requirements, and guide land use and management activities. According to the MNFI, Oakland County is home to 55 rare or threatened animal species which depend on the protection of quality natural areas throughout the Headwaters Region. (See Appendix 3 for the complete list.) There are five state endangered mussels in the county, three of which are also on the federal endangered list. Conservation of existing known populations of these species depends on protecting their habitat and providing for corridors to allow migration to and from areas suitable for the animals.

The Poweshiek skipperling (*Oarisma Poweshiek*) is a federally endangered butterfly found primarily in the fen habitat type in Michigan. Michigan and Wisconsin are the only two remaining states with confirmed presence of these rare butterflies, and Michigan is the only state with multiple sites. Conservation groups in Oakland County and the Shiawassee Headwaters area are working to identify critical habitat areas for these insects, to ensure their continued survival in Oakland County.

The eastern massasauga rattlesnake (*Sistrurus catenatus catenatus*) is a species of concern in Michigan, and has threatened federal conservation status. A small to medium-sized snake with distinctive color and pattern, this animal is known for its signature rattle sound. Although these snakes are not generally considered a highly charismatic species, they are vital to the ecosystems in which they are found. Oakland County has the highest number of reported massasauga sightings anywhere in Michigan, and several communities are coordinating to manage natural areas in a way that conserves the presence of these snakes. These animals utilize both forested upland habitat and wetland areas seasonally, further reinforcing the need to integrate management plans across habitat boundaries.

The copperbelly water snake (*Nerodia erythrogaster neglecta*) is another threatened species that lives in wooded and permanently wet areas and is on the FWS list for Oakland County. Threatened species are animals and plants that are likely to become endangered in the foreseeable future. Identifying, protecting, and restoring endangered and threatened species is the primary objective of the U.S. Fish and Wildlife Service's endangered species program.

Oakland County is home to 47 rare and threatened grass and flowering plant species, some of which rely on healthy forests to provide a buffer to outside disturbances. Invasive woody and herbaceous plants can move through forest understory rapidly, and advance into native prairies where they can degrade these sensitive communities. Controlling invasive plants in forested areas therefore should be a priority for land managers concerned with sensitive prairie plants in adjacent habitats. <u>https://mnfi.anr.msu.edu/explorer/search.cfm</u>

#### 3.1.13 Archaeological, Cultural and Historic Sites

There is a limited history of archaeological sites within Oakland County due to the rapid urbanization of the southern region. 246 prehistoric sites were recorded throughout Oakland County. Many remains appear to represent artifacts from the earliest Paleo Indian period through archaic, Woodland and Historic periods. Thirty-two historic sites were located which date to the 19<sup>th</sup> century. The data collected on these sites were passed on to the Oakland County planning department, so that these sites could be preserved in a region enveloped in rapid expansion.

#### 3.1.14 Fire Management

The use of prescribed fire as a management tool in Oakland County has been an important technique in the restoration and maintenance of prairie remnants and has been used in some forest ecosystems. Restoring natural fire cycles will ensure that the natural areas of Oakland County remain healthy and vibrant communities.

Many plant communities (prairies, oak savannas, fens, oak-hickory forests, etc.) in southeast Michigan are fire dependent. Many plants coevolved with fire but some trees (such as maples and beech) are sensitive to burning. Landowners who want to manage fire-dependent communities may need to burn or to introduce that disturbance with other practices such as mowing or chemical control of non-target species. One of the problems that most landowners experience is the growth of invasive plants such as autumn olive, bush honeysuckle, and other woody shrubs. Fire can top kill these shrubs, but they will resprout from the stumps. Because of the low amount of fuel, areas invaded with bush honeysuckle don't carry fire well. Many land managers use fire as a complement to mechanical (pulling or cutting) or chemical methods to control the invasive speciess. Fire was used by Native American tribes for a variety of purposes but one effect was to reduce the number of woody plants in cultivated lands and around settlements.

Michigan Natural Features Inventory has documented the benefits of prescribed fire as the single most significant factor in preserving communities such as oak barrens, dry sand prairie, and prairie fen. Many current dry-mesic southern forests are degraded oak openings that have been long deprived of fire. The use of prescribed fire is a management tool for promoting oak regeneration, deterring the succession of shade-tolerant species, and reducing the encroachment by invasive shrubs such as honeysuckles and autumn olive. Open canopy conditions can be restored by mechanical thinning or girdling. Restored sites will need to be maintained by periodic prescribed fire, control of woody invasive species, and may require native plant seeding.

Kost, M.A., D.A. Albert, J.G. Cohen, B.S. Slaughter, R.K. Schillo, C.R. Weber, and K.A. Chapman. 2007. Natural Communities of Michigan: Classification and Description. Michigan Natural Features Inventory, Report No. 2007-21, Lansing, MI Fire involves risk because of changing winds, unpredictable fuel conditions, human error, etc. Particularly during drought conditions, appropriate care must be taken to keep prescribed fires under control. Property owners should also check their insurance coverage before starting a blaze. Unless the landowner has experience with fire management, it is prudent to hire contractors to conduct burns (See list in 3.2.3).

Under DEQ air quality rules, the burning of logs, stumps, trees, and brush is not allowed within 1,400 feet of a city or village. Local regulations vary so check before lighting your fire.

Burns for land clearing and related activities require a burn permit issued by the local DNR Fire Manager. The DNR encourages residents with Internet access to get their burn permits online (www.michigan.gov/burnpermit). Residents can use the interactive map to find the burn conditions in their area. If a "yes" is shown in the "burning permits issued" column, burning is allowed for that day. There is no need to print anything; this serves as a burn permit. The DNR's toll-free burn permit number is (866) 922-2876. (http://www.michigan.gov/dnr/0,4570,7-153-30301\_30816\_44539---,00.html)

#### 3.2 Local Resource Providers and Existing Stewardship Plans

Planning can occur at multiple scales, from multi-state areas such as the U.S. Fish and Wildlife Services Landscape Conservation Cooperatives, to pocket habitats on residential city yards. Many of the government agencies and nonprofit organizations described in Sections 3.2.1 and 3.2.2 have plans that guide resource management in their areas. These sections explain resources that are available to private landowners and discuss some of the planning efforts that may help individuals with their own plans and management.

#### Oakland County Potential Conservation/Natural Areas Report.

This 2004 report identifies and ranks Potential Conservation/Natural Areas remaining in Oakland County using a process established by the Michigan Natural Features Inventory (MNFI) of identifying potential conservation areas. Potential Conservation Areas are defined as places on the landscape dominated by native vegetation that have various levels of potential for harboring high quality natural areas and unique natural features. In addition, these areas may provide critical ecological services such as maintaining water quality and quantity, soil development and stabilization, pollination of cropland, wildlife travel corridors, stopover sites for migratory birds, sources of genetic diversity, and floodwater retention. However, the actual ecological value of these areas can only be truly ascertained through on the ground biological surveys.

The Michigan Natural Features Inventory recommended that Oakland County Planning & Economic Development Services Division incorporate this information into their comprehensive natural area mapping services. The site map and ranking data can be used by local

municipalities, land trusts, and other agencies to prioritize conservation efforts and assist in finding opportunities to establish an open space system of linked natural areas throughout Oakland County.

Using the natural break classification, a total of 484 sites (58%) were placed in the priority three category, 262 sites (32%) were placed in the priority two category, and 84 sites (10%) were placed in the priority one category. It is important to note that although only 10% of the sites were identified as priority one, these 84 sites total 38,674 acres (41.3% of the total acreage of the 93,521 acres in all delineated sites).

https://mnfi.anr.msu.edu/pub/publications-list.cfm (scroll down by date to 2004)

#### 3.2.1 Government Agencies and Land Managers

#### Michigan Department of Natural Resources

The Michigan Department of Natural Resources (DNR) is a large landowner in Oakland County, with 37,129 acres (about 6.4%) of the County's land, including the Bald Mountain, Holly, Pontiac Lake, Proud Lake, and Ortonville State Recreation Areas as well as Dodge No. 4 and Seven Lakes State Parks. The DNR manages these lands for diverse habitat and recreation goals using many forest management approaches.

In addition to its role in Oakland County, Michigan's four-million acres of state-managed forest land provides critical habitat for wildlife, valuable resources for a thriving timber products industry, and beautiful outdoor spaces for a variety of outdoor recreation activities. To encourage this \$14 billion/ year industry, the Forest Division has completed several planning activities.

DNR Forest Management Plan: www.Michigan.gov/forestmanagement

Michigan's 2010-2020 Forest Action Plan provides a statewide assessment of forest conditions and trends for all Michigan forest land. The plan focuses on private landowner assistance through cooperative programs for forest stewardship, urban and community forestry, forest health, wildfire management, and forest legacy.

The Forest Resources Division also developed a five-year strategic plan to guide decisions and actions governing the health of Michigan's state forest resources. The goals and objectives of the plan lay the groundwork for meeting the division's mission and complement the DNR's overall strategic direction. The first goal of the Forest Resources Division's Strategic Plan is: Sustainably and proactively manage and protect forest resources.

www.michigan.gov/dnr/0,4570,7-153-30301 30505 62551---,00.html

Michigan's Forest Legacy Program is a partnership with USDA Forest Service with a goal of protecting privately owned and environmentally significant forest lands from being converted to non-forest uses. This voluntary program acquires land through purchase of fee simple title or

by conservation easements, legally binding agreements that transfer a negotiated set of property rights without removing the property from private ownership. Conservation easements purchased using FLP funds restrict development, require sustainable forestry practices, and protect a variety of other values. Michigan's FLP encourages partnerships with local governments and land trusts, recognizing the important contributions landowners, communities and private organizations make to conservation efforts. The program requires public access for fee lands but not for conservation easements.

The DNR state forest resources have been recognized by the Forest Stewardship Council® (FSC®) and the Sustainable Forestry Initiative® (SFI®). Independent auditors have reviewed the DNR's on-the-ground forest practices against biological, social, and economic requirements in the FSC and SFI standards and certified those practices as sound and comprehensive.

DNR Forest Stewardship Program (MDNR-FSP) offers resources to private landowners to support forest stewardship efforts, in recognition of the fact that a majority of the state's forests are on private property. MDNR-FSP certifies forest stewardship plan writers to assure that they can offer sound information on best forest stewardship practices, maintains a listing of plan writers in different regions, and offers cost-sharing to landowners to assist them in forest stewardship planning. MDNR-FSP has assisted in the development of 9 forest stewardship plans in Oakland County, covering 534 acres.

The DNR Forest Stewardship office offers several programs that help fund Forest Stewardship plans

*Helping Private Forest Landowners Develop Plans for Sustainable Forest Management: A Landowner's Guide.* <u>www.michigan.gov/foreststewardship</u>

Michigan Landowner Forest Stewardship Plan (Sample) www.michigan.gov/.../FSP\_Plan\_Example\_September2014\_468852\_7.pdf

Plan Writers: www.michigan.gov/dnr/0,4570,7-153-30301\_34240\_68762---,00.html

#### Fish and Wildlife Habitat Programs

Most stewardship plans address wildlife habitat and there are many practices that can be used to improve conditions for animals. Support for wildlife habitat is available from both public and nonprofit entities. The DNR has several programs such as the Private Lands Program and the Wildlife Habitat Grant Program for government, profit or non-profit groups, and individuals interested in conservation. The US Fish and Wildlife Service has the Partners for Fish & Wildlife program which works with private landowners to improve fish and wildlife habitat on their lands through voluntary, community-based stewardship programs for conservation. There are also several nonprofit organizations dedicated to providing wildlife habitat including: Audubon, Ducks Unlimited, National Wild Turkey Federation, Pheasants Forever, Ruffed Grouse Society, the Quality Deer Management Association and Trout Unlimited. Many of these organizations have programs to provide financial and technical assistance for enhancing wildlife. A useful publication for management of deer as well as many other game and non-game species is provided by the DNR Landowner's Guide. This 1999 publication also offers instructions on land management planning for forests, grasslands, wetlands, cropland, and backyard habitats. http://www.michigandnr.com/publications/pdfs/huntingwildlifehabitat/Landowners\_Guide/

U.S. Fish & Wildlife Service (Michigan) Jim Hudgins 2651 Coolidge Road East Lansing, MI 48823 (517) 351-4230 Jim\_Hudgins@fws.gov

### Michigan Department of Environmental Quality

The Michigan Department of Environmental Quality regulates air, land, water, and waste generation activities in the state. The MDEQ endeavors to protect water from both point and nonpoint pollution sources by partnering with watershed groups and others. They issue National Pollutant Discharge Elimination System (NPDES) and storm water discharge permits. Large scale water withdrawals are limited by law and the Water Withdrawal Assessment Tool is designed to predict the effect of groundwater use. Under the land category, earth change activities on areas greater than one acre or located within 500 feet of a lake or stream require a Soil Erosion and Construction Storm Water permit. Other programs cover regulation of wetlands, handling of septage, and use of flood plains.

MDEQ's Water Resources Division administers MiWaters, a web-based database that provides a streamlined electronic permitting process to fulfill federal electronic reporting requirements and gives online access to public information. The focus of MiWaters is permitting and compliance, including National Pollutant Discharge Elimination System (NPDES), storm water, groundwater discharge, aquatic nuisance control, Part 41 construction, and land and water interface.

Permit Coordination is available through the Environmental Assistance Hotline at (800) 662-9278. (<u>https://miwaters.deq.state.mi.us/miwaters/#/external/home</u>)

#### Michigan Natural Shoreline Partnership

The Department of Environmental Quality's Inland Lakes and Streams program has been participating in the Michigan Natural Shoreline Partnership (MNSP) to promote natural shoreline landscaping to protect Michigan's Inland Lakes. Their mission is "Promoting Natural Shorelines through the use of green landscaping technologies and bioengineered erosion control for the protection of Michigan inland lakes." One of the goals of the Michigan Natural Shoreline Partnership is to educate property owners about natural shorelines and technologies that benefit lake ecosystems. It provides support for practices that restore or preserve the ecological function of the shoreline and stabilize shorelines by reducing erosion. They offer educational resources and the website lists contractors who are certified by the program. <u>www.mishorelinepartnership.org/</u>

#### Michigan's Water Strategy

Michigan's Water Strategy is a 30-year plan for Michiganders to protect, manage, and enhance Michigan's water resources for current and future generations. It is organized around nine goals and outcomes designed to ensure the viability and sustainability of Michigan's water resources over time, placing Michigan on a path to achieving its water vision in a way that builds economic capacity while sustaining ecological integrity of this globally-significant resource. http://www.michigan.gov/deq/0,4561,7-135-3313\_3677\_76614---,00.html

#### Southeast Michigan Council of Governments

Working with local watershed groups and member governments, Southeast Michigan Council Of Governments (SEMCOG) provides technical assistance on watershed management issues and regulatory requirements within their jurisdictions. A watershed is an area of land that captures rainwater and eventually carries it to the nearest lake, river, or stream. Michigan has numerous watersheds and Watershed Management Plans serve as guides for communities to protect and improve water quality and related natural resources. These plans consider all uses, pollutant sources, and impacts within a drainage area. More than 150 Watershed Management Plans exist at the local level across the state, many funded through MDEQ nonpoint source grant opportunities. A Watershed Management Plan was required for communities using Michigan's unique watershed-based Phase II permit. Many of these plans also meet Federal EPA Section 319 requirements.

Common elements of watershed plans across Southeast Michigan include goals, objectives, and actions to address water quality and water quantity (i.e., stream flashiness) challenges in addition to identifying protection and restoration opportunities. This led to development of the Low Impact Development Manual for Michigan: A Design Guide for Implementers and Reviewers.

Additionally, SEMCOG led the development of the Green Infrastructure Vision for Southeast Michigan. The vision brings together a holistic, coordinated plan that addresses all unique elements of green infrastructure, including natural areas, wildlife habitat, parks, hiking/biking trails, water trails, tree canopy, agricultural lands, conservation property, vacant property, and many others. It also focuses on the relationship of green infrastructure to our water resources. http://semcog.org/Watersheds

#### **Oakland County Government**

The County's Environmental Stewardship Initiative's mission is to provide information, plans, and options to promote the conservation of Oakland County's natural environment while supporting sustainable economic growth, development and redevelopment. Oakland County is blessed with an abundance of unique landforms and exceptional natural features created by retreating glaciers some 14,000 years ago. Enjoying more natural lakes than any other county in the state (over 1,400), containing the headwaters of 5 major rivers (Rouge, Clinton, Shiawassee, Flint and Huron), along with providing over 89,000 acres of parkland, Oakland County delivers exceptional opportunities for outdoor enthusiasts.

### **Oakland County Parks**

Oakland County Parks function as major ecological "hubs" within the region by supporting important ecosystems, protecting air and water quality, and providing wildlife habitat. The Oakland County Park system's, natural resources management program focuses on an ecosystem approach to ensuring the health and function of 21 distinct natural communities, including 1200 acres of open water resources and adjacent wetland habitat. Control of deer densities, removal of invasive species, restoration of natural fire cycles through prescribed burns, and reintroduction of native plants are among the suite of land management tools applied to achieve this goal.

Forest resources within Oakland County Parks range from stands of oak-hickory and beechmaple to hardwood-conifer complexes. The appraised value of Oakland County's inventoried tree population is \$50.0 million. Annual environmental benefits provided by park forests include energy conservation, storm water and air quality improvements, and carbon sequestration. To ensure the long-term provision of these benefits, forestry staff focuses management efforts on hazardous tree removals, disease detection and prevention, and tree planting programs.

https://www.oakgov.com/parks/getinvolved/Pages/Natural-Resource-Management.aspx

2800 Watkins Lake Road Waterford, MI 48328 1-888-OCPARKSOC Parks@oakgov.com

#### State of the Existing Forest Summary

A forest plan was developed for Oakland County Parks and Recreation by Davey Resource Group with a focus on addressing short and long-term maintenance needs for inventoried trees. The tree inventory was done to gain an understanding of the needs of the existing forest and to project a recommended maintenance schedule for tree care. Analysis of inventory data and information about Oakland County's existing program and vision for the park and golf course trees was utilized to develop this management plan. https://www.oakgov.com/parks/Resources/NRS-Tree Mangaement Plan 2014 ExecSummary.pdf

The 2014 inventory included trees within the built landscape and a subset of trees along trails within 13 county park properties which included: Addison Oaks, Catalpa Oaks, Groveland Oaks, Highland Oaks, Independence Oaks, Lyon Oaks, Orion Oaks, Red Oaks, Rose Oaks, Springfield Oaks, Waterford Oaks, Glen Oaks Golf Course, and White Lake Oaks Golf Course. A total of 19,577 trees were recorded during the inventory: 16,234 built landscape trees and 3,343 trail system trees. Analysis of the tree inventory data found that one genus, Pinus (pine), makes up a large percentage of the built landscape population (21%). Other common genera include Acer (maple), Malus (apple), Picea (spruce), Prunus (cherry), and Quercus (oak).

On the overall population level, not one species exceeds 10% of the built landscape trees; however, within many of the 13 parks' populations species do exceed 10%. Those species include Red maple (*Acer rubrum*), Thornless honeylocust (*Gleditsia triacanthos var. inermis*), Black walnut (*Juglans nigra*), Flowering crabapple (*Malus spp.*), Norway spruce (*Picea abies*), White spruce (*Picea glauca*), Colorado spruce (*Picea pungens*), Austrian pine (*Pinus nigra*), Black cherry (*Prunus serotine*), Eastern white pine (*Pinus strobus*), Scotch pine (*Pinus sylvestris*), White oak (*Quercus alba*), and Scarlet oak (*Quercus coccinea*).

The condition of the built landscape tree population is rated Fair, and the overall condition of the trail system tree population is rated Dead/Fair. Overall, the diameter size class distribution of the inventoried tree population trended towards the ideal with a greater number of young trees than established, maturing, or mature trees.

#### Quantifiable Benefits

The appraised value of Oakland County's inventoried tree population is \$50.0 million. Inventoried trees provide approximately \$2.0 million in the following annual environmental benefits:

Aesthetic and Other Tangible Benefits: valued at \$750,000 per year.

Energy Conservation: valued at \$853,000 per year.

Stormwater: valued at \$208,000 per year (interception of 26,051,621 gallons).

Air Quality: valued at \$152,000 per year (27,754 pounds of air pollutants).

Carbon Sequestration: valued at \$19,000 per year (5,770,278 pounds of carbon dioxide [CO2]).

Tree Maintenance and Planting Needs

Trees provide many environmental and economic benefits that justify spending the time and money for planting and maintenance. Maintenance needs recommended during the inventory include tree removal (18%), pruning (72%), and planting (11%). Reducing tree-related risk should be prioritized so that trees with the highest risk are addressed first. The inventory noted several Severe and High Risk trees (less than 1% and 15% of trees assessed, respectively); these

trees should be removed or pruned immediately to promote visitor safety. Moderate and Low Risk trees should be addressed after all elevated risk tree maintenance has been completed.

Oakland County's park and golf course trees will benefit greatly from a three-year young tree training cycle and a five-year routine pruning cycle. Proactive pruning cycles improve the overall health of the tree population and may eventually reduce program costs. In most cases, pruning cycles will correct defects in trees before they worsen, which will avoid costly problems. Based on inventory data, approximately 700 trees should be structurally pruned each year during the young tree training cycle, and approximately 2,300 trees should be cleaned during the routine pruning cycle each year.

Planting trees is necessary to maintain canopy cover and to replace trees that have been removed or lost to natural mortality (expected to be 1–3% per year) or other threats. We recommend planting at least 400 trees of a variety of species each year to offset these losses and maintain canopy and maximum benefits. Trees of varied species should be planted; however, the planting of red maple, thornless honeylocust, black walnut, flowering crabapple, Norway spruce, white spruce, Colorado spruce, Austrian pine, eastern white pine, Scotch pine, black cherry, white oak, and scarlet oak should be limited until the species distribution normalizes within individual parks.

### **Oakland County Water Resources Commissioner**

The Oakland County Water Resources Commissioner has the responsibility of planning, developing and maintaining designated surface water drainage systems in Oakland County under Michigan State law, known as Drain Code, Act 40 of 1956 (and has other statutory duties as Agent for the county). The office staff of more than 225 highly trained professional and technically skilled people is dedicated to providing the best and most cost effective service to the citizens of Oakland County.

Jim Nash Water Resources Commissioner One Public Works Drive, Building 95 West Waterford, MI 48328-1907 Phone: (248) 858-0958 <u>wrc@oakgov.com</u>

Oakland County is part of the headwaters of the Clinton River watershed. The watershed stakeholders have been very active in working to protect and restore the watershed. The Oakland County Water Resources Commissioner's Office (WRC) constructed the George W. Kuhn Retention Treatment Facility to control combined sewer overflows (CSOs) and protect water quality. The WRC has also implemented a number of stormwater projects including public education and illicit discharge elimination activities.

https://www.oakgov.com/water/Pages/services/ws\_clinton.aspx

#### **Clinton River Watershed Council**

For over 44 years, the Clinton River Watershed Council (CRWC) has provided opportunities for citizens, schools, governments, businesses, and other community groups to get involved and active in ensuring a healthy Clinton River for us all through education, stewardship, and watershed management—to make a difference in your community...today and for future generations. The watershed covers 760 square miles in 4 Counties with 72 Communities and 1.5 million people. Their 2012 strategic plan is posted on the website. <a href="http://www.crwc.org">http://www.crwc.org</a>

#### Huron River Watershed Council

The Huron River is considered to be the cleanest urban river in Michigan. Much of the credit for this status goes to the Huron River Watershed Council and the persons who saw the need for the river's protection. Even though the Council has no enforcement powers, it has accomplished its goals through the use of technical data, factual information, and citizen stewardship to influence decisions made by various local agencies, businesses, and individuals. Today, the Council's eleven-person staff coordinates a dozen programs and hundreds of volunteers who serve on our boards, committees, and in other volunteer activities. The HRWC's efforts fall into three major categories of Education, Technical Assistance, and Science/Conservation. The programs cover pollution prevention and abatement, hands-on citizen education and river monitoring, natural resource planning, mass media education and information, and wetland and floodplain protection.

#### Huron River Watershed Management Plans

If we manage activities on the land that drains to bodies of water, we will protect and improve our local water resources. Almost every activity on land can affect the quality and quantity of water in our waterways. Watershed planning brings people from the watershed together to address those activities. Individuals working together can design a coordinated watershed management plan that builds on the strengths of existing programs and resources, and addresses water quality and quantity concerns in an integrated, cost-effective manner.

Development of a watershed management plan is a requirement of the State of Michigan and the U.S. Environmental Protection Agency for communities to be eligible for grant funds through the Clean Water Act. HRWC facilitates the watershed planning process, and implementation of those plans, throughout the watershed.

Following are links to plans developed in full or part by HRWC.

- <u>Kent Lake Subwatershed Management Plan</u>
- Huron Chain of Lakes Watershed Management Plan
- Brighton Lake Phosphorus Management Plan
- <u>Strawberry Lake Phosphorus Management Plan</u>, 1.4 MB
- Portage Creek Watershed Plan and Project
- Mill Creek Subwatershed Management Plan, 11.7 MB

- Watershed Management Plan for the Huron River in the Ann Arbor-Ypsilanti Metropolitan Area (Middle Huron)
- Watershed Management Plan, 42 MB
- <u>Appendices</u>, zip-compressed file, 67 MB
- Huron River Pathogen Management Plan, 2.3 MB
- Malletts Creek Biota Restoration Plan, 1.8 MB
- <u>Swift Run Biota Restoration Plan</u>, 1.1 MB
- Ford and Belleville Lakes Phosphorus Management Plan, <1 MB
- Lower Huron Watershed Management Plan
- Management Plan, 1.7 MB
- <u>Action Table</u>, <1 MB
- <u>Maps</u>, 16.2 MB
- Bacteria Reduction Implementation Plan for the Honey Creek Watershed, 1.2 MB

### **Flint River Watershed**

Within Oakland County, four branches of the Flint River watershed begin in our northern communities. Kearsley Creek, Swartz Creek, and Thread Creek are part of the Middle Flint subwatershed group and a small portion of the South Branch in Addison Township. The Flint River subwatershed group has developed a coalition to address watershed issues, the Flint River Watershed Coalition. Communities and other Middle Flint watershed partners have worked cooperatively to develop the Middle Flint Watershed Management Plan. For more detailed information regarding watershed activities and programming in the Flint, visit Flintriver.org or call (810) 767-6490.

#### Shiawassee River Watershed

The Shiawassee River Task Force (SRTF) is a group of communities and interest groups at the headwaters of the main branch of the Shiawassee River within Oakland County. The SRTF consists of the local governments (Rose Township, Holly Village, Holly Township, and Springfield Township) organizations including the Six Rivers Regional Land Conservancy, North Oakland Headwaters Land Conservancy, Oakland County Planning and Economic D development Services, Michigan State University Extension, and others. The Oakland County Water Resources Commissioner's Office (WRC) provides assistance in both water quality monitoring advice and service, planning, and education outreach to the SRTF. For more detailed information regarding downstream organizations working toward similar goals, visit the Saginaw Bay Watershed Initiative Network website: http://www.saginawbaywin.org/ or call Friends of the Shiawassee (FOS) at 989-723-5256. WRC's Environmental Team also participates in watershed planning in the Upper-2 Shiawassee River (USR) watershed located predominately in Livingston County, although small portions of Rose and Highland Townships in Oakland County fall within the watershed boundaries. or phone.

#### Ric Lawson

734-769-5123 x609 rlawson@hrwc.org

#### Michigan State University Extension Service

Michigan State University's Extension Service offers information on natural resources, agriculture, lawn and gardens and other topics. They also have a Conservation Stewards Program: <u>http://msue.anr.msu.edu/program/info/conservation\_stewards\_program</u>

1200 N. Telegraph Road #26 E Pontiac, MI 48341 (248) 858-0880 msue.oakland@county.msu.edu http://www.oakgov.com/msu

#### **Oakland Conservation District (Deer Lake Center)**

The Conservation District provides educational programs and encourages participation in programs provided by the USDA Natural Resources Conservation Service and the Great Lakes Restoration Initiative.

7150 Dixie Highway Suite 2 Clarkston, MI 48346 (248) 922-7822 oaklandconservation@gmail.com

#### USDA Natural Resources Conservation Service and Farm Service Agency

The United States Department of Agriculture (USDA) administers the Natural Resources Conservation Service (NRCS) and the Farm Service Agency programs at service centers in the plan area. The Natural Resources Conservation Service has tools and other technical resources to assist with Conservation Planning, Conservation Compliance on highly erodible land, nutrient and pest management, and Rapid Watershed Assessment. The agency also conducts the Soil Survey Program, the National Resource Inventory and the Conservation Effects Assessment Project. Some of the key financial assistance programs (see Section 5.5) are Environmental Quality Incentives, Conservation Stewardship, and Agricultural Conservation Easement. Conservation Stewardship is a program that provides technical and financial assistance to qualified farmers whose applications rank high enough (on the Conservation Measurement Tool) to be accepted into the program.

The Farm Service Agency's Conservation Reserve Program (CRP) pays a yearly rental in exchange for farmers removing environmentally sensitive land from agricultural production and planting species that will improve water quality, prevent soil erosion, and reduce loss of wildlife habitat.

The Agricultural Conservation Easement Program has several components including Agricultural Land Easements and Wetlands Reserve Easements. These both provide financial and technical assistance to help conserve agricultural lands and wetlands and their related benefits. Some easements are permanent while others are 30 year contracts.

Lapeer Service Center (Lapeer & Oakland counties) 700 South Main Street Suite 120C Lapeer, MI 48446 (810) 664-0895

#### 3.2.2 Nonprofit, Non-Governmental Conservation Organizations

#### The Stewardship Network

The Stewardship Network promotes community-based collaborative conservation by supporting clusters in Michigan and other states. The Stewardship Network's mission is "to connect, equip, and mobilize people and organizations to care for lands and waters in their communities." The Stewardship Network empowers people to better care for the land and water in their own backyard and community. They hold an annual conference on the Science, Practice & Art of Restoring Native Ecosystems in January in East Lansing. The Stewardship Network contracted with the Michigan DNR to prepare the Landscape Stewardship Plans for six areas in the Southern Lower Peninsula.

Other programs conducted by the Stewardship Network include monthly webcasts on environmental topics, a garlic mustard challenge (in which Clusters compete to see which one can remove the most pounds of the invasive plant), and assistance to local groups to obtain grant funding for stewardship activities. This Landscape Stewardship Plan is an example of the Stewardship Network's efforts to get financial support for land management activities. The Stewardship Network's website has a host of practical articles on topics from ecological restoration to chainsaw training.

416 Longshore Dr., Ann Arbor, MI 48105 (734) 395-4483 <u>staff@stewardshipnetwork.org</u> https://www.stewardshipnetwork.org/

#### The Headwaters Cluster of the Stewardship Network

The Headwaters Cluster (HWC) formed in the fall of 2003. The Michigan Chapter of The Nature Conservancy (TNC) led the formation of the Cluster as a way to build cooperative relationships between the various agencies that were responsible for managing high quality ecosystem areas under protection in Oakland County and surrounding areas, thereby enhancing the

stewardship of those areas. Oakland County is home to the headwaters of five different river systems along with an exceptional ecological diversity and is experiencing extreme development pressure on remaining natural areas.

The HWC has two main areas of focus: 1) on the ground conservation action and planning, and 2) educating community members in conservation issues, techniques and other relevant topics. We focus on local stewardship issues and plans to address those concerns through implemented action. The HWC provides unique educational opportunities through events, workshops, activities and online networking to share ideas, information, skills and resources. Contact the Headwaters Cluster Coordinator for more information at: Headwaters@StewardshipNetwork.org

#### Michigan Nature Association

The Michigan Nature Association (MNA) is dedicated to the conservation of rare, threatened and endangered species, imperiled natural communities and unique geological features throughout the State of Michigan. Established in 1952, MNA is Michigan's oldest land conservancy. Today MNA protects over 170 nature sanctuaries encompassing over 12,500 acres across Michigan.

Within Oakland County the Michigan Nature Association protects and manages six nature sanctuaries. Lakeville Swamp sanctuary protects 76 acres of unique areas including a white cedar swamp and has 400 species of plants (the greatest amount of diversity in the county). Timberland is a 245-acre southern hardwood swamp on poorly drained glacial lake plains. http://www.michigannature.org/

Andrew Bacon Stewardship Coordinator, abacon@michigannature.org.

#### Land Trusts

There are three local Land Trusts operating in Oakland County: North Oakland Headwaters Land Conservancy, Inc., Clarkston, MI Six Rivers Land Conservancy, Rochester, MI Southeast Michigan Land Conservancy, Superior Township, MI

One of their primary methods of land protection is Conservation Easements which are legal agreements negotiated between the Conservancy and the landowner which restrict certain land uses, such as residential development, mining, and other activities that affect the conservation values of the land. Those values include providing wildlife habitat, protecting soil and water quality, and maintaining scenic vistas. Conservation Easement lands are not owned by the

Conservancy but they conduct annual monitoring to ensure that the terms of the easement are enforced. Preserves are different in that they are owned and managed by the land trust.

In addition to the environmental benefits of placing land in a Conservation Easement (CE), there are potential financial benefits that arise from federal, state and local tax policies. Landowners should consult their lawyer, accountant and other professionals in order to fully understand these laws. If a landowner donates a CE, they may be eligible for an income tax reduction on the difference between the value of the property with and without a CE (as determined by a certified appraiser). Additionally, there may be a reduction in estate and property taxes. A decision to enter into a CE should not be made lightly because it is held in perpetuity (at least for those CEs that qualify for income tax reduction). This means that future landowner (heirs or buyers) must abide by the terms of the CE which is recorded in the property record at the Courthouse.

From: Internal Revenue Code § 170(h)(4)(A): In order to qualify for a tax deduction, the land must meet a "conservation purpose" test that addresses at least one item in the following language:

the preservation of land areas for outdoor recreation by, or the education of, the general public, the protection of a relatively natural habitat of fish, wildlife, or plants, or similar ecosystem, the preservation of open space (including farmland and forest land).

#### North Oakland Headwaters Land Conservancy, Inc.

North Oakland Headwaters Land Conservancy (NOHLC) is a private, non-profit, community supported, citizen run organization with 44 years' experience in preserving open space in northwest Oakland County and nearby communities. Over 1,500 acres have been preserved in six townships and two counties, with parcels ranging from a half acre to over 250 acres. Their mission is to conserve the woods, fields, streams, and other natural resources in the headwaters area of the Clinton, Shiawassee, Huron and Flint Rivers.

PO Box 285 Clarkston, MI 48347-0285 (248) 795-2808 mail@nohlc.org www.nohlc.org

#### Six Rivers Land Conservancy

Six Rivers Land Conservancy is a private non-profit land conservation organization that believes it is important to sustain the quality and character of the natural resources around us. They recognize the value of an inviting landscape and a strong and vibrant natural resource base in our communities; it makes them attractive and healthy places to live and attracts people and institutions that create prosperity. They work with private landowners who share these values for our natural heritage and choose to act on them in measurable, permanent ways.

PO Box 80902 Rochester, MI 48308-0902 (248) 601-2816 hpaterson@sixriversrlc.org www.sixriversrlc.org

### The Southeast Michigan Land Conservancy

The Southeast Michigan Land Conservancy conserves natural land and open space -- including forests, wetlands, meadows, agricultural lands, and places of scenic beauty -- to provide habitat for wildlife and to enrich the lives of people. "Southeast Michigan: a beautiful place where people and nature coexist in healthy, sustainable balance." SMLC's vision statement expresses how we feel about this special place we call home. Preserving natural areas and farmlands is good for all of us. SMLC protected more than 3,400 acres in this region.

Southeast Michigan Land Conservancy 8383 Vreeland Road Superior Township, MI 48198-9619 (734) 484-6565 jlewis@smlcland.org <u>www.smlcland.org</u>

### Wild Ones - North Oakland Chapter

The North Oakland chapter of Wild Ones serves those in northern Oakland County, Michigan who are interested in native plants. Their goal is to educate and promote the benefit and use of Michigan native plants, which they do by bringing in local speakers and organizing field trips to nearby locations, including parks and members' homes. They generally have public presentations or events the third Wednesday of every month, preceded by a short member meeting except during the summer. <u>http://northoakland.wildones.org/</u>

#### 3.2.3 Private Sector Natural Resource Professionals

#### DNR List of Certified Forest Stewardship Plan Writers

Nikita Brabbit (Consulting Forester) 917 West Genesse Street, Lansing MI 48915 nbrabbit@gmail.com; 507-458-4947 Related Programs: Tree Farm, Commercial Forest Dan Brown (Consulting Forester) 2167 Gunnell Road, Eaton Rapids, MI 48827 brownd94@msu.edu; 517-898-5670 Related Programs: Tree Farm, Commercial Forest

Burhop Forestry Consulting Carl Burhop (Consulting) Forester PO Box 362, Dexter, MI 48130 burhopforestry03@yahoo.com; 734-904-5233 Related Programs: Tree Farm, Commercial Forest, TSP Credentials: Registered Forester, Certified Forester, Association of Consulting Foresters

Darling Forestry LLC Jason Darling (Consulting Forester) 1111 West Barnes Road, Mason, MI 48854 www.DarlingForestry.com jason@darlingforestry.com; 517-243-2000 Related Programs: Tree Farm, TSP, Qualified Forest, Commercial Forest Credentials: Registered Forester

Ecosystems Management LLC Jack Boss (Wildlife Biologist) 3210 Bewell Avenue SE, Lowell, MI 49331 ecosystemsmgt@att.net; 616-897-8575 Related Programs: TSP, Qualified Forest, Commercial Forest, QDMA Credentials: Certified Wildlife Biologist

Jacques Forest LLC Forester Type: Consulting Foresters 1251 Spartan Road, Tawas City, MI 48763 Office: 989-362-6245 Tom Jacques (Consulting Foresters) jacquesforest@yahoo.com; 989-329-8079 Jenilee Jacques (Consulting Foresters) jenileerae@gmail.com; 734-272-2365 Related Programs: Tree Farm, TSP, Qualified Forest, Commercial Forest

Spencer Kellum (Biologist) 2318 Parkwood Avenue, Ann Arbor, MI 48104 spencer.kellum@gmail.com; 734-794-3879 Related Programs: Commercial Forest

The Land Steward LLC Rick McAvinchey (Consulting Forester) 300 Woodbridge Lane, Ortonville, MI 48462 thelandsteward@frontier.com; 248-627-7109 Related Programs: Tree Farm, Commercial Forest Credentials: Registered Forester, Association of Consulting Foresters

Lee Forestry Services Doug Lee (Consulting Forester) 404 John K Drive, Auburn, MI 48611 foresterdoug@charter.net; 989-662-0139 Related Programs: TSP, Qualified Forest, Commercial Forest Credentials: Certified Forester

Dave Mathis (Consulting Forester) PO Box 28, Chelsea, MI 48118 dmmathis@yahoo.com; 734-395-4113 Related Programs: Tree Farm, Qualified Forest, Commercial Forest

Natural Community Services LLC John DeLisle (Ecologist) 30775 Longcrest, Southfield MI 48076 j\_delisle@hotmail.com; 248-672-7611

Source: http://www.michigan.gov/dnr/0,4570,7-153-30301\_34240-298690--,00.html

#### Credentials

Registered Forester – www.Michigan.gov/Foresters Certified Forester - www.safnet.org/certifiedforester Association of Consulting Foresters - www.acf-foresters.org

#### **Professional Forester Classifications**

#### **Consulting Foresters**

Consulting foresters are independent businesses that work directly for the landowner. Consulting foresters administer timber sales, write Forest Stewardship Plans, manage wildlife habitat, plant trees, and offer other services for forest landowners. There are about 125 consulting foresters in Michigan.

Association of Consulting Foresters : <u>www.acf-foresters.org</u> Forest Stewardship Plan Writers – <u>www.Michigan.gov/ForestStewardship</u>

#### **Industry Foresters**

Industry foresters work for local forest products companies to buy timber from private landowners or to manage forest land owned by their company. Industry foresters buy timber from private landowners and write forest management plans. There are about 100 industry foresters in Michigan. Michigan Association of Timbermen : <u>www.timbermen.org</u> Michigan Forest Products Council : <u>www.michiganforest.com</u> Great Lakes Timber Professionals Association : <u>http://gltpa.org</u>

#### **Government Foresters**

Government foresters, funded by your tax dollars, provide general forestry information to landowners. Government foresters conduct workshops, hold field days, write articles, and make professional referrals. There are about 35 government foresters who help private landowners (and another 200 working on public land).

Conservation Districts - 20 foresters in the Forestry Assistance Program -

www.Michigan.gov/mifap

MSU Extension – 5 educators statewide: <u>http://msue.anr.msu.edu/topic/info/forestry</u> DNR – 5 foresters statewide – <u>www.Michigan.gov/PrivateForestLand</u> USFS : <u>www.fs.fed.us/spf</u>

#### Southern Lower Michigan Restoration Contractors (from Stewardship Network)

Available online at: http://stewardshipnetwork.org/resources/southern-michigan-restoration-contractors

Appel Environmental Design. Ann Arbor, MI. Provides site design and analysis based on ecology and human and pet needs, invasive plant removal, native plantings. http://appelenvironmental.com

ASTI Environmental. Brighton, MI; Grand Rapids, MI. ASTI provides environmental and ecological services, including wetlands / woodlands management and habitat restoration; bat, tree, mussel and threatened / endangered species assessments; phytoremediation; invasive species control and NEPA clearances to commercial, governmental and institutional clients. www.asti-env.com/services

Black River Habitats. Fennville, MI. Offers habitat creation, maintenance, and restoration www.blackriverhabitats.com

Cardno JFNew. West Olive, MI. Offers expertise in wetlands, water resources, wildlife and habitat, sustainability and conservation, restoration, and cultural resource issues as well as expertise in the streamlined management of regulatory permitting and compliance. www.cardnojfnew.com

Creating Sustainable Landscapes. Novi, MI. Provides consulting and installation services to businesses and private landowners who want to transform their landscapes utilizing sound ecological principles and native plants that support local wildlife. http://creatingsustainablelandscapes.com

ECT Inc. Ann Arbor & Lansing, MI. Specializes in the resolution of complex environmental issues through cost-effective project planning, management, as well as applied engineering and scientific expertise. www.ectinc.com

Grand Arbor Group, Inc. Grand Rapids, MI. Offers a variety of professional products and services related to arboriculture www.grandarborgroup.com

Great Lakes Tree Experts, Inc. Swartz Creek, MI. Provides safe removal of trees and stumps, trim trees, lot clearing, free wood recycling, excavating, landscaping, and mulch. www.greatlakestreeexperts.com

Hamilton Helicopters, Inc. Hamilton, MI. A Commercial Pesticide Application Business. Licensed in Michigan and in categories: field and vegetable crops, fruit crops, aquatic, mosquito, right of way, forestry, and aerial. http://hamiltonhelicopters.com

Kalamazoo Nature Center. Kalamazoo, MI. Encourages environmental awareness and stewardship and provide the education, resources, and assistance necessary to improve ecological systems in Southwest Michigan. www.naturecenter.org/ConservationStewardship

Michigan Wildflower Farm/Farm Enterprises Inc. Portland, MI. Specializes in installation and management of rain gardens, shoreline restorations, detention and retention basins, bioswales, wetland mitigations, CRP and SAFE projects, meadows, prairies and gardens. www.michiganwildflowerfarm.com

Native Connections. Three Rivers, MI. Ecological restoration and management firm in southern Michigan committed to improving our environment by creating and restoring natural landscapes, providing native wildflower and grass seed, and managing land for biodiversity. http://nativeconnections.net

Native Plant Nursery. Ann Arbor, MI. Grows only local native species from Michigan seed sources and produce a diverse selection of native perennials and a few species of native trees and shrubs. www.nativeplant.com

Natural Community Services, LLC. Southfield, MI. Ecological monitoring & restoration, invasive species management, environmental consulting, green infrastructure, and native landscape design! www.naturalcommunityservices.webs.com

Niswander Environmental, LLC. Brighton, MI. Specializes in site planning, wetland services, treatment wetlands, stream restoration, ecological assessments, threatened and endangered species assessments, GIS services, and NEPA clearance. www.niswander-env.com/

Owen Tree Service. Attica, MI. Provides innovative, practical, top-quality tree care services and tree care products that set the standard for the tree care industry to follow. www.owentree.com

PlantWise. Ann Arbor, MI. PlantWise, LLC is a business dedicated to creating, restoring, and interpreting native ecosystems and plant communities throughout Michigan and Ohio. http://plantwiserestoration.com

PLM - Lake & Land Management Corp. Caledonia, MI. PLM offers a variety of watershed management tools, products and services including lake and pond surveys, vegetation mapping , invasive species management, herbicide and algaecide applications for aquatic and terrestrial species, bathymetric mapping, water quality testing, aquatic harvesting, fish assessments, and right of way management. http://plmcorp.net/

Restoring Nature With Fire. Ann Arbor, MI. Offers a full range of ecological restoration services specializing in controlled burns. www.restoringnaturewithfire.com

Wildtype plants. Mason, MI. Provides ecological services for public, commercial and residential projects focusing on restoration. www.wildtypeplants.com

Oakland Wildflower Farm

Oakland Wildflower Farm is a "Grower and Educator" of Michigan native plants located in Brandon Township in northern Oakland County. They grow a variety of native wildflower, grasses, sedges, ferns, shrubs, and trees. All seed sources are documented and seeds are Michigan geno-type, unless otherwise noted (they strive to collect seed from as close to the nursery as possible). Their website hosts a Culture Guide to help you choose the right plant for your place. http://www.oaklandwildflowerfarm.com/

### **Tree Companies**

Davey Tree Service: Josh Leo, North Detroit, Michigan Office 866.985.0857 3381 Lapeer Rd W, Auburn Hills, MI 48326

Asplundh Tree Expert Co. Address: 32000 Glendale St, Livonia, MI 48150 Phone: (734) 261-1485

Note: The lists provided are for reader's use but do not constitute an endorsement or guarantee of the quality of service. Other contractors not listed may also be available in your area.

# 4. Landscape Stewardship Stories

Rather than just listing recommended practices that should be done, we spoke with your neighbors and are sharing their stories about how they've managed their own forest lands in order to inspire other landowners to become more actively engaged in creating their own stories.

Please note that while the stories and interviews are completely factual, the names of the interviewees have been changed to protect the privacy on contributors who wished to remain anonymous.

## 4.1 Oak Wilt Prevention and Treatment in Oakland County

Have you ever taken a walk through the woods on a warm summer day in Michigan? The trees are full and green with a lush canopy looming overhead. But you might come upon a patch of trees that have no foliage at all. These trees are dead or dying. It is not unusual to find a dead tree still standing in the forest, but it is quite unusual to find a group of dead trees, and even more unusual if they are all varieties of oak trees. This mass die-off of groups of oak trees can often be attributed to a tree disease called oak wilt.

Oak wilt is a tree disease caused by the fungus *Ceratocystis fagacearum* which infects the vascular tissue of many native oak trees in Michigan. The fungus is spread by a number of insects, including the Oak Bark Beetle (*Psuedopityophilorus spp.*), and can spread rapidly through a forest system by using interconnected roots systems.

The park service foresters in Oakland County are on the front lines of the challenging fight against this disease. Employing both chemical and physical barriers, foresters are beginning to turn the tide in the struggle to control oak wilt. The disease cannot be cured once a tree is infected, which means prevention is the only way to slow its spread.

Park service foresters within Oakland County seek to identify outbreaks of oak wilt and respond rapidly to contain them. "Early detection is really important," says Park Forester Leslie The summer months are the easiest time to identify oak wilt, because you can find stands of oak trees that are completely bare or severely wilted. "We're working really closely with the maintenance staff in our parks to help keep an eye out," says Leslie. "We are also adjusting our maintenance schedule to finish all our oak trimming before April 1<sup>st</sup>," explains Leslie. The trimming schedule allows the trees sufficient time to heal before the warming weather results in beetles moving the oak wilt to new trees.

Using a technique called "trenching," foresters in Oakland County cut the roots of infected trees before the fungus can spread to other healthy, nearby oaks. If an oak tree is found to have oak

wilt, nearby trees can be treated with a fungicide using a process called root flare injection. "We have invested a lot in our healthy oaks with treatments of Propiconazole, and have had a lot of success in stopping oak wilt," Leslie explained. The battle is ongoing, but, with collaborative public education and outreach campaigns, foresters are making strides towards controlling this oak damaging disease in the tree's namesake county.

### 4.2 Using Prescribed Fire to Manage the Oak Barrens Ecosystem

The oak barrens habitat historically covered around 2 percent of the state, but currently constitutes less than a 10<sup>th</sup> of a percent of the present vegetation in Michigan. The rare habitat is a savanna type characterized by fire-dependence, dominance of oaks, and canopy cover between 5 and 60 percent. With oaks being a central piece of this ecosystem, the use of prescribed fire to promote oak regeneration has become a necessary tool in the forester's plan to restore this rare community.

Natural resource managers in Oakland County use prescribed fire in a number of habitats for a variety of management goals. In Michigan, natural fire cycles help control the growth of certain tree, shrub, and grass species, particularly invasive ones. Prior to European settlers moving to the area, the natural fire cycles promoted the presence of oak barrens habitat. With human expansion into Michigan, the interruption of the natural fire cycle has largely resulted in the succession of open oak barrens into closed canopy forests. Additional stresses were put on the oak barren community as settlers selectively harvested white oaks from these habitats.

"Prescribed fire is a critical management tool for restoring and maintaining these landscapes," says Ron, a natural resource professional in Oakland County. "It's very important for us to explain to the community the need for this sort of management, and how these fires are part of the ecosystem historically." Ron explains that the community of homeowners and landowners in this area of the county sometimes are hesitant to accept prescribed fire as an essential process in protecting these valuable resources. "We hear from folks who are concerned with the smoke generated by these fires, or worry that the fire will escape our burn unit and spread to their lands." While the use of prescribed fire as a management tool is not new to Oakland County, explaining the tool to the public is still an important part of the process.

The Michigan Prescribed Fire Council updates their list of best management practices (BMPs) for performing prescribed burns regularly. These BMPs allow for land managers to tailor a prescribed fire program to achieve a particular result in their habitat management plan. In the restoration and maintenance of oak barrens, frequent but low-intensity fires are performed to maintain an open grass understory and preserve mature oaks. High intensity fires have shown to kill mature oak trees and result in more abundant but scrubby oak populations.

Having such a rare savanna type in Oakland County adds to the richness and diversity of our natural areas and reinforces the need for prescribed fire to maintain these habitats. With the careful application of prescribed fire, Oakland County natural resource managers will continue to preserve existing oak barrens remnants and expand efforts to reclaim this unique ecosystem from our many fire-suppressed landscapes.

### 4.3 Managing Hazardous Trees in Oakland County's Parks

We've all taken a stroll through a forested park and enjoyed the scenery of mature trees lining the path. But have you ever wondered why you don't see trees falling over into the path, while you may see trees leaning over in the forest? These trees which have fallen, or have the potential to fall, on public paths are known as hazardous trees by foresters working within park systems. It is a complicated task to inventory and manage the thousands of trees that line our park paths, but parks foresters have created innovative solutions to managing this hazard.

Hazardous trees generally have a structural defect which may cause the entire tree, or a large portion of it, to fall on a person or piece of property and cause damage. Deep in the forest, where humans don't live or walk, trees falling over are a natural and important part of the forest ecology. Changes in canopy openings can present opportunities for new species to thrive, and many downed trees provide critical habitat for animals and insects. The forester's job is to decide which trees could be potentially hazardous to humans and human property and which trees can be left to stand.

Foresters must look for trees that exhibit signs of potential instability. The presence of a forked trunk, cankers, cavities, wounds, or cracks may be clear indications that the tree is not stable and more prone to falling when stressed by high winds or storms. Foresters are always aware of dead branches or limbs hanging overhead, often referred to as 'widowmakers.' These dead snags can fall at any moment without any additional stress, even on a perfectly calm and sunny day.

Park foresters within Oakland County are tasked with the management of these trees as just a part of their overall duties. Parks Forester Tom explains, "Hazardous tree inventory and management is just part of the job, and we manage thousands of acres of forested area and miles of trails." The task of identifying and managing these trees seems like an overwhelming process. "We definitely have to prioritize which trees we cut down or remove and which trees we continue to monitor." Tom noted.

The easiest way to ensure the safety of park patrons and property is to be proactive about the management and prevention of trees falling, but the reality of hazardous tree management does not always follow this model. "Sometimes we spend all day just responding to reports of

downed trees, especially after heavy storms," Tom explains. "It can be hard for us to keep up." The pressure of patron complaints about losing access to trails due to fallen trees or perceived danger from leaning trees can often drive an incident-response based management protocol and make it difficult to practice proactive management.

Park foresters often use the winter months when less patrons are in the park to inventory and remove hazardous trees. This allows foresters to remove trees from high-use areas before they become a problem in the following spring storm season. The management of hazardous trees continues to be an essential service of the park forester and allows for the enjoyment of the beautiful old growth forests of southeast Michigan from the safety of a manicured trail.

### 4.4 Planning Green Corridors in a Highly Urbanized Region

Oakland County is a highly urbanized region, and its population of over 1 million people makes it the second-most populous county in Michigan. Nearly half of the 580,000 acres in Oakland County are covered by single-family homes, with the majority of these homes sitting on parcels less than one acre. The parcelization of the land means that greenspace and urban forests in Oakland County are an extremely important resource that urban foresters must steward. Whether it is the planting of trees that line our roadways or deciding what types of forests should be encouraged within our parks, urban foresters help protect the fragmented ecosystems that exist in the cracks of our dense urban landscapes.

Many studies have shown that the presence of trees in urban settings have a litany of positive effects. Trees lining roadways keep water off the road as their canopy absorbs storm water. The effect of tree canopy closing over roadways leads to drivers slowing down and having less accidents. Property values are higher when large, mature trees are present. Even in sidewalk shopping environments, shoppers are more likely to linger and spend more time and money when the sidewalks are lined with shade providing trees. Natural resource managers have the tendency to think of forests as a large, contiguous landscape with little or no human presence, but urban foresters are beginning to help shift that mentality.

Aside from the many benefits urban forests provide for the people that live in these communities, they also provide important habitat and ecosystem function for animal life moving through these urban settings. Urban foresters have many criteria when planning a green corridor that will run through their city. They plant and manage for landscapes of mature trees spaced out from one another with infrastructure function in mind. They choose trees that are less prone to needing pruning, cleanup, or heavy maintenance that will become a hazard to the people living near them. They also consider how they might aid in connecting large natural areas through the use of green corridors, allowing for the safe movement of animal life from one space to another.

In planning green corridors, multiple stakeholders are involved. "We have to keep the public's needs in mind," says natural area planner April. "These green corridors we're planning have to serve multiple functions." The functions include providing an oasis of green space to dense urban areas, providing pathways for animal and insect life to move through the city, and providing a mechanism for gene flow to occur for trees and other plant species. When these corridors are planned around a natural feature such as a river, it can greatly enhance the protection and diversity of the natural feature. "Planning green corridors on the banks of the cities' rivers helps protect the river from pollutants," explains April. These corridors are known as a riparian buffers, areas that are kept natural and protected from human disturbance.

The planning of infrastructure in cities is changing. In the past, urban areas planned mostly for what is known as 'gray infrastructure' that relies heavily on concrete and steel to provide stormwater management and roadways with large barren margins covered in short grass. This practice is shifting to a more 'green infrastructure' model, where natural channels are being used for stormwater management, and mature trees and a variety of grasses are being incorporated in road margins. These urban forests are critical to maintaining the diversity of wildlife in our populated county and have the added benefit of providing a pleasing aesthetic to those who reside in the urban areas of Oakland County.

### 4.5 Managing County Road Right-of-way Trees

Trees line the roadways of many Michigan cities, and the maintenance and management of these linear forests fall to the Road Commission of the County. Whether the trees were planted intentionally to provide aesthetic value or infrastructure to the city, fall on private property, or are simply left standing from when the roads path was cut through the forest, these forested lands represent a complex problem for the road commission.

Foresters for the road commission have to balance the needs and safety of public using the roads, the private landowners' wishes, and the need to provide the infrastructure and habitat that these small forests sustain. The Road Commission measures the road right-of-way (ROW) as a varying distance from the center line of a road. This property is managed by the road commission, and any trees or vegetation that they feel is dangerous to road use can be removed at their discretion. When, where, and how to remove trees and vegetation can be a touchy subject. "Sometimes homeowners resist to the removal of trees from the right-of-way," explains Donna. "They have a connection with trees along their property and hate to see the removal of a large tree that may have been there for their whole life."

In balancing the need to provide the public safe access to the roads with landowners' needs, the importance of the ecological or practical value of these linear forests sometimes takes a back

seat. "While these trees may be providing a nice aesthetic value or be habitat for birds that homeowners enjoy, the bottom line is maintaining a safe road for the public to use." explains Donna. It would be difficult to explain to a motorist struck by a falling tree that the tree was left in place to preserve animal habitat. While not the chief focus of a ROW forester's management plan, the function these trees provide as habitat and infrastructure are additional benefits that city managers should consider.

One emerging issue in Michigan is the documented outbreaks of white-nose syndrome, a fungal disease that affects bats. What does this have to do with road ROW tree management? The answer is that the Northern Long-Eared Bat is one species that is heavily impacted by the fungus and has been listed as a federally threatened species. This bat, while not yet confirmed to be reproducing in Oakland County, is the target of a number of laws and regulations that effect tree management. The bats roost and reproduce in the summer months in dead stands of hardwood trees. If this federally threatened species is found to be reproducing in Oakland County, this will stop any maintenance of these potentially hazardous trees during the summer months. This will have a drastic effect on the planning of the Road Commission Foresters, as they will have to complete all tree trimming and pruning over the winter months.

The next time you are travelling down a high-speed highway, or a shady, back-country dirt road, consider the value of these linear forests and the work of those who manage them. Road right-of-way forests may not be the most important ecological niches, but they do provide a critical role in protecting natural areas from our road pollutants and reminding us of our connection with our forested natural areas. It will continue to be the job of Road Commission foresters to provide for the safe use of public roads, while preserving any green space they can along our roads for these linear forests.

### 4.6 Managing your forest as a private landowner

Managing forests on private lands can be a daunting proposition for an individual. Where do you start? How do you learn how to manage forests safely and effectively? The answer is: you just start. Many homeowners begin from their back door and work outwards; this is an effective way to get the ball rolling. Others have a special place of interest on their property, and they work out from there. Consulting with a forester who is specialized in the management of private forests can be a great first step for those who are worried about mismanaging their forests.

A program such as the Environmental Quality Incentives Program (EQIP) can provide farmers, ranchers, and private forest land owners assistance with the technical details of forest

management, as well as financial assistance for implementing forest land conservation practices. This is an ideal way for homeowners who manage large properties to get assistance with setting up these practices on their own property. Other methods may include private landowners working collaboratively with experts in their local area. In Oakland County, many townships and cities have expert natural areas managers who are happy to provide advice to private landowners interested in managing their lands.

Jerry, a landowner in Oakland County, has been managing his private property of over 20 acres for the last decade. He works with professional land managers in Oakland County to manage upland and wetland habitat on his property. "It's been a real labor of love," says Jerry. "Where we started versus where we are now, it's like night and day." He explained that he has taken the management of the property to new levels after speaking with professional foresters and land managers. "We have incorporated prescribed burns to manage forest understory and begin selectively harvesting certain trees to open up the canopy." These processes mimic natural forest processes and allow for the healthy growth and regulation of the forest canopy and understory.

"Managing invasive species has been a big part of our effort," Explains Jerry. Invasive shrubs such as honeysuckle and autumn olive have invaded the forest understory and are pushing out native plants. Jerry's efforts to manage these shrubs have resulted in a rebounding of the native forest understory. "Aside from the ecological benefit, I get to enjoy the results of all my hard work," adds Jerry. He explained that he can now forage for mushrooms and morels in the forest understory and enjoys the view from his house much more than he did a decade ago.

By planning and executing a land and forest management plan, a private homeowner can greatly improve the value of their property. This value stems from improvements to aesthetics, wildlife habitat, ecological services such as cleaner air and water, and the value of the trees themselves for timber that is preserved through proper management. If you would like to improve the value of your property in these ways, you should seek out professional foresters and land managers in your area and contact your county conservation district for more information on how to get started.

#### 4.7 Christmas Tree Farms and Sustainable Practices

Each winter, many residents of Oakland County begin to deck the halls for the holiday season. Central to this festivity is the harvesting and decorating of an evergreen tree. Some residents may be lucky enough to be able to harvest a tree from their backyard, but most end up at a tree farm where trees are planted specifically to harvest for the holidays. Tree farms can operate in a number of ways, and each farm may specialize in only one type of service or even a particular variety of tree.

In Oakland County, one Christmas tree farm specializes in raising trees for harvest using organic and natural methods. This farm employs a number of best management practices to minimize the impact their forestry practices have on the surrounding communities. Many chores are done using hand tools or battery operated equipment. Weed control is done using precise applicators which produce a micro-droplet mist directly to the plant without affecting surrounding communities. This method also results in a reduction of herbicide needed to control weeds by about 75%.

Because these trees will end up in people's homes around their kids and pets, it is important for tree farms like this to utilize organic farming methods where able and limit the exposure of these trees to herbicides which can impact human health. The Michigan Agricultural Environmental Assurance Program (MAEAP) is a voluntary program that promotes the use of these sustainable farming practices by Michigan farmers and encourages farms to adopt pollution prevention practices in compliance with state and federal law.

The goal of this farm is to truly create a sanctuary for trees within our landscape. Oakland County communities benefit from the safe and environmentally friendly practices of community tree farms, as these farms provide important benefits for clean air and water protection, wildlife habitat, and safe and healthy trees for seasonal festivities. Working with the state and national Christmas tree associations, the Michigan Farm Bureau, Michigan Department of Agriculture and Rural Development, and state universities, tree farms are able to find support in engaging in sustainable farming practices that benefit the communities we live in. So the next time you are decking the halls with a beautiful tree, remember to thank a tree farmer who works hard to promote this sustainable and environmentally friendly festivity.

### 4.8 Acoustic Monitors in Forest Management

If a tree falls in the forest, and no one is around to hear it, does it make a sound? This is an age old question and a philosophical thought experiment that questions how we perceive reality and what happens beyond the range of our observation. Depending on who you talk to, you may get a philosophical answer about the nature of human observation or a straight forward explanation of the physics of sound. One thing we can be sure of now is that we don't have to be present to hear the sounds of the forest any longer. Using rapidly improving technology, audio recorders and analysis software are allowing researchers to listen in on the forest from afar.

This technology involves placing an acoustic monitor deep in the woods in an area of interest to the researcher. After programming the machine, a recording of the forest symphony can be collected at regular intervals over a long period of time. The sound data allows researchers to determine how specific variables affect the soundscape by examining changes in the frequency and pitch of the tones recorded. For instance, how active are the spring peepers following a night of cool temperatures versus a night of warm temperatures? Or what time of day do we see bluebirds beginning to sing? What types of calls are made by the Kirkland Warbler in May versus in June? By analyzing these recordings, researchers can begin to form hypotheses about what is happening in the forest when we are not there to observe it.

Aside from picking up the sounds of the forest wildlife, these acoustic monitors are also providing an insight into human impacts on forest soundscapes. In their analysis of these sounds, researchers are able to separate the sounds made by animals (biophony) from the sounds coming from human sources (technophony). This allows researchers to gauge the impacts of human activities on the sounds that animals produce. Researchers may be interested in separating these variables to study the effects of construction noise on the behavior of singing birds, the impact re-routing airplane traffic over a forest has on the diversity of animals that rely on sound to mate or find food, or the difference in forest biodiversity before and after a shopping mall is built nearby.

The answer to all of these questions can have concrete management implications for how humans interact with forested environments. How close and how active we are to these environments can determine how serious a disruption we are creating to the forest soundscape, and how that affects the ways animals interact. Additionally, these acoustic monitors can provide useful information for how people interact with the forests, such as how often do we hear people walking down a trail or during what times of day is the noise generated by traffic most intense. The budding science of acoustic monitoring is changing the questions that forest managers and city planners discuss when considering how to best manage our forests. One thing is for sure, we will now know if a tree falling in a forest makes a sound, because some*thing* is there to record it.

#### 4.9 Protecting Forest Integrity in Oakland County

In the battle for ground in terrestrial upland habitats, there is a complex interaction of communities of trees, shrubs, forbs, and grasses as a terrestrial system moves towards equilibrium. There is also a successional process where young forests mature and change in diversity and distribution of plant species over many hundreds of years. These complex processes depend on changes of soil type, hydrology, animal community interaction, and a mosaic of competitive interactions that result in a healthy forest community. These diverse and

complex systems serve important functions in providing wildlife habitat, protecting clean air and water production, and protecting the diversity of neighboring forests.

Invasive plant species throw a wrench into the complex systems that govern our natural forests. These plants can severely disrupt the natural forest processes which results in the destabilization and destruction of these healthy ecosystems. Invasive species are defined as a species that is non-native to the ecosystem and whose introduction causes or is likely to cause economic or environmental harm to human health. Obviously we are very concerned as humans of any threats that plants may represent to human health and property, but what are the concerns for our forests? Non-native species have been invading our forests throughout Michigan and especially in Oakland County, where they wreak havoc on our natural systems and result in a loss of forest species and habitat.

Land conservancies in Oakland County provide a wealth of experience to private landowners and spend much of their time speaking about how invasive species negatively impact our forests. Two species of chief concern are Oriental Bittersweet (*Celastrus orbiculatus*) and Buckthorn (*Rhamnus cathartica* and *Frangula alnus*) which have the potential to significantly harm native forest species. Bittersweet is a vining plant that grows from a small stem into a massive vine that can reach up tens of feet into a trees canopy. This vine then competes with the tree for sunlight and stresses the tree with its weight as it grows. This can lead to the tree suffering from lack of light, being weakened by nutritional deficiency and the weight of the vine, and dying then crashing down under the weight of this invader. Buckthorn is a common name given to two species of woody shrubs, which both invade forest floors. These plants grow to extreme density and block animals' access to the forest floor as they take over and displace native understory plants.

"Buckthorn is a serious problem," explains Andy, a local land conservancy steward. "We have a hard time keeping up with removing it. It grows extremely fast." These invasive shrubs grow fast because they can outcompete native plants for space, sunlight, and nutrients. The complex competitive interactions found in a plant's native environment do not exist in our environment to control the distribution of invasive species. "We have watched as bittersweet has claimed a number of large trees in our preserves," Andy explains. The protection of these old growth trees is a primary goal of a land conservancy's management plan for a forest.

Prevention is the best tool in a foresters fight against invasive species. Once an invasive species is established, it is nearly impossible to eradicate it from the ecosystem. With land conservancies playing a key role in raising public awareness of these invaders, private landowners are able to take steps to prevent these plants from taking root on their property. Vigilance is a key practice in the fight against invasive plants, and with the help of local conservation agencies, Oakland County residents are starting to rally the troops to fight these invaders.

### 4.10 Permaculture and Trees in Oakland County

Permaculture is the word used to describe the emerging practice of private landowners engaging in sustainable farming techniques. The motto of these groups might be summed up as 'grow food not lawns,' and they are passionate about the education of citizens on how to cultivate edible landscapes. In addition to growing vegetable gardens, installing rain gardens, and encouraging the use of edible ornamentals, these groups promote the planting of fruit and nut orchards that can help provide a sustainable source of healthy food to landowners.

These orchards are a different type of forest but provide a similar range of beneficial functions to the ecosystem, such as bird habitat, food for foraging animals, stabilizing sediment during periods of heavy storm, and complementing the aesthetics of a landowner's yard. In short, it is better to have fruit trees than no trees at all. "We wanted to find a way to connect people back to the food that they eat," described one of the group's members. "There is a tendency in today's society to not think about where our food comes from and to think that we can't grow it ourselves." This mentality is changing as more private landowners convert lawns and back yards into gardens, orchards, and micro-farms.

The use of trees to produce food is a great way to incorporate farming into landscape design. These trees can provide cover for wildlife, aesthetic value, and food for landowners, as well as essential ecosystem functions important for preserving local quality of life. Landowners actively engage in the management of the trees by pruning, feeding, and tending to the needs of these fruit and nut producing trees. These best management practices, once learned in the context of cultivating, can be spread and applied to all of the trees on a landowner's property. This art of cultivating trees can be the gateway to an individual's involvement in broader tree care awareness and practices.

If you are interested in the permaculture movement or growing fruiting trees in your yard, you should reach out to the Oakland County Conservation District and local permaculture groups. You can also reach out to local native plant nurseries that can provide you with advice and plants to start your own permaculture tree project.

The Oakland County Permaculture Meetup (OCPM) is an open network dedicated to connecting like-minded individuals interested in permaculture design and the practices of sustainability. Through fostering collaboration and cooperation, the OCPM serves as a resource hub for sharing ideas, information, experiences, tools, and more. See them on Facebook at: <a href="https://www.facebook.com/groups/OCPMpermaculture/">https://www.facebook.com/groups/OCPMpermaculture/</a>

## 5. Develop Your Own Story: Resources and Services for Landowners

A variety of programs and informational resources are offered by state and federal resource agencies and nonprofit conservation organizations to help you take the next steps toward meeting your own land stewardship goals.

### 5.1 Forest Stewardship Program

The Forest Stewardship Program was created by the USFS in 1991 to encourage long-term stewardship of family forest land by providing professional planning and technical assistance to private landowners. Ultimately, the purpose of the program is to enhance and sustain the long-term productivity of forest resources and produce healthy and resilient forest landscapes. As part of the process, landowners work with a certified Forest Stewardship Plan Writer to develop a custom plan that describes your personal land stewardship goals, unique forest resources and suggested management activities.

There are many benefits to developing a Forest Stewardship Plan, including enhanced access to USDA conservation programs, forest certification programs and forest product and ecosystem service markets. For example, you can use your Forest Stewardship Plan to prepare for a timber sale, improve wildlife habitat, or to enroll in other programs that require a forest management plan. Participation in the Forest Stewardship Program is voluntary and landowners can obtain information and cost-share assistance throughout the year.

Administration of the Forest Stewardship Program varies by state. In Michigan the program is administered by the Michigan DNR, who trains and certifies 130 professional foresters and 15 wildlife biologists in the private sector to write simple yet comprehensive Forest Stewardship Plans. Since 1991, almost 5,000 Michigan landowners have used their Forest Stewardship Plan to help them to protect, manage, and enjoy their forest.

Visit <u>www.michigan.gov/foreststewardship</u> to connect with a certified plan writer and take your next step toward managing your land to meet your stewardship goals. More information about the program can also be found at <u>http://www.fs.fed.us/spf/coop/programs/loa/fsp.shtml</u>/.

### 5.2 American Tree Farm System

The American Tree Farm System is a certification program of the American Forest Foundation that acknowledges land management practices meeting certain Standards of Sustainability. As part of this program, a network of more than 82,000 family forest owners sustainably managing 24 million acres of forestland across the country. The American Tree Farm System is recognized by the Program for the Endorsement of Forest Certification, which is an international forest certification system. Landowners following the Standards of Sustainability can feel proud to be recognized as ambassadors for sustainable woodland stewardship.

The eight Standards of Sustainability that must be met in order to gain recognition as a certified tree farm under the American Tree Farm System program are listed below. An approved Forest Stewardship Plan completed through the Forest Stewardship Program or a qualifying NRCS incentives programs can be written to also serve as a qualifying forest management plan under the American Tree Farm System. There is no additional cost to be enrolled in the American Tree Farm System certification program. For more information please visit <u>www.treefarmsystem.org</u>.

- **Commitment to Practicing Sustainable Forestry**: Landowner demonstrates commitment to forest health and sustainability by developing a forest management plan and implementing sustainable practices.
- **Compliance with Laws**: Forest-management activities comply with all relevant federal, state, and local laws, regulations, and ordinances.
- **Reforestation and Afforestation**: Landowner completes timely restocking of desired species of trees on harvested sites and nonstocked areas where tree growing is consistent with land-use practices and the landowner's objectives.
- **Air, Water and Soil Protection**: Forest-management practices maintain or enhance the environment and ecosystems, including air, water, soil, and site quality.
- **Fish, Wildlife and Biodiversity**: Forest-management activities contribute to the conservation of biodiversity.
- Forest Aesthetics: Forest-management activities recognize the value of forest aesthetics.
- **Protect Special Sites**: Special sites are managed in ways that recognize their unique historical, archaeological, cultural, geological, biological, or ecological characteristics.
- **Forest Product Harvests and Other Activities**: Forest product harvests and other management activities are conducted in accordance with the landowner's objectives and consider other forest values.

### 5.3 Qualified Forest Program

The purpose of the Qualified Forest Program, administered by MDARD, is to encourage landowners to actively manage their privately owned forests for commercial harvest, wildlife habitat enhancement, and improvement of other non-forest resources. In exchange for managing their forests in a sustainable fashion, enrolled landowners will receive an exemption from the local school operating millage. In order to qualify for the program, landowners must have between 20 and 640 acres, have an approved forest management plan, and must comply with the prescriptions included in that plan. See <a href="https://www.michigan.gov/qfp">www.michigan.gov/qfp</a> for more information or to begin the enrollment process. The application deadline in order to receive tax benefits the following year is September 1.

### 5.4 Commercial Forest Program

The Commercial Forest Act gives property tax breaks for forest owners in Michigan that voluntarily enroll in the Commercial Forest Program. Under this program, landowners pay a specific rate of \$1.25 per acre for property taxes and the State of Michigan pays counties another \$1.25 per acre. Landowners must have at least 40 acres of contiguous forest, an appropriate forest management plan, and conduct commercial harvests as prescribed in their plan. Land that is included under the Commercial Forest Program must be open to the public for non-motorized recreational use. More information about this program, which is administered by the MDNR, is available online at <a href="https://www.michigan.gov/commercialforest">www.michigan.gov/commercialforest</a>. The application deadline in order to receive tax benefits the following year is April 1.

### 5.5 Environmental Quality Incentives Program

The Environmental Quality Incentives Program (EQIP) is a voluntary conservation program administered by the USDA Natural Resources Conservation Service. It supports production agriculture and environmental quality as compatible goals. Through EQIP, farmers, ranchers, private forest land owners and federally-recognized American Indian tribes may receive financial and technical assistance to implement structural and land management conservation practices on eligible agricultural land.

Program priorities aim to address resource concerns including soil erosion, soil quality, water quality degradation, plant productivity, habitat fragmentation, invasive plants, and forest health. Conservation practices related to forestry may include forest trails and landings, stream crossings, riparian forest buffers, forest stand improvement, tree and shrub establishment, brush management, early succession habitat, wetland wildlife habitat, and upland wildlife habitat. EQIP activities are carried out according to a site specific conservation plan developed in conjunction with the producer. Forest Stewardship Plans are accepted by the NRCS when applying for EQIP funding. All conservation practices are installed according to NRCS technical standards.

Contact your local District Conservationist or forester for information and enrollment forms for EQIP or other USDA-NRCS assistance programs. For more information please visit <u>www.nrcs.usda.gov/wps/portal/nrcs/main/mi/programs/</u>.

#### 5.6 Best Management Practices for Forest Health, Water Quality and Wildlife

Best Management Practices (BMPs) are stewardship activities that are generally accepted by resource professionals to be the most effective and up-to-date management practices available for protecting forest health, water quality and wildlife habitat. Local agencies and organizations can help you select appropriate BMPs to meet your land management objectives. Financial and

technical assistance may be available to help you implement certain BMPs on your land, while other BMPs are simple things you can do on your own to become a better steward of your land.

Table 5.1, below, makes it easy for you to get in touch with the local agency and nonprofit organization contacts that can help you enroll in any of the programs mentioned above, develop your Forest Stewardship Plan, and identify and implement on-the-ground Best Management Practices that will allow you achieve your own management objectives while also protecting and enhancing Michigan's unique landscapes.

Organization	Contact	Email	Phone
The Stewardship Network	Tyler Mitchell, CISMA Coordinator	tmitchell@stewardshipnetwork.org	(808) 321- 2634
Website: Stewardsh	ipnetwork.org		•
Comments: The Ste	wardship Network is a 501(	(c)(3) nonprofit organization working	to fulfill its
mission to connect,	equip and mobilize people	and organizations to care for land and	l water in
their communities.		C	
Michigan DNR,	Mike Smalligan,		(515) 004
Forest Stewardship	Forest Stewardship	SmalliganM@michigan.gov	(517) 284-
Program	Coordinator		5884
	higan.gov/foreststewardshi	p	1
manages state forest of assistance for priv state of Michigan an through the process	ts and recreational areas un vate landowners. MDNR ad nd can help you find certifie	lved with forest stewardship in Michi der its ownership and also offer a vari lministers the Forest Stewardship Pro d Forest Stewardship Plan Writers an enting a forest stewardship plan and e	iety of form gram in the d guide yo
USDA–NRCS (Oakland)	Albert Jones, Area Conservationist, Area 4	albert.jones@mi.usda.gov	(810) 230- 8766
USDA-NRCS	Becky Otto, EQIP Coordinator	becky.otto@mi.usda.gov	(517) 324- 5257
Website: <u>http://www</u>	w.nrcs.usda.gov/wps/portal	l/nrcs/main/mi/programs/financial/eq	ip/
financial assistance landowners. The Er resource concerns ir	programs for landowners, i wironmental Quality Incen	ation Service offers a variety of technic ncluding agricultural producers and p tives Program (EQIP) helps landowne uality, water quality degradation, plar lants, and forest health	orivate fore ers address
Oakland Conservation District	Patrick Costello, Chair Board of Directors	oaklandconservation@gmail.com	(248) 922- 7822
	w.oaklandconservationdist	rict.org/	
Comments: Conserv	vation Districts work closely landowners with agricultu	y with various partners to provide edu ral stewardship cost-share opportunit	
Michigan Department of Agriculture and Rural Development (MDARD)	Qualified Forest Program	MDARD-QFP@michigan.gov	517-284- 5630
	w.michigan.gov/mdard/0,4	4610,7-125-1599_28740,00.html	
<b>Comment</b> s: MDARI Program, which pro	D administers the Qualified wides grant funding to Con rest stewardship opportuni	Forest Program as well as the Forestr servation Districts to help them connections. Contact MDARD for more inform	ect

### Table 5.1: Forest Stewardship Contacts serving Oakland County, MI

### 5.7 Capital Gains Tax Information

Profits from timber sales are taxed as capital gains, rather than ordinary income, if you own the timber for more than twelve months. Expenses, including the cost of a management plan or a consulting forester's fees for a timber sale, can be deducted from profits. There are many great tax related resources available on <u>www.timbertax.org</u>, including the most recent edition of the annual "Tax Tips for Forest Landowners."

# **Appendix 1: Glossary of Common Forestry Terms**

The following glossary is adapted from www.dnr.state.md.us/forests/gloss.html.

Agroforestry: A land-use system that combines both agriculture and forestry in one location. Alley Cropping: Widely spaced rows of trees with annual crops growing in between the rows. Basal Area (Tree): Cross-sectional area of a tree at 4.5 feet off ground in square feet. Basal Area (Forest): Basal area of all trees per acre summed up, in units of square feet/acre;

measure of density.

**Biomass**: Harvesting and using whole trees or parts of trees for energy production. **Board Foot**: A measure of volume 1 foot by 1 foot by 1 inch or 144 cubic inches of wood. **Bolt**: 8 foot long log.

**Browse**: Parts of woody plants, including twigs, shoots, and leaves, eaten by forest animals. **Carbon Cycle**: The biogeochemical cycle to exchange carbon between the biosphere and atmosphere by means of photosynthesis, respiration and combustion.

**Clearcut**: The harvest of all the trees in an area to reproduce trees that require full sunlight. **Cord**: A unit of wood cut for fuel that is equal to a stack 4 x 4 by 8 feet or 128 cubic feet **Cordwood**: small diameter or low quality wood suitable for firewood, pulp, or chips.

**Crop Tree**: A young tree of a desirable species with certain desired characteristics.

Crown: The uppermost branches and foliage of a tree.

**Cruise**: A forest survey used to obtain inventory information and develop a management plan. **Cull**: A sawtimber size tree that has no timber value as a result of poor shape or damage.

Diameter at Breast Height (DBH): Diameter of a tree trunk taken at 4.5 feet off the ground.

**Diameter-Limit Sale**: A timber sale in which all trees over a specified DBH may be cut. Diameter-limit sales often result in high grading and is a very poor forestry practice. **Endangered Species**: A species in danger of extinction.

**Even-Aged Stand**: Stand with minimal age difference between the oldest and youngest trees (e.g. <10 years).

Forestland: Land at least one acre in size that is at least 10 percent stocked with trees.

Forest Farming: Cultivating high value specialty crops in the shade of natural forests.

**Forest Stand Improvement (FSI)**: Any practice that increases the health, composition, value or rate of growth in a stand. Called Timber Stand Improvement when focused on timber. **Group Selection**: Harvesting groups of trees to open the canopy and encourage development of

**Group Selection**: Harvesting groups of trees to open the canopy and encourage development of uneven aged stands.

**Habitat**: The ecosystem in which a plant or animal lives and obtains food and water. **Hardwoods**: A general term encompassing broadleaf, deciduous trees.

**High Grading**: To remove all good quality trees from a stand and leave only inferior trees. **Landing**: Cleared area where logs are processed, piled, and loaded for transport to a sawmill.

**Log Rule**: A method for calculating wood volume in a tree or log by using its diameter and length. Scribner, Doyle and the International 1/4-inch rule are common log rules.

**Lump-Sum Sale**: A timber sale in which an agreed-on price for marked standing trees is set before the wood is removed (as opposed to a mill tally or unit sale).

**Mast**: Nuts and seeds such as acorns, beechnuts, and chestnuts that serve as food for wildlife. **Overmature**: Trees that have declined in growth rate because of old age and loss of vigor.

**Overstocked**: Trees are so closely spaced that they do not reach full growth potential. **Pole Timber**: Trees ranging from 4 to 10 inches Diameter at Breast Height.

**Pre-Commercial Operations**: Cutting to remove wood too small to be sold.

Prescribed Fire: An intentional and controlled fire used as a management tool used to reduce

hazardous fuels or unwanted understory plants (invasive, undesirable species, etc.).

Pulpwood: Wood suitable for use in paper manufacturing.

Range: Cattle grazing in natural landscapes.

**Regeneration**: The process by which a forest is reseeded and renewed.

**Riparian Forest Buffers**: Strips of land along stream banks where trees, shrubs and other

vegetation are planted and managed to capture erosion from agricultural fields.

Salvage Cut: The removal of dead, damaged, or diseased trees to recover value.

Sapling: A tree at least 4.5 feet tall and between 1 inch and 4 inches in diameter.

**Sawlog**: Log large enough to be sawed economically, usually >10" diameter and 16' long.

Sawtimber stand: A stand of trees whose average DBH is greater than 11 inches.

Sealed-Bid Sale: A timber sale in which buyers submit secret bids.

**Seed-Tree Harvest**: Felling all trees except for a few desirable trees that provide seed for the next forest.

**Selection Harvest**: Harvesting single trees or groups of trees at regular intervals to maintain uneven-aged forest.

**Shade-Intolerance**: Characteristic of certain tree species that does not permit them to survive in the shade of other trees. Shade-intolerant trees require full sunlight.

**Shade-Tolerance**: The capacity of a tree species to grow in shade.

**Shelterwood Harvest**: Harvesting all mature trees in two or more cuts, leaving trees to protect seedlings.

**Silvopasture**: Growing trees and forages to provide suitable pasture for grazing livestock. **Silviculture**: The art and science of growing forest trees.

**Site Index**: Measure of quality of a site based on the height of a dominate tree species at 50 years old.

Site Preparation: Treatment of an area prior to reestablishment of a forest stand.

**Skidder**: A rubber-tired machine with a cable winch or grapple to drag logs out of the forest. **Slash**: Branches and other woody material left on a site after logging.

**Snag**: A dead tree that is still standing and providing food and cover for a variety of wildlife. **Softwood**: Any gymnosperm tree such as pines, hemlocks, larches, spruces, firs, junipers, etc. **Species of Special Concern**: Not a designated threatened or endangered species yet, but has low or declining populations.

**Stand**: A group of forest trees of sufficiently uniform species composition, age, and condition to be considered a homogeneous unit for management purposes.

**Stand Density**: The quantity of trees per unit area, evaluated in basal area, crown cover or stocking.

**Stocking**: The number and density of trees in a forest stand. Classified as under-, over-, or well-stocked.

Stumpage Price: The price paid for standing forest trees and paid prior to harvest.

**Succession:** the replacement of one plant community by another over time in the absence of disturbance.

**Sustained Yield**: Ideal forest management where growth equals or exceeds removals and mortality.

**Thinning**: Partial cut in an immature, overstocked stand of trees to increase the stand's value and growth.

**Threatened Species**: A species whose population is so small that it may become endangered. **Timberland**: Forest capable of producing 20 cubic feet of timber per acre per year.

**Under-stocked**: Trees so widely spaced, that even with full growth, crown closure will not occur.

**Understory**: The level of forest vegetation beneath the canopy.

Uneven-Aged Stand: Three or more age classes of trees represented in a single stand.

**Unit Sale**: A timber sale in which the buyer makes regular payments based on mill tally and receipts.

**Veneer Log**: A high-quality log of a desirable species suitable for conversion to veneer. **Well-Stocked**: Stands where growing space is effectively occupied but there is still room for growth.

Windbreaks: Rows of trees to provide shelter for crops, animals or farm buildings.

# **Appendix 2: Michigan Laws Related to Forestry**

This list is not comprehensive and other laws may apply to your situation. Consult an attorney or resource professional for additional assistance.

- Natural Resources and Environmental Protection Act, Public Act 451 of 1994
- Right to Forest Act, Public Act 676 of 2002
- Commercial Forest Act, Parts 511 and 512 of Public Act 451, 1994, as amended
- Qualified Forest Program, Public Acts 42 and 45 of 2013

# Appendix 3: Threatened, Endangered, and Special Concern Species

The following tables reflects presents the Endangered (E), Threatened (T), and Presumed Extirpated (X) animal species of Monroe County, which are protected under the Endangered Species Act of the State of Michigan (Part 365 of PA 451, 1994 Michigan Natural Resources and Environmental Protection Act). For more information visit: <u>https://mnfi.anr.msu.edu/data/county.cfm</u>

Acris blanchardiBlanchard's cricket frogTAgalinis gattingeriGattinger's gerardiaEAlasmidonta marginataElktoeSCAlasmidonta viridisSlippershellTAmbystoma texanumSmallmouth salamanderEAmmodramus henslotciiHenslow's sparrowEAmmodramus sounnarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAsclepias sullivantiiSullivant's milkweedTAsitragalus canadensisCanadian milk vetchTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBouteloua curtipendulaSide-oats grama grassEButeloua curtipendulaSide-oats grama grassEButeloua curtipendulaSide-oats grama grassEButelouineatusRed-shouldered hawkTCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentalaAmerican chestnutECristonhorus palustrisMarsh wrenSCCistothorus palustrisRedside daceECirosona stediHairy shyterTCirosona artediLack shrewTCirosona artediLack shrewTCoregonus artediLack shrewTCoregonus artediLack shrewTCirosona artediLack shrewTCoregonus artediLack sh	Scientific Name	Common Name	State Status
Alasmidonta marginataElktoeSCAlasmidonta viridisSlippershellTAmbystoma texanumSmallmouth salamanderEAmmodramus henslowiiHenslow's sparrowEAmmodramus savannarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCArsitida longespicaThree-awned grassSCAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBouteloua curtipendulaSide-oats grama grassEButeloua curtipendulaSide-oats grama grassEButeloninatusRed-shouldered hawkTCarex lupuliformisFalse hop sedgeTCarex upuliformisSale on spier snailSCCarex upuliformisCampeloma spire snailSCCarex upuliformisRichardson's sedgeSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCyperus acuminatusCyperus, Nut grassXCypurota curtipieLake herring or CiscoTCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCipyotis parvaLeast shrewTCipyotis parvaLeast shrewTCyperus acuminatusCyp	Acris blanchardi	Blanchard's cricket frog	Т
Alasmidonta viridisSlippershellTAmbystoma texanumSmallmouth salamanderEAmmocrypta pellucidaEastern sand darterTAmmodramus henslowiiHenslow's sparrowEAmmodramus savannarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAristida longespicaThree-awned grassSCAsiclepias sullivantiiSullivant's milkweedTAsit agalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBochera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex richardsoniiRichardson's sedgeSCCarex richardsoniiRichardson's sedgeSCCistothorus palustrisMarsh wrenSCCincinnatia cincinnatiensisCampeloma spire snailSCCinstomus gutataSpotted turtleTClinostonus elongatusRedside daceECoregonus artediLake herring or CiscoTCyperus acuminatusCyperus, Nut grassXCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSC	Agalinis gattingeri	Gattinger's gerardia	Ε
Ambystoma texanumSmallmouth salamanderEAmbystoma texanumSmallmouth salamanderTAmmodramus henslowiiHenslow's sparrowEAmmodramus savannarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoethera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex richardsoniiRichardson's sedgeSCCastanea dentataA nerican chestnutECatinuli initiHill's thistleSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis paraaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Alasmidonta marginata	Elktoe	SC
Annocrypta pellucidaEastern sand darterTAmmodramus henslowiiHenslow's sparrowEAmmodramus savannarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataA land snail (no common name)ECistothorus palustrisMarsh wrenSCCistothorus palustrisSpotted turtleTCinosomus elongatusLeast shrewTCryptis paroaLeast shrewTCryptotis paroaLeast shrewTCyprupedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruided panic-grassSCDrosera anglicaEnglish sundewSC	Alasmidonta viridis	Slippershell	Т
Animodramus henslowiiHenslow's sparrowEAmmodramus savannarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBochera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECastanea dentataAland snail (no common name)ECircinuatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCistothorus palustrisRedside daceECoregonus artediLake herring or CiscoTCryptotis paroaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaSmall-fruited panic-grassSC	Ambystoma texanum	Smallmouth salamander	E
Animodramus savannarumGrasshopper sparrowSCAmorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBatristia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteolua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parcaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Ammocrypta pellucida	Eastern sand darter	Т
Amorpha canescensLeadplantSCAngelica venenosaHairy angelicaSCAngelica venenosaThree-awned grassSCAristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex richardsoniiRichardson's sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataA land snail (no common name)ECircinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus, Nut grassXCyperus, Nut grassCyperus acuminatusCyperus, Nut grassSCDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Ammodramus henslowii	Henslow's sparrow	E
Angelica venenosaHairy angelicaSCAristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex richardsoniiRichardson's sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus, Nut grassXCyperus acuninatusCyperus, Nut grassSCDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Ammodramus savannarum	Grasshopper sparrow	SC
Aristida longespicaThree-awned grassSCAsclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECincinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptois parvaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Amorpha canescens	Leadplant	SC
Asclepias sullivantiiSullivant's milkweedTAsio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECarininatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCincinnatia cincinnatiensisRedside daceECoregonus artediLake herring or CiscoTCryptotis paroaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Angelica venenosa	Hairy angelica	SC
Asio dusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECircininatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCincinnatia cincinatiaSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis paroaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Aristida longespica	Three-awned grass	SC
Asio otusLong-eared owlTAstragalus canadensisCanadian milk vetchTBaptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECistothorus palustrisCampeloma spire snailSCCistothorus palustrisSpotted turtleTCincinnatia cincinnatiensisRedside daceECoregonus artediLake herring or CiscoTCryptotis paroaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Asclepias sullivantii	Sullivant's milkweed	Т
Baptisia lacteaWhite or prairie false indigoSCBoechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECistothorus palustrisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	· · · · · · · · · · · · · · · · · · ·	Long-eared owl	Т
Boechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECircinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTCoregonus artediLake herring or CiscoTCryptotis paroaCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Astragalus canadensis	Canadian milk vetch	Т
Boechera missouriensisMissouri rock-cressSCBouteloua curtipendulaSide-oats grama grassEButeo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECircinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTCoregonus artediLake herring or CiscoTCryptotis paroaCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Baptisia lactea	White or prairie false indigo	SC
Buteo lineatusRed-shouldered hawkTCalephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCCinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis paroaCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Boechera missouriensis		SC
Calephelis muticaSwamp metalmarkSCCarex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTCoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSC	Bouteloua curtipendula	Side-oats grama grass	E
Carex lupuliformisFalse hop sedgeTCarex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTCoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Buteo lineatus	Red-shouldered hawk	Т
Carex richardsoniiRichardson's sedgeSCCastanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Calephelis mutica	Swamp metalmark	SC
Castanea dentataAmerican chestnutECatinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Carex lupuliformis	False hop sedge	Т
Catinella protractaA land snail (no common name)ECincinnatia cincinnatiensisCampeloma spire snailSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Carex richardsonii	Richardson's sedge	SC
Cincinnatia cincinnatiensisCampeloma spire snailSCCirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Castanea dentata	American chestnut	Ε
Cirsium hilliiHill's thistleSCCistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Catinella protracta	A land snail (no common name)	E
Cistothorus palustrisMarsh wrenSCClemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis paroaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Cincinnatia cincinnatiensis	Campeloma spire snail	SC
Clemmys guttataSpotted turtleTClinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Cirsium hillii	Hill's thistle	SC
Clinostomus elongatusRedside daceECoregonus artediLake herring or CiscoTCryptotis parvaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Cistothorus palustris	Marsh wren	SC
Coregonus artediLake herring or CiscoTCryptotis paroaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Clemmys guttata	Spotted turtle	Т
Cryptotis paroaLeast shrewTCyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Clinostomus elongatus	Redside dace	Ε
Cyperus acuminatusCyperus, Nut grassXCypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Coregonus artedi	Lake herring or Cisco	Т
Cypripedium candidumWhite lady slipperTDichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Cryptotis parva	Least shrew	Т
Dichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Cyperus acuminatus	Cyperus, Nut grass	Х
Dichanthelium microcarponSmall-fruited panic-grassSCDrosera anglicaEnglish sundewSC	Cypripedium candidum	White lady slipper	Т
Drosera anglica English sundew SC		Small-fruited panic-grass	SC
<i>Emydoidea blandingii</i> Blanding's turtle SC	Drosera anglica	English sundew	SC
	Emydoidea blandingii	Blanding's turtle	SC

Epioblasma torulosa rangiana	Northern riffleshell	E
Epioblasma triquetra	Snuffbox	Е
Erynnis persius persius	Persius dusky wing	Т
Euonymus atropurpureus	Wahoo	SC
Eutrochium fistulosum	Hollow-stemmed Joe-pye weed	Т
Falco peregrinus	Peregrine falcon	Е
Flexamia huroni	Huron River leafhopper	Т
Fraxinus profunda	Pumpkin ash	Т
Fuirena pumila	Umbrella-grass	Т
Galearis spectabilis	Showy orchis	Т
Gavia immer	Common loon	Т
Gentiana puberulenta	Downy gentian	Е
Gentianella quinquefolia	Stiff gentian	Т
Haliaeetus leucocephalus	Bald eagle	SC
Hieracium paniculatum	Panicled hawkweed	Т
Hybanthus concolor	Green violet	SC
Hydrastis canadensis	Goldenseal	Т
Jeffersonia diphylla	Twinleaf	SC
Lampsilis fasciola	Wavyrayed lampmussel	Т
Lepyronia angulifera	Angular spittlebug	SC
Ligumia recta	Black sandshell	Е
Linum sulcatum	Furrowed flax	SC
Linum virginianum	Virginia flax	Т
Meropleon ambifusca	Newman's brocade	SC
Mesomphix cupreus	Copper button	SC
Microtus pinetorum	Woodland vole	SC
Morus rubra	Red mulberry	Т
Muhlenbergia richardsonis	Mat muhly	Т
Myotis lucifugus	Little brown bat	SC
Nerodia erythrogaster neglecta	Copperbelly water snake	Е
Nicrophorus americanus	American burying beetle	Х
Notropis anogenus	Pugnose shiner	Е
Noturus miurus	Brindled madtom	SC
Oarisma poweshiek	Poweshiek skipperling	Т
Oecanthus laricis	Tamarack tree cricket	SC
Panax quinquefolius	Ginseng	Т
Pantherophis spiloides	Gray ratsnake	SC
Papaipema beeriana	Blazing star borer	SC
Platanthera ciliaris	Orange- or yellow-fringed orchid	Е
Platanthera leucophaea	Prairie white-fringed orchid	Е
Pleurobema sintoxia	Round pigtoe	SC
Poa paludigena	Bog bluegrass	Т
Polemonium reptans	Jacob's ladder	Т

Potamogeton vaseyi	Vasey's pondweed	Т
Prosartes maculata	Nodding mandarin	Х
Ptychobranchus fasciolaris	Kidney shell	SC
Pyrgulopsis letsoni	Gravel pyrg	SC
Rhynchospora scirpoides	Bald-rush	SC
Setophaga cerulea	Cerulean warbler	Т
Setophaga citrina	Hooded warbler	SC
Setophaga discolor	Prairie warbler	E
Sistrurus catenatus	Eastern massasauga	SC
Smilax herbacea	Smooth carrion-flower	SC
Speyeria idalia	Regal fritillary	Е
Sphaerium fabale	River fingernail clam	SC
Sporobolus heterolepis	Prairie dropseed	SC
Terrapene carolina carolina	Eastern box turtle	SC
Toxolasma lividus	Purple lilliput	Е
Trichophorum clintonii	Clinton's bulrush	SC
Trichostema dichotomum	Bastard pennyroyal	Т
Trillium sessile	Toadshade	Т
Utterbackia imbecillis	Paper pondshell	SC
Valeriana edulis var. ciliata	Edible valerian	Т
Ventridens suppressus	Flat dome	SC
Villosa fabalis	Rayed bean	E
Villosa iris	Rainbow	SC
Viola pedatifida	Prairie birdfoot violet	Т

# **Appendix 4: Additional Resources for Landowners**

Internet Sources (Alphabetically)

Audubon Society: www.MichiganAudubon.org

Conservation Easements: <u>www.landtrustalliance.org/topics/taxes/income:tax-incentives-land-conservation</u>

DNR Forest Resources Division: <u>www.Michigan.gov/Forestry</u> DNR Hunting Access Program: <u>www.michigan.gov/hap</u> DNR Private Forest Land: <u>www.Michigan.gov/PrivateForestLand</u> DNR Urban and Community Forestry: <u>www.michigan.gov/ucf</u> DNR Wildlife Division: <u>www.Michigan.gov/Wildlife</u> DNR Wildlife Landowner Incentive Program: <u>www.michigan.gov/dnrlip</u>

Field Identification Guides to Invasive Plants in Michigan: www.mnfi.anr.msu.edu/invasive-species/InvasivePlantsFieldGuide.pdf www.michigan.gov/dnr/0,4570,7-153-10370\_12146---,00.html Foresters for the Birds: <u>http://vt.audubon.org/foresters-birds</u> Forestry Taxes: <u>www.timbertax.org</u>

Heart of the Lakes (Collective of Michigan's land conservancies): www.heartofthelakes.org

Leafsnap: An Electronic Field Guide: www.leafsnap.com

Michigan Association of Conservation Districts: www.mcad.org Michigan Chapter of the Soil and Water Conservation Society: www.miglswcs.org Michigan Environmental Education Curriculum Support: www.michigan.gov/meecs Michigan Forest Association Foresters List: www.michiganforests.com/forester.htm Michigan Forest Pathways: http://miforestpathways.net Midwest Invasive Species Network: www.misin.msu.edu Michigan Nature Association: https://www.michigannature.org Michigan Society of American Foresters: http://michigansaf.org Michigan State University Department of Forestry: www.for.msu.edu Michigan State University Diagnostics Laboratory: www.pestid.msu.edu Michigan State University Extension Forestry: http://msue.anr.msu.edu/topic/info/forestry Michigan State University Soil Testing Laboratory: www.spnl.msu.edu Michigan Sustainable Forestry Initiative: http://sfimi.org Michigan Technological University School of Forest Resources & Environmental Science: www.mtu.edu/forest Michigan United Conservation Clubs: www.mucc.org My Land Plan: www.mylandplan.org

National Wild Turkey Federation: <u>www.nwtf.org</u> National Woodland Owners Association: <u>www.woodlandowners.org</u> NRCS Financial Assistance: <u>www.nrcs.usda.gov/wps/portal/nrcs/main/mi/technical/landuse/forestry</u> NRCS PLANTS Database: <u>www.plants.usda.gov</u> <u>http://www.missouribotanicalgarden.org/plantfinder/plantfindersearch.aspx</u> NRCS Technical Service Providers: <u>www.nrcs.usda.gov/wps/portal/nrcs/main/national/programs/technical/tsp/</u>

Pheasants Forever: <u>www.pheasantsforever.org</u> Project Learning Tree: <u>www.michiganplt.org</u> Project WILD: <u>www.michigan.gov/michiganprojectwild</u>

Quality Deer Management Association: www.qdma.com

Ruffed Grouse Society: www.ruffedgrousesociety.org

Sample Timber Sale Contract: <u>www.nhdfl.org/library/pdf/Forest%20Protection/timbersaleagreement.pdf</u>

Ties to the Land (succession planning to pass forest to next generation): <u>www.tiestotheland.org</u> Tree Sales:

www.michigan.gov/documents/dnr/DirectoryOfMichiganSeedlingNurseries:IC4175 25882 <u>8\_7.pdf?20141113140132</u>

Trout Unlimited: <u>www.michigantu.org</u>

USDA Soil Web Survey: <u>http://websoilsurvey.nrcs.usda.gov/app/HomePage.htm</u> USFS Ecosystem Services: <u>www.fs.fed.us/ecosystemservices/index.shtml</u> USFS Private Woodland Owners: <u>http://na.fs.fed.us/pubs/misc/flg</u> USFS State and Private Forestry: <u>www.fs.fed.us/spf</u> USFS Wetland Mapper <u>https://www.fws.gov/wetlands/Data/Mapper.html</u>

Whitetails Unlimited: <u>www.whitetailsunlimited.com</u> Woodland Stewardship: <u>www.woodlandstewardship.org</u>

#### **Books for Landowners**

- Woodland Stewardship: A Practical Guide for Midwestern Landowners (2nd Edition). 2009. This book, written by a team of educators and foresters from Minnesota, Wisconsin, and Michigan is an excellent manual on how to manage your forest for a wide variety of goals. (A free pdf of the entire book is online at): <u>http://woodlandstewardship.org</u>
- 2. Owning and Managing Forest: A Guide to Legal, Financial, and Practical Matters (Revised). 2005. This book is written by Thomas McEvoy, an Extension Professor at the University of Vermont. It contains excellent advice on the legal and financial issues of owning and managing a family forest.
- 3. A Landowner's Guide to Managing Your Woods. 2011. This book is authored by a landowner, forester, and logger to give a balanced view of forest management and how to maintain a small forest for long-term health, biodiversity, and high-quality timber production.
- 4. Michigan Trees: A Guide to the Trees of the Great Lakes Region (Revised). 2004. This book is the classic text on tree identification in Michigan authored by two U of M professors. It has drawings instead of photos, but the book has more complete information than the ID books with prettier photos.
- Michigan Forest Communities: A Field Guide and Reference. 2004. This book, by Dr. Don Dickmann at MSU, describes 23 forest communities in Michigan. The book is available from MSU Extension. A free pdf is at <u>http://web2.msue.msu.edu/bulletins/Bulletin/PDF/E3000.pdf</u>.
- 6. The Forests of Michigan (Revised). 2016. This book by two MSU forestry professors is an interesting history of Michigan's forests over the last few centuries and is available at the University of Michigan Press.
- 7. Positive Impact Forestry: A Sustainable Approach to Managing Woodlands. 2004. This book is written by Thomas McEvoy, an Extension Professor at the University of Vermont. It is a great introduction to silviculture, the science and art of growing and managing forests.
- Estate Planning for Forest Landowners: What Will Become of Your Timberland? 2009. Nothing is more dreadful than death and taxes, but this book helps landowners prepare for both. To ease your pain, it is free at <u>http://www.srs.fs.usda.gov/pubs/gtr/gtr\_srs112.pdf</u>. See also www.timbertax.org

- 9. Trees Are the Answer (Revised). 2010. This book is written by Dr. Patrick Moore, one of the founders of Greenpeace. His perspective on forestry will appeal to both tree huggers and loggers.
- 10. Managing Michigan's Wildlife: A Landowner's Guide. 2001. This book, edited by two biologists for the Michigan Department of Natural Resources, is the classic text in Michigan for landowners on wildlife habitat and managing forests for preferred game species. This book about wildlife habitat management is only available at: <u>www.michigandnr.com/publications/pdfs/huntingwildlifehabitat/Landowners\_Guide/i</u> <u>ndex.htm</u>
- 11. A Sand County Almanac. 1949. This book by Aldo Leopold is one of the foundations for environmental ethics that continues to inform forest stewardship of both private and public lands. This book will help you to articulate your own ethical approach to managing your forest.
- 12. Last Child in the Woods. 2008. This book by Richard Louv is a strong argument that our nation's children are suffering from "nature deficit disorder." This book will give you great ideas about how you can bring school groups, scout groups, church groups, or even your own children out into your forest to experience and enjoy nature.