



Compartment Review Presentation

Escanaba Forest Management Unit

Compartment 33061

Entry Year 2026

Acreage: 2,472

County Menominee

Management Area: Green Bay

Stand Examiner: Dan Beaudou

Legal Description:

T34N R26W Section's 1-4, 9-15

Identified Planning Goals:

Many of the stands treated during the last Year Of Entry (YOE) cycle had forest health issues. Mixed conifer and lowland deciduous stands were treated during the last cycle addressing forest health concerns with the Eastern Larch Beetle(ELB), Spruce Budworm(SBW), and Emerald Ash Borer(EAB). The SBW initiative affected both upland and lowland stand types. ELB and EAB were primarily in lowland stands. Beech Bark Disease scale has recently been identified in the hardwood stands. Hardwood thinning's this cycle will address the increased prevalence of BBD and EAB.

The largest forested cover type in this compartment is cedar. The 3L site condition has been placed on these stands due to the higher concentration of cedar in the stands and how the Deer Wintering Guidelines affect management of these stands.

The second largest cover type is aspen. Aspen stands account for nearly half as many acres as cedar. Age class diversity will be maintained and promoted by clearcutting 18 acres for aspen regeneration.

Northern hardwood stands come in a close third for abundance. About a third of the northern hardwood acreage will be selection thinned. Ash and beech will be targeted more heavily than normal due to the looming mortality that quickly sets in by EAB and BBD.

The rest of the stands are of mixed species. Fifteen acres of lowland deciduous will be clearcut to promote ash, aspen and red maple regeneration. Six acres of lowland mix will be treated to promote aspen and fir regeneration.

Monitoring treatments remain on stands that are slow to regenerate like the lowland conifers or are not showing much regeneration as in the northern hardwood stands.

Phragmite populations have really become noticeable. Continued treatments for non-native phragmites have been placed on stands where it has been observed somewhere in the stand. The treatment layer has been narrowed down in some stands where it is not as prevalent at this time. Treatment will depend on funding and accessibility.

Soil and topography:

This compartment contains the Lupton-Cathro association, Loxley-Dawson association, Lupton-Tawas association, Deford-Wainola-Rousseau complex, and Onaway fine sandy loam. This compartment contains large amounts of poorly drained black muck and muckey peat over sandy loam and brown sand. There are also areas of well drained fine sandy loam over gravelly fine sandy loam mixed throughout the lower areas. The comp. overall is level with some areas of gently rolling hills.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

This compartment is southeast of Stephenson, five(5) miles east of Wallace and is located on the southern tip of a block of state land that is approximately 8 miles wide and 20 miles long extending northeast into Delta County. This compartment is broken up with many private in-holdings and is surrounded by private property. The area is used primarily for outdoor recreational activities. There are some private agricultural lands within a mile of this compartment on the West and South sides.

Unique Natural Features:

Hayward Lake Wetland Complex

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

The Hayward Lake Wetland Complex has a draft master plan that was prepared in July of 2003.

Watershed and Fisheries Considerations:

33061: This compartment is scattered and contains Hayward Lake, its drainage area, Big Brook Creek, and Fowler Creek. Stand 92 is near Fowler Creek, comments say to buffer that portion- a 100 foot buffer is recommended. If any treatments are near a wetland area, best management practices should be incorporated which include a 100' buffer.

Wildlife Habitat Considerations:

This 2,472 acre compartment contains a diverse array of upland and lowland habitats, with lowland shrub (32%) and cedar (24%) being the two largest cover types. 112 acres of forest treatments have been prescribed this YOY, representing 5% of the compartment. Of these treatments, 73 acres of single tree selections in northern hardwoods, and 39 acres of clearcuts in aspen, lowland mixes, and lowland deciduous forests are planned. Featured species for this compartment include American Woodcock, Wood Thrush, White-tailed Deer, Wild Turkey, and Black Bear. Clearcuts which create young forest condition will benefit all of these species with the exception of the Wood Thrush. 37 acres of potential Wood Thrush habitat will be minimally impacted by single tree selection harvests.

Mineral Resource and Development Concerns and/or Restrictions

Compartment 61: Sections 1-4 & 9-15, T34N-R26W and sections 34-36, T35N-R26W, Menominee County
No known potential exists for commercial oil & gas production in this part of the state. Multiple current and former sand & gravel operations exist just outside the compartment to the southwest. Much of the compartment consists of low wetlands, which would inhibit surface mining, but there may be some sand & gravel potential on the upland drumlins within the compartment. Some remote geophysical surveys covering this area have been conducted, but no known past mineral test drilling has occurred in the vicinity of the compartment. The remote geophysical data provides some evidence that indicates the possible presence of metallic minerals beneath a portion of the compartment, but any such mineral occurrences would be at great depth and may not have significant economic value. Additional research/exploration is needed. There is no current leasing activity involving State-owned mineral rights in the area. The State does not own all the mineral rights within the compartment. Because the mineral estate is the dominant estate, the surface owner must provide the owner of the mineral rights reasonable access to the surface for mineral exploration and development.

Vehicle Access:

The main access into this compartment is off of the Hayward Lake Road, North Bay De Noc (Marsh) Road, and Schuster Lane. There are also "2 track" roads branching off of these roads that run into other parts of the compartment. The Hayward Lake Road runs through the middle of the compartment, the North Bay De Noc(Marsh) runs on the southern edge, and the Schuster Lane runs through the northeastern portion of the compartment. Access is limited in many parts of the compartment. The only vehicular access to parts of the compartment is through private property. The state does not have any easements with any of the landowners, so permission must be obtained prior to any management activities.

Survey Needs:

Potentially five(5) survey corners will be needed for the proposed treatments.

Recreational Facilities and Opportunities:

The Hayward Lake access site is within this compartment. Hayward Lake is used heavily for waterfowl hunting. The primary uses are hunting, fishing, and riding ORV's.


Fire Protection:

The majority of the compartment contains cover types that are not prone to large fires. Lowland conifer and hardwood stands along with northern hardwood stands make-up a substantial portion of the compartment. There is an abundant amount of water available for fire suppression. Vehicle access is very limited in portion of the compartment.


Additional Compartment Information:

Any invasive plant identification (including phragmite, autumn olive, barberry) that occurs during this 10 year inventory period can be treated by using invasive species treatment guidelines.

Cover Type & Treatments Map




Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudou
 Map Revised: 07/15/2024
 Map Phase: Web - Post




- Boating Access Site
- Survey Grade Corners
- Remonumented Section Corners
- DNR - Primary Forest Road
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- County - Gravel Road
- Private - Dirt / Gravel Road
- Intermittent Stream
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Compartment Boundary
- Counties
- Treatments with Site Conditions
- Pesticide

- Other Treatment - See Comments
- Selection (Group, Single Tree)
- Clearcut (w/Reserves)
- Regeneration Survey
- 411 - Northern Hardwood
- 413 - Aspen Types
- 422 - Natural Pines
- 423 - Other Upland Conifers
- 430 - Upland Mixed Forest
- 611 - Lowland Deciduous Forest
- 612 - Lowland Coniferous Forest
- 613 - Lowland Mixed Forest
- 122 - Roads/Parking Lot
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 622 - Lowland Shrub




Cover Type & Treatments Map




Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudo
 Map Revised: 07/15/2024
 Map Phase: Web - Post

- Berms
- Gate
- Boating Access Site
- Survey Grade Corners
- Remonumented Section Corners
- DNR - Primary Forest Road
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State Highway
- Federal / State / County - Paved Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Intermittent Stream
- Island in Lake or River
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Powerline
- Compartment Boundary
- Counties
- Treatments with Site Conditions
- Pesticide
- Other Treatment - See Comments
- Selection (Group, Single Tree)
- Clearcut (w/Reserves)
- Regeneration Survey


- 411 - Northern Hardwood
- 413 - Aspen Types
- 422 - Natural Pines
- 423 - Other Upland Conifers
- 429 - Mixed Upland Conifers
- 430 - Upland Mixed Forest
- 611 - Lowland Deciduous Forest
- 612 - Lowland Coniferous Forest
- 613 - Lowland Mixed Forest
- 122 - Roads/Parking Lot
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 500 - Water
- 622 - Lowland Shrub
- 623 - Emergent Wetland




Cover Type & Treatments Map




Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudou
 Map Revised: 07/15/2024
 Map Phase: Web - Post




- | | | | |
|---------------------------------------|------------------------------|---------------------------------|---------------------------------|
| Gate | Private - Dirt / Gravel Road | Treatments with Site Conditions | 429 - Mixed Upland Conifers |
| Boating Access Site | Intermittent Stream | Pesticide | 430 - Upland Mixed Forest |
| Survey Grade Corners | Island in Lake or River | Other Treatment - See Comments | 611 - Lowland Deciduous Forest |
| Remonumented Section Corners | Lake/Pond | Selection (Group, Single Tree) | 612 - Lowland Coniferous Forest |
| DNR - Primary Forest Road | Perennial River | Clearcut (w/Reserves) | 310 - Herbaceous Openland |
| DNR - Forest Access Route | Lakes and Rivers | Regeneration Survey | 330 - Low Density Trees |
| Federal / State / County - Paved Road | Powerline | 411 - Northern Hardwood | 500 - Water |
| County - Gravel Road | Compartment Boundary | 413 - Aspen Types | 622 - Lowland Shrub |
| County - Dirt Road (Seasonal) | Counties | 423 - Other Upland Conifers | 623 - Emergent Wetland |




Stand Boundary Map



Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudou
 Map Revised: 07/15/2024
 Map Phase: Web - Post





- Gate
- Boating Access Site
- Survey Grade Corners
- + Remonumented Section Corners
- DNR - Primary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Intermittent Stream
- Island in Lake or River
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Powerline
- Compartment Boundary
- Counties
- Stand Boundaries
- 411 - Northern Hardwood
- 413 - Aspen Types
- 423 - Other Upland Conifers
- 429 - Mixed Upland Conifers
- 430 - Upland Mixed Forest
- 611 - Lowland Deciduous Forest
- 612 - Lowland Coniferous Forest
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 500 - Water
- 622 - Lowland Shrub
- 623 - Emergent Wetland
- State Forests



**Special Conservation Areas
& Site Conditions Map**


Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudou
 Map Revised: 07/15/2024
 Map Phase: Web - Post




- Gate
- Boating Access Site
- Survey Grade Corners
- Remonumented Section Corners
- DNR - Primary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- County - Gravel Road

- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Intermittent Stream
- Island in Lake or River
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Powerline
- Compartment Boundary

- Counties
- SCA
- Available w/ Constraints
- Unavailable
- 2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)
- 3L: Other wildlife concerns
- 5E: Long-Term Retention
- Stand Boundaries
- Other Habitat Area



Stand Boundary Map




Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudou
 Map Revised: 07/15/2024
 Map Phase: Web - Post

0 0.5 1 Miles



- Boating Access Site
- Survey Grade Corners
- Remonumented Section Corners
- DNR - Primary Forest Road
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- County - Gravel Road
- Private - Dirt / Gravel Road
- Intermittent Stream
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Compartment Boundary
- Counties

- Stand Boundaries
- 411 - Northern Hardwood
- 413 - Aspen Types
- 422 - Natural Pines
- 423 - Other Upland Conifers
- 430 - Upland Mixed Forest
- 611 - Lowland Deciduous Forest
- 612 - Lowland Coniferous Forest
- 613 - Lowland Mixed Forest
- 122 - Roads/Parking Lot
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 622 - Lowland Shrub
- State Forests




**Special Conservation Areas
& Site Conditions Map**

Compartment: 33061
 T34N, R26W, Sec: 1-4, 9-15
 County: Menominee
 Unit: Escanaba
 Mgmt Area: Green Bay
 YOE: 2026
 Acres: 2471.7 GIS Calculated
 Examiner: Dan Beaudou
 Map Revised: 07/15/2024
 Map Phase: Web - Post



- Boating Access Site
- Survey Grade Corners
- Remonumented Section Corners
- DNR - Primary Forest Road
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- County - Gravel Road
- Private - Dirt / Gravel Road
- Intermittent Stream
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Compartment Boundary
- Counties
- SCA
- Available w/ Constraints
- Unavailable
- 3J: Water quality / BMPs (stream, river, or lake)
- 3L: Other wildlife concerns
- 5E: Long-Term Retention
- Stand Boundaries
- Other Habitat Area



The following reports from the Inventory are attached:

- Total Acres by Cover Type and Age Class**
- Cover Type by Harvest Method**
- Proposed Treatments – No Limiting Factors**
- Proposed Treatments – With Limiting Factors**
- Stand Details (Forested and Nonforested)**
- Dedicated and Proposed Special Conservation Areas**
- Site Condition Details**

The following information is displayed, where pertinent, on the attached compartment maps:

- Base feature information, stand boundaries, cover types, and numbers**
- Proposed treatments**
- Site condition boundaries**
- Details on the road access system**

Report 1 – Total Acres by Cover Type and Age Class



Age Class

| | Non-Forest | 0-9 | 10-19 | 20-29 | 30-39 | 40-49 | 50-59 | 60-69 | 70-79 | 80-89 | 90-99 | 100-109 | 110-119 | 120-129 | 130-139 | 140-149 | 150+ | Uneven-Aged | Total |
|-----------------------------|------------|------------|-----------|-----------|------------|-----------|-----------|----------|-----------|-----------|-----------|------------|-----------|------------|----------|----------|----------|-------------|-------------|
| Aspen | 0 | 54 | 40 | 16 | 109 | 10 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 236 |
| Cedar | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 492 | 13 | 91 | 0 | 0 | 0 | 0 | 595 |
| Hemlock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 11 |
| Herbaceous Openland | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| Low-Density Trees | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| Lowland Aspen/Balsam Poplar | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| Lowland Conifers | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 25 | 27 | 52 | 0 | 0 | 0 | 0 | 0 | 109 |
| Lowland Deciduous | 0 | 0 | 13 | 19 | 26 | 0 | 0 | 0 | 22 | 0 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 96 |
| Lowland Mixed Forest | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 0 | 0 | 0 | 15 | 40 |
| Lowland Shrub | 795 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 795 |
| Marsh | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Northern Hardwood | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 | 12 | 180 | 0 | 0 | 0 | 0 | 0 | 0 | 217 |
| Tamarack | 0 | 96 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 96 |
| Treed Bog | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 69 |
| Upland Conifers | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 40 |
| Upland Mixed Forest | 0 | 0 | 0 | 10 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 45 | 0 | 0 | 0 | 0 | 0 | 6 | 80 |
| Upland Spruce/Fir | 0 | 0 | 0 | 0 | 21 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 |
| Urban | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Water | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| White Pine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 |
| Total | 902 | 150 | 53 | 45 | 188 | 16 | 12 | 0 | 22 | 36 | 33 | 772 | 70 | 143 | 0 | 0 | 0 | 30 | 2467 |



Report 2 – Treatment Summary

Escanaba Mgt. Unit

Year of Entry: 2026

Acres of Harvest

Compartment 61

Total Compartment Acres: 2,472

Commercial Harvest - 62
 Harvests with Site Condition - 51
 Next Step Harvest - 0
 Habitat Cut - 0

Cover Type by Harvest Method

| | Clearcut | Selection | Patch Clearcut | Seed Tree | Shelterwood | Thinning | Overstory Removal | Salvage | Other | Total Acres |
|----------------------|-----------|-----------|----------------|-----------|-------------|----------|-------------------|----------|----------|-------------|
| Aspen | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| Lowland Deciduous | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| Lowland Mixed Forest | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| Northern Hardwood | 0 | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 73 |
| Total | 39 | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 |

Proposed and Next Step Treatments by Method

| | Harvest | Site Prep | Planting | Seeding | Burning | Pesticide | Monitoring | Other | Non-Forest Mgt. | Total Acres |
|--------------|------------|-----------|----------|----------|----------|------------|-------------|----------|-----------------|-------------|
| Current | 112 | 0 | 0 | 0 | 0 | 690 | 482 | 0 | 7 | 1291 |
| Next Step | 0 | 0 | 0 | 0 | 0 | 0 | 802 | 0 | 0 | 802 |
| Total | 112 | 0 | 0 | 0 | 0 | 690 | 1284 | 0 | 7 | 2094 |



| S t a n d | Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|-----------------------|-------------------|-------|--------------------|-----------------|--------------|-------------|-------------------|---------------------|-------------------------|------------------|----------------|
|-----------------------|-------------------|-------|--------------------|-----------------|--------------|-------------|-------------------|---------------------|-------------------------|------------------|----------------|

Proposed Treatments:

| | | | | | | | | | | | |
|---|----------------------------|-------|---------------------------------|-----------------|---|-----------------|-----------|------------------|--------------------------------|-----------|----|
| 3 | 33061003- Spray | 32.1 | 6229 - Mixed lowland shrub | Nonstocked | | Unspec ified | Pesticide | Other - Specify | 6229 - Mixed lowland shrub | | No |
| <p><u>Prescription</u> Remove invasive species with herbicide application. Aerial application with drone, helicopter, or hand application.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Herbicide Use</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u></p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | | |
| 10 | 33061010- Spray | 615.9 | 6223 - Inundated Shrub Swamp | Nonstocked | | | Pesticide | Other - Specify | 6229 - Mixed lowland shrub | | No |
| <p><u>Prescription</u> Remove invasive species with herbicide application as funding is available. Use of aerial application, drone or helicopter, or hand application.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Herbicide Use</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u></p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | | |
| 14 | 33061014- Spray | 2.0 | 6121 - Tamarack | Sapling Poor | 6 | Immatur re | Pesticide | Hand Application | 6139 - Mixed Lowland Forest | Even-Aged | No |
| <p><u>Prescription</u> Herbicide application to remove invasive phragmite from stand 14. This treatment is shown on the map along the road but other patches of phragmites are in the stand but a Monitoring treatment on the rest of the stand.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Herbicide Use</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Remove invasive phragmites.</p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | | |



S
t
a
n
d

| | Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|------------------|-------|---|------------------|-----------|----------|----------------|------------------------------|----------------------------|---------------|-------------|
| 16 | 33061016-Cut | 18.2 | 4112 - Maple, Beech, Cherry Association | Sawtimber Well | 104 | 111-140 | Harvest | Single Tree Selection | 411 - Northern Hardwood | Uneven-Aged | No |
| <p><u>Prescription</u> Selection thin stand according to the Compleat Marker guidelines to a basal area around 70. Remove ash, balm, balsam fir, and ironwood greater than 3" dbh. Cedar and hemlock may be removed for operational purposes. Approximately 20 cord of cedar and 5 cord of hemlock would be harvested.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Species within the canopy layers.</p> <p><u>Regen:</u></p> <p><u>Other</u> - This stand is in deer conditional range and has a canopy composition of 5% hemlock and 5% cedar. Harvest of cedar and hemlock for operational purposes has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 20 cords of cedar, and 5 cords of hemlock.</p> <p><u>Comment:</u></p> <p>Selection harvesting may be the most misunderstood system and is certainly the most complex. When stands of trees become overly dense, forest health risks increase. Removing the higher-risk trees and leaving the trees with higher potential improves the quality and character of the forest. The partially-opened canopy allows enough light to accelerate individual tree health, vigor and allows seedlings to grow. The young trees eventually replace the older trees as the older trees either die or are harvested.</p> <p>Northern hardwood stands are recommended to be thinned at least every 15 years to improve health, productivity and stimulate regeneration.</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | | |
| 17 | 33061017-Monitor | 7.9 | 4115 - Y.Birch, Hemlock NH | Sawtimber Medium | 104 | 51-80 | Monitoring | Natural Regen (Re-Inventory) | 411 - Northern Hardwood | Uneven-Aged | No |
| <p><u>Prescription</u> Check regeneration next inventory cycle.</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Species in the canopy layers.</p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | | |
| 19 | 33061019-Spray | 1.3 | 6121 - Tamarack | Sapling Poor | 6 | Immature | Pesticide | Hand Application | 613 - Lowland Mixed Forest | Even-Aged | No |
| <p><u>Prescription</u> Herbicide application to remove invasive phragmite in stand 19.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Herbicide Use</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u></p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | | |



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|

| | | | | | | | | | | | |
|-----------|---------------------|------|---------------------------------------|----------------|-----|--------|---------|-----------------------|-------------------------|-------------|----|
| 23 | 33061023-Cut | 18.6 | 4111 - S.Maple, Hard Mast Association | Sawtimber Well | 104 | 81-110 | Harvest | Single Tree Selection | 411 - Northern Hardwood | Uneven-Aged | No |
|-----------|---------------------|------|---------------------------------------|----------------|-----|--------|---------|-----------------------|-------------------------|-------------|----|

Prescription Selection thin stand according to the Compleat Marker guidelines. Remove ash, aspen, balm, balsam fir, ironwood and spruce greater than 3" dbh. Remove most of the beech trees due to BBD except leave some large mast producing trees. Cedar(0-20 cord) and hemlock(0-5 cord) may be cut for operational purposes.

Next Step Monitoring, Natural Regen (Re-Inventory)
Treatments:

Acceptable Regen: Species in the canopy layers.

Other Comment: This stand is in deer conditional range and has a canopy composition of 2% hemlock and less than 5% cedar. Harvest of cedar and hemlock for operational purposes has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 20 cords of cedar, and 5 cords of hemlock.

Selection harvesting may be the most misunderstood system and is certainly the most complex. When stands of trees become overly dense, forest health risks increase. Removing the higher-risk trees and leaving the trees with higher potential improves the quality and character of the forest. The partially-opened canopy allows enough light to accelerate individual tree health, vigor and allows seedlings to grow. The young trees eventually replace the older trees as the older trees either die or are harvested.

Northern hardwood stands are recommended to be thinned at least every 15 years to improve health, productivity and stimulate regeneration.

Site Condition

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|-----------------------|-----|----------------------------|--------------|----|--------|-----------|------------------|----------------------------|-----------|----|
| 27 | 33061027-Spray | 2.3 | 4319 - Mixed Upland Forest | Sapling Well | 31 | 81-110 | Pesticide | Hand Application | 4319 - Mixed Upland Forest | Even-Aged | No |
|-----------|-----------------------|-----|----------------------------|--------------|----|--------|-----------|------------------|----------------------------|-----------|----|

Prescription Remove non-native phragmites from the stand using herbicide application as funding is available.
Specs:

Next Step Monitoring, Herbicide Use
Treatments:

Acceptable Regen:

Other Comment:

Site Condition

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|-----------------------|------|----------------------|-------------------|-----|-------|-----------|------------------|----------------------|-----------|----|
| 30 | 33061030-Spray | 13.5 | 6120 - Lowland Cedar | Poletimber Medium | 104 | 51-80 | Pesticide | Hand Application | 6120 - Lowland Cedar | Even-Aged | No |
|-----------|-----------------------|------|----------------------|-------------------|-----|-------|-----------|------------------|----------------------|-----------|----|

Prescription Remove non-native phragmites from the stand using herbicide application as funding is available.
Specs:

Next Step Monitoring, Herbicide Use
Treatments:

Acceptable Regen:

Other Comment:

Site Condition Wildlife Concerns

Proposed Start Date: 10/1 /2025



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|--|-------|---------------------------------------|----------------|-----------|----------|----------------|-----------------------|-------------------------|---------------|-------------|
| 33 33061033-Cut | 3.9 | 4115 - Y.Birch, Hemlock NH | Sawtimber Well | 101 | 111-140 | Harvest | Single Tree Selection | 411 - Northern Hardwood | Uneven-Aged | No |
| <p><u>Prescription</u> Selection thin stand according to the Compleat Marker bringing the stand to about 70 basal area. Cedar and hemlock can be cut for operational purposes with 6 cord cedar and 4 cord hemlock possibly being harvested. Private access is unknown at this time.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> Species within the canopy layers.</p> <p><u>Other Comment:</u> This stand is in deer conditional range and has a canopy composition of 15% hemlock and 10% cedar. Harvest of cedar and hemlock for operational purposes has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 4 cords of cedar, and 1.5 cords of hemlock.</p> <p>Northern hardwood stands are recommended to be thinned at least every 15 years to improve health, productivity and stimulate regeneration</p> <p>Selection harvesting may be the most misunderstood system and is certainly the most complex. When stands of trees become overly dense, forest health risks increase. Removing the higher-risk trees and leaving the trees with higher potential improves the quality and character of the forest. The partially-opened canopy allows enough light to accelerate individual tree health, vigor and allows seedlings to grow. The young trees eventually replace the older trees as the older trees either die or are harvested.</p> <p><u>Site Condition</u> Unknown Access</p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | |
| 35 33061035-Cut | 7.8 | 4111 - S.Maple, Hard Mast Association | Sawtimber Well | 101 | 111-140 | Harvest | Single Tree Selection | 411 - Northern Hardwood | Uneven-Aged | No |
| <p><u>Prescription</u> Selection thin stand according to the Compleat Marker guidelines. Remove ash, aspen, balm, balsam fir, beech, ironwood and spruce greater than 3" dbh. Bring stand down to around 70 basal area. Cedar(0-20 cord) and hemlock (0-5 cord) may be cut for operational purposes.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> Species in the canopy layers.</p> <p><u>Other Comment:</u> This stand is in deer conditional range and has a canopy composition of 5% hemlock, and less than 5% cedar. Harvest of cedar and hemlock for operational purposes has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 20 cords of cedar, and 5 cords of hemlock.</p> <p>Stand has a higher basal area and meets the recommended time frame for thinning along with forest health issues with some of the species.</p> <p>Selection harvesting may be the most misunderstood system and is certainly the most complex. When stands of trees become overly dense, forest health risks increase. Removing the higher-risk trees and leaving the trees with higher potential improves the quality and character of the forest. The partially-opened canopy allows enough light to accelerate individual tree health, vigor and allows seedlings to grow. The young trees eventually replace the older trees as the older trees either die or are harvested.</p> <p>Northern hardwood stands are recommended to be thinned at least every 15 years to improve health, productivity and stimulate regeneration</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | |



Standard

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|

| | | | | | | | | | | | |
|-----------|---------------------|------|--------------------------------|----------------|----|---------|---------|-----------------------|-------------------------|-------------|----|
| 41 | 33061041-Cut | 22.5 | 4110 - Sugar Maple Association | Sawtimber Well | 86 | 111-140 | Harvest | Single Tree Selection | 411 - Northern Hardwood | Uneven-Aged | No |
|-----------|---------------------|------|--------------------------------|----------------|----|---------|---------|-----------------------|-------------------------|-------------|----|

Prescription Selection thin stand to approximately 70 basal area according to the Compleat Marker guidelines. Remove most of the ash and beech due to EAB and BBD scale presence.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Species in the canopy layers.

Regen:

Other Selection harvesting may be the most misunderstood system and is certainly the most complex. When stands of trees become overly dense, forest health risks increase. Removing the higher-risk trees and leaving the trees with higher potential improves the quality and character of the forest. The partially-opened canopy allows enough light to accelerate individual tree health, vigor and allows seedlings to grow. The young trees eventually replace the older trees as the older trees either die or are harvested.

Comment: Northern hardwood stands are recommended to be thinned at least every 15 years to improve health, productivity and stimulate regeneration.

Site Condition Unknown Access

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|--------------------|-----|--------------------------------|------------|--|--------------|--------------|-----------------|---------------------------|--|----|
| 50 | 33061050-NF | 3.7 | 3105 - Mixed Upland Herbaceous | Nonstocked | | Unspec ified | NonForestMgt | Other - Specify | 310 - Herbaceous Openland | | No |
|-----------|--------------------|-----|--------------------------------|------------|--|--------------|--------------|-----------------|---------------------------|--|----|

Prescription Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only), fertilizing and liming, brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others

Next Step

Treatments:

Acceptable

Regen:

Other No work has been done here in the last decade

Comment:

Site Condition

Proposed Start Date: 8 /29/2024

| | | | | | | | | | | | |
|-----------|---------------------|-----|--------------|-----------------|----|-------|---------|-------------------------|-------------|-----------|----|
| 51 | 33061051-Cut | 6.8 | 4130 - Aspen | Poletimber Well | 56 | 51-80 | Harvest | Clearcut with Retention | 413 - Aspen | Even-Aged | No |
|-----------|---------------------|-----|--------------|-----------------|----|-------|---------|-------------------------|-------------|-----------|----|

Prescription Clearcut, cut all trees greater than 3" except retain a dense cedar patch and cut the scattered cedar for about 10 cord of cedar being harvested.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Species in the canopy layers.

Regen:

Other This stand is in deer conditional range and has a canopy composition of 5% cedar. Harvest of cedar outside of planned retention areas has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 10 cords.

Comment: This aspen stand was held last Year Of Entry from harvest due to the adjacent stand treatment. Aspen is mature and other species have forest health issues. Retain some cedar for diversity but cedar and hemlock are in adjacent stands. This stand will provide food and cover for multiple species at different age requirements. Harvesting at this time will also diversify the age class of aspen stands in the area.

Clearcutting is the solution to forest types whose seedlings or sprouts require full sunlight. Seeds and buds respond well to the warmed ground. The abundance of light produces excellent growth, some of the fastest we have. Species such as aspen, paper birch and jack pine require full sunlight.

Site Condition Unknown Access

Proposed Start Date: 10/1 /2025



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------|---|----------------|-----------|-------------|----------------|-----------------------|----------------------------|---------------|-------------|
| 60 33061060-Spray | 3.0 | 622 - Lowland Shrub | Nonstocked | 0 | Unspecified | Pesticide | Other - Specify | 613 - Lowland Mixed Forest | Even-Aged | No |
| <p><u>Prescription</u> Treat invasive species with herbicide in the stand. Aerial application with drone or helicopter or hand application.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Herbicide Use</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u></p> <p><u>Other Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | |
| 69 33061069-Cut | 2.4 | 4112 - Maple, Beech, Cherry Association | Sawtimber Well | 94 | 111-140 | Harvest | Single Tree Selection | 411 - Northern Hardwood | Uneven-Aged | No |
| <p><u>Prescription</u> Thin stand to around 70 basal area leaving the southern aspen portion out of the treatment. Cut all ash, aspen, balm, balsam, ironwood and spruce.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> Species in the canopy layers.</p> <p><u>Other Comment:</u> Selection harvesting may be the most misunderstood system and is certainly the most complex. When stands of trees become overly dense, forest health risks increase. Removing the higher-risk trees and leaving the trees with higher potential improves the quality and character of the forest. The partially-opened canopy allows enough light to accelerate individual tree health, vigor and allows seedlings to grow. The young trees eventually replace the older trees as the older trees either die or are harvested.</p> <p>Northern hardwood stands are recommended to be thinned at least every 15 years to improve health, productivity and stimulate regeneration.</p> <p><u>Site Condition</u> Unknown Access</p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | |
| 74 33061074-NF | 3.3 | 3105 - Mixed Upland Herbaceous | Nonstocked | | Unspecified | NonForestMgt | Other - Specify | 310 - Herbaceous Openland | | No |
| <p><u>Prescription</u> Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only), fertilizing and liming, brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u></p> <p><u>Other Comment:</u> No work has been done here in the last decade</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 8 /30/2024</p> | | | | | | | | | | |



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|

| | | | | | | | | | | | |
|-----------|---------------------|-----|--------------------------|-----------------|----|--------|---------|----------|----------------------------|-----------|----|
| 80 | 33061080-Cut | 6.0 | 6130 - Fir, Aspen, Maple | Poletimber Well | 49 | 81-110 | Harvest | Clearcut | 613 - Lowland Mixed Forest | Even-Aged | No |
|-----------|---------------------|-----|--------------------------|-----------------|----|--------|---------|----------|----------------------------|-----------|----|

Prescription Cut all trees greater than 3" dbh except leave cedar and hemlock if present.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Species in the canopy layers.

Regen:

Other Mature age for the aspen and decline with spruce fir. This will provide full sunlight to promote aspen sprouting, seed germination and browse.

Comment:

Clearcutting is the solution to forest types whose seedlings or sprouts require full sunlight. Seeds and buds respond well to the warmed ground. The abundance of light produces excellent growth, some of the fastest we have. Species such as aspen, paper birch and jack pine require full sunlight.

Site Condition

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|-----------------------|-----|--|-----------------|-----|------|-----------|-----------------|----------------------------|-----------|----|
| 82 | 33061082-Spray | 4.1 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 104 | 1-50 | Pesticide | Other - Specify | 613 - Lowland Mixed Forest | Even-Aged | No |
|-----------|-----------------------|-----|--|-----------------|-----|------|-----------|-----------------|----------------------------|-----------|----|

Prescription Herbicide application to remove invasive species(phragmites). Use of aerial-drone or helicopter or hand application.

Specs:

Next Step Monitoring, Herbicide Use

Treatments:

Acceptable

Regen:

Other

Comment:

Site Condition

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|-----------------------|------|--|--------------|----|----------|-----------|-----------------|----------------------------|-------------|----|
| 85 | 33061085-Spray | 15.0 | 6132 - Mixed Lowland Forest with Cedar | Sapling Well | 19 | Immature | Pesticide | Other - Specify | 613 - Lowland Mixed Forest | Uneven-Aged | No |
|-----------|-----------------------|------|--|--------------|----|----------|-----------|-----------------|----------------------------|-------------|----|

Prescription Herbicide treatment to invasive species. Use of aerial-drone, helicopter or hand application.

Specs:

Next Step Monitoring, Herbicide Use

Treatments:

Acceptable

Regen:

Other

Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|

| | | | | | | | | | | | |
|-----------|---------------------|------|--|-----------------|----|--------|---------|-------------------------|----------------------------|-----------|----|
| 92 | 33061092-Cut | 15.3 | 6117 - Lowland Deciduous, Mixed Coniferous | Poletimber Well | 72 | 81-110 | Harvest | Clearcut with Retention | 613 - Lowland Mixed Forest | Even-Aged | No |
|-----------|---------------------|------|--|-----------------|----|--------|---------|-------------------------|----------------------------|-----------|----|

Prescription Specs: Cut all trees greater than 3" dbh except cut birch greater than 4" dbh. Do not cut hemlock and leave some cedar and large deciduous seed trees. Approximately 45 cord of cedar would be harvested.

Next Step Treatments: Monitoring, Natural Regen (Re-Inventory)

Acceptable Regen: Species within the canopy layers.

Other Comment: This stand is in deer conditional range and has a canopy composition of 5% hemlock and 10% cedar. Harvest of cedar outside of planned retention areas has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 45 cords.

Some species like aspen are overmature at this age. Others are suffering from forest health issues. Parts of the stand has be cut many years ago.

Clearcutting is the solution to forest types whose seedlings or sprouts require full sunlight. Seeds and buds respond well to the warmed ground. The abundance of light produces excellent growth, some of the fastest we have. Species such as aspen, paper birch and jack pine require full sunlight.

Site Condition Unknown Access

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|---------------------|------|-----------------------------|----------------|----|--------|---------|-------------------------|-------------|-----------|----|
| 95 | 33061095-Cut | 10.9 | 4136 - Aspen, Mixed Conifer | Sawtimber Well | 37 | 81-110 | Harvest | Clearcut with Retention | 413 - Aspen | Even-Aged | No |
|-----------|---------------------|------|-----------------------------|----------------|----|--------|---------|-------------------------|-------------|-----------|----|

Prescription Specs: Cut all trees greater than 3" except leave cedar, hemlock, a couple large deciduous seed trees and 26" and greater dbh pine trees.

Next Step Treatments: Monitoring, Natural Regen (Re-Inventory)

Acceptable Regen: Species in the canopy layers.

Other Comment: Harvesting this aspen stand will diversify the areas aspen age class while retaining cedar, hemlock, large pine and some deciduous seed trees that are lacking in the surrounding area.

Clearcutting is the solution to forest types whose seedlings or sprouts require full sunlight. Seeds and buds respond well to the warmed ground. The abundance of light produces excellent growth, some of the fastest we have. Species such as aspen, paper birch and jack pine require full sunlight.

Site Condition

Proposed Start Date: 10/1 /2025

| | | | | | | | | | | | |
|-----------|-----------------------|-----|--------------------------|--------------|---|----------|-----------|------------------|----------------------------|-------------|----|
| 97 | 33061097-Spray | 0.7 | 4134 - Aspen, Spruce/Fir | Sapling Poor | 4 | Immature | Pesticide | Hand Application | 4319 - Mixed Upland Forest | Uneven-Aged | No |
|-----------|-----------------------|-----|--------------------------|--------------|---|----------|-----------|------------------|----------------------------|-------------|----|

Prescription Specs: Herbicide application to invasive phragmite in stand 97.

Next Step Treatments: Monitoring, Herbicide Use

Acceptable Regen:

Other Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------|---------------------------------------|------------------|-----------|----------|----------------|------------------------------|-------------------------|---------------|-------------|
| 100 33061100-Monitor | 10.7 | 4111 - S.Maple, Hard Mast Association | Sawtimber Medium | 101 | 51-80 | Monitoring | Natural Regen (Re-Inventory) | 411 - Northern Hardwood | Uneven-Aged | No |
| <p><u>Prescription</u> Check regeneration next inventory cycle. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Species in the canopy layers. <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition</u> Proposed Start Date: 10/1 /2025</p> | | | | | | | | | | |

Approved Treatments:

| | | | | | | | | | | |
|--|------|-----------------|--------------|---|----------|------------|------------------------------|---------------------------------|-----------|----|
| 14 33061014-Monitor | 48.6 | 6121 - Tamarack | Sapling Poor | 6 | Immature | Monitoring | Natural Regen (Re-Inventory) | 6121 - Tamarack | Even-Aged | No |
| <p><u>Prescription</u> Regeneration survey <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Tamarack, spruce, and cedar. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> Proposed Start Date: 10/2 /2018</p> | | | | | | | | | | |
| 19 33061019-Monitor | 47.6 | 6121 - Tamarack | Sapling Poor | 6 | Immature | Monitoring | Natural Regen (Re-Inventory) | 612 - Lowland Coniferous Forest | Two-Aged | No |
| <p><u>Prescription</u> Regeneration survey next inventory cycle. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Manage the stand for mixed lowland conifer. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> Proposed Start Date: 10/1 /2023</p> | | | | | | | | | | |



S
t
a
n
d

| Stand | Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------------------------|-------|--------------------------------|------------------|-----------|-------------|----------------|------------------------------|--------------------------------|---------------|-------------|
| 22 | 33061022-Monitor | 7.9 | 4110 - Sugar Maple Association | Sawtimber Medium | 96 | 51-80 | Monitoring | Natural Regen (Re-Inventory) | 4110 - Sugar Maple Association | Uneven-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> This stand is being managed for northern hardwoods. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 9 /30/2023</p> | | | | | | | | | | | |
| 39 | 33061039-Monitor | 7.8 | 622 - Lowland Shrub Nonstocked | | 0 | | Monitoring | Natural Regen (Re-Inventory) | 611 - Lowland Deciduous Forest | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> The stand will be managed for lowland hardwood and balsam fir. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 9 /30/2023</p> | | | | | | | | | | | |
| 40 | 33061040-Monitor | 7.4 | 622 - Lowland Shrub Nonstocked | | 0 | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 613 - Lowland Mixed Forest | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> This stand is being managed for a mix of lowland species, both deciduous and coniferous. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 9 /30/2023</p> | | | | | | | | | | | |



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------|--|-----------------|-----------|-------------|----------------|------------------------------|--------------------------------|---------------|-------------|
| 43 33061043-Monitor | 48.3 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 120 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 611 - Lowland Deciduous Forest | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for lowland deciduous. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 10/1 /2023</p> | | | | | | | | | | |
| 53 33061053-Monitor | 13.1 | 6115 - Lowland Ash | Sapling Poor | 94 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 611 - Lowland Deciduous Forest | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for lowland hardwood and balsam fir. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 9 /30/2023</p> | | | | | | | | | | |
| 54 33061054-Monitor | 24.1 | 622 - Lowland Shrub | Nonstocked | 0 | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 613 - Lowland Mixed Forest | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for lowland hardwood and balsam fir. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 9 /30/2023</p> | | | | | | | | | | |
| 56 33061056-Monitor | 7.5 | 3302 - Low Density Conifer Trees | Nonstocked | 0 | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 613 - Lowland Mixed Forest | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> This stand is being managed for a mix of lowland hardwood and conifer. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u> <u>Proposed Start Date:</u> 10/1 /2023</p> | | | | | | | | | | |



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|
|----------------|-------|-----------------|--------------|-----------|----------|----------------|------------------|----------------------|---------------|-------------|

| | | | | | | | | | | | |
|-----------|-------------------------|------|----------------------------|-----------------|-----|------|------------|------------------------------|-------------------------|-----------|----|
| 58 | 33061058-Monitor | 33.9 | 4319 - Mixed Upland Forest | Poletimber Poor | 101 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 4113 - R.Maple, Conifer | Even-Aged | No |
|-----------|-------------------------|------|----------------------------|-----------------|-----|------|------------|------------------------------|-------------------------|-----------|----|

Prescription

Specs:

Next Step

Treatments:

Acceptable Manage this stand for a mix of maple, beech, balsam fir, and white pine.

Regen:

Other Percent to Treat = 100%

Comment:

Site Condition

Proposed Start Date: 10/1 /2023

| | | | | | | | | | | | |
|-----------|-------------------------|------|--------------------------------|---|-------------|---|------------|------------------------------|--|-----------|----|
| 60 | 33061060-Monitor | 23.7 | 622 - Lowland Shrub Nonstocked | 0 | Unspecified | 0 | Monitoring | Natural Regen (Re-Inventory) | 6117 - Lowland Deciduous, Mixed Coniferous | Even-Aged | No |
|-----------|-------------------------|------|--------------------------------|---|-------------|---|------------|------------------------------|--|-----------|----|

Prescription

Specs:

Next Step

Treatments:

Acceptable Manage this stand for lowland hardwood with some conifer.

Regen:

Other Percent to Treat = 100%

Comment:

Site Condition

Proposed Start Date: 10/1 /2023

| | | | | | | | | | | | |
|-----------|-------------------------|------|---------------------------------------|------------------|-----|-------|------------|------------------------------|---|-------------|----|
| 62 | 33061062-Monitor | 18.4 | 4111 - S.Maple, Hard Mast Association | Sawtimber Medium | 101 | 51-80 | Monitoring | Natural Regen (Re-Inventory) | 4112 - Maple, Beech, Cherry Association | Uneven-Aged | No |
|-----------|-------------------------|------|---------------------------------------|------------------|-----|-------|------------|------------------------------|---|-------------|----|

Prescription Regen survey.

Specs:

Next Step

Treatments:

Acceptable Manage this stand for a mix of northern hardwoods.

Regen:

Other Percent to Treat = 100%

Comment:

Site Condition

Proposed Start Date: 9 /30/2023



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------|--------------------------------|------------------|-----------|-------------|----------------|------------------------------|--|---------------|-------------|
| 64 33061064-Monitor | 42.0 | 622 - Lowland Shrub | Nonstocked | 0 | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 6117 - Lowland Deciduous, Mixed Coniferous | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Manage this stand for lowland hardwoods and balsam fir. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 9/30/2023</p> | | | | | | | | | | |
| 67 33061067-Monitor | 14.2 | 4110 - Sugar Maple Association | Sawtimber Medium | 101 | 51-80 | Monitoring | Natural Regen (Re-Inventory) | 4112 - Maple, Beech, Cherry Association | Uneven-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Manage this stand for mixed upland deciduous hardwoods. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1/2023</p> | | | | | | | | | | |
| 68 33061068-Monitor | 3.7 | 622 - Lowland Shrub | Nonstocked | 0 | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 6115 - Lowland Ash | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Manage this stand for lowland hardwood and balsam fir. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1/2023</p> | | | | | | | | | | |



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------|--|-----------------|-----------|----------|----------------|------------------------------|--|---------------|-------------|
| 70 33061070-Monitor | 4.1 | 4130 - Aspen | Sapling Medium | 6 | Immature | Monitoring | Natural Regen (Re-Inventory) | 413 - Aspen | Even-Aged | No |
| <p><u>Prescription</u> Regen survey. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Manage this stand for aspen. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 9/30/2023</p> | | | | | | | | | | |
| 71 33061071-Monitor | 4.6 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 98 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 611 - Lowland Deciduous Forest | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> Lowland hardwood, aspen, and spruce/fir. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1/2023</p> | | | | | | | | | | |
| 73 33061073-Monitor | 7.0 | 6118 - Lowland Deciduous with Cedar | Sapling Poor | 15 | Immature | Monitoring | Natural Regen (Re-Inventory) | 4191 - Mixed Upland Deciduous with Conifer | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> This stand will be managed for beech and spruce/fir primarily. <u>Regen:</u> <u>Other</u> Percent to Treat = 100% <u>Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1/2023</p> | | | | | | | | | | |



S
t
a
n
d

| Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|---|-------|--|------------------|-----------|----------|----------------|------------------------------|--|---------------|-------------|
| 75 33061075-Monitor | 16.9 | 4115 - Y.Birch, Hemlock NH | Sawtimber Medium | 104 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 4191 - Mixed Upland Deciduous with Conifer | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for upland hardwood and balsam fir. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2023</p> | | | | | | | | | | |
| 77 33061077-Monitor | 20.7 | 6128 - Lowland Coniferous, Mixed Deciduous | Sawtimber Poor | 117 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 6117 - Lowland Deciduous, Mixed Coniferous | Even-Aged | No |
| <p><u>Prescription</u> Regeneration survey next inventory cycle. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for a mix of hardwood and spruce/fir. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p> | | | | | | | | | | |
| 78 33061078-Monitor | 11.4 | 42350 - Upland Hemlock | Sawtimber Medium | 117 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 4191 - Mixed Upland Deciduous with Conifer | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for a mix of hemlock, white pine, and upland hardwood. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2023</p> | | | | | | | | | | |



S
t
a
n
d

| Stand | Treatment Name | Acres | Stand CoverType | Size Density | Stand Age | BA Range | Treatment Type | Treatment Method | Cover Type Objective | Age Structure | Habitat Cut |
|--|-------------------------|-------|--|-----------------|-----------|-------------|----------------|------------------------------|--|---------------|-------------|
| 82 | 33061082-Monitor | 19.1 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 104 | 1-50 | Monitoring | Natural Regen (Re-Inventory) | 6117 - Lowland Deciduous, Mixed Coniferous | Even-Aged | No |
| <p><u>Prescription</u> <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Manage this stand for mixed hardwood and balsam fir. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2023</p> | | | | | | | | | | | |
| 93 | 33061093-Monitor | 27.2 | 622 - Lowland Shrub | Nonstocked | 0 | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 6121 - Tamarack | Even-Aged | No |
| <p><u>Prescription</u> Regeneration survey <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Tamarack, spruce, and cedar. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/2 /2018</p> | | | | | | | | | | | |
| 94 | 33061094-Monitor | 4.3 | 3301 - Low Density Deciduous Trees | Nonstocked | | Unspecified | Monitoring | Natural Regen (Re-Inventory) | 4319 - Mixed Upland Forest | Even-Aged | No |
| <p><u>Prescription</u> Regeneration survey. <u>Specs:</u></p> <p><u>Next Step</u> <u>Treatments:</u></p> <p><u>Acceptable</u> Maple, ash, spruce/fir, and pine. <u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100% <u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/2 /2018</p> | | | | | | | | | | | |

Total Treatment 1291.4
Acreage Proposed:

Report 4 – Site Conditions

Escanaba Mgt. Unit
Dan Beaudou : Examiner

Compartment: 61
Year of Entry: 2026

Availability for Management

| Total Acres | Acres Available | Acres Avail | | Acres Not Available | Dominant Site Conditions | Dominant Site Conditions | | | | | |
|----------------|--------------------|----------------|--|------------------------|-----------------------------|--------------------------|----|----|-----|----|----|
| | | With Condition | | | | 2B | 2H | 3J | 3L | 5E | |
| 237 | 229 | 7 | | 1 | Aspen | 7 | | | | | 1 |
| 596 | 3 | 0 | | 593 | Cedar | | | | 593 | | |
| 11 | 11 | 0 | | 0 | Hemlock | | | | | | |
| 7 | 7 | 0 | | 0 | Herbaceous Openland | | | | | | |
| 12 | 12 | 0 | | 0 | Low-Density Trees | | | | | | 0 |
| 13 | 13 | 0 | | 0 | Lowland Aspen/Balsam Poplar | | | | | | |
| 110 | 102 | 0 | | 8 | Lowland Conifers | | | 6 | 2 | | |
| 95 | 71 | 22 | | 3 | Lowland Deciduous | 22 | | | | | 3 |
| 40 | 21 | 0 | | 19 | Lowland Mixed Forest | | | | 19 | | |
| 795 | 789 | 0 | | 6 | Lowland Shrub | | | | | | 6 |
| 1 | 1 | 0 | | 0 | Marsh | | | | | | |
| 218 | 179 | 29 | | 10 | Northern Hardwood | 29 | 10 | | | | |
| 96 | 96 | 0 | | 0 | Tamarack | | | | | | |
| 69 | 69 | 0 | | 0 | Treed Bog | | | | | | |
| 40 | 10 | 0 | | 30 | Upland Conifers | | 30 | | | | |
| 81 | 79 | 0 | | 2 | Upland Mixed Forest | | 2 | | | | |
| 25 | 25 | 0 | | 0 | Upland Spruce/Fir | | | | | | |
| 5 | 5 | 0 | | 0 | Urban | | | | | | |
| 13 | 13 | 0 | | 0 | Water | | | | | | |
| 9 | 9 | 0 | | 0 | White Pine | | | | | | |
| 2,472 | 1,742 | 58 | | 672 | Total Forested Acres | 58 | 42 | 6 | 614 | | 10 |
| | 70% | 2% | | 27% | Relative Percent | | | | | | |

**Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.*

| Site No. | Dominant Site Cond Availability | Dominant Site Condition | Acres | Other Site Condition | Other Site Condition | Other Site Condition | Other Site Condition |
|---|---------------------------------|--|-------|----------------------|----------------------|----------------------|----------------------|
| 1 | Unavailable | 2H: Blocked by physical obstacle (e.g. upland stand in a lowland area) | 42 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: | | | | | | | |
| Upland stand surrounded by large lowland/water complex hard to access without cold and long winter freezing period. | | | | | | | |

Report 4 – Site Conditions

Escanaba Mgt. Unit
Dan Beaudou : Examiner

Compartment: 61
Year of Entry: 2026

| | | | | | | | |
|--|--------------------|--|-----|-------------|-------------|-------------|-------------|
| 2 | Available | 2B: Unknown if access through adjacent landowner(s) is possible | 22 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: State land surrounded by private. Unknown if access will be allowed for timber sale activities. | | | | | | | |
| 3 | Unavailable | 3J: Water quality / BMPs (stream, river, or lake) | 6 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: Long narrow stand provides buffer to drainage/start of creek within. | | | | | | | |
| 4 | Available | 2B: Unknown if access through adjacent landowner(s) is possible | 4 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: Access through private property appears upland. Access by State is almost a half mile through cedar swamp. | | | | | | | |
| 5 | Available | 2B: Unknown if access through adjacent landowner(s) is possible | 32 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: Unknown access at this time. | | | | | | | |
| 6 | Unavailable | 3L: Other wildlife concerns | 614 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: High amount of northern white cedar and/or hemlock. Lack of treatment due to Deer Winter Range Guidelines. | | | | | | | |
| 11 | Unavailable | 5E: Long-Term Retention | 10 | Unspecified | Unspecified | Unspecified | Unspecified |
| Comments: YOE 2016 timber sale treatment retention patches/areas. | | | | | | | |

Mgt. Unit

Compartment: #Type!

Year of Entry:



Report 5 – PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

| SCA Name | SCA Category | Detail Type | Recommendation | Acres |
|----------|--------------|-------------|----------------|-------|
|----------|--------------|-------------|----------------|-------|

Comments

Mgt. Unit

Compartment:

Year of Entry



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

ERA = Ecological Reference Area
HCVA = High Conservation Value Area
SCA = Special Conservation Area

| Conservation Area | Type | Description |
|-------------------|------|-------------|
|-------------------|------|-------------|



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------------------------|--------------------|------------|-------------|-------------|--------------|---|----------|--------------|----------------------|--------|----------------------|---------|----------|----|-----|--------------|----|--------------|----|--|--|----|--------------------|---------|-------------|------------|-----------|----------|-------------|------------|---|-----|--------------------|---------|-------------|-------------|----------------------|----------|----------------------|---------|--|---------|--------------------|---------|--------------|--------|--------------|---------|----------|------|------------|------|----------|---------|
| 1 | 500 - Water | Nonstocked | 10.5 | | Immature | No | Myers Lake | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 6120 - Lowland Cedar | Poletimber Medium | 82.4 | 104 | Unspecified | N/A | YOE 2016: Very poor quality stand. The stand has a low basal area of merchantable stems (mostly cedar), with some cedar regeneration present. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>75</td> <td>Pole/Sapling</td> <td>5</td> <td>104</td> </tr> <tr> <td>Tamarack</td> <td>15</td> <td>Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>10</td> <td>Pole/Sapling</td> <td>6</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Northern White Cedar | 75 | Pole/Sapling | 5 | 104 | Tamarack | 15 | Pole | 10 | | Black Ash | 10 | Pole/Sapling | 6 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Balsam Fir</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Tamarack</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Balsam Fir | Low | 5 - 10 feet | Sapling | Tamarack | Low | 5 - 10 feet | Sapling | Northern White Cedar | Medium | < 5 feet | Sapling | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 75 | Pole/Sapling | 5 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 15 | Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 10 | Pole/Sapling | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 6229 - Mixed lowland shrub | Nonstocked | 32.1 | | Unspecified | No | Mixed grass, tag alder, cedar, ash, cattails. Lowland area next to Hayward Lake. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Ash (spp.)</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Ash (spp.) | Medium | Variable | Sapling | Northern White Cedar | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ash (spp.) | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 4119 - Mixed Northern Hardwoods | Sawtimber Medium | 7.1 | 102 | 51-80 | N/A | Trace of paper birch trees and tamarack seedlings with high density of balsam fir seedlings. Cedar is located along transition with cedar swamp boarder. Hemlock is scattered through out the stand in both canopy layers. The northern portion of the stand has a higher basal area and sugar maple concentration than the southern portion. YOE 2016: Stand was thinned in 2018 on contract 028-16-01. Good quality hardwood stand with dense balsam fir regeneration throughout most of the stand. The only access into this stand is through private property. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> <tr> <td>Beech</td> <td>5</td> <td>Log/Pole</td> <td>11</td> <td></td> </tr> <tr> <td>Basswood</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>60</td> <td>Log/Pole</td> <td>12</td> <td>102</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Maple | 10 | Log/Pole | 12 | | Hemlock | 5 | Log/Pole | 12 | | Yellow Birch | 5 | Pole/Log | 9 | | Northern White Cedar | 5 | Pole/Log | 9 | | Beech | 5 | Log/Pole | 11 | | Basswood | 10 | Log/Pole | 12 | | Sugar Maple | 60 | Log/Pole | 12 | 102 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>Low</td> <td>>20 feet</td> <td>Pole</td> </tr> <tr> <td>Balsam Fir</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Hemlock | Low | >20 feet | Pole | Balsam Fir | High | Variable | Sapling |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Log/Pole | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 10 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 60 | Log/Pole | 12 | 102 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Low | >20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | High | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 4319 - Mixed Upland Forest | Poletimber Well | 2.0 | 101 | 111-140 | N/A | YOE 2016: SCA - Island within Hayward Lake. Stand is primarily a mix of birch and cedar. There is lots of garbage on the island from duck hunters. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Paper Birch</td> <td>30</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>45</td> <td>Pole/Log</td> <td>10</td> <td>101</td> </tr> <tr> <td>Sugar Maple</td> <td>5</td> <td>Pole/Log</td> <td>10</td> <td></td> </tr> <tr> <td>Basswood</td> <td>15</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>5</td> <td>Pole</td> <td>9</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Paper Birch | 30 | Log/Pole | 12 | | Northern White Cedar | 45 | Pole/Log | 10 | 101 | Sugar Maple | 5 | Pole/Log | 10 | | Basswood | 15 | Log/Pole | 12 | | Balsam Fir | 5 | Pole | 9 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | Low | 10 - 20 feet | Sapling | Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 30 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 45 | Pole/Log | 10 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 5 | Pole/Log | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 15 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 5 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 429 - Mixed Upland Conifers | Sawtimber Well | 4.4 | 101 | 111-140 | N/A | YOE 2016: SCA - Island within Hayward Lake. Stand is a mix of large white pine on the east side and a mix of cedar, birch, and aspen on the west side. There is lots of garbage on the island from duck hunters. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Paper Birch</td> <td>25</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>White Spruce</td> <td>5</td> <td>Log/Pole</td> <td>13</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>25</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>White Pine</td> <td>40</td> <td>Log/XLog</td> <td>16</td> <td>101</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Sugar Maple | 5 | Log/Pole | 12 | | Paper Birch | 25 | Log/Pole | 12 | | White Spruce | 5 | Log/Pole | 13 | | Northern White Cedar | 25 | Log/Pole | 12 | | White Pine | 40 | Log/XLog | 16 | 101 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>High</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>White Spruce</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | High | 10 - 20 feet | Sapling | Northern White Cedar | Low | 10 - 20 feet | Sapling | White Spruce | Medium | 10 - 20 feet | Sapling | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 25 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | 5 | Log/Pole | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 25 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 40 | Log/XLog | 16 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | High | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-----------------|---------|------------|----------|--------------|--|----|----------|----|-----|-------------|----|----------|----|--|----------------------|----|----------|----|-----|---------------|----|----------|----|-----|---|----|--------------------|---------|-------------|---|--------------|--------------------|--------------|-------------|-------------|------------|--------------|--------------|---------|---|--|--------------------|---------|-------------|------|-------|--------|--------------|---------|------------|--------|--------------|---------|
| 7 | 4110 - Sugar Maple Association | Sawtimber Well | 4.2 | 101 | 81-110 | N/A | YOE 2016: SCA - Mature upland forest within a large swamp complex. Good quality hardwood stand with heavy sedge. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Oak</td> <td>10</td> <td>Log</td> <td>16</td> <td></td> </tr> <tr> <td>Ironwood</td> <td>5</td> <td>Pole</td> <td>7</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>60</td> <td>Log/Pole</td> <td>13</td> <td>101</td> </tr> <tr> <td>White Ash</td> <td>5</td> <td>Log</td> <td>13</td> <td></td> </tr> <tr> <td>Basswood</td> <td>20</td> <td>Log/Pole</td> <td>14</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Oak | 10 | Log | 16 | | Ironwood | 5 | Pole | 7 | | Sugar Maple | 60 | Log/Pole | 13 | 101 | White Ash | 5 | Log | 13 | | Basswood | 20 | Log/Pole | 14 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Oak | 10 | Log | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | 5 | Pole | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 60 | Log/Pole | 13 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Ash | 5 | Log | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 20 | Log/Pole | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 4111 - S.Maple, Hard Mast Association | Sawtimber Well | 6.1 | 101 | 81-110 | N/A | YOE 2016: SCA - Mature upland forest within a large swamp complex. Very good quality hardwood stand with heavy sedge. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>15</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Basswood</td> <td>15</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>White Ash</td> <td>8</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Red Oak</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>2</td> <td>Pole</td> <td>9</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>45</td> <td>Log/Pole</td> <td>13</td> <td>101</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Northern White Cedar | 15 | Log/Pole | 12 | | Basswood | 15 | Log | 14 | | White Ash | 8 | Log/Pole | 12 | | Red Oak | 10 | Log | 14 | | Bigtooth Aspen | 5 | Log/Pole | 12 | | Balsam Fir | 2 | Pole | 9 | | Sugar Maple | 45 | Log/Pole | 13 | 101 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Medium | 10 - 20 feet | Sapling | Balsam Fir | Medium | 10 - 20 feet | Sapling |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 15 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 15 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Ash | 8 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Oak | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 2 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 45 | Log/Pole | 13 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | 42380 - Non Pine Upland Conifer, Mixed Deciduous | Poletimber Well | 14.1 | 101 | 81-110 | N/A | YOE 2016: SCA - Mature upland forest within a large swamp complex. Stand is a mix of upland cedar, mixed hardwood, and balsam fir. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>15</td> <td>Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Paper Birch</td> <td>30</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>45</td> <td>Log/Pole</td> <td>12</td> <td>101</td> </tr> <tr> <td>Quaking Aspen</td> <td>10</td> <td>Pole/Log</td> <td>10</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Fir | 15 | Pole | 10 | | Paper Birch | 30 | Log/Pole | 12 | | Northern White Cedar | 45 | Log/Pole | 12 | 101 | Quaking Aspen | 10 | Pole/Log | 10 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Spruce</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | White Spruce | Low | 10 - 20 feet | Sapling | Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 15 | Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 30 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 45 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 10 | Pole/Log | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 6223 - Inundated Shrub Swamp | Nonstocked | 615.9 | | | No | Large expanse of lowland brush around Hayward Lake. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | 42380 - Non Pine Upland Conifer, Mixed Deciduous | Poletimber Well | 11.0 | 101 | 111-140 | N/A | YOE 2016: SCA - Mature upland forest within a large swamp complex. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Green Ash</td> <td>30</td> <td>Log/Pole</td> <td>12</td> <td>101</td> </tr> <tr> <td>Hemlock</td> <td>10</td> <td>Pole/Log</td> <td>10</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>30</td> <td>Pole/Log</td> <td>10</td> <td>101</td> </tr> <tr> <td>Balsam Fir</td> <td>30</td> <td>Pole/Log</td> <td>10</td> <td>101</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Green Ash | 30 | Log/Pole | 12 | 101 | Hemlock | 10 | Pole/Log | 10 | | Northern White Cedar | 30 | Pole/Log | 10 | 101 | Balsam Fir | 30 | Pole/Log | 10 | 101 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | 30 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 10 | Pole/Log | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 30 | Pole/Log | 10 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 30 | Pole/Log | 10 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|-----------------|------------|------------|----------|--------------|--|--------------|----|----------|----|--|----------------------|----|----------|----|-----|----------------------|----|--------------|----|-----|-------------|----|----------|----|-----|----------------------|----|----------|----|--|---|---|--------------------|---------|-------------|--|------------|--------------------|-------------|-------------|-----------|---------|-------------|------------|----------------------|------------|----------|-------------|------------|----------------------|-------------|----------|---------------|--------|-------------|---------|---------------|--------|----------|
| 12 | 6120 - Lowland Cedar | Poletimber Well | 63.0 | 104 | 51-80 | N/A | <p>This is the remaining forested portion that was delineated out during the forest health surveillance survey for treating SBW and ELB. A higher percentage of cedar of better quality remains in this stand.</p> <p>YOE 2016: Poor quality cedar stand with some pockets of other species mixed in. A 40 acre portion of the stand was clearcut in 2018 on contract 028-16-01. The stand was a mix of tamarack and low quality cedar. This stand was approved via a chapter 7 request in May of 2016, because the eastern larch beetle had caused a significant amount of tamarack mortality and defoliation. Stand 12 is the parent stand with stands 14, 93 and 94 separated out after the sale was completed.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Black Spruce</td> <td>5</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>75</td> <td>Pole/Sapling</td> <td>6</td> <td>104</td> </tr> <tr> <td>Tamarack</td> <td>10</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>5</td> <td>Sapling</td> <td>4</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Yellow Birch | 5 | Pole | 8 | | Black Spruce | 5 | Pole | 6 | | Northern White Cedar | 75 | Pole/Sapling | 6 | 104 | Tamarack | 10 | Pole | 8 | | Black Ash | 5 | Sapling | 4 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Northern White Cedar</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | 5 - 10 feet | Sapling | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Northern White Cedar | Medium | Variable | Sapling | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 5 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 75 | Pole/Sapling | 6 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 10 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 5 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | 500 - Water | Nonstocked | 2.0 | | | No | Small pond | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14 | 6121 - Tamarack | Sapling Poor | 50.1 | 6 | Immature | N/A | <p>Stand has tamarack seedlings that are up to 10' tall. There is also balsam fir and black spruce seedlings present. Monitoring treatment to check next inventory cycle to verify the regeneration continued to spread and fill in the stand.</p> <p>YOE 2016: Stand was clearcut in 2017 and 18 on contract 028-16-01.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Black Spruce</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>15</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Tamarack</td> <td>75</td> <td>Sapling</td> <td>1</td> <td>6</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Black Spruce | 10 | Sapling | 1 | | Balsam Fir | 15 | Sapling | 1 | | Tamarack | 75 | Sapling | 1 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 10 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 15 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 75 | Sapling | 1 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | 4319 - Mixed Upland Forest | Sawtimber Poor | 9.1 | 101 | 1-50 | N/A | <p>This stand is mixed upland and lowland having a diverse of species at seedling/sapling stage with several large seed trees present. Stand is regeneration at a reforestation rate so the monitor treatment from the timber harvest in 2017 has been removed.</p> <p>YOE 2016: Stand was shelterwood cut in 2017 on contract 028-16-01. Stand was previously thinned in 1991 on contract 036-91-01. There is a gravel pit in the center of this stand. The road and parking lot for the Hayward Lake Access Site is within this stand.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Basswood</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>35</td> <td>Log/Pole</td> <td>12</td> <td>101</td> </tr> <tr> <td>Yellow Birch</td> <td>10</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>25</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>20</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Basswood | 10 | Log/Pole | 12 | | Sugar Maple | 35 | Log/Pole | 12 | 101 | Yellow Birch | 10 | Pole/Log | 9 | | Hemlock | 25 | Log/Pole | 12 | | Northern White Cedar | 20 | Log/Pole | 10 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>Low</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Paper Birch</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Quaking Aspen</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Poplar</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Hemlock | Low | < 5 feet | Seeding | Ironwood | Low | 5 - 10 feet | Sapling | Paper Birch | Medium | Variable | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | Quaking Aspen | Medium | 5 - 10 feet | Sapling | Balsam Poplar | Medium | < 5 feet |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 10 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 35 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 10 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 25 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 20 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Low | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | 4112 - Maple, Beech, Cherry Association | Sawtimber Well | 18.2 | 104 | 111-140 | N/A | <p>The southern portion of the stand is mostly sugar maple and basswood. In the northern portion is lower and flatter elevation with the red maple, beech, yellow birch, hemlock and cedar. Balsam throughout stand mostly sapling. This stand is ready to be selection thinned to open up the canopy, reduce competition and improve the stands health and quality.</p> <p>YOE 2016: Stand was last thinned in 1991 on contract 036-91-01. Good quality hardwood stand that should be thinned in 10 years.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>5</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Basswood</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>60</td> <td>Log/Pole</td> <td>13</td> <td>104</td> </tr> <tr> <td>Red Maple</td> <td>15</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Beech | 5 | Log | 14 | | Northern White Cedar | 5 | Pole | 8 | | Basswood | 10 | Log | 14 | | Sugar Maple | 60 | Log/Pole | 13 | 104 | Red Maple | 15 | Log/Pole | 12 | | Hemlock | 5 | Log | 12 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>Low</td> <td>Variable</td> <td>Pole</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>Variable</td> <td>Pole</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Hemlock | Low | Variable | Pole | Balsam Fir | Medium | 5 - 10 feet | Sapling | Northern White Cedar | Low | Variable | Pole | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 60 | Log/Pole | 13 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 15 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Low | Variable | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | Variable | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------|------------------|------------|------------|----------|--------------|---|----------------------|----|----------|----|-----|----------------------|----|--------------|----|-----|--------------|----|--------------|----|----|---|----|--------------------|---------|-------------|--|----------------------|--------------------|----------|-------------|-------------|-----------|----------|-------------|------------|---|-------------|--------------------|---------|-------------|--------|-------------|---------|--------------|---------|----------|-----|--------------|
| 17 | 4115 - Y.Birch, Hemlock NH | Sawtimber Medium | 7.9 | 104 | 51-80 | N/A | With the beech removal added via out of year entry approval after the sale was sold due to beech scale infestation, the stands basal area was dropped lower in those areas. YOE 2016: Stand was thinned in 2017 on contract 028-16-01. Beech scale was found during the course of the sale, so the majority of the beech was harvested. Good quality hardwood stand with a significant component of hemlock. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>2</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Log</td> <td>10</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>3</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>20</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Basswood</td> <td>15</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>55</td> <td>Log/Pole</td> <td>12</td> <td>104</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Beech | 2 | Log/Pole | 10 | | Northern White Cedar | 5 | Log | 10 | | Yellow Birch | 3 | Pole/Log | 9 | | Hemlock | 20 | Log/Pole | 12 | | Basswood | 15 | Log/Pole | 12 | | Sugar Maple | 55 | Log/Pole | 12 | 104 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Low | 10 - 20 feet | Sapling | Ironwood | Low | 10 - 20 feet |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 2 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Log | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 3 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 20 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 15 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 55 | Log/Pole | 12 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18 | 6120 - Lowland Cedar | Poletimber Well | 86.7 | 104 | | N/A | YOE 2016: SCA - Removal, this is not an unique stand. Very poor quality cedar stand with small isolated pockets of better quality trees. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Tamarack</td> <td>5</td> <td>Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>75</td> <td>Pole/Sapling</td> <td>7</td> <td>104</td> </tr> <tr> <td>Black Ash</td> <td>15</td> <td>Pole/Sapling</td> <td>6</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>9</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Tamarack | 5 | Pole | 10 | | Northern White Cedar | 75 | Pole/Sapling | 7 | 104 | Black Ash | 15 | Pole/Sapling | 6 | | Yellow Birch | 5 | Pole | 9 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Tamarack</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Tamarack | Low | 5 - 10 feet | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 5 | Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 75 | Pole/Sapling | 7 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 15 | Pole/Sapling | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 | 6121 - Tamarack | Sapling Poor | 46.1 | 6 | Immature | N/A | Tamarack seedling can be seen up to 10' tall. Balsam and some spruce also visible. Cattails with some areas of phragmites are the most visible. Some residual sub merchantable cedar are seen in the middle of the stand. The upland portion in the northwest area of the stand was delineated out to form its own upland stand. The monitoring treatment will remain on the upland portion as previously was part of this stand. YOE 2016: Stand was clearcut in 2017 and 18 on contract 028-16-01. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Tamarack</td> <td>75</td> <td>Sapling</td> <td>1</td> <td>6</td> </tr> <tr> <td>Black Spruce</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>15</td> <td>Sapling</td> <td>1</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Tamarack | 75 | Sapling | 1 | 6 | Black Spruce | 10 | Sapling | 1 | | Balsam Fir | 15 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 75 | Sapling | 1 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 10 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 15 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20 | 42360 - Upland Cedar | Sawtimber Well | 3.7 | 113 | 141-170 | N/A | High quality upland cedar stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>60</td> <td>Log/Pole</td> <td>12</td> <td>113</td> </tr> <tr> <td>Hemlock</td> <td>15</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>8</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Beech</td> <td>2</td> <td>Log</td> <td>16</td> <td></td> </tr> <tr> <td>Paper Birch</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Northern White Cedar | 60 | Log/Pole | 12 | 113 | Hemlock | 15 | Log | 14 | | Red Maple | 10 | Log | 14 | | Yellow Birch | 8 | Log | 12 | | Beech | 2 | Log | 16 | | Paper Birch | 5 | Log/Pole | 12 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | 5 - 10 feet | Sapling | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 60 | Log/Pole | 12 | 113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 15 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 8 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 2 | Log | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21 | 4134 - Aspen, Spruce/Fir | Poletimber Well | 16.3 | 36 | 51-80 | N/A | YOE 2016: Stand was clearcut in 1988 on contract 08-87. Fully stocked aspen stand. There are some steep ridges within the stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Quaking Aspen</td> <td>60</td> <td>Pole</td> <td>8</td> <td>36</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>15</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>25</td> <td>Pole/Sapling</td> <td>5</td> <td>36</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | | Quaking Aspen | 60 | Pole | 8 | 36 | Bigtooth Aspen | 15 | Pole | 8 | | Balsam Fir | 25 | Pole/Sapling | 5 | 36 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Tamarack</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | Low | < 5 feet | Sapling | Tamarack | Low | < 5 feet | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 60 | Pole | 8 | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 15 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 25 | Pole/Sapling | 5 | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------------------------------|------------------|------------|------------|----------|--------------|--|---|----------|----|----|-------------|----|----------|----|-----|---------------|----|----------|----|----|--|----|--------------------|---------|-------------|----------------------|------------|--------------|--------------|---------|--|----|--------------------|---------|-------------|-----------|-----------|--------------|-------------|------------|---|--|--------------------|---------|-------------|------|-------|------|-------------|---------|------------|--------|-------------|---------|--------------|-----|-------------|---------|----------|-----|----------|---------|--|--|--|--|
| 22 | 4110 - Sugar Maple Association | Sawtimber Medium | 7.9 | 96 | 51-80 | N/A | Good stocking of mature trees but will leave the monitor treatment due to the lack of present regeneration and the difficulty regenerating northern hardwood stands. YOE 2016: Stand was thinned in 2018 on contract 028-16-01. The stand was previously thinned in 1988 on contract 08-87. High quality sugar maple stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Basswood</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>90</td> <td>Log/Pole</td> <td>10</td> <td>96</td> </tr> <tr> <td>White Ash</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Basswood | 5 | Log/Pole | 12 | | Sugar Maple | 90 | Log/Pole | 10 | 96 | White Ash | 5 | Log/Pole | 12 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 90 | Log/Pole | 10 | 96 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Ash | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | 4111 - S.Maple, Hard Mast Association | Sawtimber Well | 18.6 | 104 | 81-110 | N/A | Some scale is now present on beech trees. YOE 2016: Stand was last thinned in 2002-03 on contract 028-01-01. Good quality hardwood stand with a high percentage of beech. No beech scale was found here. The stand has a fully stocked understory of beech regeneration. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Yellow Birch</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Basswood</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Paper Birch</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Beech</td> <td>20</td> <td>XLog/Log</td> <td>18</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>8</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>50</td> <td>Log/Pole</td> <td>12</td> <td>104</td> </tr> <tr> <td>Hemlock</td> <td>2</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Yellow Birch | 5 | Log/Pole | 10 | | Basswood | 10 | Log | 14 | | Paper Birch | 5 | Log/Pole | 10 | | Beech | 20 | XLog/Log | 18 | | Red Maple | 8 | Log/Pole | 12 | | Sugar Maple | 50 | Log/Pole | 12 | 104 | Hemlock | 2 | Log/Pole | 10 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Full</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Aspen (spp.)</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Full | 5 - 10 feet | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | Aspen (spp.) | Low | 5 - 10 feet | Sapling | Ironwood | Low | < 5 feet | Sapling | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 5 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 20 | XLog/Log | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 8 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 50 | Log/Pole | 12 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 2 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Full | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aspen (spp.) | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | 4136 - Aspen, Mixed Conifer | Sapling Well | 3.3 | 21 | Immature | N/A | YOE 2016: Stand was clearcut in 2003 on contract 028-01-01. All cedar, hemlock, yellow birch, and pine were retained. Fully stocked stand with mostly aspen and pockets of balsam fir. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Tamarack</td> <td>5</td> <td>Sapling</td> <td>2</td> <td>21</td> </tr> <tr> <td>Beech</td> <td>5</td> <td>Sapling</td> <td>2</td> <td>21</td> </tr> <tr> <td>Quaking Aspen</td> <td>70</td> <td>Sapling</td> <td>4</td> <td>21</td> </tr> <tr> <td>Balsam Fir</td> <td>10</td> <td>Sapling</td> <td>3</td> <td>21</td> </tr> <tr> <td>Northern White Cedar</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td>126</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Tamarack | 5 | Sapling | 2 | 21 | Beech | 5 | Sapling | 2 | 21 | Quaking Aspen | 70 | Sapling | 4 | 21 | Balsam Fir | 10 | Sapling | 3 | 21 | Northern White Cedar | 10 | Log/Pole | 12 | 126 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Low | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 5 | Sapling | 2 | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Sapling | 2 | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 70 | Sapling | 4 | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 10 | Sapling | 3 | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 10 | Log/Pole | 12 | 126 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Low | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | 4319 - Mixed Upland Forest | Sapling Well | 10.4 | 20 | Immature | N/A | Stand was clearcut between 2003 and 2005 on contract 028-01-01. All cedar, hemlock, yellow birch, and pine were retained. Stand is fully stocked with mostly aspen and balsam fir. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>5</td> <td>Sapling</td> <td>4</td> <td>20</td> </tr> <tr> <td>Hemlock</td> <td>15</td> <td>Log/Pole</td> <td>12</td> <td>104</td> </tr> <tr> <td>Quaking Aspen</td> <td>30</td> <td>Sapling</td> <td>4</td> <td>20</td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>7</td> <td>104</td> </tr> <tr> <td>Balsam Fir</td> <td>35</td> <td>Sapling/Pole</td> <td>3</td> <td>20</td> </tr> <tr> <td>Beech</td> <td>5</td> <td>Sapling</td> <td>2</td> <td>20</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Pole/Sapling</td> <td>6</td> <td>50</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | White Pine | 5 | Sapling | 4 | 20 | Hemlock | 15 | Log/Pole | 12 | 104 | Quaking Aspen | 30 | Sapling | 4 | 20 | Yellow Birch | 5 | Pole | 7 | 104 | Balsam Fir | 35 | Sapling/Pole | 3 | 20 | Beech | 5 | Sapling | 2 | 20 | Red Maple | 5 | Pole/Sapling | 6 | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 5 | Sapling | 4 | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 15 | Log/Pole | 12 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 30 | Sapling | 4 | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 7 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 35 | Sapling/Pole | 3 | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Sapling | 2 | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Pole/Sapling | 6 | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments |
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|

| | | | | | | | |
|-----------|--------------|--------------|------|---|----------|-----|--|
| 26 | 4130 - Aspen | Sapling Well | 29.0 | 6 | Immature | N/A | There was a grass opening the two track road went through half way up the stand. It is now filling in with aspen sprouts and other seedlings. YOE 2016: Stand was clearcut in 2018 on contract 033-16-01. A retention patch with good quality hardwood and aspen was retained in the center of the stand. |
|-----------|--------------|--------------|------|---|----------|-----|--|

| Canopy Species | % Cover | Size Class | DBH | Age |
|----------------|---------|------------|-----|-----|
| Balsam Fir | 5 | Sapling | 2 | |
| Quaking Aspen | 60 | Sapling | 2 | 6 |
| Bigtooth Aspen | 15 | Sapling | 2 | |
| Balsam Poplar | 10 | Sapling | 2 | |
| Sugar Maple | 5 | Log/Pole | 10 | 100 |
| Red Maple | 5 | Sapling | 2 | 6 |

| | | | | | | | |
|-----------|----------------------------|--------------|------|----|--------|-----|---|
| 27 | 4319 - Mixed Upland Forest | Sapling Well | 19.1 | 31 | 81-110 | N/A | Balsam fir has some larger diameter due to what was retained from the last harvest. Wind or snow damage to balsam tops. Harvest next inventory to promote age class diversity in the aspen. YOE 2016: Stand was clearcut in 1993 on contract 08-93-01; except all cedar, hemlock, pine, and beech were retained along with all balsam fir with less than two sticks. There is three distinct age classes 21 year old aspen and balsam fir, 40 to 50 year old balsam fir and maple, and 116 year old cedar. There is a patch of phragmites in the northern half of the stand. |
|-----------|----------------------------|--------------|------|----|--------|-----|---|

| Canopy Species | % Cover | Size Class | DBH | Age |
|----------------------|---------|--------------|-----|-----|
| Beech | 3 | Sapling | 3 | 31 |
| White Pine | 2 | Sapling/Pole | 4 | 31 |
| Northern White Cedar | 15 | Log/Pole | 12 | 126 |
| Red Maple | 5 | Pole/Sapling | 6 | 55 |
| Tamarack | 2 | Sapling | 3 | 31 |
| Balsam Fir | 40 | Sapling/Pole | 4 | 31 |
| Quaking Aspen | 30 | Sapling/Pole | 4 | 31 |
| White Ash | 3 | Pole/Sapling | 6 | 55 |

| Sub-Canopy Species | Density | Avg. Height | Size |
|--------------------|---------|-------------|---------|
| Balsam Poplar | Low | 5 - 10 feet | Sapling |
| Balsam Fir | Medium | 5 - 10 feet | Sapling |

| | | | | | | | |
|-----------|--|----------------|-----|-----|---------|-----|----------------------|
| 28 | 6129 - Mixed Coniferous Lowland Forest | Sawtimber Well | 2.3 | 106 | 111-140 | N/A | Dense hemlock stand. |
|-----------|--|----------------|-----|-----|---------|-----|----------------------|

| Canopy Species | % Cover | Size Class | DBH | Age |
|----------------|---------|------------|-----|-----|
| Black Spruce | 10 | Log | 12 | |
| Hemlock | 70 | Log/Pole | 13 | 106 |
| White Pine | 10 | Log/XLog | 16 | |
| Red Maple | 10 | Log/Pole | 10 | |

| Sub-Canopy Species | Density | Avg. Height | Size |
|--------------------|---------|-------------|---------|
| Black Spruce | Low | < 5 feet | Sapling |

| | | | | | | | |
|-----------|-------------------|------------|-----|---|--|----|--|
| 29 | 6233 - Wet Meadow | Nonstocked | 0.9 | 0 | | No | This is a vernal pond with large ash trees on the transition. The ash trees have woodpecker activity resemblant to emerald ash borer larvae present. |
|-----------|-------------------|------------|-----|---|--|----|--|

| | | | | | | | |
|-----------|----------------------|-------------------|-------|-----|-------|-----|--|
| 30 | 6120 - Lowland Cedar | Poletimber Medium | 227.7 | 104 | 51-80 | N/A | Stand variable in quality. Poor quality along the road but improves with slight higher elevation areas. YOE 2016: Very poor quality cedar stand, with a high percentage of the stand having mostly sub-merchantable stems. There is some cedar regeneration in the open areas. The tamarack is dying out of the stand from the Eastern Larch Beetle, but there is not enough volume to try and salvage it. There is phragmites along the Hayward Lake Road, both sides. |
|-----------|----------------------|-------------------|-------|-----|-------|-----|--|

| Canopy Species | % Cover | Size Class | DBH | Age |
|----------------------|---------|--------------|-----|-----|
| Tamarack | 20 | Pole | 7 | |
| Northern White Cedar | 80 | Pole/Sapling | 6 | 104 |

| Sub-Canopy Species | Density | Avg. Height | Size |
|----------------------|---------|-------------|------------|
| Northern White Cedar | Medium | Variable | Sapling |
| Willow spp. | Medium | 5 - 10 feet | Tall Shrub |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------------------------------|------------------|-------|-----------|--------------------|--------------|---|----------------|---------|------------|-----|-----|--------------------|---------|--------------|------|----------------------|----------------|----------|--------------|-----|------------|------------|-------------|------------|---------------|----|------------|----|--------------|------------|--------|--------------|---------|----------------------|----|----------|----|--|--------------|-----|-------------|---------|--------------|----|----------|----|--|-------|--------|-------------|---------|--------------|----|----------|----|-----|--|--|--|--|-------------|----|----------|----|-----|--|--|--|--|-------------|----|----------|----|-----|--|--|--|--|----------|---|-----|----|--|--|--|--|--|
| 31 | 4136 - Aspen, Mixed Conifer | Poletimber Well | 8.1 | 27 | Immature | N/A | YOE 2016: Stand was clearcut in 1997 on contract 008-93-01. All cedar, hemlock, pine, and beech were retained. Fully stocked aspen stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Quaking Aspen</td> <td>45</td> <td>Pole/Sapling</td> <td>6</td> <td>27</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>25</td> <td>Pole/Sapling</td> <td>6</td> <td></td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>Sapling</td> <td>4</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>15</td> <td>Sapling/Pole</td> <td>3</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling</td> <td>4</td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Quaking Aspen | 45 | Pole/Sapling | 6 | 27 | Bigtooth Aspen | 25 | Pole/Sapling | 6 | | White Pine | 5 | Sapling | 4 | | Balsam Fir | 15 | Sapling/Pole | 3 | | Red Maple | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 45 | Pole/Sapling | 6 | 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 25 | Pole/Sapling | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 5 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 15 | Sapling/Pole | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32 | 6120 - Lowland Cedar | Poletimber Well | 7.8 | 106 | 81-110 | N/A | Nice quality cedar on the west side and very poor quality on the east side. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>60</td> <td>Log/Pole</td> <td>12</td> <td>106</td> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Quaking Aspen</td> <td>5</td> <td>Log</td> <td>14</td> <td></td> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Black Ash</td> <td>20</td> <td>Pole</td> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Paper Birch</td> <td>5</td> <td>Pole/Log</td> <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Pole/Log</td> <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | 60 | Log/Pole | 12 | 106 | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Quaking Aspen | 5 | Log | 14 | | Balsam Fir | Medium | 5 - 10 feet | Sapling | Black Ash | 20 | Pole | 8 | | | | | | Paper Birch | 5 | Pole/Log | 9 | | | | | | Red Maple | 10 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 60 | Log/Pole | 12 | 106 | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 5 | Log | 14 | | Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 20 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 5 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Pole/Log | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33 | 4115 - Y.Birch, Hemlock NH | Sawtimber Well | 3.9 | 101 | 111-140 | N/A | Mixed hardwood conifer stand. Large mature trees. Does not appear to have past management. Small stand with deer blind near corner and shooting lanes into stand. Most likely the property owner would not allow access to treat stand being he hunts it. YOE 2016: Good quality hardwood stand, | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> <td>Hemlock</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Hemlock</td> <td>15</td> <td>Log/Pole</td> <td>10</td> <td></td> <td>Balsam Fir</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>10</td> <td>Pole/Log</td> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Red Maple</td> <td>45</td> <td>Log</td> <td>14</td> <td>101</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>10</td> <td>Log/Pole</td> <td>12</td> <td>101</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | Beech | 10 | Log | 14 | | Hemlock | Medium | Variable | Sapling | Hemlock | 15 | Log/Pole | 10 | | Balsam Fir | Medium | 10 - 20 feet | Sapling | Northern White Cedar | 10 | Pole/Log | 8 | | | | | | Yellow Birch | 10 | Log | 14 | | | | | | Red Maple | 45 | Log | 14 | 101 | | | | | Sugar Maple | 10 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 10 | Log | 14 | | Hemlock | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 15 | Log/Pole | 10 | | Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 10 | Pole/Log | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 45 | Log | 14 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 10 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 | 4111 - S.Maple, Hard Mast Association | Sawtimber Medium | 46.2 | 101 | 51-80 | N/A | This stand was thinned good last time with the basal area currently in the 80-90 range. Some beech regeneration but little of any other species. Selection thin stand next inventory cycle. YOE 2016: Stand was thinned between 2007 & 2009 on contract 032-06-01. Good quality hardwood with a dense layer of sedge. There is beech present, but I didn't find any beech scale. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Ash</td> <td>8</td> <td>Log</td> <td>14</td> <td></td> <td>Balsam Fir</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>2</td> <td>Pole</td> <td>7</td> <td></td> <td>White Pine</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> <td>Aspen (spp.)</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Log</td> <td>14</td> <td></td> <td>Beech</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Yellow Birch</td> <td>3</td> <td>Pole</td> <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hemlock</td> <td>5</td> <td>Log</td> <td>14</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>60</td> <td>Log/Pole</td> <td>12</td> <td>101</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Basswood</td> <td>7</td> <td>Log</td> <td>14</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | White Ash | 8 | Log | 14 | | Balsam Fir | Low | < 5 feet | Sapling | Ironwood | 2 | Pole | 7 | | White Pine | Low | < 5 feet | Sapling | Beech | 10 | Log | 14 | | Aspen (spp.) | Low | 5 - 10 feet | Sapling | Red Maple | 5 | Log | 14 | | Beech | Medium | 5 - 10 feet | Sapling | Yellow Birch | 3 | Pole | 9 | | | | | | Hemlock | 5 | Log | 14 | | | | | | Sugar Maple | 60 | Log/Pole | 12 | 101 | | | | | Basswood | 7 | Log | 14 | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Ash | 8 | Log | 14 | | Balsam Fir | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | 2 | Pole | 7 | | White Pine | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 10 | Log | 14 | | Aspen (spp.) | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Log | 14 | | Beech | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 3 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 5 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 60 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 7 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------------------------------|---|---------|--------------------|-------------|--------------|--|----------------------|--------------|----------|------|----------------|--------|--------------|-----|-----|---------------|----|--------------|----|----|----------------|----|--------------|----|-----|-------------|----|--------------|----|-----|---|----|--------------------|---------|-------------|-----------|------------|----------|-------------|---------|--|--------|--------------------|---------|-------------|---|-------------|--------------------|----------|-------------|-------|----------|----------|----------|---------|-------|------|-------------|---------|------------|--------|----------|---------|------------|-----|----------|---------|---------|-----|----------|---------|
| 35 | 4111 - S.Maple, Hard Mast Association | Sawtimber Well | 7.8 | 101 | 111-140 | N/A | Beech scale is now noticeable on most of the beech trees. Most of the ash trees have woodpecker activity common to emerald ash borer larvae present. Stand has a higher basal area and with forest health issues, the stand should be thinned.YOE 2016: Stand was thinned in 2006-07 on contract 032-06-01. Good quality hardwood stand, that has a full understory of beech and balsam fir. There is also a lot of hemlock seedlings greater than 1 foot tall. There is beech present, but no scale is present. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Paper Birch</td><td>2</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Hemlock</td><td>5</td><td>Log</td><td>12</td><td></td></tr> <tr><td>Green Ash</td><td>10</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Basswood</td><td>2</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Sugar Maple</td><td>63</td><td>Log/Pole</td><td>12</td><td>101</td></tr> <tr><td>Beech</td><td>10</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Red Maple</td><td>5</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Yellow Birch</td><td>3</td><td>Pole</td><td>9</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Paper Birch | 2 | Log | 14 | | Hemlock | 5 | Log | 12 | | Green Ash | 10 | Log | 14 | | Basswood | 2 | Log | 14 | | Sugar Maple | 63 | Log/Pole | 12 | 101 | Beech | 10 | Log | 14 | | Red Maple | 5 | Log | 14 | | Yellow Birch | 3 | Pole | 9 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Ironwood</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>Beech</td><td>High</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>Balsam Fir</td><td>Medium</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>White Pine</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>Hemlock</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Ironwood | Low | < 5 feet | Sapling | Beech | High | 5 - 10 feet | Sapling | Balsam Fir | Medium | < 5 feet | Sapling | White Pine | Low | < 5 feet | Sapling | Hemlock | Low | < 5 feet | Sapling |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 2 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 2 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 63 | Log/Pole | 12 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 3 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | High | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36 | 4139 - Aspen, Mixed Deciduous | Sapling Poor | 6.3 | 18 | Immature | N/A | Aspen and balm are slowly filling in the open areas. Big wolffy maple and beech have large canopy per individual tree making aerial imagery look like alot more of those species.YOE2016: Stand was cut in 2006 on contract 032-06-01. Only the aspen and balm were cut. This stand has large wolffy sugar maple and beech with mostly grass understory except for patches of aspen and balm regeneration. Only about half of the stand is forested. There is beech present, but I didn't see any scale. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Balsam Fir</td><td>10</td><td>Pole</td><td>6</td><td></td></tr> <tr><td>Ironwood</td><td>5</td><td>Pole</td><td>7</td><td>101</td></tr> <tr><td>Quaking Aspen</td><td>40</td><td>Sapling/Pole</td><td>4</td><td>18</td></tr> <tr><td>Bigtooth Aspen</td><td>15</td><td>Pole/Sapling</td><td>6</td><td></td></tr> <tr><td>Sugar Maple</td><td>15</td><td>Log/XLog</td><td>16</td><td>101</td></tr> <tr><td>Balsam Poplar</td><td>10</td><td>Sapling</td><td>4</td><td></td></tr> <tr><td>Beech</td><td>5</td><td>Log/XLog</td><td>14</td><td>101</td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Fir | 10 | Pole | 6 | | Ironwood | 5 | Pole | 7 | 101 | Quaking Aspen | 40 | Sapling/Pole | 4 | 18 | Bigtooth Aspen | 15 | Pole/Sapling | 6 | | Sugar Maple | 15 | Log/XLog | 16 | 101 | Balsam Poplar | 10 | Sapling | 4 | | Beech | 5 | Log/XLog | 14 | 101 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Balsam Fir</td><td>Medium</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>Beech</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Medium | < 5 feet | Sapling | Beech | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 10 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | 5 | Pole | 7 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 40 | Sapling/Pole | 4 | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 15 | Pole/Sapling | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 15 | Log/XLog | 16 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Log/XLog | 14 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37 | 4134 - Aspen, Spruce/Fir | Poletimber Well | 4.6 | 27 | Immature | N/A | Fully stocked aspen and balsam fir stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>White Pine</td><td>5</td><td>Log</td><td>10</td><td></td></tr> <tr><td>Bigtooth Aspen</td><td>15</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>Red Maple</td><td>15</td><td>Sapling/Pole</td><td>4</td><td>27</td></tr> <tr><td>Quaking Aspen</td><td>40</td><td>Pole/Sapling</td><td>6</td><td>27</td></tr> <tr><td>Balsam Fir</td><td>25</td><td>Pole/Sapling</td><td>5</td><td>27</td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | White Pine | 5 | Log | 10 | | Bigtooth Aspen | 15 | Pole | 8 | | Red Maple | 15 | Sapling/Pole | 4 | 27 | Quaking Aspen | 40 | Pole/Sapling | 6 | 27 | Balsam Fir | 25 | Pole/Sapling | 5 | 27 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>White Pine</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>Balsam Fir</td><td>High</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | White Pine | Low | 5 - 10 feet | Sapling | Balsam Fir | High | 5 - 10 feet | Sapling | Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 5 | Log | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 15 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 15 | Sapling/Pole | 4 | 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 40 | Pole/Sapling | 6 | 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 25 | Pole/Sapling | 5 | 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | High | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38 | 42330 - Upland Fir | Poletimber Well | 4.6 | 51 | Unspecified | N/A | YOE 2016: Fully stocked balsam fir and aspen stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Red Maple</td><td>10</td><td>Pole/Sapling</td><td>5</td><td></td></tr> <tr><td>Balsam Fir</td><td>60</td><td>Pole/Sapling</td><td>7</td><td>51</td></tr> <tr><td>Quaking Aspen</td><td>25</td><td>Pole</td><td>7</td><td></td></tr> <tr><td>Hemlock</td><td>2</td><td>Log</td><td>14</td><td>116</td></tr> <tr><td>Sugar Maple</td><td>3</td><td>Pole</td><td>8</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Maple | 10 | Pole/Sapling | 5 | | Balsam Fir | 60 | Pole/Sapling | 7 | 51 | Quaking Aspen | 25 | Pole | 7 | | Hemlock | 2 | Log | 14 | 116 | Sugar Maple | 3 | Pole | 8 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>Balsam Fir</td><td>Medium</td><td>5 - 10 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Low | 5 - 10 feet | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Pole/Sapling | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 60 | Pole/Sapling | 7 | 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 25 | Pole | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 2 | Log | 14 | 116 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 3 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39 | 622 - Lowland Shrub | Nonstocked | 9.0 | 0 | | No | Some seedling starting to emerge. Monitoring treatment remain due to low amount at this time.YOE 2016: Stand was cut in 2019 on contract 033-16-01. All trees were cut; except hemlock and three retention patches. The retention patches are a mix of species but have more cedar volume. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Northern White Cedar</td><td>Low</td><td>>20 feet</td><td>Pole</td></tr> <tr><td>Hemlock</td><td>Medium</td><td>>20 feet</td><td>Log</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | Low | >20 feet | Pole | Hemlock | Medium | >20 feet | Log | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | >20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Medium | >20 feet | Log | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--|---|------------|--------------------|-------------|--------------|--|----------------------|-----------|----------|--------------|----|-----|----------------------|----|---|----|-----|----------------|----|---------|----|--|----------------------|----|------|----|-----|--|----|--------------------|---------|-------------|--|-----------|--------------------|-------------|-------------|-------------|------------|-------------|--------------|--|--------------|----------|-------------|--|--|--|--|
| 40 | 622 - Lowland Shrub | Nonstocked | 9.6 | 0 | Unspecified | No | Some regeneration started but not enough to remove the Monitoring treatment at this time. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>>20 feet</td> <td>Log</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | Low | >20 feet | Log | | | | | YOE 2016: This stand was clearcut in 2019 on contract 033-16-01. Three retention patches were retained, they contained dense cedar. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | >20 feet | Log | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 41 | 4110 - Sugar Maple Association | Sawtimber Well | 22.5 | 86 | 111-140 | N/A | Northern hardwood stand that is ready for a selection thinning. Beech scale is noticeable in the stand as well as ash trees with increased woodpecker activity indicating emerald ash borer presence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Ash</td> <td>15</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>65</td> <td>Log/Pole</td> <td>10</td> <td>86</td> </tr> <tr> <td>Beech</td> <td>5</td> <td>Log</td> <td>16</td> <td></td> </tr> <tr> <td>Basswood</td> <td>15</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | White Ash | 15 | Log | 12 | | Sugar Maple | 65 | Log/Pole | 10 | 86 | Beech | 5 | Log | 16 | | Basswood | 15 | Log | 12 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>>20 feet</td> <td>Pole</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Low | < 5 feet | Sapling | Sugar Maple | Medium | >20 feet | Pole | YOE 2016: Stand was last thinned in 2005 on contract 029-01-01. Good quality hardwood stand. | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Ash | 15 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 65 | Log/Pole | 10 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Log | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 15 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | Medium | >20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42 | 6120 - Lowland Cedar | Poletimber Well | 13.7 | 120 | 141-170 | N/A | YOE 2016: Low quality cedar stand with some lowland hardwoods within it. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>8</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>2</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>10</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>75</td> <td>Pole</td> <td>9</td> <td>120</td> </tr> <tr> <td>Black Spruce</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Maple | 8 | Log/Pole | 10 | | Yellow Birch | 2 | Pole | 8 | | Black Ash | 10 | Pole | 8 | | Northern White Cedar | 75 | Pole | 9 | 120 | Black Spruce | 5 | Log | 12 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Black Spruce</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Low | 5 - 10 feet | Tall Shrub | Black Spruce | Low | 5 - 10 feet | Sapling | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 8 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 2 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 10 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 75 | Pole | 9 | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Low | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 52.4 | 120 | 1-50 | N/A | Stand being of lowland conifer is slow to regenerate. Some aspen and balm sprouts. Tamarack seedlings can be seen in areas as well reaching 8' tall. Balsam fir seedling scattered throughout. Residual trees in the canopy layer. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Black Ash</td> <td>20</td> <td>Sapling/Pole</td> <td>4</td> <td>101</td> </tr> <tr> <td>Northern White Cedar</td> <td>45</td> <td>Pole/Log</td> <td>9</td> <td>120</td> </tr> <tr> <td>Balsam Fir</td> <td>10</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>15</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Black Ash | 20 | Sapling/Pole | 4 | 101 | Northern White Cedar | 45 | Pole/Log | 9 | 120 | Balsam Fir | 10 | Sapling | 2 | | Hemlock | 15 | Log | 12 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Tamarack</td> <td>Low</td> <td>Variable</td> <td>Seeding</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Low | 5 - 10 feet | Tall Shrub | Balsam Fir | Medium | 5 - 10 feet | Sapling | Tamarack | Low | Variable | Seeding | YOE 2016: Treated by the Pony Express Hardwood timber sale 33-032-16. Mature lowland deciduous stand with some cedar. | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 20 | Sapling/Pole | 4 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 45 | Pole/Log | 9 | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 10 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 15 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Low | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | Variable | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 44 | 4134 - Aspen, Spruce/Fir | Poletimber Well | 10.2 | 45 | 81-110 | N/A | This stand was cut in the time frame of 1976-79 on contract 21-76A. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>15</td> <td>Pole/Sapling</td> <td>6</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>20</td> <td>Pole/Sapling</td> <td>6</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>15</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Log</td> <td>14</td> <td>126</td> </tr> <tr> <td>Quaking Aspen</td> <td>45</td> <td>Pole</td> <td>6</td> <td>45</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Maple | 15 | Pole/Sapling | 6 | | Balsam Fir | 20 | Pole/Sapling | 6 | | Bigtooth Aspen | 15 | Pole | 8 | | Northern White Cedar | 5 | Log | 14 | 126 | Quaking Aspen | 45 | Pole | 6 | 45 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Medium | 10 - 20 feet | Sapling | Beech | Low | 5 - 10 feet | Sapling | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 15 | Pole/Sapling | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 20 | Pole/Sapling | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 15 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Log | 14 | 126 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 45 | Pole | 6 | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------------------------|-----------------|---------|------------|----------|--------------|--|----|----------|----|----|----------------------|----|----------|----|-----|----------------------|----|----------|----|-----|----------------------|----|---------|----|----|-------------|----|---|----|----|----------------|----|----------|----|----|--|----|--------------------|---------|-------------|--|------------|--------------------|--------------|-------------|---|------------|--------------------|----------|-------------|--------------|--------------|----------|--------------|----------|------------|----------|----------|--|-----------|--------|----------|---------|------------|------|----------|---------|---------------|--------|--------------|---------|--|
| 45 | 429 - Mixed Upland Conifers | Poletimber Well | 10.2 | 86 | 51-80 | N/A | This is a diverse upland mix. Some pockets of lowland along the northern edge. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Balsam Poplar</td><td>5</td><td>Pole</td><td>6</td><td></td></tr> <tr><td>Red Maple</td><td>5</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>Balsam Fir</td><td>25</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>Northern White Cedar</td><td>15</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>White Pine</td><td>25</td><td>Log/Pole</td><td>10</td><td>86</td></tr> <tr><td>Bigtooth Aspen</td><td>10</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>Hemlock</td><td>10</td><td>Log/Pole</td><td>10</td><td></td></tr> <tr><td>Quaking Aspen</td><td>5</td><td>Pole</td><td>6</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Poplar | 5 | Pole | 6 | | Red Maple | 5 | Pole | 8 | | Balsam Fir | 25 | Pole | 8 | | Northern White Cedar | 15 | Pole | 8 | | White Pine | 25 | Log/Pole | 10 | 86 | Bigtooth Aspen | 10 | Pole | 8 | | Hemlock | 10 | Log/Pole | 10 | | Quaking Aspen | 5 | Pole | 6 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Aspen (spp.)</td><td>Medium</td><td>10 - 20 feet</td><td>Sapling</td></tr> <tr><td>White Pine</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>Green Ash</td><td>Medium</td><td>Variable</td><td>Sapling</td></tr> <tr><td>Balsam Fir</td><td>Full</td><td>Variable</td><td>Sapling</td></tr> <tr><td>Balsam Poplar</td><td>Medium</td><td>10 - 20 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Aspen (spp.) | Medium | 10 - 20 feet | Sapling | White Pine | Low | < 5 feet | Sapling | Green Ash | Medium | Variable | Sapling | Balsam Fir | Full | Variable | Sapling | Balsam Poplar | Medium | 10 - 20 feet | Sapling | YOE 2016: Stand was cut in 1995 on contract 017-93-01. All trees were cut, except cedar, hemlock, pine, and beech. The overstory is only partially stocked, but the understory is fully stocked. |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 5 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 25 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 15 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 25 | Log/Pole | 10 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 10 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 10 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 5 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aspen (spp.) | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | Medium | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Full | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | 42360 - Upland Cedar | Sawtimber Well | 2.7 | 120 | 141-170 | N/A | YOE 2016: High quality upland cedar stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Quaking Aspen</td><td>3</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Northern White Cedar</td><td>80</td><td>Log/Pole</td><td>12</td><td>120</td></tr> <tr><td>Red Maple</td><td>5</td><td>Log</td><td>14</td><td></td></tr> <tr><td>Yellow Birch</td><td>5</td><td>Log</td><td>12</td><td></td></tr> <tr><td>Paper Birch</td><td>5</td><td>Log</td><td>12</td><td></td></tr> <tr><td>White Pine</td><td>2</td><td>XLog/Log</td><td>18</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Quaking Aspen | 3 | Log | 14 | | Northern White Cedar | 80 | Log/Pole | 12 | 120 | Red Maple | 5 | Log | 14 | | Yellow Birch | 5 | Log | 12 | | Paper Birch | 5 | Log | 12 | | White Pine | 2 | XLog/Log | 18 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Balsam Fir</td><td>Low</td><td>10 - 20 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 3 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 80 | Log/Pole | 12 | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 2 | XLog/Log | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | 4130 - Aspen | Sapling Well | 7.2 | 6 | Immature | N/A | Aspen and balm sprouting has pretty much filled the stand. Some balsam fir and other species mixed in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Quaking Aspen</td><td>70</td><td>Sapling</td><td>2</td><td>6</td></tr> <tr><td>Northern White Cedar</td><td>10</td><td>Log</td><td>12</td><td>120</td></tr> <tr><td>Balsam Poplar</td><td>10</td><td>Sapling</td><td>2</td><td></td></tr> <tr><td>Black Cherry</td><td>10</td><td>Sapling</td><td>1</td><td>6</td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Quaking Aspen | 70 | Sapling | 2 | 6 | Northern White Cedar | 10 | Log | 12 | 120 | Balsam Poplar | 10 | Sapling | 2 | | Black Cherry | 10 | Sapling | 1 | 6 | | | YOE 2016: This stand was clearcut in 2019 on contract 33-029-16. The cedar and apple trees were retained. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 70 | Sapling | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 10 | Log | 12 | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 10 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Cherry | 10 | Sapling | 1 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | 4136 - Aspen, Mixed Conifer | Sapling Well | 12.1 | 17 | Immature | N/A | This stand has a larger diameter than the adjacent aspen stand to the west. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Tamarack</td><td>2</td><td>Log/Pole</td><td>10</td><td>70</td></tr> <tr><td>Balsam Poplar</td><td>10</td><td>Sapling</td><td>4</td><td></td></tr> <tr><td>Northern White Cedar</td><td>13</td><td>Log/Pole</td><td>10</td><td>120</td></tr> <tr><td>Quaking Aspen</td><td>60</td><td>Sapling</td><td>4</td><td>17</td></tr> <tr><td>Balsam Fir</td><td>5</td><td>Pole</td><td>7</td><td>60</td></tr> <tr><td>Beech</td><td>2</td><td>Sapling</td><td>4</td><td>17</td></tr> <tr><td>Red Maple</td><td>8</td><td>Sapling</td><td>4</td><td>17</td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Tamarack | 2 | Log/Pole | 10 | 70 | Balsam Poplar | 10 | Sapling | 4 | | Northern White Cedar | 13 | Log/Pole | 10 | 120 | Quaking Aspen | 60 | Sapling | 4 | 17 | Balsam Fir | 5 | Pole | 7 | 60 | Beech | 2 | Sapling | 4 | 17 | Red Maple | 8 | Sapling | 4 | 17 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Balsam Fir</td><td>Medium</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>White Spruce</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> <tr><td>Tamarack</td><td>Low</td><td>< 5 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Medium | < 5 feet | Sapling | White Spruce | Low | < 5 feet | Sapling | Tamarack | Low | < 5 feet | Sapling | YOE 2016: Stand was clearcut in the winter of 2006-07 on contract 030-06-01. All of the cedar was retained. Very thick - good quality aspen. | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 2 | Log/Pole | 10 | 70 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 13 | Log/Pole | 10 | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 60 | Sapling | 4 | 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 5 | Pole | 7 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 2 | Sapling | 4 | 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 8 | Sapling | 4 | 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|---|------------|--------------------|-------------|--------------|--|----------------------|---------|----------|------|---------------|----|---------|---|-----|---------------|----|----------|---|----|----------------------|----|----------|----|-----|--|----|--------------------|---------|-------------|------------|-----------|--------|-------------|------------|--|-----|--------------------|---------|-------------|------|------------|--------|-------------|---------|--------------|-----|--------------|------|-------------|-----|--------------|------|--|--|--|--|
| 49 | 4130 - Aspen | Sapling Well | 6.6 | 6 | Immature | N/A | Stand is regenerating well. Canopy closure closer to 80% due to the southeast portion is lowland with some balm, tag and conifer present but too wet for aspen. YOE 2016: Stand was clearcut in 2019 on contract 033-16-01. This stand had the tops chipped during the timber sale. Stand will regenerate with aspen. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>5</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>75</td> <td>Sapling</td> <td>2</td> <td>6</td> </tr> <tr> <td>Balsam Poplar</td> <td>10</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling</td> <td>2</td> <td>6</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Fir | 5 | Sapling | 1 | | Quaking Aspen | 75 | Sapling | 2 | 6 | Balsam Poplar | 10 | Sapling | 2 | | Red Maple | 10 | Sapling | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 5 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 75 | Sapling | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 10 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Sapling | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | 3105 - Mixed Upland Herbaceous | Nonstocked | 3.7 | | Unspecified | No | Grass opening that has some aspen, balsam, spruce encroaching. Apple trees are dying off. YOE 2016: There are about 12 apples trees in this opening, they could use a pruning. WLD: no work has been done here in the last decade | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51 | 4130 - Aspen | Poletimber Well | 6.8 | 56 | 51-80 | N/A | Terrain is more of a rolling upland with lowland areas containing ash and balm. Stand is mature with mortality of some trees. Cedar is present in a small dense patch and scattered in the northeast portion. No deer tracks observed. Adjacent stand to the east has windthrown cedar in the retention patch. YOE 2016: Hold aspen stand for ten years and cut when hardwood stand to the west is cut. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Green Ash</td> <td>5</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>5</td> <td>Pole</td> <td>6</td> <td>106</td> </tr> <tr> <td>Quaking Aspen</td> <td>60</td> <td>Pole/Log</td> <td>8</td> <td>56</td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Log</td> <td>12</td> <td>106</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>20</td> <td>Pole/Log</td> <td>8</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>5</td> <td>Pole</td> <td>6</td> <td>56</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Green Ash | 5 | Pole | 8 | | Black Ash | 5 | Pole | 6 | 106 | Quaking Aspen | 60 | Pole/Log | 8 | 56 | Northern White Cedar | 5 | Log | 12 | 106 | Bigtooth Aspen | 20 | Pole/Log | 8 | | Balsam Fir | 5 | Pole | 6 | 56 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Aspen (spp.)</td> <td>Low</td> <td>10 - 20 feet</td> <td>Pole</td> </tr> <tr> <td>Sugar Maple</td> <td>Low</td> <td>10 - 20 feet</td> <td>Pole</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Medium | 5 - 10 feet | Sapling | Aspen (spp.) | Low | 10 - 20 feet | Pole | Sugar Maple | Low | 10 - 20 feet | Pole | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 5 | Pole | 6 | 106 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 60 | Pole/Log | 8 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Log | 12 | 106 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bigtooth Aspen | 20 | Pole/Log | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 5 | Pole | 6 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aspen (spp.) | Low | 10 - 20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | Low | 10 - 20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52 | 4130 - Aspen | Sapling Medium | 3.6 | 6 | Immature | N/A | Stand has dense areas of regeneration with open areas around the perimeter. Conifer seedlings in the open areas but canopy at 60-70% at this point. Most likely will fill in by next inventory cycle. YOE 2016: This stand was clearcut in 2019 on contract 33-029-16. The stand is regenerating with aspen. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Quaking Aspen</td> <td>75</td> <td>Sapling</td> <td>2</td> <td>6</td> </tr> <tr> <td>Balsam Poplar</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>15</td> <td>Sapling</td> <td>2</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Quaking Aspen | 75 | Sapling | 2 | 6 | Balsam Poplar | 10 | Sapling | 1 | | Balsam Fir | 15 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 75 | Sapling | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 10 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 15 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53 | 6115 - Lowland Ash | Sapling Poor | 15.7 | 94 | 1-50 | N/A | Retention from the treatment is noted in the canopy layer. Some regeneration from ash and maple sprouts are present but at a low rate. Conifer seedlings are present but cattails are the most visible. YOE 2016: The stand was cut in 2019 on contract 33-029-16. All of the sub-merchantable ash was retained. This stand is still about half stocked with sub-merchantable ash. Some aspen, balm, and spruce/fir will fill in the more open areas. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Black Ash</td> <td>45</td> <td>Sapling</td> <td>4</td> <td>94</td> </tr> <tr> <td>Green Ash</td> <td>45</td> <td>Sapling</td> <td>4</td> <td>94</td> </tr> <tr> <td>Balsam Fir</td> <td>5</td> <td>Sapling</td> <td>3</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Black Ash | 45 | Sapling | 4 | 94 | Green Ash | 45 | Sapling | 4 | 94 | Balsam Fir | 5 | Sapling | 3 | | Northern White Cedar | 5 | Log/Pole | 10 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Quaking Aspen</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Quaking Aspen | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 45 | Sapling | 4 | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | 45 | Sapling | 4 | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 5 | Sapling | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54 | 622 - Lowland Shrub | Nonstocked | 25.6 | 0 | Unspecified | No | There is a mix of small seedling present. Most visible are 2' tall balsam on slight raise in elevation. Cattails with tag alder and phragmites most visible. YOE 2016: Stand was clearcut in 2019 on contract 033-16-01. There were six retention patches retained. These patches were the areas with the best cedar within the stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>>20 feet</td> <td>Pole</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | Low | >20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | >20 feet | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|------------------|------------|---|-------------|--------------------|--|-------------|------|---------------|----------------------|-------------|--------------|------------|-----|-------------|---------|--------------|-----|----------|----------------------|------------|----------|----------|---------|---|-----|--------------------|---------|--------------|-------------|-------------|----------|---|------------|---|----|--------------------|---------|-------------|-----------|-------------|--------------|-------------|---------|---|--------|--------------------|---------|-------------|------|-------------|---------|---|------------|------------|--------|-------------|---------|-------|-----|-------------|---------|------------|--------|-------------|---------|---|
| 55 | 4112 - Maple, Beech, Cherry Association | Sawtimber Medium | 3.4 | 86 | 81-110 | N/A | A smaller northern hardwood stand that was just thinned. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>13</td> <td>Log/Pole</td> <td>11</td> <td>86</td> </tr> <tr> <td>Beech</td> <td>5</td> <td>Pole/Log/Sap</td> <td>7</td> <td>86</td> </tr> <tr> <td>Paper Birch</td> <td>5</td> <td>Log/Pole</td> <td>11</td> <td>86</td> </tr> <tr> <td>Northern White Cedar</td> <td>2</td> <td>Log/Pole</td> <td>12</td> <td>125</td> </tr> <tr> <td>Sugar Maple</td> <td>75</td> <td>Log/Pole</td> <td>11</td> <td>86</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Maple | 13 | Log/Pole | 11 | 86 | Beech | 5 | Pole/Log/Sap | 7 | 86 | Paper Birch | 5 | Log/Pole | 11 | 86 | Northern White Cedar | 2 | Log/Pole | 12 | 125 | Sugar Maple | 75 | Log/Pole | 11 | 86 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | < 5 feet | Sapling | YOE 2016: Nice quality hardwood stand. Stand was thinned in 2019 on contract 033-16-01. There was 80 basal area retained. | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 13 | Log/Pole | 11 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 5 | Pole/Log/Sap | 7 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 5 | Log/Pole | 11 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 2 | Log/Pole | 12 | 125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 75 | Log/Pole | 11 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56 | 3302 - Low Density Conifer Trees | Nonstocked | 7.6 | 0 | Unspecified | No | There is a low density of residual trees (hemlock, white pine, cedar and yellow birch) from the treatment. Balm sprouts and conifer seedlings present. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Poplar</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Low</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>Hemlock</td> <td>Low</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>Cattail spp.</td> <td>High</td> <td>Unspecified</td> <td>Non-Wood</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Poplar | Low | 5 - 10 feet | Sapling | Balsam Fir | Low | < 5 feet | Seeding | Hemlock | Low | < 5 feet | Seeding | White Pine | Low | < 5 feet | Seeding | Northern White Cedar | Low | < 5 feet | Seeding | Cattail spp. | High | Unspecified | Non-Wood | YOE 2016: Treated by the Pony Express Hardwood timber sale 33-032-16. Mature lowland hardwood and conifer stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Low | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Low | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cattail spp. | High | Unspecified | Non-Wood | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57 | 4139 - Aspen, Mixed Deciduous | Poletimber Well | 27.9 | 37 | 51-80 | N/A | Upland with lowland areas containing the ash, balm and tag alder. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Balsam Poplar</td> <td>15</td> <td>Pole/Sapling</td> <td>5</td> <td>37</td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td>106</td> </tr> <tr> <td>Hemlock</td> <td>10</td> <td>Log</td> <td>14</td> <td>106</td> </tr> <tr> <td>Green Ash</td> <td>10</td> <td>Sapling</td> <td>4</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>5</td> <td>Sapling</td> <td>3</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>50</td> <td>Pole/Sapling</td> <td>6</td> <td>37</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Pole/Sapling</td> <td>5</td> <td>37</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Poplar | 15 | Pole/Sapling | 5 | 37 | White Pine | 5 | Log/Pole | 10 | 106 | Hemlock | 10 | Log | 14 | 106 | Green Ash | 10 | Sapling | 4 | | Black Ash | 5 | Sapling | 3 | | Quaking Aspen | 50 | Pole/Sapling | 6 | 37 | Red Maple | 5 | Pole/Sapling | 5 | 37 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Low | 5 - 10 feet | Tall Shrub | Balsam Fir | Medium | 5 - 10 feet | Sapling | Beech | Low | 5 - 10 feet | Sapling | White Pine | Medium | 5 - 10 feet | Sapling | YOE 2016: Stand was clearcut in 1987 on contract 066-85-01. Fully stocked aspen and balm stand with some lowland pockets in the middle. |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 15 | Pole/Sapling | 5 | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 5 | Log/Pole | 10 | 106 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 10 | Log | 14 | 106 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 5 | Sapling | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 50 | Pole/Sapling | 6 | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Pole/Sapling | 5 | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Low | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58 | 4319 - Mixed Upland Forest | Poletimber Poor | 34.0 | 101 | 1-50 | N/A | Residual trees are variable in size and distribution. Beech and maples mostly up to 4". Cedar and hemlock large and mature. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling/Pole</td> <td>4</td> <td></td> </tr> <tr> <td>Beech</td> <td>15</td> <td>Sapling</td> <td>4</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>15</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>25</td> <td>Sapling</td> <td>4</td> <td></td> </tr> <tr> <td>Hemlock</td> <td>35</td> <td>Log</td> <td>14</td> <td>101</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Red Maple | 10 | Sapling/Pole | 4 | | Beech | 15 | Sapling | 4 | | Northern White Cedar | 15 | Pole | 8 | | Sugar Maple | 25 | Sapling | 4 | | Hemlock | 35 | Log | 14 | 101 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Paper Birch</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>High</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Paper Birch | Medium | 5 - 10 feet | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | Beech | High | 5 - 10 feet | Sapling | YOE 2016: Treated by the Pony Express Hardwood timber sale 33-032-1 Stand was thinned between 1993 - 95 on contract 050-92-01. Mature red maple stand with a dense understory of beech and balsam fir regeneration. The maple should be cut before the regeneration becomes too dense to regenerate the maple. The maple does not have enough quality stems to continue thinning it. | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Sapling/Pole | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 15 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 15 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 25 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 35 | Log | 14 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | High | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 59 | 6120 - Lowland Cedar | Poletimber Poor | 6.5 | 122 | 1-50 | N/A | YOE 2016: Stand was cut in 1995 on contract 017-93-01. All species were cut, except cedar, hemlock, pine, and beech. Very low quality stand that didn't regenerate very well following the last harvest. I think the drainage patterns have been affected by the county roads. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>70</td> <td>Pole</td> <td>8</td> <td>122</td> </tr> <tr> <td>Paper Birch</td> <td>5</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>25</td> <td>Pole</td> <td>6</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Northern White Cedar | 70 | Pole | 8 | 122 | Paper Birch | 5 | Pole | 6 | | Black Ash | 25 | Pole | 6 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>High</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | High | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 70 | Pole | 8 | 122 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 5 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 25 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | High | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---------------------------------------|--|------------|--------------------|-------------|--------------|--|----------------------|----------------------|----------|---------|----|-----|---------------|----|---------|----|----|---------------|----|---------|----|-----|--------------|----|----------|----|--|--------------|----|---------|---|--|---|----|--------------------|---------|-------------|--------------|-------|----------|-------------|---------|---|--------|--------------------|---------|-------------|---------------|-----------|---------|-------------|------------|--|-----|--------------------|---------|-------------|--------|-------------|---------|-------------|---------|-------------|---------|-------------|------------|------------|--------|-------------|---------|--|--|
| 60 | 622 - Lowland Shrub | Nonstocked | 28.4 | 0 | Unspecified | No | Areas of balm and ash saplings, small conifer seedlings present. A couple patches of phragmites along the southeastern line. YOE 2016: Stand was clearcut in 2019 on contract 033-16-01. There were two retention patches retained. These patches had dense cedar. The stand will regenerate to a mix of lowland hardwoods and conifers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>Low</td> <td>>20 feet</td> <td>Log</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Northern White Cedar | Low | >20 feet | Log | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Low | >20 feet | Log | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61 | 6120 - Lowland Cedar | Poletimber Well | 9.6 | 104 | 51-80 | N/A | Stand was treated in 2005 by the Schuster Lane 33-029-01 timber sale. Retained species were cedar, hemlock, spruce and pine. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Tamarack</td> <td>5</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>15</td> <td>Sapling</td> <td>4</td> <td>19</td> </tr> <tr> <td>Hemlock</td> <td>10</td> <td>Log</td> <td>10</td> <td></td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>9</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>55</td> <td>Pole/Sapling</td> <td>7</td> <td>104</td> </tr> <tr> <td>White Spruce</td> <td>5</td> <td>Pole/Log</td> <td>8</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Tamarack | 5 | Sapling | 2 | | Quaking Aspen | 15 | Sapling | 4 | 19 | Hemlock | 10 | Log | 10 | | White Pine | 5 | Log | 12 | | Yellow Birch | 5 | Pole | 9 | | Northern White Cedar | 55 | Pole/Sapling | 7 | 104 | White Spruce | 5 | Pole/Log | 8 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Quaking Aspen</td> <td>Low</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Tamarack</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Quaking Aspen | Low | >20 feet | Sapling | Balsam Fir | Medium | 5 - 10 feet | Sapling | Tamarack | Low | 5 - 10 feet | Sapling | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 5 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 15 | Sapling | 4 | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 10 | Log | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 55 | Pole/Sapling | 7 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | 5 | Pole/Log | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | Low | >20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62 | 4111 - S.Maple, Hard Mast Association | Sawtimber Medium | 18.4 | 101 | 51-80 | N/A | Stand is doing well. Low level of beech scale remain. A low amount of regeneration taking place. YOE 2016: Stand was thinned in 2019 on contract 33-029-16. This stand was previously thinned in 1979 and then again in 2002 on contract 027-01-01. Beech scale was found in the stand while marking it in 2016, most of the beech was marked to cut. Some was retained to provide mast though. There is a dense understory of beech regeneration following the last harvest. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>70</td> <td>Log</td> <td>14</td> <td>101</td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Beech</td> <td>10</td> <td>Pole</td> <td>6</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Hemlock | 5 | Log | 12 | | Red Maple | 10 | Log | 14 | | Sugar Maple | 70 | Log | 14 | 101 | Yellow Birch | 5 | Log/Pole | 12 | | Beech | 10 | Pole | 6 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Medium | 5 - 10 feet | Sapling | Sugar Maple | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 10 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 70 | Log | 14 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 10 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63 | 6118 - Lowland Deciduous with Cedar | Sapling Well | 5.5 | 18 | 1-50 | N/A | Stand was treated in 2006 by the Schuster Lane 33-029-01 timber sale. All trees were cut except cedar, hemlock and pine. Cedar has been windthrown with sapling size trees emerging through this. Trace of hemlock and pine. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Northern White Cedar</td> <td>20</td> <td>Pole</td> <td>8</td> <td>104</td> </tr> <tr> <td>Tamarack</td> <td>5</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>15</td> <td>Sapling</td> <td>3</td> <td>18</td> </tr> <tr> <td>Paper Birch</td> <td>10</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>5</td> <td>Sapling</td> <td>4</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>10</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>9</td> <td></td> </tr> <tr> <td>Black Spruce</td> <td>5</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Balsam Poplar</td> <td>25</td> <td>Sapling</td> <td>3</td> <td>18</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Northern White Cedar | 20 | Pole | 8 | 104 | Tamarack | 5 | Pole | 6 | | Quaking Aspen | 15 | Sapling | 3 | 18 | Paper Birch | 10 | Sapling | 2 | | Black Ash | 5 | Sapling | 4 | | Balsam Fir | 10 | Sapling | 2 | | Yellow Birch | 5 | Pole | 9 | | Black Spruce | 5 | Sapling | 2 | | Balsam Poplar | 25 | Sapling | 3 | 18 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tamarack</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Tamarack | Low | 5 - 10 feet | Sapling | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Balsam Fir | Medium | 5 - 10 feet | Sapling | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 20 | Pole | 8 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 5 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 15 | Sapling | 3 | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paper Birch | 10 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 5 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 10 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 5 | Sapling | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 25 | Sapling | 3 | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64 | 622 - Lowland Shrub | Nonstocked | 43.6 | 0 | Unspecified | No | Cattails and tag alder are most visible with small seedlings present. Balsam and spruce up to 4'tall can be seen. YOE 2016: Stand was clearcut in 2019 on contract 033-16-01. There were four retention patches retained. The stand will regenerate to a mix of lowland hardwoods and spruce/fir. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments |
|---------------------------|--|------------------|--------------------|-------------|-------------|---------------------------|---|
| 65 | 6128 - Lowland Coniferous, Mixed Deciduous | Sawtimber Medium | 5.8 | 115 | 141-170 | N/A | Mature lowland hardwood stand with a drain flowing through the center of it. |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | |
| Black Ash | | 15 | Pole | 6 | | Balsam Fir | |
| Green Ash | | 15 | Pole/Log | 8 | | White Spruce | |
| Balsam Fir | | 10 | Pole | 9 | | | |
| Northern White Cedar | | 25 | Log/Pole | 12 | 115 | | |
| Hemlock | | 25 | Log | 14 | | | |
| Yellow Birch | | 10 | Log/Pole | 12 | | | |
| 66 | 6120 - Lowland Cedar | Poletimber Well | 67.7 | 122 | 141-170 | N/A | YOE 2016: Overall low quality cedar with some tamarack. |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | |
| Northern White Cedar | | 90 | Pole | 8 | 122 | Balsam Fir | |
| Tamarack | | 10 | Pole | 8 | | | |
| 67 | 4110 - Sugar Maple Association | Sawtimber Medium | 14.1 | 101 | 51-80 | N/A | Stand looking good. Some beech regeneration. Trace of hemlock, cedar and red maple. YOE 2016: Treated by the Pony Express Hardwood timber sale 33-032-16 Stand was last thinned in 1993 to 95 on contract 050-92-01. Good quality hardwood stand with a dense understory of beech regeneration. There is beech present, but there is beech scale present. trace hemlock |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | |
| Basswood | | 5 | Log | 12 | | Balsam Fir | |
| Beech | | 10 | Log | 12 | | Ironwood | |
| Sugar Maple | | 85 | Log | 10 | 101 | Beech | |
| 68 | 622 - Lowland Shrub | Nonstocked | 3.6 | 0 | Unspecified | No | YOE 2016: Stand was clearcut in 2019 on contract 033-16-01. The cedar was retained. Stand should regenerate to a mix of lowland hardwoods and spruce/fir. |
| Sub-Canopy Species | | Density | Avg. Height | Size | | | |
| Northern White Cedar | | Low | >20 feet | Pole | | | |
| 69 | 4112 - Maple, Beech, Cherry Association | Sawtimber Well | 4.3 | 94 | 111-140 | N/A | Northern portion of stand has a higher basal area and some maple have dead tops forming. This stand would use a light thinning while removing trees with dead tops. Leave the southern aspen area out of the thinning. YOE 2016: Stand was thinned in 2006 on contract 029-01-01. |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | |
| Hemlock | | 5 | Log | 16 | | Aspen (spp.) | |
| Paper Birch | | 5 | Log/Pole | 10 | | Balsam Fir | |
| White Ash | | 5 | Log | 12 | | Beech | |
| Red Maple | | 15 | Log/Pole | 10 | | Sugar Maple | |
| Sugar Maple | | 65 | Log/Pole | 10 | 94 | | |
| Basswood | | 5 | Log | 12 | | | |
| 70 | 4130 - Aspen | Sapling Medium | 4.0 | 6 | Immature | N/A | YOE 2016: Stand was clearcut in 2019 on contract 33-029-16. The cedar was retained. |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | |
| Balsam Fir | | 5 | Sapling | 3 | | Beech | |
| Northern White Cedar | | 10 | Log | 13 | 120 | | |
| Quaking Aspen | | 85 | Sapling | 2 | 6 | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|---------|--------------------|-------------|--------------|---|--------------|----------|----------|---------|----------------------|-----|----------|------|----|--------------|----|----------|----|-----|-----------|----|----------|---|-----|---|----|--------------------|---------|-------------|---------------|------------|---------|-------------|---------|--|-----|--------------------|---------|--------------|------|-------------|---------|-------------|---------|----------------------|---------|----------|---------|-------|--------|--------------|---------|---------------|-----|-------------|---------|
| 71 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 4.9 | 98 | 1-50 | N/A | The canopy is residual trees with hemlock, cedar, pine and balsam fir seedlings on the forest floor. YOE 2016: Stand was treated by the Pony Express Hardwood timber sale. Stand was thinned in 2000 on contract 055-96-01. This stand contains mostly low quality hardwood that should be regenerated. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>70</td> <td>Pole/Log</td> <td>9</td> <td>98</td> </tr> <tr> <td>Beech</td> <td>10</td> <td>Sapling</td> <td>3</td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>10</td> <td>Sapling</td> <td>4</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Sapling</td> <td>4</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Hemlock | 70 | Pole/Log | 9 | 98 | Beech | 10 | Sapling | 3 | | Yellow Birch | 10 | Sapling | 4 | | Red Maple | 5 | Sapling | 4 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>White Spruce</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Hemlock</td> <td>Low</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>Red Maple</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Low | < 5 feet | Sapling | White Spruce | Low | < 5 feet | Sapling | Hemlock | Low | < 5 feet | Seeding | Red Maple | Low | 10 - 20 feet | Sapling | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 70 | Pole/Log | 9 | 98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 10 | Sapling | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Low | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Low | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72 | 6224 - Treed Bog | Nonstocked | 68.8 | | Unspecified | No | Black spruce bog with low density spruce trees and scattered white pine. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Spruce</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Pole</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Black Spruce | Low | Variable | Sapling | White Pine | Low | Variable | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | Low | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Low | Variable | Pole | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 73 | 6118 - Lowland Deciduous with Cedar | Sapling Poor | 7.0 | 15 | Immature | N/A | The southeast quarter of stand has good cedar regeneration that has not been browsed on at this point. The rest of the stand has a mix of regeneration but has open areas. YOE 2016: Stand was treated by the Pony Express Hardwood timber sale. Stand was cut in 1994 on contract 050-92-01. I am not sure what has occurred, but most of the residual has died or the tops have significant die back. There is some beech and balsam fir regenerating, but overall the stand is open. There is some phragmites in this stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Green Ash</td> <td>20</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>30</td> <td>Sapling</td> <td>1</td> <td>15</td> </tr> <tr> <td>Balsam Fir</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Black Ash</td> <td>5</td> <td>Sapling</td> <td>1</td> <td>30</td> </tr> <tr> <td>Red Maple</td> <td>15</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Balsam Poplar</td> <td>20</td> <td>Sapling</td> <td>1</td> <td></td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Green Ash | 20 | Sapling | 1 | | Northern White Cedar | 30 | Sapling | 1 | 15 | Balsam Fir | 10 | Sapling | 1 | | Black Ash | 5 | Sapling | 1 | 30 | Red Maple | 15 | Sapling | 1 | | Balsam Poplar | 20 | Sapling | 1 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Poplar</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Balsam Fir | Medium | 5 - 10 feet | Sapling | Northern White Cedar | Medium | < 5 feet | Sapling | Beech | Medium | 10 - 20 feet | Sapling | Balsam Poplar | Low | 5 - 10 feet | Sapling |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Green Ash | 20 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 30 | Sapling | 1 | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 10 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 5 | Sapling | 1 | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 15 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 20 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 74 | 3105 - Mixed Upland Herbaceous | Nonstocked | 3.4 | | Unspecified | No | Grass opening that is filling in with aspen, balsam, maple, pine and spruce. WLD: no work has been done here in the last decade | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 | 4115 - Y.Birch, Hemlock NH | Sawtimber Medium | 16.9 | 104 | 1-50 | N/A | There are some trees that have been windthrown in the center and northeast part of stand since the treatment. Stump sprouts have been browsed on with conifer seedlings present. YOE 2016: Stand was treated by the Pony Express Hardwood timber sale. Stand was thinned in 2000-01 on contract 055-96-01. This stand contains mostly low quality hardwood that should be regenerated, but there is a few acre area of higher quality maple in the north part of the stand. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>20</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>45</td> <td>Log/Pole</td> <td>10</td> <td>104</td> </tr> <tr> <td>Red Maple</td> <td>30</td> <td>Pole/Log</td> <td>8</td> <td>104</td> </tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Hemlock | 20 | Log/Pole | 12 | | White Pine | 5 | Log | 12 | | Sugar Maple | 45 | Log/Pole | 10 | 104 | Red Maple | 30 | Pole/Log | 8 | 104 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>White Spruce</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Medium | 5 - 10 feet | Sapling | Balsam Fir | Low | 5 - 10 feet | Sapling | White Spruce | Low | 5 - 10 feet | Sapling | White Pine | Medium | < 5 feet | Sapling | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 20 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 45 | Log/Pole | 10 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 30 | Pole/Log | 8 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Medium | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | Medium | < 5 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|------------------|---------|------------|----------|--------------|--|----|--------------|----|-----|------------|----|---------|----|-----|----------------------|----|--------------|----|-----|---|----|--------------------|---------|-------------|--|---------|--------------------|----------|-------------|--|-------|--------------------|-------------|-------------|---|-------------|--------------------|--|--------------|------------|--------------|--------------|--|----------|----------|-------------|-------------|------------|---|----------|---------|---|--|--|
| 76 | 4319 - Mixed Upland Forest | Sapling Well | 6.2 | 29 | Immature | N/A | There is advance regeneration that was retained during the treatment. The harvesting rows have sapling and seedlings present. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Balsam Poplar</td><td>15</td><td>Sapling</td><td>1</td><td>5</td></tr> <tr><td>White Pine</td><td>25</td><td>Sapling</td><td>3</td><td>29</td></tr> <tr><td>Red Maple</td><td>15</td><td>Sapling</td><td>2</td><td>6</td></tr> <tr><td>Beech</td><td>20</td><td>Sapling</td><td>3</td><td>29</td></tr> <tr><td>Ironwood</td><td>5</td><td>Sapling</td><td>2</td><td>29</td></tr> <tr><td>Balsam Fir</td><td>20</td><td>Sapling</td><td>3</td><td>29</td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Poplar | 15 | Sapling | 1 | 5 | White Pine | 25 | Sapling | 3 | 29 | Red Maple | 15 | Sapling | 2 | 6 | Beech | 20 | Sapling | 3 | 29 | Ironwood | 5 | Sapling | 2 | 29 | Balsam Fir | 20 | Sapling | 3 | 29 | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>White Spruce</td><td>Low</td><td>10 - 20 feet</td><td>Sapling</td></tr> <tr><td>Tamarack</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | White Spruce | Low | 10 - 20 feet | Sapling | Tamarack | Low | 5 - 10 feet | Sapling | <p>YOE 2016: This stand was cut in 2019 on contract 33-029-16. The overstory was cut to release the advanced regeneration from when the stand was previously shelterwood cut.</p> | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 15 | Sapling | 1 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 25 | Sapling | 3 | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 15 | Sapling | 2 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 20 | Sapling | 3 | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | 5 | Sapling | 2 | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 20 | Sapling | 3 | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 77 | 6128 - Lowland Coniferous, Mixed Deciduous | Sawtimber Poor | 20.9 | 117 | 1-50 | N/A | Canopy are the trees that were retained during the treatment. Some regeneration but cattails and some phragmites is the most visible. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Black Ash</td><td>15</td><td>Pole/Sapling</td><td>5</td><td></td></tr> <tr><td>Hemlock</td><td>75</td><td>Log</td><td>14</td><td>117</td></tr> <tr><td>Northern White Cedar</td><td>5</td><td>Pole/Sapling</td><td>5</td><td>117</td></tr> <tr><td>Yellow Birch</td><td>5</td><td>Pole/Sapling</td><td>5</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Black Ash | 15 | Pole/Sapling | 5 | | Hemlock | 75 | Log | 14 | 117 | Northern White Cedar | 5 | Pole/Sapling | 5 | 117 | Yellow Birch | 5 | Pole/Sapling | 5 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>Balsam Fir</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>White Spruce</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Low | 5 - 10 feet | Sapling | Balsam Fir | Low | 5 - 10 feet | Sapling | White Spruce | Low | 5 - 10 feet | Sapling | <p>YOE 2016: Stand was treated by the Pony Express Hardwood timber sale.</p> <p>Stand was thinned in 2000-01 on contract 055-96-01. Stand is a mix of upland and lowland, but both contain red maple and ash. There is phragmites on the East side of this stand, by the corner.</p> | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 15 | Pole/Sapling | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 75 | Log | 14 | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Pole/Sapling | 5 | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole/Sapling | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 78 | 42350 - Upland Hemlock | Sawtimber Medium | 11.4 | 117 | 1-50 | N/A | There are small hemlock seedlings less than 1" tall that are numerous in the skid trails. White pine seedlings up to a foot tall scattered. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Northern White Cedar</td><td>20</td><td>Log/Pole</td><td>10</td><td>101</td></tr> <tr><td>Hemlock</td><td>70</td><td>Log</td><td>14</td><td>117</td></tr> <tr><td>White Pine</td><td>10</td><td>XLog</td><td>24</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Northern White Cedar | 20 | Log/Pole | 10 | 101 | Hemlock | 70 | Log | 14 | 117 | White Pine | 10 | XLog | 24 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Hemlock</td><td>Medium</td><td>< 5 feet</td><td>Seeding</td></tr> <tr><td>Balsam Fir</td><td>Low</td><td>10 - 20 feet</td><td>Sapling</td></tr> <tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Hemlock | Medium | < 5 feet | Seeding | Balsam Fir | Low | 10 - 20 feet | Sapling | Beech | Low | 5 - 10 feet | Sapling | <p>YOE 2016: Stand was treated by the Pony Express Hardwood timber sale.</p> <p>Stand was thinned in 2000-01 on contract 055-96-01. Upland hardwood stand with dense areas of hemlock.</p> | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 20 | Log/Pole | 10 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 70 | Log | 14 | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 10 | XLog | 24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | Medium | < 5 feet | Seeding | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 79 | 42200 - Natural White Pine | Sapling Well | 9.2 | 18 | Immature | N/A | Advanced regeneration has been released from the canopy by the treatment. The operational trails are filling in with seedlings. A small area that remains open but small seedlings are establishing and will fill the area in a few years. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Sugar Maple</td><td>5</td><td>Log/Pole</td><td>13</td><td>101</td></tr> <tr><td>White Pine</td><td>80</td><td>Sapling</td><td>2</td><td>18</td></tr> <tr><td>Red Maple</td><td>5</td><td>Log/Pole</td><td>12</td><td></td></tr> <tr><td>Yellow Birch</td><td>5</td><td>Log/Pole</td><td>10</td><td></td></tr> <tr><td>Hemlock</td><td>5</td><td>Log</td><td>14</td><td></td></tr> </tbody> </table> | | Canopy Species | % Cover | Size Class | DBH | Age | Sugar Maple | 5 | Log/Pole | 13 | 101 | White Pine | 80 | Sapling | 2 | 18 | Red Maple | 5 | Log/Pole | 12 | | Yellow Birch | 5 | Log/Pole | 10 | | Hemlock | 5 | Log | 14 | | <table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Beech</td><td>Low</td><td>10 - 20 feet</td><td>Sapling</td></tr> <tr><td>Balsam Fir</td><td>Medium</td><td>10 - 20 feet</td><td>Sapling</td></tr> <tr><td>Ironwood</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>White Pine</td><td>High</td><td>Variable</td><td>Sapling</td></tr> </tbody> </table> | | Sub-Canopy Species | Density | Avg. Height | Size | Beech | Low | 10 - 20 feet | Sapling | Balsam Fir | Medium | 10 - 20 feet | Sapling | Ironwood | Low | 5 - 10 feet | Sapling | White Pine | High | Variable | Sapling | <p>YOE 2016: This stand was cut in 2019 on contract 33-029-16. This stand was previously thinned in 2006-07 on contract 030-06-01. Following the last harvest quite a bit of white pine and beech got established. This last harvest removed most of the overstory to release the regeneration. In areas of the stand that doesn't have regeneration 20 to 40 BA was marked to retain, to provide seed and partial shade.</p> | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 5 | Log/Pole | 13 | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | 80 | Sapling | 2 | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Red Maple | 5 | Log/Pole | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Log/Pole | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemlock | 5 | Log | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | Medium | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ironwood | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Pine | High | Variable | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | |
|----------------------|--|-----------------|--------------|-----------|----------|--------------------|--|---------|--------------|------------|--|
| 80 | 6130 - Fir, Aspen, Maple | Poletimber Well | 6.0 | 49 | 81-110 | N/A | <p>These strips were cut in 1976 under contract 7-76. Trees are tall and smaller diameter. Balsam tops are snapped off. Spruce Budworm also in the area. Good distribution of aspen and balm. Treat stand due to the decline and damage in balsam, also with age at 49 the aspen and balm are mature for harvest. Good sprouting is expected. Cedar in adjacent stand, remove in this stand to promote maximum aspen regeneration due to small size of the strips.</p> <p>YOE 2016: Fully stocked stand of aspen and balsam fir.</p> | | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size | |
| White Spruce | | 5 | Pole | 8 | | Balsam Fir | | Medium | 10 - 20 feet | Sapling | |
| Green Ash | | 5 | Pole | 7 | | | | | | | |
| Red Maple | | 5 | Pole | 8 | | | | | | | |
| Paper Birch | | 10 | Pole/Sapling | 6 | | | | | | | |
| Quaking Aspen | | 15 | Pole | 8 | 49 | | | | | | |
| Balsam Poplar | | 20 | Pole | 8 | | | | | | | |
| Balsam Fir | | 40 | Pole/Sapling | 6 | 49 | | | | | | |
| 81 | 4130 - Aspen | Sapling Well | 10.9 | 17 | Immature | N/A | <p>YOE 2016: Stand was clearcut in 2006-07 on contract 030-06-01. Most of the stand has regenerated to aspen, but the more open areas are filling in with balsam fir and white pine. There are some scattered residual trees.</p> | | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size | |
| Quaking Aspen | | 75 | Sapling | 3 | 17 | White Pine | | Low | < 5 feet | Sapling | |
| Balsam Poplar | | 5 | Sapling | 3 | | Ironwood | | Low | < 5 feet | Sapling | |
| Balsam Fir | | 15 | Sapling | 3 | | | | | | | |
| Black Cherry | | 5 | Sapling | 3 | | | | | | | |
| 82 | 6128 - Lowland Coniferous, Mixed Deciduous | Poletimber Poor | 23.4 | 104 | 1-50 | N/A | <p>YOE 2016: Stand was treated by the Pony Express Hardwood timber sale.</p> <p>Stand was thinned in 2000-01 on contract 055-96-01. The stand is a mix of lowland ash with ridges of red maple. The stand does not contain enough high quality stems to thin anymore. There is phragmites in the center of this stand.</p> | | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size | |
| Hemlock | | 50 | Pole/Log | 9 | 104 | White Spruce | | Low | 5 - 10 feet | Sapling | |
| Northern White Cedar | | 20 | Pole/Log | 8 | | Balsam Fir | | Medium | < 5 feet | Sapling | |
| Black Ash | | 20 | Sapling/Pole | 3 | | | | | | | |
| 83 | 4136 - Aspen, Mixed Conifer | Sapling Well | 11.4 | 17 | Immature | N/A | <p>YOE 2016: Stand was clearcut in 2006-07 on contract 030-06-01. Fully stocked aspen stand with a fair amount of advanced conifer regeneration.</p> | | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size | |
| Bigtooth Aspen | | 5 | Sapling | 4 | | Tag Alder | | Low | 5 - 10 feet | Tall Shrub | |
| White Pine | | 10 | Sapling | 4 | 30 | | | | | | |
| Quaking Aspen | | 60 | Sapling | 4 | 17 | | | | | | |
| White Spruce | | 5 | Sapling | 4 | 17 | | | | | | |
| Beech | | 5 | Sapling/Pole | 4 | 40 | | | | | | |
| Balsam Fir | | 10 | Sapling | 4 | 30 | | | | | | |
| Tamarack | | 5 | Sapling | 1 | 17 | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments |
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|

| | | | | | | | |
|-----------|-------------------------------------|--------------|------|----|----------|-----|--|
| 84 | 6118 - Lowland Deciduous with Cedar | Sapling Well | 19.3 | 29 | Immature | N/A | YOE 2016: Stand was cut in 1995 on contract 036-92-01. All trees were cut; except cedar, hemlock, pine, and spruce. Some of these trees were marked to cut. A high percentage of the residual cedar has blown over. The open areas have regenerated to aspen/balm, the areas with partial shade are filling in with balsam fir, and the areas with dense cedar do not have any regeneration. |
|-----------|-------------------------------------|--------------|------|----|----------|-----|--|

| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size |
|----------------------|---------|--------------|-----|-----|--------------------|---------|-------------|---------|
| Balsam Poplar | 30 | Sapling/Pole | 4 | 29 | Balsam Fir | Medium | 5 - 10 feet | Sapling |
| Green Ash | 5 | Sapling/Pole | 4 | 29 | Beech | Low | 5 - 10 feet | Sapling |
| Quaking Aspen | 20 | Sapling | 4 | | Tamarack | Low | 5 - 10 feet | Sapling |
| Northern White Cedar | 20 | Log | 12 | 115 | | | | |
| Balsam Fir | 15 | Sapling/Pole | 4 | 29 | | | | |
| Paper Birch | 10 | Sapling/Pole | 4 | 29 | | | | |

| | | | | | | | |
|-----------|--|--------------|------|----|----------|-----|--|
| 85 | 6132 - Mixed Lowland Forest with Cedar | Sapling Well | 15.0 | 19 | Immature | N/A | YOE 2016: Stand was cut in 1995 on contract 036-92-01. All species were cut; except cedar, hemlock, pine, and spruce - some of these trees were marked to cut. This stand has not fully regenerated, there is a dense sedge/grass mat. There is a large patch of Phragmites on the East side of the stand. |
|-----------|--|--------------|------|----|----------|-----|--|

| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size |
|----------------------|---------|--------------|-----|-----|--------------------|---------|-------------|------------|
| Northern White Cedar | 20 | Log | 13 | 115 | Willow spp. | Low | < 5 feet | Tall Shrub |
| White Pine | 10 | Pole/Sapling | 6 | 29 | Tag Alder | Low | 5 - 10 feet | Tall Shrub |
| Green Ash | 5 | Sapling/Pole | 4 | | | | | |
| Paper Birch | 10 | Sapling | 4 | 19 | | | | |
| Balsam Fir | 15 | Sapling | 4 | 19 | | | | |
| Balsam Poplar | 30 | Sapling | 4 | 19 | | | | |
| Quaking Aspen | 10 | Sapling | 4 | | | | | |

| | | | | | | | |
|-----------|--|-------------------|------|----|----------|-----|---|
| 86 | 6117 - Lowland Deciduous, Mixed Coniferous | Poletimber Medium | 25.7 | 33 | Immature | N/A | Most of the stand is lowland with areas of upland containing the aspen, balsam, maple and trace of pine. Areas up upland that would have supported the spruce planting have balsam and pine seedlings filling in the open areas. No need to keep the FTP to plant. YOE 2016: Stand was clearcut in 1991 on contract 019-86-01. This stand is on FTP 33-590 to hand plant white spruce. The FTP was sent in, in 2005, but has not been planted. Now there is only about 10 acres that are open that need to be planted. |
|-----------|--|-------------------|------|----|----------|-----|---|

| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size |
|----------------|---------|--------------|-----|-----|--------------------|---------|-------------|------------|
| Black Ash | 5 | Sapling | 3 | | Tag Alder | High | 5 - 10 feet | Tall Shrub |
| Red Maple | 5 | Pole/Sapling | 6 | | White Spruce | Medium | < 5 feet | Sapling |
| Quaking Aspen | 15 | Pole/Sapling | 6 | | Balsam Fir | Medium | < 5 feet | Sapling |
| Balsam Fir | 20 | Pole/Sapling | 5 | 33 | | | | |
| Green Ash | 35 | Sapling | 4 | 33 | | | | |
| White Spruce | 10 | Pole/Sapling | 5 | | | | | |

| | | | | | | | |
|-----------|--------------------------|-----------------|------|----|----------|-----|--|
| 87 | 4134 - Aspen, Spruce/Fir | Poletimber Well | 53.7 | 33 | Immature | N/A | Stand is maturing well with no visible forest health issues. YOE 2016: Stand was clearcut in 1991 on contract 019-86-01. Fully stocked aspen stand. |
|-----------|--------------------------|-----------------|------|----|----------|-----|--|

| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size |
|----------------|---------|--------------|-----|-----|--------------------|---------|-------------|------------|
| Balsam Poplar | 5 | Pole/Sapling | 6 | | Balsam Fir | High | 5 - 10 feet | Sapling |
| White Spruce | 5 | Sapling/Pole | 4 | | White Spruce | Medium | 5 - 10 feet | Sapling |
| Balsam Fir | 15 | Sapling/Pole | 4 | | Tag Alder | Low | 5 - 10 feet | Tall Shrub |
| Bigtooth Aspen | 15 | Pole/Sapling | 6 | | White Pine | Low | Variable | Sapling |
| Quaking Aspen | 60 | Pole/Sapling | 6 | 33 | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments |
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|

| | | | | | | | | | | |
|-----------------------|--------------------|----------------|-------------------|------------|------------|---------------------------|--|----------------|--------------------|-------------|
| 88 | 42330 - Upland Fir | Sapling Medium | 20.7 | 33 | Immature | N/A | Open areas are naturally seeding in creating an uneven age to stand. No need for planting treatment. The upland area that would support the spruce is filling in with balsam and pine seedlings. | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size |
| Balsam Fir | | 60 | Sapling/Pole | 4 | 33 | Balsam Poplar | | Medium | Variable | Sapling |
| Tamarack | | 10 | Sapling/Pole | 3 | | Black Spruce | | Medium | Variable | Sapling |
| Red Maple | | 10 | Sapling/Pole | 4 | | White Spruce | | Medium | < 5 feet | Sapling |
| Quaking Aspen | | 15 | Pole/Sapling | 6 | | Tag Alder | | Low | < 5 feet | Tall Shrub |
| White Spruce | | 5 | Sapling/Pole | 4 | | Balsam Fir | | Medium | < 5 feet | Sapling |

| | | | | | | | | | | |
|-----------------------|----------------------|-----------------|-------------------|------------|------------|---|---|----------------|--------------------|-------------|
| 89 | 6112 - Lowland Aspen | Poletimber Poor | 12.5 | 33 | Immature | N/A | The south end of stand is lowland shrub with some white pine. Ash and balm saplings are noticeable with trace amounts of white pine, spruce and tamarack. | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size |
| Quaking Aspen | | 20 | Pole/Sapling | 6 | 33 | Balsam Fir | | Medium | < 5 feet | Sapling |
| Green Ash | | 5 | Sapling | 4 | | Ash (spp.) | | Medium | 5 - 10 feet | Sapling |
| Balsam Fir | | 40 | Pole/Sapling | 6 | 33 | Tag Alder | | High | < 5 feet | Tall Shrub |
| Balsam Poplar | | 35 | Pole/Sapling | 6 | 33 | YOE 2016: Stand was clearcut in 1991 on contract 019-86-01. Stand is a mix of aspen/balm and balsam fir. The open areas are filling in with balsam fir. | | | | |

| | | | | | | | | | | |
|-----------------------|----------------------|-----------------|-------------------|------------|-------------|---------------------------|--------------|----------------|--------------------|-------------|
| 90 | 6120 - Lowland Cedar | Poletimber Well | 9.3 | 115 | Unspecified | N/A | Cedar swamp. | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size |
| Paper Birch | | 15 | Pole | 9 | | Black Ash | | Low | < 5 feet | Sapling |
| Black Ash | | 15 | Pole/Sapling | 6 | | Balsam Fir | | Low | < 5 feet | Sapling |
| Northern White Cedar | | 70 | Pole | 7 | 115 | | | | | |

| | | | | | | | | | | |
|-----------------------|--|-----------------|-------------------|------------|------------|---------------------------|---|----------------|--------------------|-------------|
| 91 | 6132 - Mixed Lowland Forest with Cedar | Poletimber Well | 19.1 | 115 | 111-140 | N/A | This cedar stand had strips cut out in 1965. These strips have regenerated to paper birch, balsam fir, red maple, balsam poplar, black and green ash are the most noticeable. Larger maple, ash, and birch overtop the cedar making the cedar less noticeable from most of the imagery. | | | |
| Canopy Species | | % Cover | Size Class | DBH | Age | Sub-Canopy Species | | Density | Avg. Height | Size |
| White Spruce | | 5 | Pole | 8 | | Northern White Cedar | | High | >20 feet | Pole |
| Paper Birch | | 5 | Pole | 8 | | Black Ash | | Medium | 10 - 20 feet | Sapling |
| Balsam Fir | | 5 | Pole | 6 | | Balsam Fir | | Medium | 5 - 10 feet | Sapling |
| Black Ash | | 15 | Pole/Sapling | 6 | | | | | | |
| Balsam Poplar | | 5 | Log/Pole | 10 | | | | | | |
| Northern White Cedar | | 45 | Pole | 8 | 115 | | | | | |
| Yellow Birch | | 5 | Pole | 8 | | | | | | |
| Red Maple | | 5 | Pole/Sapling | 6 | | | | | | |
| Green Ash | | 10 | Log/Pole | 10 | | | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments |
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|
|-------|--------------------|--------------|-------|-----------|----------|--------------|------------------|

92 6117 - Lowland Deciduous, Mixed Coniferous Poletimber Well 22.2 72 81-110 N/A

Strips had been cut out of the stand to the east and may extend into this stand creating a variable size and age in areas of this stand. There is large red maple and aspen that are overmature along with larger diameter black and green ash. It appears that EAB might just be starting in this stand. Woodpecker activity only on a few trees at this time. Looking at the imagery, Fowler Creek flows into the southwest portion of the stand across the bottom and out the southeast. Buffer this portion of the stand from treatment.

| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size |
|----------------------|---------|--------------|-----|-----|----------------------|---------|--------------|---------|
| Bigtooth Aspen | 5 | Log | 12 | | Northern White Cedar | Low | Variable | Sapling |
| Red Maple | 15 | Log/Pole | 10 | 72 | Red Maple | High | 10 - 20 feet | Sapling |
| Green Ash | 5 | Pole | 8 | | Balsam Fir | High | 10 - 20 feet | Sapling |
| Paper Birch | 15 | Pole/Sapling | 6 | | | | | |
| Hemlock | 5 | Log | 12 | 115 | | | | |
| Balsam Poplar | 10 | Pole/Sapling | 6 | | | | | |
| Balsam Fir | 10 | Pole | 6 | | | | | |
| Northern White Cedar | 10 | Pole | 8 | 115 | | | | |
| Black Ash | 15 | Pole/Sapling | 6 | | | | | |

93 622 - Lowland Shrub Nonstocked 27.2 0 Unspecified No

Cattails with some tag alder. Tamarack seedlings are up to 6' tall with good distribution. scattered balsam and spruce not as populated, overall good start but will leave monitor treatment on to check again next inventory.

YOE 2016: Stand was clearcut in 2018 on contract 028-16-01. The stand was a mix of tamarack and low quality cedar. This stand was approved via a chapter 7 request in May of 2016, because the eastern larch beetle had caused a significant amount of tamarack mortality and defoliation.

94 3301 - Low Density Deciduous Trees Nonstocked 4.6 Unspecified No

Conifer seedlings becoming noticeable. Some balsam 4-5' tall scattered patches. not far enough along to remove monitor but regeneration taking place. Two retention patches and scattered mature hemlock. The retention patches are a mix of species where smaller trees windthrown with larger trees still standing.

YOE 2016: Stand was clearcut in 2018 on contract 028-16-01. The stand was a mix of red maple, ash, spruce/fir, cedar, and hemlock. This stand was approved via a chapter 7 request in May of 2016, because the eastern larch beetle had caused a significant amount of tamarack mortality and defoliation in the adjacent lowland stand and this stand was going to be the landing area.

95 4136 - Aspen, Mixed Conifer Sawtimber Well 10.9 37 81-110 N/A

This stand was delineated out of the larger stand to the east. Most of the ground here is of higher elevation than to the north and east with noticeably larger tree diameters. Treating this stand earlier will provide diversity in the aspen age class. Trace amounts of birch, cedar, cherry and spruce. The east two thirds of this stand was clearcut in 1987 on contract 066-85-01 leaving hemlock, pine and some other marked trees.

| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size |
|----------------|---------|--------------|-----|-----|--------------------|---------|-------------|------------|
| Red Maple | 5 | Pole/Sapling | 5 | 37 | Balsam Fir | Medium | 5 - 10 feet | Sapling |
| Bigtooth Aspen | 15 | Log/Pole | 10 | | White Pine | Medium | 5 - 10 feet | Sapling |
| Balsam Poplar | 10 | Pole | 8 | 37 | Tag Alder | Low | 5 - 10 feet | Tall Shrub |
| Balsam Fir | 5 | Log | 12 | | Beech | Low | 5 - 10 feet | Sapling |
| Hemlock | 10 | Log | 14 | 106 | | | | |
| Quaking Aspen | 50 | Pole/Log | 8 | 37 | | | | |
| White Pine | 5 | Log/Pole | 10 | 106 | | | | |



| Stand | Level 4 Cover Type | Size Density | Acres | Stand Age | BA Range | Managed Site | General Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------------------------------|------------------|-------|-----------|--------------------|--------------|---|----------------|---------|------------|-----|-----|--------------------|---------|-------------|------|--------------|----------------------|---------|------|-----|------------|---------------|--------------|------------|----------------------|----|--------------|----|---------|------------|--------|---------------|---------|----------------------|----|--------------|----|-----|-------|------|--------------|---------|--------------|----|---------|----|--|--|--|--|--|--------------|----|------|---|--|--|--|--|--|
| 96 | 122 - Road/Parking Lot | Nonstocked | 4.5 | 0 | Unspecified | No | This is Hayward Lake Road Right Of Way maintained by the Menominee County Road Commission. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 97 | 4134 - Aspen, Spruce/Fir | Sapling Poor | 3.4 | 4 | Immature | N/A | Upland portion of the parent stand that was treated by timber sale. Good regeneration in pockets but poor overall on the hill. Leaving monitor treatment on from parent stand to check this area next inventory for progression. YOE 2016: Stand was clearcut in 2017 and 18 on contract 028-16-01. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>20</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Balsam Poplar</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>White Spruce</td> <td>15</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>50</td> <td>Sapling</td> <td>1</td> <td>4</td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Balsam Fir | 20 | Sapling | 1 | | Northern White Cedar | 5 | Pole | 8 | | Balsam Poplar | 10 | Sapling | 1 | | White Spruce | 15 | Sapling | 1 | | Quaking Aspen | 50 | Sapling | 1 | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Fir | 20 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Balsam Poplar | 10 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| White Spruce | 15 | Sapling | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Quaking Aspen | 50 | Sapling | 1 | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 98 | 6120 - Lowland Cedar | Poletimber Well | 6.3 | 104 | 81-110 | N/A | YOE 2016: Swamp cedar stand with about 15% of the stand being upland with the ridge extending onto private property. Cedar with a mix of other species. This was part of the parent stand that was cut to the west due to forest health reasons. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Ash</td> <td>5</td> <td>Sapling</td> <td>4</td> <td></td> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Northern White Cedar</td> <td>70</td> <td>Pole/Sapling</td> <td>6</td> <td>104</td> <td>Balsam Fir</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>10</td> <td>Log</td> <td>12</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Black Spruce</td> <td>10</td> <td>Pole</td> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | Black Ash | 5 | Sapling | 4 | | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Northern White Cedar | 70 | Pole/Sapling | 6 | 104 | Balsam Fir | Low | 5 - 10 feet | Sapling | Sugar Maple | 10 | Log | 12 | | | | | | Yellow Birch | 5 | Pole | 8 | | | | | | Black Spruce | 10 | Pole | 6 | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 5 | Sapling | 4 | | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 70 | Pole/Sapling | 6 | 104 | Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 10 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 10 | Pole | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 99 | 6120 - Lowland Cedar | Poletimber Well | 8.5 | 104 | 81-110 | N/A | YOE 2016: Poor quality swamp cedar stand with a mix of other species. This was part of the parent stand that was cut to the west due to forest health reasons. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Spruce</td> <td>10</td> <td>Pole</td> <td>6</td> <td></td> <td>Tag Alder</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Tamarack</td> <td>5</td> <td>Pole</td> <td>6</td> <td></td> <td>Balsam Fir</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Northern White Cedar</td> <td>70</td> <td>Pole/Sapling</td> <td>6</td> <td>104</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Black Ash</td> <td>10</td> <td>Sapling</td> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Pole</td> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | Black Spruce | 10 | Pole | 6 | | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | Tamarack | 5 | Pole | 6 | | Balsam Fir | Low | 5 - 10 feet | Sapling | Northern White Cedar | 70 | Pole/Sapling | 6 | 104 | | | | | Black Ash | 10 | Sapling | 4 | | | | | | Yellow Birch | 5 | Pole | 8 | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Spruce | 10 | Pole | 6 | | Tag Alder | Medium | 5 - 10 feet | Tall Shrub | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tamarack | 5 | Pole | 6 | | Balsam Fir | Low | 5 - 10 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern White Cedar | 70 | Pole/Sapling | 6 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black Ash | 10 | Sapling | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Pole | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | 4111 - S.Maple, Hard Mast Association | Sawtimber Medium | 10.7 | 101 | 51-80 | N/A | This stand was separated from stand 67. Beech was in high concentration before treatment. There are areas more open with some beech retained having small spots of BBD scale. YOE 2016: Treated by the Pony Express Hardwood timber sale 33-032-16 Stand was last thinned in 1993 to 95 on contract 050-92-01. Good quality hardwood stand with a dense understory of beech regeneration. There is beech present, but there is beech scale present. trace hemlock | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>70</td> <td>Log</td> <td>12</td> <td>101</td> <td>Balsam Fir</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Yellow Birch</td> <td>5</td> <td>Log</td> <td>14</td> <td></td> <td>Ironwood</td> <td>Medium</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>20</td> <td>Log</td> <td>14</td> <td></td> <td>Beech</td> <td>High</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Basswood</td> <td>5</td> <td>Log</td> <td>12</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | | | Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | Sugar Maple | 70 | Log | 12 | 101 | Balsam Fir | Low | 10 - 20 feet | Sapling | Yellow Birch | 5 | Log | 14 | | Ironwood | Medium | >20 feet | Sapling | Beech | 20 | Log | 14 | | Beech | High | 10 - 20 feet | Sapling | Basswood | 5 | Log | 12 | | | | | | | | | | | | | | |
| Canopy Species | % Cover | Size Class | DBH | Age | Sub-Canopy Species | Density | Avg. Height | Size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sugar Maple | 70 | Log | 12 | 101 | Balsam Fir | Low | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yellow Birch | 5 | Log | 14 | | Ironwood | Medium | >20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Beech | 20 | Log | 14 | | Beech | High | 10 - 20 feet | Sapling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basswood | 5 | Log | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |