



Compartment Review Presentation

Grayling Forest Management Unit

Compartment 72210

Entry Year 2026

Acreage: 1,362

County Crawford

Management Area: Kalkaska Sandy Moraines

Stand Examiner: Scott McClarren

Legal Description:

T28N R4W Sections 25, 26, & 27 North Frederic Township, Crawford County

Identified Planning Goals:

Management will emphasize continuing to balance the age class of aspen on suitable sites, thinning the northern hardwoods, and balancing age classes of red pine. Management will strive to sustainably produce various forest products; enhance game and non-game wildlife habitat; protect areas of unique character, and provide for forest-based recreational uses. Expected trends within this 10-year planning period are increased recreational pressure, managing oil and gas development, and introduced pests and diseases.

Soil and topography:

The soil is Kalkaska/Blue Lake sand on the east side with Rubicon sand in the middle. The AuSable River flood plain consists of Tawas/Lupton muck. The upland on the west side is Kalkaska sand. The terrain is rolling hills to very rolling hills on the east and west with the AuSable River flood plain traversing through the compartment.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

This compartment consists of state land intermixed with private land, many which contain permanent residences. Recent sub-dividing has occurred on private land north of section 25 which will increase use within the area.

Unique Natural Features:

Eastern Massasauga (*Sistrurus catenatus*) is a reported occurrence in the compartment.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

The AuSable River is a designated as a "natural river" and is a high priority cold water trout stream.

Watershed and Fisheries Considerations:

The AuSable River, a designated natural river and a high quality trout stream is located within the compartment. The Compartment also contains Cranberry Lake which does not have developed access.

Wildlife Habitat Considerations:

Featured species for this compartment, as designated by the Grayling Ice Contact MA, are American woodcock, Beaver, Eastern massasauga rattlesnake, Pileated woodpecker, Red-headed woodpecker, Ruffed grouse, Wild turkey, and White-tailed deer. The primary focus of wildlife habitat management in the Grayling Ice Contact management area will be to address the habitat requirements identified for the listed featured species. Based on the selected featured species, some of the most significant wildlife management issues in the management area are the maintenance of young forest and large open grassland complexes, the retention of large, over-mature trees and snags and the maintenance and expansion of hard mast and mesic conifer components. Expansion of hard mast tree species will be an issue with the onset of Beech Bark disease within the compartment. Supplemental planting of oak may be necessary to promote desired wildlife habitat.

Mineral Resource and Development Concerns and/or Restrictions

No known potential exists for commercial metallic mineral production in this part of the state. The nearest known active sand/gravel pit is the State-owned Kolka Creek Pit, which is more than one mile north. The pit is not currently leased but is open and has a history of leasing with the road commission. There appears to be some good potential for sand & gravel within the compartment on the uplands, but any future development would need to avoid existing oil & gas infrastructure/facilities. The compartment has been developed for Antrim Shale gas and Silurian reef oil & gas, and all State-owned mineral rights in the compartment are leased and held by production. The Antrim play is generally in decline, no new Antrim wells are being drilled, and there has been an increasing trend toward plugging. At current gas prices, drilling of new Antrim wells is not economical. There may still be some potential future discoveries of additional Silurian reef reservoirs beneath the compartment, but this cannot be adequately evaluated without access to proprietary industry data. No recent well permits have been issued in the area, and potential for hydrocarbons from other known producing formations beneath the compartment is considered low at this time.

Vehicle Access:

County Roads in the compartment are Cameron Bridge Road, Kolka Creek Road, Hulbert Road, County Road 612 (paved), and Old U.S. 27 (paved). An extensive network of county roads and state trail roads provides adequate access. No roads have been identified for closure.

Survey Needs:

Survey is needed to establish the NW 1/16th corner of section 26 along Kolka Creek Rd. These corners are needed to facilitate future management of stand 43.

Recreational Facilities and Opportunities:

Designated snowmobile trail #679, Blue Bear Trail, runs through the compartment.

Fire Protection:

The area has many trail roads for access. Some of the trail roads are narrow and sandy and hilly but most of the area can be reached. Response time will be greater along these trail roads. Most of the area is upland (except for the AuSable River flood plain) and consists of oak, aspen and hardwood stands.

Additional Compartment Information:**The following reports from the Inventory are attached:**


- Total Acres by Cover Type and Age Class**
- Cover Type by Harvest Method**
- Proposed Treatments – No Limiting Factors**
- Proposed Treatments – With Limiting Factors**
- Stand Details (Forested and Nonforested)**
- Dedicated and Proposed Special Conservation Areas**
- Site Condition Details**

The following information is displayed, where pertinent, on the attached compartment maps:


- Base feature information, stand boundaries, cover types, and numbers**
- Proposed treatments**
- Site condition boundaries**
- Details on the road access system**

Cover Type & Treatments Map

Compartment: 72210
 T28N, R4W, Sec: 25-27, 36
 County: Crawford
 Unit: Grayling
 Mgmt Area: Kalkaska Sandy Moraines
 YOE: 2026
 Acres: 1362.2 GIS Calculated
 Examiner: Scott McClarren
 Map Revised: 07/11/2024
 Map Phase: Web-Post




- | | | | | |
|------------------------------|---------------------------------------|-----------------------------------|---------------------------------|---------------------------|
| Culvert | DNR - Secondary Forest Road | Lakes and Rivers | Regeneration Survey | 110 - Low Intensity Urban |
| Parking Lot | DNR - Forest Access Route | Pipeline | 411 - Northern Hardwood | 122 - Roads/Parking Lot |
| Trailhead | Federal / State Highway | Powerline | 413 - Aspen Types | 310 - Herbaceous Openland |
| Survey Grade Corners | Federal / State / County - Paved Road | Compartment Boundary | 421 - Planted Pines | 330 - Low Density Trees |
| Remonumented Section Corners | County - Gravel Road | Counties | 422 - Natural Pines | 500 - Water |
| Snowmobile Trails | Private - Dirt / Gravel Road | Treatments with Site Conditions | 430 - Upland Mixed Forest | 622 - Lowland Shrub |
| Designated ORV Routes | Active Railroads | Other Treatment - See Comments | 611 - Lowland Deciduous Forest | |
| Designated Snowmobile Trails | Lake/Pond | Clearcut (w/Reserves) | 612 - Lowland Coniferous Forest | |
| | Perennial River | Thinning (Crown, Low, Systematic) | 613 - Lowland Mixed Forest | |




Special Conservation Areas & Site Conditions Map

Compartment: 72210
 T28N, R4W, Sec: 25-27, 36
 County: Crawford
 Unit: Grayling
 Mgmt Area: Kalkaska Sandy Moraines
 YOE: 2026
 Acres: 1362.2 GIS Calculated
 Examiner: Scott McClarren
 Map Revised: 07/11/2024
 Map Phase: Web-Post



- Culvert
- Parking Lot
- Trailhead
- Survey Grade Corners
- Remonumented Section Corners
- Snowmobile Trails
- Designated Snowmobile Trails
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State Highway
- Federal / State / County - Paved Road
- County - Gravel Road
- Private - Dirt / Gravel Road
- Active Railroads
- Lake/Pond
- Perennial River
- Lakes and Rivers
- Pipeline
- Powerline
- Compartment Boundary
- Counties
- Available w/ Constraints
- Unavailable

- 2I: Survey needed
- 5C: Delay treatment for age/size class diversity or exceptional site quality
- 2G: Too wet (sensitive soils, does not include access issues)
- 3J: Water quality / BMPs (stream, river, or lake)
- 5E: Long-Term Retention
- Stand Boundaries
- Natural Rivers Vegetative Buffer
- Natural Rivers Zoning District
- Cold Water Streams
- High Priority Trout Stream Buffer





Age Class

	Non-Forest	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100-109	110-119	120-129	130-139	140-149	150+	Unseen-Aged	Total
Aspen	0	188	139	89	166	85	0	0	0	24	0	0	0	0	0	0	0	0	689
Bog	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
Herbaceous Openland	93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	93
Low-Density Trees	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24
Lowland Aspen/Balsam Poplar	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	9
Lowland Conifers	0	0	0	0	0	0	0	0	0	0	22	0	0	0	0	0	0	0	22
Lowland Deciduous	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Lowland Mixed Forest	0	0	0	0	0	0	0	0	22	0	28	0	0	0	0	0	0	0	50
Lowland Shrub	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Lowland Spruce/Fir	0	0	0	0	0	0	0	0	0	0	17	0	0	0	0	0	0	0	17
Natural Mixed Pines	0	0	0	0	0	0	0	7	0	0	0	7	0	0	0	0	0	0	14
Northern Hardwood	0	11	0	0	0	0	0	9	0	0	209	5	0	0	0	0	0	0	234
Red Pine	0	0	0	0	0	0	0	120	0	0	0	0	0	0	0	0	0	0	120
Treed Bog	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Upland Mixed Forest	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	0	0	18
Urban	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22
Water	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
White Pine	0	0	0	0	0	0	13	0	0	0	0	0	0	0	0	0	0	0	13
Total	169	199	139	89	175	85	13	136	31	24	276	12	18	0	0	0	0	0	1363



Report 2 – Treatment Summary

Grayling Mgt. Unit

Compartment 210

Year of Entry: 2026

Acres of Harvest

Total Compartment Acres: 1,362

Commercial Harvest - 156
 Harvests with Site Condition - 43
 Next Step Harvest - 0
 Habitat Cut - 0

Cover Type by Harvest Method

	Clearcut	Selection	Patch Clearcut	Seed Tree	Shelterwood	Thinning	Overshory Removal	Salvage	Other	Total Acres
Aspen	84	0	0	0	0	0	0	0	0	84
Northern Hardwood	5	0	0	0	0	0	0	0	0	5
Red Pine	0	0	0	0	0	94	0	0	0	94
Upland Mixed Forest	16	0	0	0	0	0	0	0	0	16
Total	106	0	0	0	0	94	0	0	0	200

Proposed and Next Step Treatments by Method

	Harvest	Site Prep	Planting	Seeding	Burning	Pesticide	Monitoring	Other	Non-Forest Mgt.	Total Acres
Current	200	0	0	0	0	0	86	0	49	334
Next Step	0	0	0	0	0	30	135	30	0	195
Total	200	0	0	0	0	30	221	30	49	529



S t a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
-----------------------	-------------------	-------	--------------------	-----------------	--------------	-------------	-------------------	---------------------	-------------------------	------------------	----------------

Proposed Treatments:

4	72210004-NF	1.9	310 - Herbaceous Openland	Nonstocked			Immature	NonForestMgt	Other - Specify	310 - Herbaceous Openland	No	
<p><u>Prescription</u> Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable</u></p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>												
8	72210008-Monitor	45.4	4110 - Sugar Maple Association	Sawtimber Well	90	81-110		Monitoring	Natural Regen (Re-Inventory)	411 - Northern Hardwood	Two-Aged	No
<p><u>Prescription</u> Assess regen gaps</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Northern hardwoods objective.</p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>												
20	72210020-Monitor	4.7	4110 - Sugar Maple Association	Sawtimber Medium	90	1-50		Monitoring	Natural Regen (Re-Inventory)	411 - Northern Hardwood	Two-Aged	No
<p><u>Prescription</u> Check regen</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Northern hardwoods are acceptable regeneration</p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>												



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

23	72210023-Monitor	5.7	42110 - Planted Red Pine	Sawtimber Well	69	111-140	Monitoring	Natural Regen (Re-Inventory)	411 - Northern Hardwood	Two-Aged	No
-----------	-------------------------	-----	--------------------------	----------------	----	---------	------------	------------------------------	-------------------------	----------	----

Prescription Check regen.

Specs:

Next Step

Treatments:

Acceptable Northern hardwoods are acceptable regeneration.

Regen:

Other

Comment:

Site Condition

Proposed Start Date: 10/1 /2025

36	72210036-NF	1.0	310 - Herbaceous Openland	Nonstocked			NonForestMgt	Other - Specify	310 - Herbaceous Openland		No
-----------	--------------------	-----	---------------------------	------------	--	--	--------------	-----------------	---------------------------	--	----

Prescription Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other

Comment:

Site Condition

Proposed Start Date: 10/1 /2025

43	72210043-Cut	43.2	42110 - Planted Red Pine	Sawtimber Well	68	171-200	Harvest	Low Thinning	4211 - Planted Red Pine	Even-Aged	No
-----------	---------------------	------	--------------------------	----------------	----	---------	---------	--------------	-------------------------	-----------	----

Prescription Thin from below to a residual BA of 120. Include snowmobile trail specs. A pocket of natural pine and some lowland cedar along Kolka Creek Rd has been excluded from the treatment area near the west boundary. In addition, a stick nest was found during inventory near the edge of the natural pine (visible in base features). A 1 chain buffer has been drawn to exclude the nest. If nest is found to be active during layout, follow the management guidelines for raptor nests.

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other Remove merch stems within 1 chain of mortality pocket in the south half visible from aerial imagery.

Comment:

Site Condition Survey Needed

Proposed Start Date: 10/1 /2025



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
51 72210051-Cut	6.3	42110 - Planted Red Pine	Sawtimber Well	69	171-200	Harvest	Low Thinning	4211 - Planted Red Pine	Even-Aged	No
<p><u>Prescription</u> Thin from below to a residual BA of 120. Include snowmobile trail specs. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable Regen:</u> <u>Other Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1 /2025</p>										
56 72210056-NF	2.3	310 - Herbaceous Openland	Nonstocked		Immature	NonForestMgt	Other - Specify	310 - Herbaceous Openland		No
<p><u>Prescription</u> Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable Regen:</u> <u>Other Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1 /2025</p>										
57 72210057-Cut	15.4	42110 - Planted Red Pine	Sawtimber Well	69	171-200	Harvest	Low Thinning	4211 - Planted Red Pine	Even-Aged	No
<p><u>Prescription</u> Thin from below to a residual BA of 120. Include snowmobile trail specs. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable Regen:</u> <u>Other Comment:</u> Check with wildlife to see if stand 56 may be partially utilized as a landing. If not, consider using sub-merch aspen pocket in northwest for landing. <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1 /2025</p>										
66 72210066-Cut	15.8	4311 - Pine, Aspen Mix	Sawtimber Well	116	141-170	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Harvest all stems 2" and greater. Retention has been identified during compartment review and should run from the south east corner of stand towards the north west to the trail as drawn. Additional retention may be used to capture pine component and to break up visual along Old 27. Include snowmobile trail specs. Include shrub protection spec. <u>Specs:</u> <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable Regen:</u> Aspen objective. Will also accept a mix of oak, maple, birch and pine. <u>Other Comment:</u> <u>Site Condition</u> <u>Proposed Start Date:</u> 10/1 /2025</p>										



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
74 72210074-Cut	11.8	42110 - Planted Red Pine	Sawtimber Well	64	141-170	Harvest	Low Thinning	4211 - Planted Red Pine	Even-Aged	No
<p><u>Prescription</u> Thin from below to a residual BA of 120.</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u></p> <p><u>Other Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>										
77 72210077-Cut	34.4	4130 - Aspen	Poetimber Well	49	81-110	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Harvest all stems 2" and greater. Follow standard retention guidelines. Use retention to protect hemlock. Include snowmobile trail, grouse drumming log, and shrub protection specs.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> Aspen objective. Maple, oak, and pine will also be acceptable species.</p> <p><u>Other Comment:</u> South half of stand has been split into a separate treatment to be delayed 5 years post harvest of north half.</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>										
77 72210077-Yr5	34.9	4130 - Aspen	Poetimber Well	49	81-110	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Harvest all stems 2" and greater. Follow standard retention guidelines. Use retention to protect hemlock. Include snowmobile trail, grouse drumming log, and shrub protection specs.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u> Aspen objective. Maple, oak, and pine will also be acceptable species.</p> <p><u>Other Comment:</u> South half of stand has been split into a separate treatment to be delayed 5 years post harvest of north half.</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2030</p>										
79 72210079-Cut	12.1	42110 - Planted Red Pine	Poetimber Well	64	171-200	Harvest	Low Thinning	4211 - Planted Red Pine	Even-Aged	No
<p><u>Prescription</u> Thin from below to a residual BA of 120. Harvest all trees within 1 chain of the armillaria mortality pocket.</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable Regen:</u></p> <p><u>Other Comment:</u> Check with wildlife to see if part of stand 80 may be utilized for operations.</p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>										



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

80	72210080-NF	8.8	310 - Herbaceous Openland	Nonstocked			NonForestMgt	Other - Specify	310 - Herbaceous Openland	No
-----------	--------------------	-----	---------------------------	------------	--	--	--------------	-----------------	---------------------------	----

Prescription Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025

83	72210083-Cut	5.3	42110 - Planted Red Pine	Poletimber Well	64	171-200	Harvest	Low Thinning	4211 - Planted Red Pine	Even-Aged	No
-----------	---------------------	-----	--------------------------	-----------------	----	---------	---------	--------------	-------------------------	-----------	----

Prescription Thin from below to a residual BA of 120.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025

87	72210087-NF	13.6	310 - Herbaceous Openland	Nonstocked		Immature	NonForestMgt	Other - Specify	310 - Herbaceous Openland	No
-----------	--------------------	------	---------------------------	------------	--	----------	--------------	-----------------	---------------------------	----

Prescription Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.

Next Step
Treatments:

Acceptable
Regen:

Other
Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

94	72210094-NF	1.9	310 - Herbaceous Openland	Nonstocked		Immature	NonForestMgt	Other - Specify	310 - Herbaceous Openland	No
-----------	--------------------	-----	---------------------------	------------	--	----------	--------------	-----------------	---------------------------	----

Prescription Specs: Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.

Next Step Treatments:

Acceptable Regen:

Other Comment:

Site Condition

Proposed Start Date: 10/1 /2025

96	72210096-NF	2.4	310 - Herbaceous Openland	Nonstocked			NonForestMgt	Other - Specify	310 - Herbaceous Openland	No
-----------	--------------------	-----	---------------------------	------------	--	--	--------------	-----------------	---------------------------	----

Prescription Specs: Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.

Next Step Treatments:

Acceptable Regen:

Other Comment:

Site Condition

Proposed Start Date: 10/1 /2025

98	72210098-Cut	5.4	4112 - Maple, Beech, Cherry Association	Sawtimber Well	104	81-110	Harvest	Clearcut	4116 - Mixed N. Hardwood - Aspen	Even-Aged	No
-----------	---------------------	-----	---	----------------	-----	--------	---------	----------	----------------------------------	-----------	----

Prescription Specs: Harvest all stems greater than 2". No retention due to small stand size. Include grouse drumming log spec and shrub protection spec.

Next Step Treatments: Monitoring, Natural Regen (Re-Inventory)

Acceptable Regen: Accept any upland mix.

Other Comment:

Site Condition

Proposed Start Date: 10/1 /2025



S
t
a
n
d

Treatment ID	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
99	72210099-NF	4.4	310 - Herbaceous Openland	Nonstocked			NonForestMgt	Other - Specify	310 - Herbaceous Openland		No
<p><u>Prescription</u> Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable</u></p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>											
100	72210100-Cut	15.1	4139 - Aspen, Mixed Deciduous	Poletimber Well	49	81-110	Harvest	Clearcut with Retention	413 - Aspen	Even-Aged	No
<p><u>Prescription</u> Harvest all stems greater than 2" DBH. Follow standard retention guidelines. Include grouse drumming log and shrub protection specs.</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Monitoring, Natural Regen (Re-Inventory)</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Any mix of aspen, hardwoods, or pine is acceptable.</p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>											
102	72210102-NF	14.3	310 - Herbaceous Openland	Nonstocked		Immature	NonForestMgt	Other - Specify	310 - Herbaceous Openland		No
<p><u>Prescription</u> Periodic opening maintenance, as needed, that may include disking, fertilizing, liming, food plot seeding, mowing, brushing, tree and shrub planting, herbicide application, and removal of invasive species.</p> <p><u>Specs:</u></p> <p><u>Next Step</u></p> <p><u>Treatments:</u></p> <p><u>Acceptable</u></p> <p><u>Regen:</u></p> <p><u>Other</u></p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p> <p><u>Proposed Start Date:</u> 10/1 /2025</p>											

Approved Treatments:

88	72210088-Monitor	29.7	310 - Herbaceous Openland	Nonstocked	0	Unspecified	Monitoring	Artificial Regen(1yr)	4211 - Planted Red Pine	Even-Aged	No
<p><u>Prescription</u> check replant</p> <p><u>Specs:</u></p> <p><u>Next Step</u> Other, Pre-Commercial Thinning - Hand; Pesticide, Skidder - Release; Monitoring, Artificial Regen(3yr)</p> <p><u>Treatments:</u></p> <p><u>Acceptable</u> Planting density to ensure a well stocked red pine plantation.</p> <p><u>Regen:</u></p> <p><u>Other</u> Percent to Treat = 100%</p> <p><u>Comment:</u></p> <p><u>Site Condition</u></p>											



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

Proposed Start Date: 10/1 /2023

Total Treatment Acreage Proposed: 335.8

Report 4 – Site Conditions

Grayling Mgt. Unit
Scott McClarren : Examiner

Compartment: 210
Year of Entry: 2026

Availability for Management

Total Acres	Acres Available	Acres Avail		Acres Not Available	Dominant Site Conditions						
		With Condition			2B	2I	5C	2G	3J	5E	
689	648	16		26	Aspen	16			0	9	17
13	13	0		0	Bog						
93	92	0		1	Herbaceous Openland						1
24	24	0		0	Low-Density Trees						
9	0	0		9	Lowland Aspen/Balsam Poplar				5	3	0
22	0	6		16	Lowland Conifers	6			9	7	
8	0	7		2	Lowland Deciduous	7				2	
50	28	0		22	Lowland Mixed Forest				4	7	11
2	2	0		0	Lowland Shrub						
17	0	0		17	Lowland Spruce/Fir				13	4	
14	7	7		0	Natural Mixed Pines			7			
229	228	1		0	Northern Hardwood			1			
120	69	51		1	Red Pine		51		0	1	0
4	4	0		0	Treed Bog						
17	16	0		1	Upland Mixed Forest						1
22	22	0		0	Urban					0	
11	11	0		0	Water					0	
13	13	0		0	White Pine						
1,357	1,177	87		93	Total Forested Acres	28	51	8	31	32	30
	87%	6%		7%	Relative Percent						

**Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.*

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Available	2B: Unknown if access through adjacent landowner(s) is possible	19	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Grayling Mgt. Unit

Compartment: 210

Scott McClarren : Examiner

Year of Entry: 2026

2	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
3	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
4	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments: 150' Natural River RMZ.							
5	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	8	Unspecified	Unspecified	Unspecified	Unspecified
Comments: 150' Natural River RMZ.							
6	Unavailable	5E: Long-Term Retention	8	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
Comments:							
7	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	4	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Grayling Mgt. Unit

Scott McClarren : Examiner

Compartment: 210

Year of Entry: 2026

8	Unavailable	5E: Long-Term Retention	4	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Island and boundary excluded long-term retention for the timber sale occurring within Stand 68.							
9	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	1	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
Comments: Areas excluded while establishing the timber sale within Stand 47. The two northern most polygons are 'Too wet'. The small southern poly is also wet with a sliver of upland that butts up against the natural rivers veg buffer. Deemed this 'sliver' unwise to included in the timber sale. Sliver located along a somewhat blind curve on the snowmobile trail too.							
10	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Long term retention associated with stand 38 harvest.							
11	Unavailable	5E: Long-Term Retention	11	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
Comments: Long-term retention associated with stand 47 (150' Natural River buffer).							
12	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	2	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
Comments:							
13	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	3	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
Comments: Rx'd portions of Stand 60 that were excluded during sale prep. These areas were too wet with soils that would likely to be damaged by equipment, and/or offered limited merchantability.							

Report 4 – Site Conditions

Grayling Mgt. Unit
Scott McClarren : Examiner

Compartment: 210
Year of Entry: 2026

14	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	4	2B: Unknown if access through adjacent landowner(s) is possible	Unspecified	Unspecified	Unspecified
Comments:							
15	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	13	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
16	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
17	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	1	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
Comments:							
18	Available	2B: Unknown if access through adjacent landowner(s) is possible	10	2I: Survey needed	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Grayling Mgt. Unit

Scott McClarren : Examiner

Compartment: 210

Year of Entry: 2026

19	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	5	5A: Not able to obtain desirable regeneration	Unspecified	Unspecified	Unspecified
Comments:							
20	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	7	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Treatment delayed due to natural pine management memo.							
21	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	9	2B: Unknown if access through adjacent landowner(s) is possible	Unspecified	Unspecified	Unspecified
Comments:							
22	Available	2I: Survey needed	51	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Need survey, NW corner not found.							
23	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments: Long-term retention associated with stand 66.							
28	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
29	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions

Grayling Mgt. Unit
Scott McClarren : Examiner

Compartment: 210
Year of Entry: 2026

30	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
32	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
33	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
34	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
35	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	1	5E: Long-Term Retention	Unspecified	Unspecified	Unspecified
Comments: Three small wet kettle holes excluded while establishing the timber sale in Stand 47.							

Mgt. Unit

Compartment: #Type!

Year of Entry:



Report 5 – PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
----------	--------------	-------------	----------------	-------

Comments



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

ERA = Ecological Reference Area
HCVA = High Conservation Value Area
SCA = Special Conservation Area

Conservation Area	Type	Description
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen conditions that allow naturally-reproduced or stocked trout populations and those of other coldwater fish species (e.g., slimy sculpin) to persist from year to year. Coldwater streams in Michigan typically provide these conditions due to substantial contributions of groundwater to their stream flows. Such streams are established by Director's action and designated as trout resources by Fisheries Order 210.
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosystems in which the terrestrial ecosystem influences the aquatic ecosystem and vice-versa. Because of the unique conditions adjacent to lakes, streams and open water wetlands, riparian areas harbor a high diversity of plants and wildlife. Riparian communities are ecologically and socially significant in their effects on water quality and quantity, as well as aesthetics, habitat, bank stability, timber production, and their contribution to overall biodiversity.
HCVA	Natural Rivers	There are two Natural Rivers datasets which are derived from spatial buffers set from an established and approved distance from the river centerlines. The Natural Rivers Zoning District is a 400 foot buffer for most Natural Rivers. The Vegetative Buffer ranges from 25 to 100 feet.



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																														
1	4110 - Sugar Maple Association	Sawtimber Medium	19.1	90	81-110	N/A	Somewhat poor quality hardwood stand. Still has a lot of pole size timber. Overall ba is close to 90. Some sugar maple under 1' seen poking through the snow. Stand thinned July 2018, Comp 210 Hardwood Peninsula #72-005-16. Old comments- Kotar Classification: AFO with the best site quality to the east. Terrain is rolling to flat with the majority of the stand sloping down towards the private to the east. Areas of good sugar maple understory but also pockets of beech present. Dense canopy cover is controlling most of the understory.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Basswood</td> <td>10</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Beech</td> <td>2</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>86</td> <td>Log/Pole</td> <td>10</td> <td>90</td> </tr> <tr> <td>Yellow Birch</td> <td>2</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Basswood	10	Log	12		Beech	2	Log/Pole	10		Sugar Maple	86	Log/Pole	10	90	Yellow Birch	2	Log	12		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Ironwood</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>High</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Medium	5 - 10 feet	Sapling	Bigtooth Aspen	Medium	5 - 10 feet	Sapling	Beech	High	10 - 20 feet	Sapling	Sugar Maple	Low	< 5 feet	Sapling				
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Basswood	10	Log	12																																																		
Beech	2	Log/Pole	10																																																		
Sugar Maple	86	Log/Pole	10	90																																																	
Yellow Birch	2	Log	12																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Ironwood	Medium	5 - 10 feet	Sapling																																																		
Bigtooth Aspen	Medium	5 - 10 feet	Sapling																																																		
Beech	High	10 - 20 feet	Sapling																																																		
Sugar Maple	Low	< 5 feet	Sapling																																																		
2	122 - Road/Parking Lot	Nonstocked	3.7			No																																															
3	4110 - Sugar Maple Association	Sawtimber Medium	41.0	90	51-80	N/A	Hardwoods are of less quality than adjacent stand 8 that's the same age. Stand was thinned somewhat heavily in most places recently (regen gaps not put in). Stand thinned Aug 2018, Comp 210 Hardwood Peninsula #72-005-16. Heavy ironwood and beech understory. A couple hemlocks observed in NE. Old comments- Heavy stocking of pole size sugar maple within this stand most likely due to the lack of management over the past 40 years. Aspen is concentrated along the east edge but does exist throughout the stand. The understory is less dense than in adjacent stands but does have some thick pockets, mostly beech.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>80</td> <td>Log/Pole</td> <td>10</td> <td>90</td> </tr> <tr> <td>Beech</td> <td>3</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Basswood</td> <td>17</td> <td>Log</td> <td>12</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	80	Log/Pole	10	90	Beech	3	Log/Pole	10		Basswood	17	Log	12		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Bigtooth Aspen</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Basswood</td> <td>Trace</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Trace</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Blackberry/Raspberry</td> <td>High</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Beech</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Bigtooth Aspen	Low	5 - 10 feet	Sapling	Ironwood	High	Variable	Sapling	Basswood	Trace	< 5 feet	Sapling	Sugar Maple	Trace	< 5 feet	Sapling	Blackberry/Raspberry	High	5 - 10 feet	Tall Shrub	Beech	High	Variable	Sapling	
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Sugar Maple	80	Log/Pole	10	90																																																	
Beech	3	Log/Pole	10																																																		
Basswood	17	Log	12																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Bigtooth Aspen	Low	5 - 10 feet	Sapling																																																		
Ironwood	High	Variable	Sapling																																																		
Basswood	Trace	< 5 feet	Sapling																																																		
Sugar Maple	Trace	< 5 feet	Sapling																																																		
Blackberry/Raspberry	High	5 - 10 feet	Tall Shrub																																																		
Beech	High	Variable	Sapling																																																		
4	310 - Herbaceous Openland	Nonstocked	1.9		Immature	Managed Opening	Old comment- Opening maintenance prescribed last YOЕ, i.e. chainsaw work to remove brush/trees as well as hinge cut trees. Work accomplished post inventory. Mowing and brush removal. Prescribe opening maintenance for the next ten years. JC update: Was brushed in 2014, mowed in 2015 & 2016 (W72-775).																																														
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>Low</td> <td></td> <td>Pole</td> </tr> <tr> <td>Sumac</td> <td>High</td> <td></td> <td>Tall Shrub</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry		Low		Pole	Sumac	High		Tall Shrub																																							
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Black Cherry	Low		Pole																																																		
Sumac	High		Tall Shrub																																																		
5	310 - Herbaceous Openland	Nonstocked	1.3			No	Powerline easement.																																														
6	4130 - Aspen	Poletimber Well	10.1	27	51-80	N/A	Aspen has dense hardwood understory. Old comments- Stand has a thick understory to the west. Raspberry is prevalent throughout. Stand starts sloping down towards bog within 2 chains. Final harvested in fall of 1997 under contract # 72-037-96-01, Gas Well Aspen Block.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling</td> <td>4</td> <td>28</td> </tr> <tr> <td>Quaking Aspen</td> <td>40</td> <td>Pole/Sapling</td> <td>5</td> <td>27</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>30</td> <td>Pole/Sapling</td> <td>5</td> <td>27</td> </tr> <tr> <td>Black Cherry</td> <td>15</td> <td>Pole/Sapling</td> <td>5</td> <td>27</td> </tr> <tr> <td>Sugar Maple</td> <td>5</td> <td>Sapling</td> <td>4</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	10	Sapling	4	28	Quaking Aspen	40	Pole/Sapling	5	27	Bigtooth Aspen	30	Pole/Sapling	5	27	Black Cherry	15	Pole/Sapling	5	27	Sugar Maple	5	Sapling	4		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>High</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Black Cherry</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Blackberry/Raspberry</td> <td>Medium</td> <td>< 5 feet</td> <td>Tall Shrub</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	High	5 - 10 feet	Sapling	Red Maple	Medium	5 - 10 feet	Sapling	Black Cherry	Low	< 5 feet	Sapling	Blackberry/Raspberry	Medium	< 5 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Red Maple	10	Sapling	4	28																																																	
Quaking Aspen	40	Pole/Sapling	5	27																																																	
Bigtooth Aspen	30	Pole/Sapling	5	27																																																	
Black Cherry	15	Pole/Sapling	5	27																																																	
Sugar Maple	5	Sapling	4																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Sugar Maple	High	5 - 10 feet	Sapling																																																		
Red Maple	Medium	5 - 10 feet	Sapling																																																		
Black Cherry	Low	< 5 feet	Sapling																																																		
Blackberry/Raspberry	Medium	< 5 feet	Tall Shrub																																																		
7	310 - Herbaceous Openland	Nonstocked	1.0																																																		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																												
8	4110 - Sugar Maple Association	Sawtimber Well	45.4	90	81-110	N/A	Stand thinned with gap creation in September 2018 in the north half and April 2019 in south half, Comp 210 Hardwood Peninsula #72-005-16. Stand has good maple regen between gaps where lightly thinned. A few gaps with heavy SM under 1'. Most gaps are full of raspberry/blackberry. Heavy beech understory in south. Regen gaps need more time to seed in and/or recruit. BA between gaps around 100 on average. Old comments- Good sugar maple regeneration in areas where the stand was thinned the hardest and around openings and well pads. Beech is the primary understory species and is extremely dense in areas.																																																												
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>94</td> <td>Log</td> <td>12</td> <td>90</td> </tr> <tr> <td>Red Maple</td> <td>2</td> <td>Log/Pole</td> <td>12</td> <td></td> </tr> <tr> <td>Beech</td> <td>2</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Basswood</td> <td>2</td> <td>Log</td> <td>14</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	94	Log	12	90	Red Maple	2	Log/Pole	12		Beech	2	Log/Pole	10		Basswood	2	Log	14		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Blackberry/Raspberry</td> <td>High</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Beech</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Medium	< 5 feet	Sapling	Blackberry/Raspberry	High	5 - 10 feet	Tall Shrub	Beech	Medium	Variable	Sapling																						
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Sugar Maple	94	Log	12	90																																																															
Red Maple	2	Log/Pole	12																																																																
Beech	2	Log/Pole	10																																																																
Basswood	2	Log	14																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Sugar Maple	Medium	< 5 feet	Sapling																																																																
Blackberry/Raspberry	High	5 - 10 feet	Tall Shrub																																																																
Beech	Medium	Variable	Sapling																																																																
9	4119 - Mixed Northern Hardwoods	Sawtimber Medium	8.6	67	51-80	N/A	4 acre stand north of 612 with similar spp composition merged with stand 9 to meet minimum MIFI mapping standards for forested stands. Old comments- Two aged stand created from previous harvest. Regeneration from that harvest is now occupying parts of the canopy. Low quality hardwoods. West side of pipeline was included in contract number 72-021-99-01, Cameron Aspen Block which was harvested in fall of 1999. All aspen and hardwood which yielded 100" stick was cut. All white pine was left. All hardwood in this portion was left for visual.																																																												
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>10</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>10</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Basswood</td> <td>10</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>Ironwood</td> <td>5</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Red Pine</td> <td>3</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>White Pine</td> <td>2</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>60</td> <td>Log/Pole</td> <td>10</td> <td>67</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	10	Log/Pole	10		Quaking Aspen	10	Log/Pole	10		Basswood	10	Pole	8		Ironwood	5	Pole	6		Red Pine	3	Log	14		White Pine	2	Log	12		Sugar Maple	60	Log/Pole	10	67	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Quaking Aspen</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	Variable	Sapling	Quaking Aspen	Medium	10 - 20 feet	Sapling	Ironwood	Medium	Variable	Sapling	Beech	Low	Variable	Sapling	Sugar Maple	Medium	< 5 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Red Maple	10	Log/Pole	10																																																																
Quaking Aspen	10	Log/Pole	10																																																																
Basswood	10	Pole	8																																																																
Ironwood	5	Pole	6																																																																
Red Pine	3	Log	14																																																																
White Pine	2	Log	12																																																																
Sugar Maple	60	Log/Pole	10	67																																																															
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Red Maple	Low	Variable	Sapling																																																																
Quaking Aspen	Medium	10 - 20 feet	Sapling																																																																
Ironwood	Medium	Variable	Sapling																																																																
Beech	Low	Variable	Sapling																																																																
Sugar Maple	Medium	< 5 feet	Sapling																																																																
10	110 - Low Intensity Urban	Nonstocked	0.9		Immature		Old comments- Old antrim well pad. Raspberry and grasses taking over site. Tree seedlings beginning to encroach around perimeter.																																																												
11	42110 - Planted Red Pine	Sawtimber Well	12.5	68	81-110	N/A	BA around 110 most places following previous harvest (some parts more open others more dense). Small finger in northwest (west of snowmobile trail) was not harvested (orange painted trees). Stand harvested in 2018, Wild Rooster Mix #72-032-16. Old comments- Heavy red maple understory throughout with mixed hardwood to the west. Some blow down has occurred since last harvest. Mostly smaller diameter trees. Thinned in fall/winter of 1997 under contract # 72-049-96-01, Green Line pine Sale. Thinned red pine to 110 BA plus removed all aspen and mixed hardwood except a few scattered trees.																																																												
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Pine</td> <td>96</td> <td>Log</td> <td>11</td> <td>68</td> </tr> <tr> <td>Red Maple</td> <td>2</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>2</td> <td>Pole/Log</td> <td>9</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Pine	96	Log	11	68	Red Maple	2	Pole/Log	9		Quaking Aspen	2	Pole/Log	9		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Black/Red (Hybrid) Oak</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>White Oak</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	Variable	Sapling	Black/Red (Hybrid) Oak	Trace	Variable	Sapling	White Oak	Trace	Variable	Sapling	Sugar Maple	Low	Variable	Sapling	Red Maple	High	Variable	Sapling																			
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Red Pine	96	Log	11	68																																																															
Red Maple	2	Pole/Log	9																																																																
Quaking Aspen	2	Pole/Log	9																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Beech	Medium	Variable	Sapling																																																																
Black/Red (Hybrid) Oak	Trace	Variable	Sapling																																																																
White Oak	Trace	Variable	Sapling																																																																
Sugar Maple	Low	Variable	Sapling																																																																
Red Maple	High	Variable	Sapling																																																																
12	4130 - Aspen	Poletimber Well	11.4	25	51-80	N/A	Aspen has high-full sugar maple growing underneath in most places. Some large white pine and 1 hemlock observed near the south. Old comments-72-021-99-01, Cameron Aspen Block which was harvested in fall of 1999. All aspen and hardwood which yielded 100" stick was cut. All white pine was left.																																																												
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Bigtooth Aspen</td> <td>90</td> <td>Pole</td> <td>5</td> <td>25</td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>Log/XLog</td> <td>16</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Bigtooth Aspen	90	Pole	5	25	White Pine	5	Log/XLog	16		Red Maple	5	Pole/Sapling	5		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>High</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Black Cherry</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Serviceberry (Juneberry)</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	High	10 - 20 feet	Sapling	Black Cherry	Medium	Variable	Sapling	Serviceberry (Juneberry)	Low	10 - 20 feet	Sapling																											
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Bigtooth Aspen	90	Pole	5	25																																																															
White Pine	5	Log/XLog	16																																																																
Red Maple	5	Pole/Sapling	5																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Sugar Maple	High	10 - 20 feet	Sapling																																																																
Black Cherry	Medium	Variable	Sapling																																																																
Serviceberry (Juneberry)	Low	10 - 20 feet	Sapling																																																																



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments				
13	4130 - Aspen	Poletimber Well	4.8	26	1-50	N/A	Aspen with heavy sugar maple understory. Old commens- Dense stand of aspen. Northern hardwood component will become more evident as stand ages. Part of contract # 72-051-96-01, Hulbert Rd. 103 Block which was final harvested in 1998.				
Canopy Species		% Cover	Size Class		DBH	Age		Sub-Canopy Species	Density	Avg. Height	Size
Red Maple		5	Sapling		3			Red Maple	Low	Variable	Sapling
Bigtooth Aspen		85	Pole/Sapling		5	26		Ironwood	Low	5 - 10 feet	Sapling
Sugar Maple		10	Sapling		3			Beech	Low	5 - 10 feet	Sapling
							Sugar Maple	High	Variable	Sapling	
14	6225 - Bog	Nonstocked	8.5			No	Old comments-Leatherleaf/blueberry bog. Scattered pole size white pine throughout. Stand is part of a drainage system which flows through adjacent aspen stands and bogs.				
Sub-Canopy Species		Density	Avg. Height		Size						
White Pine		Trace			Pole						
15	122 - Road/Parking Lot	Nonstocked	1.3			No					
16	4110 - Sugar Maple Association	Sawtimber Medium	6.5	95	51-80	N/A	East regen gap has good sm regen (all less than 1'). Rest of stand heavy to beech in understory. Stand thinned April 2019, Comp 210 Hardwood Peninsula #72-005-16. Old comments- Site quality diminishes in this stand. Sugar maple and beech are from stump sprout origin with 3 - 5 stems per clump. Good wildlife value in this stand because of edge. Part of contract # 72-051-96-01, Hulbert Rd. 103 Block which was thinned in 1998. Residual BA was 72. Some damage occurred to residual according to sale notes.				
Canopy Species		% Cover	Size Class		DBH	Age		Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple		83	Log		12	95		Beech	High	Variable	Sapling
Red Pine		7	Log		14			American Elm	Low	< 5 feet	Sapling
Bigtooth Aspen		3	Log		12						
Beech		2	Log		11						
Red Maple		5	Log		13						
17	4130 - Aspen	Sapling Poor	30.4	6	Immature	N/A	Stand met regen objectives for aspen. Stand harvested in 2018, Wild Rooster Mix #72-032-16. Vernal pools, wetland, and bog buffered and excluded from harvest. Stand 25 (southeast 5 acres harvested same time as stand 17) was merged with 17 due to similar composition following harvest. Stand 17 old comments-Kotar Classification: PARVHa. Several vernal ponds in the north and east parts of the stand, surrounded by upland timber. These ponds are part of a larger drainage system which connects adjacent bogs through forested drains. Old beaver channels are present in a few of the forested drains. White pine is concentrated to the north and east. Red pine is south of the adjacent pine plantation. Stand 25 old comments- Heavy blow down of aspen and balsam fir. Few nice gaps created. Filling in with aspen and maple mostly. White is concentrated to the north and west of southern bog and appears to be planted, same age as adjacent red pine and in semi visible rows.				
Canopy Species		% Cover	Size Class		DBH	Age					
Quaking Aspen		70	Sapling		1	6					
Red Maple		20	Sapling		1						
Black Cherry		10	Sapling		1						



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																																	
18	4130 - Aspen	Poletimber Well	27.6	37	81-110	N/A	Small pine inclusion in south merged with stand 18 to meet MIFI mapping standards for forested stand acreage.																																																																	
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>3</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>White Pine</td> <td>4</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Red Pine</td> <td>2</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Pole</td> <td>6</td> <td>37</td> </tr> <tr> <td>Quaking Aspen</td> <td>51</td> <td>Pole</td> <td>9</td> <td>37</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>30</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Black Cherry	3	Pole	8		White Pine	4	Log	14		Red Pine	2	Log	14		Red Maple	10	Pole	6	37	Quaking Aspen	51	Pole	9	37	Bigtooth Aspen	30	Log/Pole	10		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Wild Raisin</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Serviceberry (Juneberry)</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Basswood</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Black Cherry</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Wild Raisin	Low	5 - 10 feet	Tall Shrub	Serviceberry (Juneberry)	Low	5 - 10 feet	Sapling	Ironwood	Low	5 - 10 feet	Sapling	Sugar Maple	Medium	Variable	Sapling	Red Maple	Medium	Variable	Sapling	Basswood	Low	Variable	Sapling	Black Cherry	Medium	Variable	Sapling	<p>Kotar classification is PARVVb/AFO. Good aspen site but primarily a hardwood understory. Quaking aspen becomes more prevalent as you move east. Final harvested in summer of 1987 under contract # 72-015-87-01, Lane Block.</p>	
Canopy Species	% Cover	Size Class	DBH	Age																																																																				
Black Cherry	3	Pole	8																																																																					
White Pine	4	Log	14																																																																					
Red Pine	2	Log	14																																																																					
Red Maple	10	Pole	6	37																																																																				
Quaking Aspen	51	Pole	9	37																																																																				
Bigtooth Aspen	30	Log/Pole	10																																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																																					
Wild Raisin	Low	5 - 10 feet	Tall Shrub																																																																					
Serviceberry (Juneberry)	Low	5 - 10 feet	Sapling																																																																					
Ironwood	Low	5 - 10 feet	Sapling																																																																					
Sugar Maple	Medium	Variable	Sapling																																																																					
Red Maple	Medium	Variable	Sapling																																																																					
Basswood	Low	Variable	Sapling																																																																					
Black Cherry	Medium	Variable	Sapling																																																																					
19	122 - Road/Parking Lot	Nonstocked	1.1	0	Immature	No																																																																		
20	4110 - Sugar Maple Association	Sawtimber Medium	4.7	90	1-50	N/A	About 50 BA of maple left following harvest. Full beech understory.																																																																	
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>100</td> <td>Log</td> <td>12</td> <td>90</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	100	Log	12	90	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>Trace</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Full</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Trace	< 5 feet	Sapling	Beech	Full	5 - 10 feet	Sapling	Ironwood	Low	5 - 10 feet	Sapling	<p>Old comments- Heavily thinned hardwood stand. Removed most of the beech component because of forest health concerns. Stand should regenerate well but the understory currently has minimal stocking. Thinned under contract # 72-043-06-01, Hulbert Rd. Hardwoods in summer/fall of 2013. Residual BA was 72 at time of sale setup. A contract supplement was added in to remove an additional 126 cords of ash and beech from units 1, 2, and 3. This stand was the north half of unit 1. Sale still open at time of inventory.</p>																																										
Canopy Species	% Cover	Size Class	DBH	Age																																																																				
Sugar Maple	100	Log	12	90																																																																				
Sub-Canopy Species	Density	Avg. Height	Size																																																																					
Sugar Maple	Trace	< 5 feet	Sapling																																																																					
Beech	Full	5 - 10 feet	Sapling																																																																					
Ironwood	Low	5 - 10 feet	Sapling																																																																					
21	6225 - Bog	Nonstocked	2.4			No	Old comments-Bog is part of larger drainage system. More water present here than in bog to the north. Signs of old beaver activity. No current activity.																																																																	
22	310 - Herbaceous Openland	Nonstocked	1.5			No	Powerline easement.																																																																	
23	42110 - Planted Red Pine	Sawtimber Well	5.7	69	111-140	N/A	Small strip of red pine to the south of main stand merged into a multipart stand to meet MIFI acreage standards for forested stands. BA is 120 on avg. Primarily beech understo in main stand but, south strip has heavy sugar maple understory.																																																																	
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Pine</td> <td>100</td> <td>Log</td> <td>12</td> <td>69</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Pine	100	Log	12	69	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Oak</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>High</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	White Oak	Trace	Variable	Sapling	Beech	High	10 - 20 feet	Sapling	Sugar Maple	Medium	10 - 20 feet	Sapling	<p>Old comments- Off site red pine. Dense hardwood understory occupies this stand and will become more dense as it fills in from thinning operation. Red pine growing well. Thinned in fall/winter of 1997 under contract # 72-049-96-01, Green Line pine Sale. Thinned red pine to 110 BA plus removed all aspen and mixed hardwood. Thinned again under contract # 72-043-06-01, Hulbert Rd. Hardwoods in summer/fall of 2013. Residual BA was 90 which includes gap to the north. BA minus gap is 120.</p>																																										
Canopy Species	% Cover	Size Class	DBH	Age																																																																				
Red Pine	100	Log	12	69																																																																				
Sub-Canopy Species	Density	Avg. Height	Size																																																																					
White Oak	Trace	Variable	Sapling																																																																					
Beech	High	10 - 20 feet	Sapling																																																																					
Sugar Maple	Medium	10 - 20 feet	Sapling																																																																					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																					
24	4110 - Sugar Maple Association	Sawtimber Well	9.1	95	81-110	N/A	<p>Didnt see the thick sm understory mentioned in previous comments, pretty heavy to beech most places. South finger has some better quality trees. Old comments- Stand BA varies significantly (30 - 170). This was created in previous thinning. Areas that where thinned the hardest now have a thick understory of sugar maple and accociated species about 15 - 20ft tall. Pockets of beech understory occupy the rest of the stand in dense pockets. Part of contract # 72-051-96-01, Hulbert Rd. 103 Block which was thinned in 1998. Residual BA was 72. Some damage occured to residual according to sale notes.</p>																																					
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>15</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>80</td> <td>Log</td> <td>12</td> <td>95</td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Log</td> <td>14</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Beech	15	Log/Pole	10		Sugar Maple	80	Log	12	95	Red Maple	5	Log	14		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	High	Variable	Sapling	Sugar Maple	Low	Variable	Sapling								
Canopy Species	% Cover	Size Class	DBH	Age																																								
Beech	15	Log/Pole	10																																									
Sugar Maple	80	Log	12	95																																								
Red Maple	5	Log	14																																									
Sub-Canopy Species	Density	Avg. Height	Size																																									
Beech	High	Variable	Sapling																																									
Sugar Maple	Low	Variable	Sapling																																									
25	6225 - Bog	Nonstocked	2.1	0		No	Blueberry bog split out from stand 33 during 2026 YOE inventory.																																					
27	122 - Road/Parking Lot	Nonstocked	8.6			No																																						
28	330 - Low-Density Trees	Nonstocked	4.4			No	<p>Opening with some scattered cherry and pine.</p>																																					
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>Medium</td> <td></td> <td>Pole</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td></td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry		Medium		Pole	White Pine	Low		Sapling																														
Sub-Canopy Species	Density	Avg. Height	Size																																									
Black Cherry	Medium		Pole																																									
White Pine	Low		Sapling																																									
30	4110 - Sugar Maple Association	Sawtimber Well	47.6	90	51-80	N/A	<p>BA is pretty consistently 80-90 most places. Not much for desirable regen in understory. Raspberry and beech most places with some sugar maple under 1'. Hemlock observed in NE. Old comments- Most of this stand sits on an easternly facing slope which is farely steep in spots. Kotar classification is AFO. Best site quality is mid slope of this stand. The understory in this stand is very dense with elderberry. Pockets of beech and sugar maple do exist though. Set up under contract # 72-043-06-01, Hulbert Rd. Hardwoods. Unit 1 (stands 19, 20, 23, 32, and 35) was harvested in summer/fall of 2013. Residual BA was marked to 72 at time of sale setup. A contract supplement was added in to remove an additional 126 cords of ash and beech from units 1, 2, and 3. Contract still open at time of inventory but expires 9/30/2014. Stand not cut yet.</p>																																					
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>2</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Basswood</td> <td>4</td> <td>Log</td> <td>14</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>94</td> <td>Log</td> <td>13</td> <td>90</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Beech	2	Log	12		Basswood	4	Log	14		Sugar Maple	94	Log	13	90	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Ironwood</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Blackberry/Raspberry</td> <td>High</td> <td>< 5 feet</td> <td>Tall Shrub</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Low	Variable	Sapling	Beech	Medium	5 - 10 feet	Sapling	Sugar Maple	Low	Variable	Sapling	Blackberry/Raspberry	High	< 5 feet	Tall Shrub
Canopy Species	% Cover	Size Class	DBH	Age																																								
Beech	2	Log	12																																									
Basswood	4	Log	14																																									
Sugar Maple	94	Log	13	90																																								
Sub-Canopy Species	Density	Avg. Height	Size																																									
Ironwood	Low	Variable	Sapling																																									
Beech	Medium	5 - 10 feet	Sapling																																									
Sugar Maple	Low	Variable	Sapling																																									
Blackberry/Raspberry	High	< 5 feet	Tall Shrub																																									
32	4110 - Sugar Maple Association	Sawtimber Poor	11.7	90	1-50	N/A	<p>Dog-hair thick beech through east half of stand where ba is lower 25-50% canopy closure in east and 50-75% in west. Old comments- Heavily thinned hardwood stand. Removed most of the beech component because of forest health concerns. Stand should regenerate well but the understory currently has minimal stocking. This stand contained more beech than in the north half of the unit which resulted in a lower residual stocking. Thinned under contract # 72-043-06-01, Hulbert Rd. Hardwoods in summer/fall of 2013. Residual BA was 72 at time of sale setup. A contract supplement was added in to remove an additional 126 cords of ash and beech from units 1, 2, and 3. This stand was the south half of unit 1. Sale still open at time of inventory.</p>																																					
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>89</td> <td>Log</td> <td>12</td> <td>90</td> </tr> <tr> <td>Beech</td> <td>2</td> <td>Log</td> <td>11</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>2</td> <td>Log</td> <td>12</td> <td></td> </tr> <tr> <td>Basswood</td> <td>7</td> <td>Log</td> <td>14</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	89	Log	12	90	Beech	2	Log	11		Bigtooth Aspen	2	Log	12		Basswood	7	Log	14		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>Full</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Trace</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Full	10 - 20 feet	Sapling	Sugar Maple	Trace	< 5 feet	Sapling			
Canopy Species	% Cover	Size Class	DBH	Age																																								
Sugar Maple	89	Log	12	90																																								
Beech	2	Log	11																																									
Bigtooth Aspen	2	Log	12																																									
Basswood	7	Log	14																																									
Sub-Canopy Species	Density	Avg. Height	Size																																									
Beech	Full	10 - 20 feet	Sapling																																									
Sugar Maple	Trace	< 5 feet	Sapling																																									



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																												
33	4130 - Aspen	Sapling Well	40.5	15	Immature	N/A	Upland Aspen with some open tag alder lowlands/blueberry bogs scattered around (larger 2 acre bog split into new stand). Lots of wildlife shrubs in understory and snowshoe hare tracks seen near edge of stand 41. Buried gas line runs from northeast corner of pvt through stand (visible on aerial imagery and currently identified with yellow flags and carsonite posts) as well as down road. Old comments- Aspen stand with a mix of low areas to the east and higher areas to the west. Harvest left a lot of the previous understory intact resulting in variable canopy heights. Canopy closure is on the low end of 75 - 100% when cherry pockets are excluded. These areas are more predominant to the north end of the stand. Harvested under contract # 72-020-06-01, Cameron Bridge Rd. Aspen in June of 2009. Left cedar along swamp edge. Old stand 84. Passes regeneration survey.																																																												
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>2</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>10</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>20</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>46</td> <td>Sapling</td> <td>2</td> <td>15</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>20</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>2</td> <td>Sapling/Pole</td> <td>4</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		White Pine	2	Pole	6		Black Cherry	10	Sapling	2		Red Maple	20	Sapling	2		Quaking Aspen	46	Sapling	2	15	Bigtooth Aspen	20	Sapling	2		Balsam Fir	2	Sapling/Pole	4		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Hawthorn (spp.)</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Red Osier Dogwood</td> <td>Trace</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Serviceberry (Juneberry)</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Alder</td> <td>Trace</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Black Cherry</td> <td>Medium</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>Wild Raisin</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Hawthorn (spp.)	Low	5 - 10 feet	Tall Shrub	Red Osier Dogwood	Trace	5 - 10 feet	Tall Shrub	Serviceberry (Juneberry)	Low	5 - 10 feet	Sapling	Alder	Trace	5 - 10 feet	Tall Shrub	Black Cherry	Medium	< 5 feet	Sapling	Wild Raisin	Medium	5 - 10 feet	Tall Shrub
Canopy Species	% Cover	Size Class	DBH	Age																																																															
White Pine	2	Pole	6																																																																
Black Cherry	10	Sapling	2																																																																
Red Maple	20	Sapling	2																																																																
Quaking Aspen	46	Sapling	2	15																																																															
Bigtooth Aspen	20	Sapling	2																																																																
Balsam Fir	2	Sapling/Pole	4																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Hawthorn (spp.)	Low	5 - 10 feet	Tall Shrub																																																																
Red Osier Dogwood	Trace	5 - 10 feet	Tall Shrub																																																																
Serviceberry (Juneberry)	Low	5 - 10 feet	Sapling																																																																
Alder	Trace	5 - 10 feet	Tall Shrub																																																																
Black Cherry	Medium	< 5 feet	Sapling																																																																
Wild Raisin	Medium	5 - 10 feet	Tall Shrub																																																																
36	310 - Herbaceous Openland	Nonstocked	1.0			Managed Opening	Maintained WL opening.																																																												
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>Low</td> <td></td> <td>Sapling</td> </tr> <tr> <td>Quaking Aspen</td> <td>Low</td> <td></td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Low		Sapling	Quaking Aspen	Low		Sapling	<p>Old comments- Landing from previous harvest. 1/8 - 1/4 of stand is covered by chips. Grasses are filling in rest of the site along with a couple clumps of trees. JC update: Was brushed and mast planted in 2015 and mowed in 2016 (W72-775).</p>																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Black Cherry	Low		Sapling																																																																
Quaking Aspen	Low		Sapling																																																																
37	310 - Herbaceous Openland	Nonstocked	1.0		Immature																																																														
38	4130 - Aspen	Sapling Well	20.6	15	Immature	N/A	Aspen with shrubby undersrory some places and red maple others. Old comments- Stand regenerated well. Established the previous mix of species. Few understory red maple were left from harvest. Tops dying. Harvested under contract # 72-020-06-01, Cameron Bridge Rd. Aspen in June of 2009. Old stands 7 & 8.																																																												
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>5</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>30</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>5</td> <td>Sapling</td> <td>2</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>48</td> <td>Sapling</td> <td>3</td> <td>15</td> </tr> <tr> <td>Black/Red (Hybrid) Oak</td> <td>2</td> <td>Sapling</td> <td>3</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age		White Pine	5	Pole	6		Red Maple	10	Sapling	2		Quaking Aspen	30	Sapling	2		Black Cherry	5	Sapling	2		Bigtooth Aspen	48	Sapling	3	15	Black/Red (Hybrid) Oak	2	Sapling	3		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Wild Raisin</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Hawthorn (spp.)</td> <td>Trace</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Black Cherry</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Serviceberry (Juneberry)</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Wild Raisin	Medium	5 - 10 feet	Tall Shrub	Red Maple	Medium	5 - 10 feet	Sapling	Hawthorn (spp.)	Trace	5 - 10 feet	Tall Shrub	Black Cherry	Low	5 - 10 feet	Sapling	Serviceberry (Juneberry)	Medium	5 - 10 feet	Sapling				
Canopy Species	% Cover	Size Class	DBH	Age																																																															
White Pine	5	Pole	6																																																																
Red Maple	10	Sapling	2																																																																
Quaking Aspen	30	Sapling	2																																																																
Black Cherry	5	Sapling	2																																																																
Bigtooth Aspen	48	Sapling	3	15																																																															
Black/Red (Hybrid) Oak	2	Sapling	3																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Wild Raisin	Medium	5 - 10 feet	Tall Shrub																																																																
Red Maple	Medium	5 - 10 feet	Sapling																																																																
Hawthorn (spp.)	Trace	5 - 10 feet	Tall Shrub																																																																
Black Cherry	Low	5 - 10 feet	Sapling																																																																
Serviceberry (Juneberry)	Medium	5 - 10 feet	Sapling																																																																
39	110 - Low Intensity Urban	Nonstocked	3.0		Immature		Gas/oil storage facility.																																																												
40	330 - Low-Density Trees	Nonstocked	14.9		Immature	No	Cherry field with a few scattered red maple. Perimeter red maple to the north is retention from adjacent stand to the north.																																																												
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>High</td> <td></td> <td>Pole</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td></td> <td>Log</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td></td> <td>Pole</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry		High		Pole	Red Maple	Medium		Log	White Pine	Low		Pole																																																	
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Black Cherry	High		Pole																																																																
Red Maple	Medium		Log																																																																
White Pine	Low		Pole																																																																



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

41 6132 - Mixed Lowland Forest with Cedar Sawtimber Medium 28.4 96 81-110 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Quaking Aspen	20	Log	12	
Red Maple	3	Log/Pole	10	
Paper Birch	15	Log	12	
White Pine	2	Log/XLog	16	
Northern White Cedar	45	Log	13	96
Balsam Fir	5	Pole/Log	9	
Balsam Poplar	10	Log	12	

Sub-Canopy Species	Density	Avg. Height	Size
Red Osier Dogwood	Low	5 - 10 feet	Tall Shrub
Wild Raisin	Medium	5 - 10 feet	Tall Shrub
Paper Birch	Low	10 - 20 feet	Sapling
Balsam Fir	Medium	5 - 10 feet	Sapling
Alder	Medium	5 - 10 feet	Tall Shrub

Variable lowland spp of variable densities. BA ranges from 0-200 with dense cedar, paper birch, fir, aspen and open alder between. Small lowland deciduous stand (31) merged with 41 to meet MIFI acreage standards for forested stands. A small 77 year old 4 acre upland aspen stand (34) in NE merged into stand to meet mapping standards. Did not walk through whole stand when inventoried but, poked in a few places to verify previous inventory data.

Stand 41 old comments- Vigorous cedar stand with a mix of deciduous species. Understory and ground cover were minimal. No water present in the stand at time of inventory. Ground is dryest along east edge and wettest towards the west. Overall solid ground. A deep drainage ditch runs along Kolka Creek Rd. to the east.

Stand 34 old comments-Boardered by drainage ditch to the west and Kolka Creek Rd. to the east. Balsam is wind throwing, aspen still looks healthy.

Stand 31 old comments- Stand is comprised of three sperate cutting areas from the 60's. The northern most units are extremely wet with a full understory of tag alder. The canopy is sparse and is mostly comprised of pole size birch and ash with scattered large diameter white pine. The southern most unit is far more dry and regenerated to balsam poplar and birch which are now pole - log size. Tag alder is far less prevalent. Removed all cedar 3" and up for posts within this stand in 1965 under permit # 18-65. Clearcut strips for cedar posts between January 1966 and December 1967 under permit # 1-66.

43 42110 - Planted Red Pine Sawtimber Well 50.9 68 171-200 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Quaking Aspen	2	Pole/Log	9	
Northern White Cedar	1	Pole	8	
Red Pine	91	Log	12	68
White Pine	4	Log/XLog	16	
Red Maple	2	Pole/Log	8	

Sub-Canopy Species	Density	Avg. Height	Size
Beech	Low	5 - 10 feet	Sapling
Bigtooth Aspen	Low	10 - 20 feet	Sapling
Red Maple	High	10 - 20 feet	Sapling
Balsam Fir	Medium	Variable	Sapling
Red Pine	Low	< 5 feet	Seeding

Basal area is 175 on avg (plots range from 150-220). Red pine a little smaller in the north section. 3 acre natural pine stand on west side merged with stand 43 to meet mifi mapping standards for forested stands. Stick nest found in stand and gps'd during 2026 yoe inventory. Wet drainage in southwest along kolka creek road with cedar/fir mix. Small mortality pocket in south (visible from aerial imagery).

Old comments - Crown closure is on the low end of 75 - 100%. An area in the middle of this stand was left out of most previous harvest and possibly the one before. This area contains aspen and hardwoods along with red pine in the canopy. Kotar classification on this site is PArVVb/AFO(north end) - PArVHa (south end). Thinned under contract # 72-0470601, Frederic Red Pine in 2008 old stand 97. Residual BA was 110. Third row thinned in fall/winter of 1997 under contract # 72-043-96-01, Buffered Bog Block (removed 54 BA).

Stand 42 old comments- South portion was part off adjacent pine plantation but failed. Red pine is located here. Aspen makes up majority of the north while white pine dominates southern half. Balsam fir and aspen are tipping over and snapping. Residual white pine appear to have been left in previous harvest creating two age classes. Some canopy white pine were aged at 60.



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments			
44	6112 - Lowland Aspen	Sawtimber Well	8.7	78	51-80	N/A	Stand gets wetter and more open with alder in north half. Stand is mostly aspen, b. poplar, and maple with some fir and cedar scattered throughout. Old comments- Lowland stand with a similar mix of species as adjacent upland stand. Signs of periodic flooding in this stand but overall solid ground, no standing water. Blow down of balsam fir and aspen throughout the stand. Heavy deer use as a travel corridor.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Balsam Poplar		20	Log/Pole	10		Red Maple		Medium	Variable	Sapling
Quaking Aspen		30	Log	14	78	Black Ash		Medium	10 - 20 feet	Sapling
Northern White Cedar		15	Log	12	96	Tag Alder		Medium	5 - 10 feet	Tall Shrub
Balsam Fir		10	Pole/Log	9		Quaking Aspen		Medium	10 - 20 feet	Sapling
Red Maple		25	Log/Pole	10						
45	6122 - Black Spruce	Poletimber Well	16.9	96	81-110	N/A	Small white pine/fir pocket in southeast. Old comment- Dense pole size spruce stand. Ground cover is 100% moss. Water was not present in stand and ground was semi spongy. Tamarack becomes more prevalent as you approach the lake.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Northern White Cedar		5	Pole/Log	9		Balsam Fir		Low	Variable	Sapling
White Pine		5	XLog/Log	18		Tamarack		Low	Variable	Sapling
Black Spruce		75	Pole	8	96	Black Spruce		Medium	Variable	Sapling
46	500 - Water	Nonstocked	2.2			No	Old comments- Cranberry Lake. No developed public access. Some grasses and shrubs filling in around the edges of the lake.			
47	4130 - Aspen	Sapling Medium	10.4	4	Immature	N/A	Stand met aspen regen objective following harvest. Multi-part stand following harvest of southern pieces (stand 60, about 3 acres merged with stand 47). Harvested 2020 under contract Kettle Corn Aspen 72-018-19. RMZ split off of stand and stand data carried forward for stand 109 (Price). Variance for harvest approved 2018. Old Comments Undulating terrain but mostly dry. Several small kettle holes and forested drains in this stand. This is where the cedar is located. Balsam fir component is snapping or wind throwing throughout the stand. Some red pine is located along the south edge of the stand.			
Canopy Species		% Cover	Size Class	DBH	Age					
Bigtooth Aspen		93	Sapling	1	4					
Red Maple		5	Sapling	1						
48	6124 - Lowland Spruce-Fir	Sawtimber Well	9.3	96	81-110	N/A	Edge call made. Confirmed previous examiner's data but changed from upland to lowland with upland after looking at aerial imagery and comparing to known adjacent covertypes. BA estimated. Old comments- Fir is falling over and creating a heavy slash load. Red maple succeeding through the canopy. Stand rises in the middle, this is where most of the aspen is.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Balsam Fir		15	Pole/Log	9		Balsam Fir		Medium	Variable	Sapling
Quaking Aspen		15	Log	12	82	Red Maple		Medium	Variable	Sapling
Northern White Cedar		15	Pole/Log	9						
Red Maple		15	Log	12	82					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																	
49	6224 - Treed Bog	Nonstocked	4.1			No	Old comments- Trees and shrubs throughout. Water was also present in stand but trees suggest it dries out during summer months.																	
								Sub-Canopy Species	Density	Avg. Height	Size													
								White Pine	Medium		Pole													
								Black Spruce	Medium		Pole													
								Red Maple	Trace		Sapling													
								Balsam Fir	Low		Sapling													
Tamarack	Medium		Pole																					
50	4130 - Aspen	Poletimber Well	26.1	27	1-50	N/A	Stand contains a few lowland alder pockets in the west and a grassy lowland in the southeast. Merged acre stand 53 with stand 50 (cut same time and similar composition).Old comments- Big tooth along north finger. Quaking aspen is majority in south block. Residual red pine along plantation. Final harvested in fall/winter of 1997 under contract # 72-043-96-01, Buffered Bog Block.Stand 53 old comments- Higher site quality in north finger. Primarily hardwood. Quaking aspen dominant in the south.																	
								Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size								
								Balsam Fir	2	Pole/Sapling	5		Black Cherry	Medium	5 - 10 feet	Sapling								
								Red Oak	2	Pole	5		Sugar Maple	Low	10 - 20 feet	Sapling								
								Sugar Maple	2	Sapling	4		Balsam Fir	Low	< 5 feet	Sapling								
								Red Maple	8	Pole/Sapling	5		Tag Alder	Low	5 - 10 feet	Tall Shrub								
								Bigtooth Aspen	35	Pole	5		Serviceberry (Juneberry)	Low	5 - 10 feet	Sapling								
								Black Cherry	8	Pole/Sapling	5		Wild Raisin	Low	5 - 10 feet	Tall Shrub								
								Quaking Aspen	43	Pole/Sapling	5	27	Red Maple	High	5 - 10 feet	Sapling								
								51	42110 - Planted Red Pine	Sawtimber Well	6.3	69	171-200	N/A	Avg ba is around 180. X-log size, wide crown, multi-stem red maple mixed in through stand. Heavy red maple understory. Old comments- Crown closure is on the low end of 75 - 100%. Kotar classification on this site is AFO/AFOCa - PARVHa. Sugar maple was present in the understory along the east edge with the understory transitioning to red maple/oak to the west. Thinned under contract # 72-0470601, Frederic Red Pine in 2008. Old stand 77. Residual BA was 110. Third row thinned in fall/winter of 1997 under contract # 72-043-96-01, Buffered Bog Block (removed 54 BA).									
																Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
																Sugar Maple	2	Log	14		Red Oak	Trace	5 - 10 feet	Sapling
																Red Pine	88	Log	12	69	Balsam Fir	Low	5 - 10 feet	Sapling
Red Maple	10	XLog/Log	18		Sugar Maple	Low	< 5 feet									Sapling								
					Red Maple	High	Variable									Sapling								
					Beech	Low	10 - 20 feet									Sapling								
52	6117 - Lowland Deciduous, Mixed Coniferous	Poletimber Well	8.5	30	81-110	N/A	Confirmed previous examiner's data with edge call. BA was estimated.Old comments- Old beaver cut. Stand is part of a forested drain system which flows into two small stream to the south. Cedar is in pockets. Ground is firm, tag alder appears to be a releck from past beaver activity when water table was higher. Areas to the north are still wet. More spruce, cedar, and white pine to the north as well.																	
								Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size								
								Balsam Fir	10	Pole	8		White Pine	Low	< 5 feet	Sapling								
								Northern White Cedar	10	Pole/Log	9	115	Balsam Fir	Medium	Variable	Sapling								
								White Pine	5	XLog/Log	18		Red Maple	Medium	5 - 10 feet	Sapling								
								Red Maple	5	Pole	9		Tag Alder	Medium	5 - 10 feet	Tall Shrub								
								Quaking Aspen	20	Pole/Sapling	6		Black Spruce	Low	Variable	Sapling								
								Balsam Poplar	10	Pole/Sapling	5													
								Black Spruce	15	Log/Pole	10	96												
								54	622 - Lowland Shrub	Nonstocked	2.0			No	Remote call made using aerial imagery and previous examiner's notes. Old comments- Dead cedar stand. Lots of water present.									



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																														
55	4134 - Aspen, Spruce/Fir	Sawtimber Well	10.1	82	111-140	N/A	Edge call made. Confirmed previous examiner's data from across river and using aerial imagery. BA estimated. No access. Two small streams run on either side of this stand with the east stream crossing through the stand to the south. Small trout were visible swimming in the streams.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Quaking Aspen</td> <td>10</td> <td>Log</td> <td>12</td> <td>82</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>45</td> <td>Log</td> <td>14</td> <td>82</td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>XLog/Log</td> <td>18</td> <td></td> </tr> <tr> <td>Balsam Fir</td> <td>20</td> <td>Pole</td> <td>8</td> <td>76</td> </tr> <tr> <td>Red Maple</td> <td>15</td> <td>Pole/Log/Sap</td> <td>8</td> <td></td> </tr> <tr> <td>Northern White Cedar</td> <td>5</td> <td>Log/Pole</td> <td>10</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Quaking Aspen	10	Log	12	82	Bigtooth Aspen	45	Log	14	82	White Pine	5	XLog/Log	18		Balsam Fir	20	Pole	8	76	Red Maple	15	Pole/Log/Sap	8		Northern White Cedar	5	Log/Pole	10		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>High</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	10 - 20 feet	Sapling	Balsam Fir	High	Variable	Sapling			
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Quaking Aspen	10	Log	12	82																																																	
Bigtooth Aspen	45	Log	14	82																																																	
White Pine	5	XLog/Log	18																																																		
Balsam Fir	20	Pole	8	76																																																	
Red Maple	15	Pole/Log/Sap	8																																																		
Northern White Cedar	5	Log/Pole	10																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Red Maple	Medium	10 - 20 feet	Sapling																																																		
Balsam Fir	High	Variable	Sapling																																																		
56	310 - Herbaceous Openland	Nonstocked	2.3		Immature	Managed Opening	Spotted knapweed throughout. Old comments- Old antrim well pad. Multiple clumps to scattered individuals of red pine. JC update: Was brushed, mowed and planted in 2015 & rye planted in 2016 (W72-775).																																														
57	42110 - Planted Red Pine	Sawtimber Well	15.4	69	171-200	N/A	Most of stand has sparse understory except north finger has high red maple regen present. Snowmobile trail and powerline runs through stand. BA is 180 on average. Old comments- Crown closure is on the low end of 75 - 100%. Kotar classification on this site is AFOCa(north end) - AFO (south end). Thinned under contract # 72-0470601, Frederic Red Pine in 2008. Old stand 25. Residual BA was 120. Third row thinned in fall/winter of 1997 under contract # 72-043-96-01, Buffered Bog Block (removed 54 BA).																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Pine</td> <td>96</td> <td>Log</td> <td>11</td> <td>69</td> </tr> <tr> <td>Quaking Aspen</td> <td>2</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>2</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Pine	96	Log	11	69	Quaking Aspen	2	Pole/Sapling	5		Black Cherry	2	Pole/Sapling	5		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Balsam Fir</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Pine</td> <td>Trace</td> <td>< 5 feet</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Balsam Fir	Low	Variable	Sapling	Red Pine	Trace	< 5 feet	Sapling	White Pine	Trace	Variable	Sapling	Beech	Trace	Variable	Sapling	Red Maple	Low	< 5 feet	Sapling						
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Red Pine	96	Log	11	69																																																	
Quaking Aspen	2	Pole/Sapling	5																																																		
Black Cherry	2	Pole/Sapling	5																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Balsam Fir	Low	Variable	Sapling																																																		
Red Pine	Trace	< 5 feet	Sapling																																																		
White Pine	Trace	Variable	Sapling																																																		
Beech	Trace	Variable	Sapling																																																		
Red Maple	Low	< 5 feet	Sapling																																																		
58	500 - Water	Nonstocked	9.2			No	Main branch Au Sable River.																																														
59	6127 - Lowland Pine	Sawtimber Medium	4.6	96	81-110	N/A	Spongy sphagnum covered floor in north and leatherleaf/sheep laurel in south where more open. Called BA 81-110 but, is 141-170 in north and 1-50 in south. A couple hemlocks located near trail. Old comments- Lowland white pine stand with mossy/lowland shrub ground cover. Water present throughout stand. South half has 30% canopy closure and is dominated by pole size spruce and tamarack. Little spruce in north half. Multiple age classes of white pine with the dominant stems aged at 86.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>55</td> <td>Log/Pole/XLog</td> <td>12</td> <td>96</td> </tr> <tr> <td>Tamarack</td> <td>35</td> <td>Pole</td> <td>9</td> <td>96</td> </tr> <tr> <td>Black Spruce</td> <td>10</td> <td>Pole/Sapling</td> <td>6</td> <td>63</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	White Pine	55	Log/Pole/XLog	12	96	Tamarack	35	Pole	9	96	Black Spruce	10	Pole/Sapling	6	63	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Tamarack</td> <td>Medium</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> <tr> <td>Black Spruce</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td>10 - 20 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Tamarack	Medium	10 - 20 feet	Sapling	Black Spruce	Medium	Variable	Sapling	White Pine	Low	10 - 20 feet	Sapling														
Canopy Species	% Cover	Size Class	DBH	Age																																																	
White Pine	55	Log/Pole/XLog	12	96																																																	
Tamarack	35	Pole	9	96																																																	
Black Spruce	10	Pole/Sapling	6	63																																																	
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Tamarack	Medium	10 - 20 feet	Sapling																																																		
Black Spruce	Medium	Variable	Sapling																																																		
White Pine	Low	10 - 20 feet	Sapling																																																		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

61	4130 - Aspen	Poletimber Well	8.2	36	111-140	N/A	Small pocket of pole size white, jack, and scotch pine near south too small to make separate stand.
-----------	--------------	-----------------	-----	----	---------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Jack Pine	3	Pole	8		Red Maple	Medium	5 - 10 feet	Sapling
White Pine	7	Pole	7		Balsam Fir	Medium	10 - 20 feet	Sapling
Scotch Pine	2	Pole/Sapling	5		White Pine	Low	Variable	Sapling
Black/Red (Hybrid) Oak	2	Pole	7		Sugar Maple	Low	5 - 10 feet	Sapling
Quaking Aspen	25	Pole	7					
Red Maple	8	Pole	7					
Balsam Fir	3	Pole	6					
Black Cherry	2	Pole	6					
Bigtooth Aspen	48	Pole	8	36				

Old comments- Stand includes a small inclusion to the south along Hulbert Rd. Old beaver activity in the stand promoted some of the current white pine. Portions of this stand were harvested under contract # 72-020-88-02, Deer Feed Sale in late winter/early spring of 1988.

63	6129 - Mixed Coniferous Lowland Forest	Poletimber Poor	8.1	96	51-80	N/A	Edge call made from both sides of stand and confirmed previous stand examiner's data. Old comments- Wet stand. Cedar canopy has experienced heavy mortality. Balsam fir is succeed the canopy. Small drainage of the Au Sable river runs through south portion of stand.
-----------	--	-----------------	-----	----	-------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
White Pine	7	Log/Pole/XLog	11		Tag Alder	Medium	5 - 10 feet	Tall Shrub
Red Maple	3	Log	14		Balsam Fir	High	5 - 10 feet	Sapling
Balsam Fir	20	Pole/Sapling	5		Black Spruce	Low	5 - 10 feet	Sapling
Black Spruce	23	Pole	6	96	Tamarack	Medium	5 - 10 feet	Sapling
Northern White Cedar	22	Pole	6	96				
Tamarack	20	Pole	6	96				
Bigtooth Aspen	5	Log	14					

65	4134 - Aspen, Spruce/Fir	Sawtimber Well	13.4	82	141-170	N/A	Old comments- Stand sits on a western aspect slope and is a transition zone from upland to lowland.
-----------	--------------------------	----------------	------	----	---------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
White Pine	12	Log/XLog	16		Balsam Fir	High	Variable	Sapling
Red Pine	5	Log	16					
Paper Birch	5	Log	12	82				
Red Maple	10	Log/Pole	10					
Bigtooth Aspen	40	Log	14	82				
Balsam Fir	20	Pole/Log	9					
Quaking Aspen	5	Log	14					
Northern White Cedar	3	Pole	8					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																													
66	4311 - Pine, Aspen Mix	Sawtimber Well	17.5	116	141-170	N/A	115 year old pine and oak with 62 year old aspen/maple 2nd age. Some suppressed conifer in understory as well. A couple white oaks seen but, not enough to include in canopy data.																																																													
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Paper Birch</td> <td>2</td> <td>Pole</td> <td>8</td> <td></td> </tr> <tr> <td>White Pine</td> <td>40</td> <td>Log/XLog/Pole</td> <td>14</td> <td>116</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>32</td> <td>Pole/Log</td> <td>9</td> <td>63</td> </tr> <tr> <td>Red Oak</td> <td>4</td> <td>Log/XLog</td> <td>16</td> <td></td> </tr> <tr> <td>Red Pine</td> <td>12</td> <td>Log/XLog</td> <td>16</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Pole</td> <td>9</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Paper Birch	2	Pole	8		White Pine	40	Log/XLog/Pole	14	116	Bigtooth Aspen	32	Pole/Log	9	63	Red Oak	4	Log/XLog	16		Red Pine	12	Log/XLog	16		Red Maple	10	Pole	9		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Oak</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	Variable	Sapling	Beech	Low	Variable	Sapling	Red Oak	Low	Variable	Sapling	White Pine	Medium	Variable	Sapling	Balsam Fir	Low	Variable	Sapling	Ironwood	Low	5 - 10 feet	Sapling	<p>Old comments- See added Draft Rx Notes. No changes made to 2014 Shooltz inventory data: Harvested under permit # 83-60A in 1961. Removed all merchantable aspen, white birch, and soft maple. Kotar classification is PARVHa - PARVVb/AFO. Stand sites on a slope with a westernly facing aspect. A mix of deciduous species (mostly from past management) exist throughout this site but is dominated by pine types. White pine exists in three distinct age classes (log, pole, advanced regeneration) and has good potential for management.</p>	
Canopy Species	% Cover	Size Class	DBH	Age																																																																
Paper Birch	2	Pole	8																																																																	
White Pine	40	Log/XLog/Pole	14	116																																																																
Bigtooth Aspen	32	Pole/Log	9	63																																																																
Red Oak	4	Log/XLog	16																																																																	
Red Pine	12	Log/XLog	16																																																																	
Red Maple	10	Pole	9																																																																	
Sub-Canopy Species	Density	Avg. Height	Size																																																																	
Red Maple	Medium	Variable	Sapling																																																																	
Beech	Low	Variable	Sapling																																																																	
Red Oak	Low	Variable	Sapling																																																																	
White Pine	Medium	Variable	Sapling																																																																	
Balsam Fir	Low	Variable	Sapling																																																																	
Ironwood	Low	5 - 10 feet	Sapling																																																																	
67	4110 - Sugar Maple Association	Sawtimber Well	23.6	95	81-110	N/A	Stand is lower quality and thinned heavier in south half 51-80 and left with higher ba in the north 81-110. Heavy beech/ironwood component following harvest. Most of stand is relatively flat and only slopes near east edge (see old comment). Old comments- Stand was thinned in 2017 under 72-006-16. Kotar classification is AFO/AFOCa. Site quality increases from south to north. The sugar maple towards the extreme south end is stump sprout origin and growing in clumps. Most of this stand sits on a side slope with an easternly facing aspect.																																																													
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>2</td> <td>Log</td> <td>15</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>7</td> <td>Log</td> <td>11</td> <td></td> </tr> <tr> <td>White Pine</td> <td>2</td> <td>XLog/Log</td> <td>18</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>89</td> <td>Log/Pole</td> <td>10</td> <td>95</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Beech	2	Log	15		Red Maple	7	Log	11		White Pine	2	XLog/Log	18		Sugar Maple	89	Log/Pole	10	95	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Blackberry/Raspberry</td> <td>High</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Red Oak</td> <td>Trace</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>High</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Blackberry/Raspberry	High	5 - 10 feet	Tall Shrub	Bigtooth Aspen	Low	5 - 10 feet	Sapling	Sugar Maple	Trace	Variable	Sapling	Red Oak	Trace	5 - 10 feet	Sapling	Ironwood	Medium	5 - 10 feet	Sapling	Beech	High	5 - 10 feet	Sapling												
Canopy Species	% Cover	Size Class	DBH	Age																																																																
Beech	2	Log	15																																																																	
Red Maple	7	Log	11																																																																	
White Pine	2	XLog/Log	18																																																																	
Sugar Maple	89	Log/Pole	10	95																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																	
Blackberry/Raspberry	High	5 - 10 feet	Tall Shrub																																																																	
Bigtooth Aspen	Low	5 - 10 feet	Sapling																																																																	
Sugar Maple	Trace	Variable	Sapling																																																																	
Red Oak	Trace	5 - 10 feet	Sapling																																																																	
Ironwood	Medium	5 - 10 feet	Sapling																																																																	
Beech	High	5 - 10 feet	Sapling																																																																	
68	4130 - Aspen	Sapling Medium	49.6	2	1-50	N/A	Stand regenerated to fully stocked aspen. Super canopy white pine scattered throughout. Some hemlock scattered around as well. Harvested spring 2022 under contract Kettle Corn Aspen 72-018-19. Was previously harvested under permit # 83-60A in 1961. Removed all merchantable aspen, white birch, and soft maple.																																																													
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Hemlock</td> <td>1</td> <td>Sapling/Pole</td> <td>4</td> <td></td> </tr> <tr> <td>Red Oak</td> <td>2</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>82</td> <td>Sapling</td> <td>1</td> <td>2</td> </tr> <tr> <td>Red Maple</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>White Pine</td> <td>5</td> <td>XLog/Log</td> <td>18</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Hemlock	1	Sapling/Pole	4		Red Oak	2	Sapling	1		Bigtooth Aspen	82	Sapling	1	2	Red Maple	10	Sapling	1		White Pine	5	XLog/Log	18		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>White Pine</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	Variable	Sapling	Beech	Low	< 5 feet	Sapling	<p>Old comments Snowmobile trail runs through the north portion of this stand. Terrain is rolling with the highest point at the center of the stand. Kotar classification is PARVVb/AFO. Scattered pine, oak, and hardwood were left from previous harvest. All residual appear healthy and should last another ten years.</p>																						
Canopy Species	% Cover	Size Class	DBH	Age																																																																
Hemlock	1	Sapling/Pole	4																																																																	
Red Oak	2	Sapling	1																																																																	
Bigtooth Aspen	82	Sapling	1	2																																																																
Red Maple	10	Sapling	1																																																																	
White Pine	5	XLog/Log	18																																																																	
Sub-Canopy Species	Density	Avg. Height	Size																																																																	
White Pine	Low	Variable	Sapling																																																																	
Beech	Low	< 5 feet	Sapling																																																																	
69	4139 - Aspen, Mixed Deciduous	Sapling Poor	10.1	7	Immature	N/A	Stand regenerated to fully stocked in most places with aspen and a small sugar maple and paper birch component. South half of stand has about 1 acre that is non stocked following harvest and is poorly-moderately stocked with aspen/cherry and a little maple and birch. Overall stand met regeneration objectives. Merged small stand in the south (70) classified as an opening with stand 69 after seeing its now forested. Old comments- Stand was harvested in 2017 under 72-006-16. Aspen stand with and inclusion of hardwoods.																																																													
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Paper Birch</td> <td>10</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>15</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>40</td> <td>Sapling</td> <td>1</td> <td>7</td> </tr> <tr> <td>White Pine</td> <td>2</td> <td>Sapling</td> <td>3</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>23</td> <td>Sapling</td> <td>1</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	10	Sapling	1		Paper Birch	10	Sapling	1		Quaking Aspen	15	Sapling	1		Bigtooth Aspen	40	Sapling	1	7	White Pine	2	Sapling	3		Black Cherry	23	Sapling	1																																	
Canopy Species	% Cover	Size Class	DBH	Age																																																																
Sugar Maple	10	Sapling	1																																																																	
Paper Birch	10	Sapling	1																																																																	
Quaking Aspen	15	Sapling	1																																																																	
Bigtooth Aspen	40	Sapling	1	7																																																																
White Pine	2	Sapling	3																																																																	
Black Cherry	23	Sapling	1																																																																	
71	3102 - Grass	Nonstocked	1.9		Immature																																																															



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

72 310 - Herbaceous Openland Nonstocked 1.0 No Small opening.

73 42260 - Natural Pine, Mixed Deciduous Sawtimber Well 6.6 63 81-110 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Red Maple	10	Pole	9	
Paper Birch	2	Pole	7	
Bigtooth Aspen	16	Log/Pole	10	
White Pine	35	Pole/Log/XLog	9	63
Red Pine	25	Log/Pole	12	
Quaking Aspen	10	Pole/Log	9	
Red Oak	2	Pole/Log	9	

Sub-Canopy Species	Density	Avg. Height	Size
Beech	Low	5 - 10 feet	Sapling
Red Maple	Medium	Variable	Sapling
Red Oak	Medium	Variable	Sapling
Sugar Maple	Trace	5 - 10 feet	Sapling
White Pine	Medium	10 - 20 feet	Sapling

Changed stand from 2-aged to even-aged. There's a few scattered 90 year old pines but, most is in that 1961 age class. Changed from planted to natural pine. No planting records, furrows, or rows found.

Old comments- Stand sits in a low area between hills and possibly acts as a frost pockets. Planted red pine and natural white pine dominate the site. Plantaion appears to have failed or had a significant volume removed in '75. Bigtooth becomes present on the western hill and shifts to quaking aspen in the flats. White pine and red maple advanced regeneration are filling in canopy gaps.

74 42110 - Planted Red Pine Sawtimber Well 11.8 64 141-170 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Sugar Maple	1	Log	16	
Bigtooth Aspen	1	Log	12	
Red Pine	98	Log/Pole	10	64

Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	Medium	5 - 10 feet	Sapling
Red Maple	Medium	5 - 10 feet	Sapling
Beech	Medium	5 - 10 feet	Sapling
Ironwood	Medium	Variable	Sapling

Stand ba ranged from 150-200 during walk through with heavy sugar maple understory in some areas and beech/ironwood in others. Cut rows get tight in places.

Old comments- The canopy of this stand is still closing in from previous harvest. Some windthrow has occurred. Parts of this stand will take awhile to respond to thinning because of its low crown ratio. Thinned under contract # 72-0470601, Frederic Red Pine in 2008. Old stand 46. Residual BA was 120.

76 3301 - Low Density Deciduous Trees Nonstocked 1.0 Immature No

Sub-Canopy Species	Density	Avg. Height	Size
Bigtooth Aspen	Low		Sapling
Black Cherry	Medium		Pole

77 4130 - Aspen Poletimber Well 69.4 49 81-110 N/A

Canopy Species	% Cover	Size Class	DBH	Age
Red Maple	10	Pole	8	49
Beech	2	Pole	8	
Bigtooth Aspen	66	Pole/Log	9	49
White Pine	5	Pole/Log	8	
Quaking Aspen	10	Pole/Log	9	
Paper Birch	7	Pole	8	49

Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	Medium	Variable	Sapling
Ironwood	Low	5 - 10 feet	Sapling
Beech	Low	Variable	Sapling
White Pine	Low	Variable	Sapling

Old comments- Terrain is made up of ridges and draws with the highest elevation in along the center of the stand. Kotar classification is PARVVb/AFO. Some red maple present throughout the stand but primarily a big tooth aspen clone with quaking aspen sprinkled in along some of the draws and lower areas. Final harvested in 1975 under permit # 52-74A. Removed all merchantable timber. Stand was a mix of aspen and immature hardwood with a diameter of 6 - 10". Management objective was aspen. Area east of the well pad was finished 2 years later in 1977 under permit # 18-77. Removed all merchantable maple and white birch left from previous harvest.



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

78	42260 - Natural Pine, Mixed Deciduous	Sawtimber Well	7.4	106	141-170	N/A	Red pine is looking stressed and declining. Growth rings very tight for the last 20+ years. Changed stand to even aged (deciduous component not high enough to keep as second age class). I also changed stand to natural pine (no planting records found and I did not see any "obvious rows of planted red pine" as stated in previous comments. Some hemlock concentrated in the west.
-----------	---------------------------------------	----------------	-----	-----	---------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
Hemlock	1	Pole/Log	9	
Red Pine	57	Log/XLog	16	106
Paper Birch	2	Log/Pole	10	
Red Maple	10	Log/Pole	10	
Bigtooth Aspen	20	Log	14	
White Pine	10	Log/XLog	17	

Sub-Canopy Species	Density	Avg. Height	Size
Balsam Fir	Medium	Variable	Sapling
White Pine	Medium	5 - 10 feet	Sapling
Hemlock	Trace	>20 feet	Sapling
Red Maple	Medium	Variable	Sapling
Red Oak	Low	10 - 20 feet	Sapling

79	42110 - Planted Red Pine	Poletimber Well	12.1	64	171-200	N/A	Red pine ba averages around 200 most places. Old comments say stand was thinned to 120 but, it looks like its only been row thinned. 1 acre armillaria pocket in middle of stand with heavy red/sugar maple coming up underneath mortality. Rows get tight in places.
-----------	--------------------------	-----------------	------	----	---------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
Red Pine	100	Pole/Log	9	64

Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	Low	10 - 20 feet	Sapling
Beech	Medium	5 - 10 feet	Sapling
Red Maple	High	10 - 20 feet	Sapling

Old comments- The canopy of this stand is still closing in from previous harvest. Some windthrow has occurred. Parts of this stand will take awhile to respond to thinning because of its low crown ratio. Thinned under contract # 72-0470601, Frederic Red Pine in 2008. Old stand 75. Residual BA was 120. Thin next YOY to allow stand to respond to thinning.

80	310 - Herbaceous Openland	Nonstocked	8.8			Managed Opening	Maintained WL opening. Scattered hardwoods and conifer mixed in.
-----------	---------------------------	------------	-----	--	--	-----------------	--

Sub-Canopy Species	Density	Avg. Height	Size
Black Cherry	High		Pole

Old comments- JC update: Was brushed in 2015 and mowed in 2016 (W72-775).

81	4130 - Aspen	Poletimber Well	121.9	36	81-110	N/A	Aspen has heavy white pine component in south. Stand also contains some x-log white and red pine that was left behind last harvest. Saw size hardwood inclusions in north between stands 80 and 76 as well as along the east boundary of stand 80. Old comments- North two fingers have a kotar classification of AFO/AFOCa. The south portion is PARVVb/AFO but is most likely PARVVb or lower and has a heavy pine component. As stand ages areas of hardwood canopy will become more apparent. Part of contract # 72-049-86-01, Singleshot Block which was harvested in spring of 1988. Cut all trees 2" and up except non-merchantable aspen in the A2 - A4 class. Two inclusions of hardwood exist in the north end of this stand equalling approximately 2 acres.
-----------	--------------	-----------------	-------	----	--------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
Quaking Aspen	15	Pole	6	
Bigtooth Aspen	50	Pole	8	36
White Pine	10	Pole/Log/XLog	8	
Black Cherry	5	Pole	5	
Paper Birch	2	Pole	7	
Sugar Maple	5	Pole/Sapling	5	
Red Maple	10	Pole	6	
Ironwood	3	Sapling/Pole	4	

Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	Medium	Variable	Sapling
Red Maple	Medium	Variable	Sapling
Beech	Low	Variable	Sapling
Ironwood	Low	Variable	Sapling
White Pine	Low	10 - 20 feet	Sapling

82	42200 - Natural White Pine	Poletimber Well	12.8	55	81-110	N/A	Old comments- Natural mixed pine stand. Red pine is more prevalent to the south. The older class of pine appears to have been residual from the harvest of the parent stand. Kotar classification is PARVVb/AFO.
-----------	----------------------------	-----------------	------	----	--------	-----	--

Canopy Species	% Cover	Size Class	DBH	Age
Jack Pine	5	Pole	9	
Quaking Aspen	22	Pole/Log	9	
White Pine	70	Pole/Log	9	55
Red Pine	3	Log	12	

Sub-Canopy Species	Density	Avg. Height	Size
Red Maple	Medium	Variable	Sapling
Red Oak	Trace	Variable	Sapling
White Pine	Medium	Variable	Sapling
Beech	Trace	Variable	Sapling



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																										
83	42110 - Planted Red Pine	Poletimber Well	5.3	64	171-200	N/A	Stand appears to have only been row thinned and not thinned to 120 as stated in old comments. Cut rows get tight in places.																																																										
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Pine</td> <td>100</td> <td>Pole/Log</td> <td>9</td> <td>64</td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Pine	100	Pole/Log	9	64	<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	Variable	Sapling	Beech	Low	Variable	Sapling	<p>Old comments- The canopy of this stand is still closing in from previous harvest. Some windthrow has occurred. Parts of this stand will take awhile to respond to thinning because of its low crown ratio. Thinned under contract # 72-0470601, Frederic Red Pine in 2008. Old stand 67. Residual BA was 120. Current BA measurement based off 6 data plots.</p>																																							
Canopy Species	% Cover	Size Class	DBH	Age																																																													
Red Pine	100	Pole/Log	9	64																																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																														
Red Maple	Medium	Variable	Sapling																																																														
Beech	Low	Variable	Sapling																																																														
84	110 - Low Intensity Urban	Nonstocked	2.4		Immature		Gas/oil storage facility.																																																										
85	4133 - Aspen, Mixed Pine	Poletimber Well	7.8	36	51-80	N/A	Pine with pockets of aspen. Some good understory white pine in places. Old comments- Super-canopy red pine varies by 20 years. White pine will become a larger portion of this stand as individuals recruit. Part of contract # 72-049-86-01, Singleshot Block which was harvested in spring of 1988.																																																										
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>5</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> <tr> <td>Quaking Aspen</td> <td>50</td> <td>Pole</td> <td>7</td> <td>36</td> </tr> <tr> <td>Red Pine</td> <td>15</td> <td>XLog</td> <td>20</td> <td>94</td> </tr> <tr> <td>White Pine</td> <td>25</td> <td>Log/Pole</td> <td>11</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>5</td> <td>Pole</td> <td>7</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	5	Pole/Sapling	5		Quaking Aspen	50	Pole	7	36	Red Pine	15	XLog	20	94	White Pine	25	Log/Pole	11		Bigtooth Aspen	5	Pole	7		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Balsam Fir</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Ironwood</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>White Pine</td> <td>Medium</td> <td>>20 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Oak</td> <td>Trace</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Black Cherry</td> <td>Low</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	Variable	Sapling	Balsam Fir	Trace	Variable	Sapling	Ironwood	Low	5 - 10 feet	Sapling	White Pine	Medium	>20 feet	Sapling	Red Oak	Trace	Variable	Sapling	Black Cherry	Low	5 - 10 feet	Sapling				
Canopy Species	% Cover	Size Class	DBH	Age																																																													
Red Maple	5	Pole/Sapling	5																																																														
Quaking Aspen	50	Pole	7	36																																																													
Red Pine	15	XLog	20	94																																																													
White Pine	25	Log/Pole	11																																																														
Bigtooth Aspen	5	Pole	7																																																														
Sub-Canopy Species	Density	Avg. Height	Size																																																														
Red Maple	Medium	Variable	Sapling																																																														
Balsam Fir	Trace	Variable	Sapling																																																														
Ironwood	Low	5 - 10 feet	Sapling																																																														
White Pine	Medium	>20 feet	Sapling																																																														
Red Oak	Trace	Variable	Sapling																																																														
Black Cherry	Low	5 - 10 feet	Sapling																																																														
87	310 - Herbaceous Openland	Nonstocked	13.6		Immature	Managed Opening	Maintained WL opening. Some tubed trees planted near well site.																																																										
		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Low</td> <td></td> <td>Log</td> </tr> <tr> <td>Black Cherry</td> <td>Medium</td> <td></td> <td>Pole</td> </tr> <tr> <td>White Pine</td> <td>Low</td> <td></td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low		Log	Black Cherry	Medium		Pole	White Pine	Low		Sapling	<p>Old comments- JC update: Was brushed in 2015 and mowed in 2016 (W72-775).</p>																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																														
Red Maple	Low		Log																																																														
Black Cherry	Medium		Pole																																																														
White Pine	Low		Sapling																																																														
88	310 - Herbaceous Openland	Nonstocked	33.8	0	Unspecified	4211 - Planted Red Pine	Mixed stand of planted RP & natural WP-RP-A was final harvested by May 2018 (#028-16). Was site-prep sprayed in June (C72-853) and trenched in July 2019. Planted 1067 TPA PRT RP in April 2021. Oct 2021 Yr 1 survey: 974 TPA, 49% FTG, 7.7% mortality. Aspen is primary competitor, RM secondary. Contractor release sprayed Sept 2022. Sept 2023 PUER: 80% control on BC-RM, 50% on aspen. Oct 2023 Yr 3 survey: 612 TPA, 78% FTG, 34% mortality, aspen the primary competitor, lots of deer browse. Re-inventory staff in Jan 2024 noted lots of stressed RP, skips in rows, and competing aspen/maple/cherry. Replanted to 889 LTPA PRT RP in May 2024.																																																										
		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>Low</td> <td>5 - 10 feet</td> <td>Tall Shrub</td> </tr> <tr> <td>Quaking Aspen</td> <td>Medium</td> <td>5 - 10 feet</td> <td>Sapling</td> </tr> <tr> <td>Red Pine</td> <td>Trace</td> <td>< 5 feet</td> <td>Seeding</td> </tr> <tr> <td>Red Maple</td> <td>Low</td> <td>< 5 feet</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Low	5 - 10 feet	Tall Shrub	Quaking Aspen	Medium	5 - 10 feet	Sapling	Red Pine	Trace	< 5 feet	Seeding	Red Maple	Low	< 5 feet	Sapling																																										
Sub-Canopy Species	Density	Avg. Height	Size																																																														
Black Cherry	Low	5 - 10 feet	Tall Shrub																																																														
Quaking Aspen	Medium	5 - 10 feet	Sapling																																																														
Red Pine	Trace	< 5 feet	Seeding																																																														
Red Maple	Low	< 5 feet	Sapling																																																														
89	330 - Low-Density Trees	Nonstocked	1.4		Immature	No	Small natural opening with a few scattered maple, cherry, and white pine.																																																										



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																														
90	4116 - Mixed N. Hardwood - Aspen	Sapling Poor	5.4	6	Immature	N/A	Stand regenerated mostly to cherry with a couple aspen pockets, beech and some maple. Heavy browse throughout. Blackberry thick throughout as well. Stand cut in 2018 #72-028-16.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Beech</td> <td>15</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Black Cherry</td> <td>50</td> <td>Sapling</td> <td>1</td> <td>6</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>30</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>3</td> <td>Sapling</td> <td>1</td> <td></td> </tr> <tr> <td>White Pine</td> <td>2</td> <td>Sapling</td> <td>1</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Beech	15	Sapling	1		Black Cherry	50	Sapling	1	6	Bigtooth Aspen	30	Sapling	1		Red Maple	3	Sapling	1		White Pine	2	Sapling	1						<p>Old comments- Beech mortality beginning in this stand. Most likely caused by BBD. Scale present but not abundant. The beech understory is thick throughout this stand.</p>																	
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Beech	15	Sapling	1																																																		
Black Cherry	50	Sapling	1	6																																																	
Bigtooth Aspen	30	Sapling	1																																																		
Red Maple	3	Sapling	1																																																		
White Pine	2	Sapling	1																																																		
92	4130 - Aspen	Poletimber Well	37.0	27	81-110	N/A	Mix of pure aspen and hardwood pockets. The hardwood pockets vary in density. Openings are filled with raspberry. Final harvested in summer/fall of 1997 under contract # 72-038-96-01, Maple-Aspen Block. Updated Survey Date by Stephens on 7/2/18 to clear a validation issue.																																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr> <td>Quaking Aspen</td> <td>20</td> <td>Pole</td> <td>6</td> <td></td> </tr> <tr> <td>Sugar Maple</td> <td>10</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> <tr> <td>Red Maple</td> <td>5</td> <td>Pole/Sapling</td> <td>5</td> <td></td> </tr> <tr> <td>Bigtooth Aspen</td> <td>63</td> <td>Pole</td> <td>6</td> <td>27</td> </tr> <tr> <td>Ironwood</td> <td>2</td> <td>Sapling/Pole</td> <td>4</td> <td></td> </tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Quaking Aspen	20	Pole	6		Sugar Maple	10	Pole/Sapling	5		Red Maple	5	Pole/Sapling	5		Bigtooth Aspen	63	Pole	6	27	Ironwood	2	Sapling/Pole	4		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Red Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Beech</td> <td>Low</td> <td>Variable</td> <td>Sapling</td> </tr> <tr> <td>Sugar Maple</td> <td>Medium</td> <td>Variable</td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Medium	Variable	Sapling	Beech	Low	Variable	Sapling	Sugar Maple	Medium	Variable	Sapling				
Canopy Species	% Cover	Size Class	DBH	Age																																																	
Quaking Aspen	20	Pole	6																																																		
Sugar Maple	10	Pole/Sapling	5																																																		
Red Maple	5	Pole/Sapling	5																																																		
Bigtooth Aspen	63	Pole	6	27																																																	
Ironwood	2	Sapling/Pole	4																																																		
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Red Maple	Medium	Variable	Sapling																																																		
Beech	Low	Variable	Sapling																																																		
Sugar Maple	Medium	Variable	Sapling																																																		
94	310 - Herbaceous Openland	Nonstocked	1.9		Immature	Managed Opening	Grassy WL maintained opening.																																														
		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Sugar Maple</td> <td>Low</td> <td></td> <td>Sapling</td> </tr> <tr> <td>Red Maple</td> <td>Medium</td> <td></td> <td>Sapling</td> </tr> <tr> <td>Bigtooth Aspen</td> <td>Medium</td> <td></td> <td>Sapling</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Low		Sapling	Red Maple	Medium		Sapling	Bigtooth Aspen	Medium		Sapling			<p>Old comments- Low density area created from adjacent harvest. Stand is slowly filling in. JC update: Was brushed in 2015 and mowed in 2016 (W72-775).</p>																															
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Sugar Maple	Low		Sapling																																																		
Red Maple	Medium		Sapling																																																		
Bigtooth Aspen	Medium		Sapling																																																		
96	310 - Herbaceous Openland	Nonstocked	2.4			Managed Opening	Grassy WL maintained opening.																																														
		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr> <td>Black Cherry</td> <td>Medium</td> <td></td> <td>Pole</td> </tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Medium		Pole			<p>Old comments-JC update: Was brushed in 2015 and mowed in 2016 (W72-775).</p>																																							
Sub-Canopy Species	Density	Avg. Height	Size																																																		
Black Cherry	Medium		Pole																																																		



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

97	4130 - Aspen	Sapling Medium	86.7	6	Immature	N/A	Stands 86, 91, 93, 95, and 97 merged following successful natural regen monitoring. Stands was harvested in 2017/2018, Morel Mushroom Mix #72-031-16. Parent stand 97 old comments- Open grown aspen stand with pockets of n. hardwood. Sub-canopy is soft and hard maple of varying heights. Portions of this stand were harvested in 1975 under permit # 52-74A. Removed all merchantable timber. Stand was a mix of aspen and immature hardwood with a diameter of 6 - 10". Management objective was aspen. Stand 86 comments- Aspen clone does not cover entire stand. Areas of this stand are cherry openings. Stand 91 comments- This site is an excellent aspen site. Surrounding area only grows marginal hardwood at best. Final harvest with aspen management objective. Kotar classification is AFO/AFOCa. In areas of this stand, mainly occupied by quaking aspen, the canopy is beginning to fall down and allow the hardwood understory to recruit into the canopy. The big tooth aspen is holding up better. Stand 93 comments- Over mature aspen stand converting to hardwood. Understory is pole size and recruiting into the canopy after aspen mortality. Some maple has even grown into the log class. Stand 95 comments- Northern most portion of this stand would be suitable for hardwood management but the west finger and the south finger drop significantly in quality. The aspen appears to have been cut from this stand 64 years ago, leaving all of the hardwood. This may explain some of the poor form. Kotar classification is AFO/AFOCa.
Canopy Species		% Cover	Size Class	DBH	Age		
Sugar Maple		5	Sapling	1			
Red Maple		10	Sapling	1			
Black Cherry		10	Sapling	1			
Quaking Aspen		55	Sapling	1	6		
Bigtooth Aspen		20	Sapling	1			

98	4112 - Maple, Beech, Cherry Association	Sawtimber Well	5.4	104	81-110	N/A	Changed from 2-aged to even-aged. Most aspen declining or dead. Beech bark disease doing work in places. Old comments- Poor quality hardwood stand with many individuals from stump sprout origin, growing in clumps. The aspen appears to have been cut from this stand 64 years ago, leaving all of the hardwood. This may explain some of the poor form. Kotar classification is AFO/AFOCa.
Canopy Species		% Cover	Size Class	DBH	Age		
Sugar Maple		48	Log	14	104		
Bigtooth Aspen		10	Log	12			
Red Maple		15	Log	14			
Basswood		2	Log	14			
Beech		25	Log/Pole	10			
Sub-Canopy Species		Density	Avg. Height	Size			
Beech		High	Variable	Sapling			
Ironwood		Low	Variable	Sapling			
Sugar Maple		Medium	Variable	Sapling			

99	310 - Herbaceous Openland	Nonstocked	4.4			Managed Opening	Grassy WL maintained opening. Old comments- Stand borders private field. Nice transition from open to forested. JC update: Was brushed in 2015 and mowed in 2016 (W72-775).
Sub-Canopy Species		Density	Avg. Height	Size			
Sugar Maple		Low		Log			
Quaking Aspen		Low		Log			
White Pine		Low		Pole			
Black Cherry		Medium		Sapling			



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

100	4139 - Aspen, Mixed Deciduous	Poletimber Well	15.1	49	81-110	N/A	Aspen is declining in stand. Poor quality hard maple component through whole stand (more in west side). Small amount of spruce and white pine along the east edge.																																																										
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Red Maple</td><td>9</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>Bigtooth Aspen</td><td>37</td><td>Log</td><td>11</td><td>49</td></tr> <tr><td>Sugar Maple</td><td>20</td><td>Pole</td><td>8</td><td></td></tr> <tr><td>Beech</td><td>10</td><td>Pole</td><td>7</td><td></td></tr> <tr><td>Quaking Aspen</td><td>20</td><td>Log</td><td>10</td><td></td></tr> <tr><td>Black Cherry</td><td>2</td><td>Pole</td><td>7</td><td></td></tr> <tr><td>Paper Birch</td><td>2</td><td>Pole</td><td>8</td><td></td></tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	9	Pole	8		Bigtooth Aspen	37	Log	11	49	Sugar Maple	20	Pole	8		Beech	10	Pole	7		Quaking Aspen	20	Log	10		Black Cherry	2	Pole	7		Paper Birch	2	Pole	8		<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Red Maple</td><td>Low</td><td>>20 feet</td><td>Sapling</td></tr> <tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>Sapling</td></tr> <tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>Sapling</td></tr> <tr><td>Ironwood</td><td>Medium</td><td>>20 feet</td><td>Sapling</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	>20 feet	Sapling	Sugar Maple	Low	>20 feet	Sapling	Beech	Low	5 - 10 feet	Sapling	Ironwood	Medium	>20 feet	Sapling	<p>Old comments- Nice aspen stand with an understory of hardwood. Kotar classification is AFO/AFOCa. Final harvested in 1975 under permit # 52-74A. Removed all merchantable timber. Stand was a mix of aspen and immature hardwood with a diameter of 6 - 10". Management objective was aspen.</p>	
Canopy Species	% Cover	Size Class	DBH	Age																																																													
Red Maple	9	Pole	8																																																														
Bigtooth Aspen	37	Log	11	49																																																													
Sugar Maple	20	Pole	8																																																														
Beech	10	Pole	7																																																														
Quaking Aspen	20	Log	10																																																														
Black Cherry	2	Pole	7																																																														
Paper Birch	2	Pole	8																																																														
Sub-Canopy Species	Density	Avg. Height	Size																																																														
Red Maple	Low	>20 feet	Sapling																																																														
Sugar Maple	Low	>20 feet	Sapling																																																														
Beech	Low	5 - 10 feet	Sapling																																																														
Ironwood	Medium	>20 feet	Sapling																																																														

101	4139 - Aspen, Mixed Deciduous	Sapling Well	77.8	15	1-50	N/A	Old comments- Left white pine/hardwood residual, now super canopy. Mix of dense regeneration and open pockets. Harvested under contract # 72-018-07-01, Tower Aspen. Old stands 54, 60, 63. Stands pass regeneration survey.																																			
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>White Pine</td><td>15</td><td>Log</td><td>12</td><td></td></tr> <tr><td>Black Cherry</td><td>5</td><td>Sapling</td><td>3</td><td></td></tr> <tr><td>Sugar Maple</td><td>15</td><td>Sapling</td><td>3</td><td></td></tr> <tr><td>Red Maple</td><td>15</td><td>Sapling</td><td>3</td><td></td></tr> <tr><td>Ironwood</td><td>3</td><td>Sapling</td><td>2</td><td></td></tr> <tr><td>Quaking Aspen</td><td>47</td><td>Sapling</td><td>3</td><td>15</td></tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	White Pine	15	Log	12		Black Cherry	5	Sapling	3		Sugar Maple	15	Sapling	3		Red Maple	15	Sapling	3		Ironwood	3	Sapling	2		Quaking Aspen	47	Sapling	3	15						
Canopy Species	% Cover	Size Class	DBH	Age																																						
White Pine	15	Log	12																																							
Black Cherry	5	Sapling	3																																							
Sugar Maple	15	Sapling	3																																							
Red Maple	15	Sapling	3																																							
Ironwood	3	Sapling	2																																							
Quaking Aspen	47	Sapling	3	15																																						

102	310 - Herbaceous Openland	Nonstocked	14.3		Immature	Managed Opening	Maintained WL opening.
							Old comments- JC update: Was brushed, mowed and mast planted in 2015 and brushed in 2016 (W72-775).

103	310 - Herbaceous Openland	Nonstocked	1.0			No	Grassy open, hummacky but dry.								
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Black Cherry</td><td>Low</td><td></td><td>Pole</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Low		Pole						
Sub-Canopy Species	Density	Avg. Height	Size												
Black Cherry	Low		Pole												

104	4112 - Maple, Beech, Cherry Association	Sapling Poor	5.5	6	Immature	N/A	Stand regenerated primarily to cherry with some small aspen pockets and scattered beech/red maple. Heavy browse present.																														
<table border="1"> <thead> <tr> <th>Canopy Species</th> <th>% Cover</th> <th>Size Class</th> <th>DBH</th> <th>Age</th> </tr> </thead> <tbody> <tr><td>Quaking Aspen</td><td>20</td><td>Sapling</td><td>1</td><td></td></tr> <tr><td>Red Maple</td><td>10</td><td>Sapling</td><td>1</td><td></td></tr> <tr><td>Beech</td><td>5</td><td>Sapling</td><td>1</td><td></td></tr> <tr><td>Sugar Maple</td><td>2</td><td>Sapling</td><td>1</td><td></td></tr> <tr><td>Black Cherry</td><td>63</td><td>Sapling</td><td>1</td><td>6</td></tr> </tbody> </table>		Canopy Species	% Cover	Size Class	DBH	Age	Quaking Aspen	20	Sapling	1		Red Maple	10	Sapling	1		Beech	5	Sapling	1		Sugar Maple	2	Sapling	1		Black Cherry	63	Sapling	1	6					<p>Old comments- Stand harvested winter 2017/2018 under contract #72-031-16-01 (Morel Mushroom Mix). Scale present. Mortality not yet occurring.</p>	
Canopy Species	% Cover	Size Class	DBH	Age																																	
Quaking Aspen	20	Sapling	1																																		
Red Maple	10	Sapling	1																																		
Beech	5	Sapling	1																																		
Sugar Maple	2	Sapling	1																																		
Black Cherry	63	Sapling	1	6																																	

105	330 - Low-Density Trees	Nonstocked	1.8			No	Scattered open grown trees and bracken fern.												
<table border="1"> <thead> <tr> <th>Sub-Canopy Species</th> <th>Density</th> <th>Avg. Height</th> <th>Size</th> </tr> </thead> <tbody> <tr><td>Black Cherry</td><td>Medium</td><td></td><td>Pole</td></tr> <tr><td>Quaking Aspen</td><td>Medium</td><td></td><td>Sapling</td></tr> </tbody> </table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Medium		Pole	Quaking Aspen	Medium		Sapling						
Sub-Canopy Species	Density	Avg. Height	Size																
Black Cherry	Medium		Pole																
Quaking Aspen	Medium		Sapling																



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
-------	--------------------	--------------	-------	-----------	----------	--------------	------------------

106	110 - Low Intensity Urban	Nonstocked	1.2				Well pad full of spotted knapweed. JC update: Was brushed in 2015 and mowed in 2016 (W72-775).
------------	---------------------------	------------	-----	--	--	--	--

108	6130 - Fir, Aspen, Maple	Sawtimber Well	21.5	78	81-110	N/A	Natural river buffer and associated vernal pools and lowland drainages that were connected. Most of stand is that transitional ground between upland and lowland. A couple acres of legacy pine and a few hemlock located in the south.
------------	--------------------------	----------------	------	----	--------	-----	---

Canopy Species	% Cover	Size Class	DBH	Age
White Pine	2	Log	14	
Northern White Cedar	10	Log/Pole	10	96
Paper Birch	3	Log/Pole	10	
Balsam Poplar	10	Log/Pole	10	
Balsam Fir	35	Log/Pole	10	78
Red Maple	30	Log	12	
Quaking Aspen	10	Log	14	

Sub-Canopy Species	Density	Avg. Height	Size
Tag Alder	Medium	5 - 10 feet	Tall Shrub
Red Maple	Medium	Variable	Sapling
Balsam Fir	Medium	Variable	Sapling