

MICHIGAN DEPARTMENT OF NATURAL RESOURCES FOREST, MINERAL AND FIRE MANAGEMENT

TIMBER SALE PRESCRIPTION

GENERAL											
Date					Forest Management Unit						
3/13/2006					Gwinn						
	1ber (if applicable				Sale Name (or prescription name) Swamp Buck Hardwoods						
52 007 07 01											
LOCAL CONTACT Telephone Number FAX Number											
(906) 346 -		9 681									
Name				Email Address							
John Koski				koskij@mich:	koskij@michigan.gov						
Map of Project Area Attached											
LEGAL DESCRIPTION											
T44N R24W Section(s) 26 Description w1/2w1/2, NENW, NENE											
Year of Entry: 2007 Compartment(s):28 Stand Number(s): 2,4,7,66,67,68,110											
THIS TIMBER SALE CONTRACT IS BASED ON THE FOLLOWING ACREAGE											
Estimated Acro	es: 69 Sourc	ce: 🗌 OI	🛛 GPS	Other							
Payment will be I	made on the basis	s of these e	stimated acres								
TREATMENT & OBJECTIVE											
STAND #	COVER TYPE	ACRES	BA	TREATMENT		MANAGEMENT OBJECTIVE					
STAND #	COVER TYPE M6	ACRES			Northern						
			BA	TREATMENT	-	Hardwood					
2	M6	9	BA 130	TREATMENT Select Cut	Northern	Hardwood					
2 4	м6 М6	9 21	BA 130 90	TREATMENT Select Cut Select Cut	Northern Northern Ha	Hardwood ardwood ardwood					
2 4 7	M6 M6 M6	9 21 10	BA 130 90 170	TREATMENT Select Cut Select Cut Select Cut	Northern Northern Ha	Hardwood ardwood ardwood ardwood					
2 4 7 66	M6 M6 M6 M6	9 21 10 4	BA 130 90 170 130	TREATMENT Select Cut Select Cut Select Cut Select Cut Select Cut	Northern Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67	M6 M6 M6 M6 M6 M6	9 21 10 4 14	BA 130 90 170 130 130	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect Cut	Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68	м6 M6 M6 M6 M6 M6 M6	9 21 10 4 14 5	BA 130 90 170 130 130 130	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect Cut	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110	м6 M6 M6 M6 M6 M6 M6 M6	9 21 10 4 14 5 5	BA 130 90 170 130 130 130 130	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect Cut	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best	м6 M6 M6 M6 M6 M6 M6 M6	9 21 10 4 14 5 5 ce, stri	BA 130 90 170 130 130 130 ve for 50 compared	TREATMENTSelect CutSelect CutSel	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min	M6 M6 M6 M6 M6 M6 M6 M6 M6 c tree in pla and basal area	9 21 10 4 14 5 5 ce, stri a to app omponent	BA 130 90 170 130 130 130 130 130 of stand,	TREATMENTSelect CutSelect CutSel	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min 4. Retain wil	M6 M6 M6 M6 M6 M6 M6 M6 M6 c tree in pla and basal area or species c dlife trees,	9 21 10 4 14 5 5 ce, stri a to app omponent at leas	BA 130 90 170 130 130 130 130 130 130 130 130 130 130 130 130 130 130 two per a	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutPRESCRIPTIONCrop trees per acre80.cedar, hemlock andacre.	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min 4. Retain wil 5. Mark in a	M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 c tree in pla and basal are for species c dlife trees, manner that	9 21 10 4 14 5 5 ce, stri a to app omponent at leas will acc	BA 130 90 170 130 130 130 130 130 130 130 130 130 130 130 130 130 coroximately of stand, st two per a commodate model	TREATMENT Select Cut Select Cut	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min 4. Retain wil 5. Mark in a 6. Contact th	M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 c tree in pla and basal are for species c dlife trees, manner that e Gwinn office	9 21 10 4 14 5 5 ce, stri a to app omponent at leas will acc ce for s	BA 130 90 170 130 130 130 130 130 top for 50 of proximately of stand, st two per a commodate mon specific man	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutCrop trees per acre80.cedar, hemlock andacre.odern mechanical equationcrop trescription.	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min 4. Retain wil 5. Mark in a 6. Contact th Access: North	M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 c tree in pla and basal are or species c dlife trees, manner that c Gwinn offic of Swamp Buc	9 21 10 4 14 5 5 ce, stri a to app omponent at leas will acc ce for s ck Road,	BA 130 90 170 130 130 130 130 130 two for 50 corroximately of stand, st two per a commodate more two miles	TREATMENT Select Cut Select Cut	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha pine.	Hardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min 4. Retain wil 5. Mark in a 6. Contact th Access: North DNR PI	M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 c tree in pla and basal are or species c dlife trees, manner that c Gwinn offic of Swamp Buc	9 21 10 4 14 5 5 ce, stri a to app omponent at leas will acc ce for s ck Road,	BA 130 90 170 130 130 130 130 130 two for 50 corroximately of stand, st two per a commodate more two miles	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutPRESCRIPTIONCrop trees per acre80.cedar, hemlock andacre.odern mechanical equationwest of Mcfarland	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha pine.	Hardwood ardwood ardwood ardwood ardwood ardwood ardwood					
2 4 7 66 67 68 110 1. Favor best 2. Reduce sta 3. Retain min 4. Retain wil 5. Mark in a 6. Contact th Access: North DNR PI	M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M6 M	9 21 10 4 14 5 5 ce, stri a to app omponent at leas will acc ce for s ck Road,	BA 130 90 170 130 130 130 130 130 two for 50 corroximately of stand, st two per a commodate more two miles	TREATMENTSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutSelect CutPRESCRIPTIONCrop trees per acre80.cedar, hemlock andacre.odern mechanical equationwest of Mcfarland	Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha Northern Ha pine.	Hardwood ardwood ardwood ardwood ardwood ardwood ardwood					

CONTRACT WORK CAN B	EGIN:													
Immediately	Date:													
CONTRACT WORK MUST BE COMPLETED BY: Date 7/31/07 PAINT LINE WORK														
										This is included in th	e bid 🛛 🖾 This is not	included in the	bid	
										Paint line work to be performed: (See attached map for locations)				
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR										
rivate boundary			Blue	Other:										
ale boundary			Red	Other:										
ale cutting unit			Yellow	Other:										
tand type line xclusions to mark and				Other:										
		AREA CALCUL	ATION											
☐ This is included in the bid ⊠ This is not included in the bid														
I This is included in th		included in the	bid											
	METHOD			STANDARD										
UNIT	METHOD			STANDARD										
UNIT	METHOD GPS String Chair	n 🗌 Other		STANDARD										
UNIT ale	METHOD GPS String Chair GPS String Chair	n 🗌 Other		STANDARD										
UNIT Gale Cayment Unit Stand	METHOD GPS String Chair	n 🗌 Other		STANDARD										
UNIT Gale Cayment Unit Stand	METHOD GPS String Chair GPS String Chair	n 🗌 Other		STANDARD										
UNIT ale ayment Unit tand	METHOD GPS String Chair GPS String Chair	n 🗌 Other		STANDARD										
UNIT ale ayment Unit tand	METHOD GPS String Chair GPS String Chair	n 🗌 Other		STANDARD										
UNIT Gale Cayment Unit Stand	METHOD GPS String Chair GPS String Chair GPS String Chair	n 🗌 Other		STANDARD										
UNIT	METHOD GPS String Chair GPS String Chair GPS String Chair TIMBE		ECIFICATIONS	STANDARD										
UNIT Gale Payment Unit Stand Special Instructions:	METHOD GPS String Chair GPS String Chair GPS String Chair TIMBE	n 🗌 Other n 🗌 Other n 🔲 Other	ECIFICATIONS	STANDARD										
UNIT Sale Payment Unit Stand Special Instructions: This is included in th	METHOD GPS String Chair GPS String Chair GPS String Chair GPS Tring Chair TIMBE the bid This is not		ECIFICATIONS	STANDARD										
UNIT Sale Payment Unit Stand Special Instructions: This is included in th Required Basal Area Fac	METHOD GPS String Chair GPS String Chair GPS String Chair GPS Tring Chair TIMBE the bid This is not		ECIFICATIONS	STANDARD										
UNIT Gale Cayment Unit Cayment	METHOD GPS String Chair GPS String Chair GPS String Chair GPS Tring Chair TIMBE the bid This is not		ECIFICATIONS	STANDARD										
UNIT Sale Payment Unit Stand Special Instructions: This is included in th	METHOD GPS String Chair GPS String Chair GPS String Chair GPS Tring Chair TIMBE the bid This is not		ECIFICATIONS	STANDARD										
UNIT ale ale ayment Unit tand pecial Instructions: This is included in th equired Basal Area Fac	METHOD GPS String Chair GPS String Chair		ECIFICATIONS bid	SPACING (CHAINS)										
UNIT ale ayment Unit tand pecial Instructions: This is included in th equired Basal Area Factorial Truise Line Directions:	METHOD GPS String Chair GPS String Chair		ECIFICATIONS bid											
UNIT ale ale ayment Unit tand pecial Instructions: This is included in th equired Basal Area Fac ruise Line Directions:	METHOD GPS String Chair GPS String Chair		ECIFICATIONS bid	SPACING (CHAINS)										
UNIT Gale Cayment Unit Cayment	METHOD GPS String Chair GPS String Chair		ECIFICATIONS bid	SPACING (CHAINS)										
UNIT Gale Cayment Unit Cayment	METHOD GPS String Chair GPS String Chair		ECIFICATIONS bid	SPACING (CHAINS)										

Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.

TIMBER MARKING SPECIFICATIONS									
oxtimes This is included in the bid $oxtimes$ This is not included in the bid									
oxtimes Precise specifications to be delineated at pre-work meeting with DNR staff									
Total Residual BA (Basal Area): 80 (Minimum 70 to Maximum 90)									
	TMENT	NUMBER	SIZE						
Regeneration Gaps Per Acro	e	0							
Girdled Trees Per Acre PRODUCT	MARKING SYMBOL	0 MINIMUM DBH	TOP DIB						
Sawlogs	double slash	12 inches	9 inches						
Sawbolts									
Pulpwood	single slash	5 inches	4 inches						
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR						
Trees marked to leave			Green						
			Other						
Trees marked to cut			🛛 Orange						
			Other Yellow, other unit						
		TENSITIES							
SPECIES	PRODUCT		ΑΤΙΟ						
		1:							
		1:							
		1:							
SPECIES TO FAVOR:									
Sugar Maple									
SPECIES TO FAVOR:									
SPECIAL MARKING INSTRUCTIONS: Pulpwood trees need a single slash mark on opposite sides at breast height. Sawlog trees need a double slash on one side, and on the opposite side, a single slash plus a dot for each 8 foot sawlog. Stump marks must hit the duff and be on bark, not moss. STAND 7 TO BE MARKED WITH ORANGE DAINT ALL OTHERS WITH VELLOW DAINT Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.									
 RESTRICTIONS: 1. Forest, Mineral and Fire Division must to be able to identify who did what on the timber sale. 2. The contractor may not have more than two markers in one payment unit without prior approval. 3. Each marker should have an assigned area to mark (not strips). 									
 PAINT: 1. Call John at (906) 346 - 9201, to make arrangements for paint. 2. Paint will be supplied from the Ishpeming or Gwinn Field Offices. 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply. 4. The DNR will not be available on weekends or evenings. DELIVERABLES: 1. A list of names that marked or cruised each payment unit. 2. A summary of paint used in quarts. 3. Tally summaries for each payment unit (one summary regardless of the number of markers) and all of the original tally sheets. 									
4. GPS files for any GPS work.									