

MICHIGAN DEPARTMENT OF NATURAL RESOURCES FOREST, MINERAL AND FIRE MANAGEMENT

TIMBER SALE PRESCRIPTION

GENERAL									
Date			Forest Management	Forest Management Unit					
03/18/08	-h ('f annliaghla)			Atlanta Unit					
TIMDER Sale Muli	nber (if applicable)		Duke Hardwoods	Sale Name (or prescription name) Duke Hardwoods					
	LOCAL CONTACT								
Telephone Number (989) 785-4251 x 5242			FAX Number (989) 785–351						
Name Bob Theiner			Email Address theinerr@michi	Email Address theinerr@michigan.gov					
Map of Pro	ject Area Attached								
		LE	GAL DESCRIPTION						
T31N R01E S	section(s) 31 Descrip	otion: SE 1/4							
Year of Entry: 2007									
	THIS TIMBER S	ALE CONTRAC	CT IS BASED ON THE FOL	LOWING ACREAGE					
Estimated Acres	s:38 Source: 🛛 OI	JGPS □ O	ther						
Actual Acres: Total Acres: 3	Source: ☐ OI 8	∐ GPS ∟ t	Other						
Payment will be	madeon the basis of these e	stimated acres							
		TREA	TMENT & OBJECTIVE						
STAND #	COVER TYPE ACRES	ВА	TREATMENT	MANAGEMENT OBJECTIVE					
31	M9 38	110	Selection Cut	Northern Hardwoods					
			PRESCRIPTION						
1. Stand 31: No	orthern Hardwoods, put in boun	dary and Unit L i	nes, determine area by GPS, m	nark to 70 BA, tally logs and cruise pulp.					
Access: This com	npartment is accessed by Merid	ian Road while th	he stands are accessed by 2-tra	cks					
	leridian Road (see compartment		•						
		= = = ::= ==:=							
DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK ESTIMATED DATE									
All work in the Compartment will be done by Contractor.									
CONTRACT W	ORK CAN BEGIN:								
	☑ Immediately ☐ Date:								
CONTRACT W	CONTRACT WORK MUST BE COMPLETED BY Date 09/01/2008								

R 4038 (03/17/2003)

PAINT LINE WORK									
☑ This is included in the bid	☐ This is not inclu	ided in the hid							
Paint line work to be performed: (See attached map for locations)									
TYPE OF LINE	WORKTO BE DONE	NOT APPLICABL	E	PAINT CO	OLOR				
Private boundary	⊠		☑ Blue	☐ Othe	er:				
Sale boundary	×		⊠ Red	☐ Othe	er:				
Sale cutting unit			☐ Yellow	☐ Othe	er:				
Stand type line			☐ Yellow	☐ Othe	er:				
Exclusions to mark and why:	t barred military Dat			41 6 4-4-11414-					
Contractor will put in all saleand uni	it boundarylines. Rei	er to the contract	and attached appen	dix for detailed instr	ructions.				
Ctandarda for marking lines and	singt muistata land.								
Standards for marking lines aga	ainst private iano:								
See Contract Specifications 1-B,7.a.									
		AREA CALC	II ATION						
			JEATION						
☐ This is included in the bid	☐ This is not inclu	uded in the bid							
UNIT	METHOD			STANDA	ARD				
Sale 🛛 GPS	☐ String Chain	Other							
Payment Unit GPS	☐ String Chain	Other							
Stand GPS	☐ String Chain I	☐ Other							
Special Instructions:	1.1 1.1.1	. CDG .	1 2 1: 4		.1 1 1 2				
All stands and payment units will need files on media immediately accessible									
locations as the cruise map.			•		•				
	TIMBE	ER CRUISING S	PECIFICATIONS						
☐ This is included in the bid	☐ This is not inclu	uded in the bid							
Required Basal Area Factor: 🛛 10 🔲 20 Other:									
Cruise Line Directions: East-West & North-South									
CRUISING UNITS		NUMBER OF I	PLOTS PER ACRE	S	PACING (CHAINS)				
Stand 31			1.1	3 X 3					
TOTAL NUMBER OF CRUIS Cruise Special Instructions:	SE POINTS		38						

Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.

2

	TIMBER MARKING	SPECIFICATIONS						
oxtime This is included in the bid $oxtime$ This is not included in the bid								
☑ Precise specifications to be delineated at pre-work meeting with DNR staff								
Total Residual BA (Basal Area): 70 (Minimum 60 to Maximum 80) Stands: 31								
Total Residual BA (Basal Area): (Minimum to Maximum) Stands:								
TREA	TMENT	NUMBER	SIZE					
Regeneration Gaps Per Acrein	Stands: All Stands	3-5 per acre	Minimum of 30 ft					
Girdled Trees Per Acre PRODUCT	MARKING SYMBOL	NA MINIMUM DBH	NA TOP DIB					
Sawlogs	X and dot per 8ft log	10 inches	8 inches					
Sawbolts	NA	NA	NA					
Pulpwood	slash	4.6 inches	4 inches					
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR					
Trees marked to leave		⊠	Green					
			☐ Other					
Trees marked to cut			☑ Orange □ Other					
	TALLY IN	TENSITIES						
SPECIES /	PRODUCT	RATIO						
Sawlogs		1:1						
Pulpwood: see cruising s	section							
SPECIES TO FAVOR: Contact LCA for stand specific information.								
SPECIES TO FAVOR: Contact LCA								
SPECIAL MARKING INSTRUCTIONS: See attached Appendix and contact LCA.								

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

RESTRICTIONS:

- Forest, Mineral and Fire Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

PAINT:

- 1. Call Bob Theiner at (989) 785-4251 ext 5242, to make arrangements for paint.
- Paint will be supplied from (location).
- Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

DELIVERABLES:

- 1. A list of names that marked or cruised each payment unit.
- A summary of paint used in quarts.
 Tally summaries for each payment unit (one summary regardless of the number of markers) and all of the original tally sheets.

3

4. GPS files for any GPS work.

Duke Hardwoods Contract TIMBER SALE PRESCRIPTION APPENDIX

When establishing paint lines:

- The attached type map delineates the contract marking area.
- Avoid using dead or badly damaged trees boundary trees must last for the duration of the timber sale (up to 3-4 years).
- Favor the use of reserved species such as cedar or oak.
- Avoid using small (fast-growing) stems and those exposed to direct sunlight.
- Marking must be done in dry weather and when tree surfaces are not wet.
- Paint the boundary line in such a way that it can be seen both from the inside of the sale
 area and when walking along the line from either direction (two sides). Each boundary
 line tree must be stump-marked, at the base of the stump (one side) between the roots
 extending all the way to the ground.
- Place marks approximately six feet above the base of the tree.
- The contractor will keep track of total quarts of paint used per-sale by color.
- The contractor will use a GPS unit to determine enclosed acreage to the nearest one-tenth acre, unless an alternative method is approved prior by Unit Management.
- GPS units used must be compatible with Pathfinder Office (2.01 or later) and capable of
 producing a Trimble .COR file format. Supply a disk of the traverse file along with a
 hard copy of the corrected traverse file.
- Position Mode must be set so that GPS receiver collects data from a minimum of four satellites. This must be recorded in the position properties window after downloading.
- Positions deliver ODS (over determine system) data. 2D position will not be acceptable.
- The GPS receiver must log PDOP. This log must be recorded in the position properties window after downloading.
- PDOP mask must be less than or equal to 8.
- SNR setting must be less than or equal to 4.
- Sale boundaries are to be recorded as an area feature, not a line.
- Payment Unit lines may be recorded as a line feature bisecting the sale.

When Registered Corners or Witness Trees are discovered:

- Any wooden posts encountered at corners must also be painted/protected.
- Bearing and/or witness trees discovered during the course of sale preparation must be
 protected. This can be accomplished by painting a ring completely around the tree at 4-6
 feet above ground level with either red paint (corner surrounded by state lands) or blue
 paint (corner on private property boundary line). In addition, tying ribbon on these trees
 helps alert loggers to their presence. Do not mark any trees for harvest if cutting them
 is likely to result in damage to corner monuments and/or bearing trees.
- Please report the condition of all corners, posts and bearing trees to the LCA.

When Cruising:

- Data must be recorded so volume can be determined by stand. If a stand is split into 2 or more payment units, each unit must be recorded separately. In addition, all data must be summarized by species or species grouping by payment unit.
- All saw logs must be 100% tallied by species and diameter.
- Within all marked stands, cruise all marked pulpwood tree species that will yield one or more 100" pulpwood sticks with a minimum top diameter of four (4) inches DIB. Contact LCA to see what grouping of pulpwood is acceptable.
- Within all marked stands, residual basal area (merchantable sized trees by species) at
 each plot must also be recorded on the cruise sheets. Borderline residual trees do not
 have to be measured, but every other borderline tree should be counted.
- Plot centers must be marked according to contract specifications and correspond to a legible 1:15840 scale cruise map. Cruise specifications may be altered as necessary by the LCA.

When marking, prioritize selection of trees to be cut in the following order:

- 1. Release suitable crop trees. (Refer to <u>The Complete Marker</u> for crop tree specifications.)
- 2. When appropriate, try to increase the number of lesser occurring species such as beech in areas of high bear use. LCA can provide an explanation of this priority.
- 3. Remove high-risk, poor quality and trees with poor crowns.
- 4. Maintain target basal area.
- 5. Maintain all species diversity.

Reserved Species:

- $\bullet\,$ Do not mark within 100' of any raptor nest trees. Report these to the LCA as soon as possible and directions will be given at that time.
- Marking of infrequently occurring species should be avoided. Consult the LCA for clarification.