

## TIMBER SALE PRESCRIPTION

CRMUN (Indian River)   Sale Number (if applicable)   Sale Name (or prescription name)   Compartment 148 Contract					GENERAL	L LE: M						
Sale Number (if applicable)   Sale Number (if applicable)   Sale Number (if applicable)	Date											
Compartment 148 Contract   Name   Contract   N		har (if applicable)			· ·	,						
Name   Cock Contract   Telephone   (231) 238 - 9313 e4742	Timber Sale Numi	bei (ii applicable)										
Telephone   Shannon Harig   (231) 238 - 9313 e4742					L. Control of the con	ic 140 Colleta						
Enail Address    Arrigoemichigan.gov   (231) 238-6757	Name											
Map of Project Area Attached   LEGAL DESCRIPTION	Shannon Hari	.g										
Map of Project Area Attached    LEGAL DESCRIPTION												
LIEGAL DESCRIPTION	harigs@Michi	gan.gov			(231) 238 -	6757						
T33N R03W Section(s) 5,6 Description 5: N1/2SW 6: E1/2NE, NWSE  Year of Entry: 2008, 2009 Compartment(s): 145, 148 Stand Number(s): 145: 145-7-selection, 148: stand 1    THIS TIMBER SALE CONTRACT IS BASED ON THE FOLLOWING ACREAGE	⊠ Map of Pro	ject Area Atta	ched									
Year of Entry: 2008, 2009 Compartment(s): 145, 148 Stand Number(s): 145: 145-7-selection, 148: stand 1    THIS TIMBER SALE CONTRACT IS BASED ON THE FOLLOWING ACREAGE	T D	0 11 () 50				W05						
THIS TIMBER SALE CONTRACT IS BASED ON THE FOLLOWING ACREAGE  Estimated Acres: 63	T33N R03W	Section(s) 5,6	Descri	ption 5: N1	/2SW 6: E1/2NE, N	WSE						
Estimated Acres: 63 Source: Sol GPS Other Payment will be made on the basis of these estimated acres.    TREATMENT & OBJECTIVE	Year of Entry:		•	` '	·	•						
Payment will be made on the basis of these estimated acres.    TREATMENT & OBJECTIVE		THIS	IIMBER S	ALE CONTI	RACT IS BASED ON TH	E FOLLOWING	ACREAGE					
TREATMENT & OBJECTIVE  STAND# COVER TYPE ACRES BA TREATMENT MANAGEMENT OBJECTIVE  145-7-select M9 35 150 Selection Northern Hardwoods  1 M6 28 140 Selection Northern Hardwoods  PRESCRIPTION  1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques. 2. Retain at least 2-3 12*DBH + trees/acre of declining vigor(cull) to serve as future den trees. 3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap. 4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately	Estimated Acre	es: 63 Sourc	ce: 🛛 OI	☐ GPS	Other							
TREATMENT & OBJECTIVE  STAND# COVER TYPE ACRES BA TREATMENT MANAGEMENT OBJECTIVE  145-7-select M9 35 150 Selection Northern Hardwoods  1 M6 28 140 Selection Northern Hardwoods  PRESCRIPTION  1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques. 2. Retain at least 2-3 12*DBH + trees/acre of declining vigor(cull) to serve as future den trees. 3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap. 4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately	Payment will be i	made on the basis	of these e	stimated acre	es.							
STAND# COVER TYPE ACRES BA TREATMENT MANAGEMENT OBJECTIVE  145-7-select M9 35 150 Selection Northern Hardwoods  1 M6 28 140 Selection Northern Hardwoods  PRESCRIPTION  1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques. 2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees. 3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap. 4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator) 5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  CONTRACT WORK CAN BEGIN    Immediately						/E						
PRESCRIPTION  1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques. 2. Retain at least 2-3 12*DBH + trees/acre of declining vigor(cull) to serve as future den trees. 3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap. 4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator) 5. Retention areas must be a representative sample of the stand.  ACCESS: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately	STAND#	COVER TYPE	ACRES	1			MANAGEMENT OBJECTIVE					
PRESCRIPTION  1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques. 2. Retain at least 2-3 12*DBH + trees/acre of declining vigor(cull) to serve as future den trees. 3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap. 4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator) 5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately	145-7-select	м9	35	150	Selection	Northern 1	Hardwoods					
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately	1	M6	28	140	Selection	Northern 1	Hardwoods					
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately												
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately												
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately												
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately												
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately												
1. Reduce stand BA to 80 sq. feet using single tree selection/crop tree release marking techniques.  2. Retain at least 2-3 12"DBH + trees/acre of declining vigor(cull) to serve as future den trees.  3. When possible, release pockets of advanced hardwood regen by creating an overhead canopy gap.  4. Delineate one 2ac. retention area in each stand to remain un-marked. (See contract administrator)  5. Retention areas must be a representative sample of the stand.  Access: West from Wolverine on Mitchell Rd. 6 miles then south on Warren Rd. ¼ mi.  DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK  ESTIMATED DATE  CONTRACT WORK CAN BEGIN    Immediately					PRESCRIPTION							
CONTRACT WORK CAN BEGIN     Immediately	<ol> <li>Retain a</li> <li>When pos</li> <li>Delineat</li> <li>Retenti</li> </ol>	at least 2-3 12 ssible, release se one 2ac. ret on areas mus	2"DBH + t e pockets cention a: t be a r	rees/acre of advanc rea in eac epresenta	of declining vigor(cu ed hardwood regen by h stand to remain un- tive sample of the	ull) to serve a creating an ormarked. (See of stand.	as future den trees. verhead canopy gap. contract administrator)					
☐ Immediately ☐ Date:	DNR PI	REPARATION W	ORK TO I	BE DONE P	RIOR TO CONTRACT W	ORK	ESTIMATED DATE					
☐ Immediately ☐ Date:												
☐ Immediately ☐ Date:												
☐ Immediately ☐ Date:												
	CONTRACT WO	ORK CAN BEGIN	1									
	⊠ Imn	nediately $\square$	Date:									
		-		ED DV	00/10/2008							

TYPE OF LINE	WORK TO BE DO	NE NOT APPLICABLE	PAINT COLOR						
ivate boundary		Х	Blue		Other:				
ale boundary			⊠ Red		Other:				
ale cutting unit			X Yellow		☐ Other:				
tand type line		X			☐ Other:				
	be delineated with gree								
AREA CALCULATION									
oxtimes This is included in the bid $oxtimes$ This is not included in the bid									
					STANDARD				
UNIT	METHOD			S	TANDARD				
UNIT Sale	☐ GPS ☐ String C			S	TANDARD				
UNIT Sale Payment Unit	☐ GPS ☐ String C	hain		S	TANDARD				
UNIT Sale Payment Unit Stand Special Instructions	☐ GPS ☐ String C☐ ☐ GPS ☐ String C☐ ☐ String C☐ ☐ GPS	chain  Other Other Other		ea, cutt:	TANDARD				
UNIT Sale Payment Unit Stand Special Instructions tust provide admir reas.  This is included i	GPS String C GPS String C GPS String C GPS String C istrator with shape.  TIL In the bid This is	chain Other chain Other chain Other file and acreage  MBER CRUISING SPE not included in the	CIFICATIONS	ea, cutt:					
UNIT Sale Payment Unit Stand Special Instructions sust provide adminates. This is included in sequired Basal Area Struise Line Direction	GPS String C GPS String C GPS String C GPS String C istrator with shape.  TIL In the bid This is	chain Other chain Other chain Other file and acreage  MBER CRUISING SPE not included in the	CIFICATIONS bid	ea, cutt:					
UNIT Sale Payment Unit Stand Special Instructions sust provide admir reas. This is included in sequired Basal Area Cruise Line Direction	GPS String C GPS String C GPS String C GPS String C istrator with shape.  TIL In the bid This is Factor: X 10	chain Other chain Other chain Other file and acreage  MBER CRUISING SPE not included in the 20 Other:	CIFICATIONS bid TS PER ACR	ea, cutt:	ing units and retention				
UNIT Sale Payment Unit Stand pecial Instructions ast provide admin reas.  This is included i equired Basal Area ruise Line Directio  CRUISI 45-7-selection	GPS String C GPS String C GPS String C GPS String C istrator with shape.  TIL In the bid This is Factor: X 10	thain Other thain Other thain Other file and acreage  MBER CRUISING SPE not included in the 20 Other:  NUMBER OF PLO	CIFICATIONS bid  TS PER ACRI 1 acre	ea, cutt:	ing units and retention				
UNIT Sale Payment Unit Stand pecial Instructions ust provide admin reas.  This is included i equired Basal Area ruise Line Directio  CRUISI 45-7-selection	GPS String C GPS String C GPS String C GPS String C istrator with shape.  TIL In the bid This is Factor: X 10	chain Other chain Other chain Other chain Other file and acreage  MBER CRUISING SPE not included in the 20 Other:  NUMBER OF PLO 1 point/	CIFICATIONS bid  TS PER ACRI 1 acre	ea, cutt:	ing units and retention				
Sale Payment Unit Stand Special Instructions Fust provide admin Freas.  This is included in Required Basal Area Cruise Line Directio  CRUIS 45-7-selection Stand 1	GPS String C GPS String C GPS String C GPS String C GISTRICAL GPS TIME  TIME THE bid This is Factor: 10  GISTRICAL G	chain Other chain Other chain Other chain Other file and acreage  MBER CRUISING SPE not included in the 20 Other:  NUMBER OF PLO 1 point/	CIFICATIONS bid  TS PER ACRI 1 acre	ea, cutt:	ing units and retention				
Sale Payment Unit Stand Special Instructions Fust provide admin Freas.  This is included in Required Basal Area Cruise Line Directio  CRUIS 45-7-selection Stand 1	GPS String C GPS String C GPS String C GPS String C GISTRATOR With shape  TIL The the bid This is Factor: 10  This is Factor: 10  This is The bid This is The	chain Other chain Other chain Other chain Other file and acreage  MBER CRUISING SPE not included in the 20 Other:  NUMBER OF PLO 1 point/	CIFICATIONS bid  TS PER ACRI 1 acre	ea, cutt:	ing units and retention				

2 R4038 (Rev. 09/13/2007)

☐ This is included in the big		s specifications				
□ Precise specifications to	be delineated at pre-work m	eeting with DNR staff				
Total Merchantable Residua	I BA (Basal Area): 80 (Minin	num <u>70</u> to Maximum <u>90</u> )				
TREAT	<b>TMENT</b>	NUMBER	SIZE			
Regeneration Gaps Per Acre Girdled Trees Per Acre	)	1 per acre 1-2	30' crown opening 12"+			
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB			
Sawlogs	2 orange slashes w/dots	12 inches	10 inches			
Sawbolts	N.A.	N.A.	N.A.			
Pulpwood	orange slash	4.6 inches	4 inches			
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR			
Trees marked to leave		×	☐ Green ☐ Other			
Trees marked to cut	×		<ul><li>☑ Orange</li><li>☐ Other</li></ul>			
		TENSITIES				
	PRODUCT	RATIO				
All sawlogs		1:1				
SPECIAL MARKING INSTRU	CTIONS					

Individual stems within multiple stemmed clumps must either all be marked for removal or must all be left unmarked. Do not mark trees within 5' of the ORV trail. Do not mark elm or juneberry. Mark girdle trees with an orange "X" on both sides of tree.

Unless otherwise specified, the tally she ets used must be those provided by the Forest, Mineral and Fire Management Unit.

## **RESTRICTIONS**

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

## **PAINT**

- 1. Call Shannon Harig at (231) 238 9313 e4742, to make arrangements for paint.
- 2. Paint will be supplied from (location).
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

## <u>DELIVERABLES</u>

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.