

TIMBER SALE PRESCRIPTION

				GENERAL							
Date				Forest, Mineral a	and Fire Manager	ment Unit					
3/13/08				Roscommon	Roscommon						
Timber Sale Numb	er (if applicable)			Sale Name (or p	Sale Name (or prescription name)						
	,										
71-027-08-01 Au Sable Road RPP											
LOCAL CONTACT											
lame Telephone											
Steve Anders	Steve Anderson (989) 275 - 4622										
Email Address											
anderss1@mic	anderss1@michigan.gov (989) 275-6203										
1, /											
LEGAL DESCRIPTION											
T24N R01W	T24N R01W Section(s) 12,24 Description 12-S1/2SW; 24-N1/2NE & N1/2NW										
124N NOIW	Section(s) 12	, 4 D	escription 12-	-SI/ZSW, Z4-NI/ZNE	& NI/ZNW						
			0								
Year of Entry: :	2002 Compar	tment(s):	47,2 Stand N	Number(s) : 29,129,38	3						
	TUIC	TIMBED S	ALE CONTRA	CT IS BASED ON THE	FOLL OWING	ACREAGE					
	ППО	IIVIDER 3	ALE CONTRA	CT IS BASED ON THE	FOLLOWING A	ACREAGE					
Estimated Acre	es: 120 Sour	ce: 🗌 OI	I ☐ GPS	Other GIS							
											
Payment will be n	nade on the basis	of these e	stimated acres.								
			TREA	ATMENT & OBJECTIVE							
STAND#	COVER TYPE	ACRES	ВА	TREATMENT	N	MANAGEMENT OBJECTIVE					
	0012111112										
29	R9	40	80	Final Harvest	Red Pine						
129	R9	47	80	Final Harvest	Red Pine						
38	R9	33	120	Final Harvest	Red Pine						
				BBECCBIRTION							
,				PRESCRIPTION							
	nds - Final H	larvest	and Plant R	ed Pine, manage fo	or a mix of	red pine and oak					
2.											
3.											
4.											
5.											
6.											
6. 7.											
7. 8.											
9.											
10.											
Access: Access is via Au Sable Road east of F-97											
DNR PF	REPARATION W	ORK TO	BE DONE PRIC	OR TO CONTRACT WO	RK	ESTIMATED DATE					
CONTRACT WC	ORK CAN REGIN	J									
CONTRACT WORK CAN BEGIN											
CONTRACT WORK MUST BE COMPLETED BY Date 12/15/2008											

1 of 5 R4038 (Rev. 02/27/2008)

PAINT LINE WORK										
☐ This is included in the bid	I ☐ This is not	t included in the	e bid							
Paint line work to be performed: (See attached man for leastions)										
Paint line work to be performed: (See attached map for locations)										
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE			PAINT COLOR					
Private boundary			Blue		Other:					
Sale boundary	\boxtimes		⊠ Red		Other:					
Sale cutting unit	\boxtimes				Other:					
Retention	\boxtimes		⊠ Green		Other:					
Exclusions to mark and why			1 - 1 - 1 - 1 - 1 - 1 - 1 -							
Meet on-site with DNR per retention areas and other										
.255 acre retention i	slands as speci	ified as follo	ws: Stand 29	- 4 ret	ention islands, Stand 129					
- 5 retention islands, Stareas with heavy oak unde		ention islands	s. Retention	islands	should be located in					
Standards for marking lines	against private la	and - Not Appli	cable							
		AREA CALCUL	ATION							
	. This is not									
This is included in the bid		t included in the	e bia							
UNIT METHO	OD			ST	TANDARD					
Sale	S String Cha	in 🗌 Other								
Payment Unit	S String Cha	ain 🗌 Other								
Stand										
Special Instructions: Unit lines should be recorded as line features and stands/retention islands										
should be recorded as area features. See Also Appendix A										
	TIMBE	ER CRUISING SP	ECIFICATIONS							
$oxed{oxed}$ This is included in the bid	l □ This is not	t included in the	e bid							
Required Basal Area Factor:	⊠ 10 □ 20	Other:								
Required basar Area Factor.		☐ Other.								
Cruise Line Directions Nort	h - South									
CRUISING UNIT	S	NUMBER OF PLO	OTS PER ACRE		SPACING (CHAINS)					
29		.6	53	4 X 4						
129		.6	53	4 X 4						
38		.6	53	4 X 4						
TOTAL NUMBER OF CRUI	SE POINTS	6	7							
Cruise Special Instructions:	·									
See Appendix B										

Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.

2 of 5 R4038 (Rev. 02/27/2008)

	TIMBER MARKING	SPECIFICATIONS						
$oxed{\boxtimes}$ This is included in the bio	d	n the bid						
□ Precise specifications to	be delineated at pre-work me	eeting with DNR staff						
Total Merchantable Residual BA (Basal Area): <10 SF (Minimum to Maximum)								
TREAT	MENT	NUMBER	SIZE					
Regeneration Gaps Per Acre Girdled Trees Per Acre								
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB					
Sawlogs								
Sawbolts								
Pulpwood								
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR					
Trees marked to leave	\boxtimes		☐ Green☐ Other					
Trees marked to cut			☐ Orange ☐ Other					
		TENSITIES						
SPECIES /	PRODUCT	RATIO						
		1 :						
		1:						
		1:						
		1 :						
SPECIAL MARKING INSTRUCTION Mark at least 1 wildlife Appendix C		wned oak for wildlife mas	t per acre, Also see					

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

RESTRICTIONS

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

PAINT

- 1. Call Steve at (989) 275 4622, to make arrangements for paint.
- 2. Paint will be supplied from Roscommon Field Office.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

DELIVERABLES

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.

ROSCOMMON MANAGEMENT UNIT MARKING BOUNDARIES AND AREA

- 1. The attached type map delineates the contract marking area.
- 2. Marking must be done in dry weather and when tree surfaces are not wet.
- 3. Paint the boundary line in such a way that it can be seen both from the inside of the sale area and when walking along the line from either direction (two sides).
- 4. The Roscommon Management Unit does not contract the marking of private lines on any of our timber sales. Management Unit personnel will mark private lines with blue paint and the contractor will mark remaining stand(s) with red paint so as to obtain complete closure of all stands designated for cutting.
- If sale is to be divided into cutting units, line location will be as shown on attached map of sale.
 Cutting lines will be marked with yellow paint on four sides of trees.
- 6. Place Marks approximately six feet above the base of the tree.
- 7. The contractor will keep track of total quarts of paint used per-sale by color.
- 8. Contractor must use GPS to determine acreage.
- Position Mode must be set so that GPS receiver collects data from a minimum of four satellites and
 3D.
- 10. GPS receiver must log PDOP, SNR, number of satellites, and mode of collection (Manual/GPS).
- 11. PDOP mask must not exceed 7. This can be modified if approved by the Unit Manager.
- 12. GPS data must be differentially correct and provided in either ESRI .SHP or Trimble .COR format.

 Files will contain PDOP(HDOP at the discretion of the Unit Manager), SNR, number of satellites, and mode of collection (Manual/GPS) for each point collected. In addition, supply a disk of traverse file along with hard copy of the corrected traverse file.

4 of 5 R4038 (Rev. 02/27/2008)

ROSCOMMON MANAGEMENT UNIT TIMBER CRUISING SPECIFICATIONS

- 13. Cruise at a rate specified in the Timber Sale Preparation Prescription.
- 14. Use a 10-factor prism for all plots. Plots shall be evenly distributed throughout sale area.
- 15. Use the product standards to determine products and heights of products. See appendix D of product summary in the "The Compleat Marker: A Guide to Managing Northern Hardwoods on Michigan State Forests".
- 16. Mark location of plots on the map, using the plot number.
- 17. Unless otherwise agreed to by the contract administrator and the contractor, plot center will be marked by a stake or stick firmly inserted in the ground (not snow) with ribbon attached to it at a height of not less than two feet above the ground, and labeled with the plot number. In addition, ribbon at least 12 inches long must be attached to a tree closest to plot center.
- 18. All cruise sheets must have compartment number, stand number, unit number, prism factor, date, individual tree species, and the cruiser's name.
- 19. A copy of the POSALE program will be provided to the successful bidder for cruise data entry. Original cruise sheets and a disk containing the cruise data exported from POSALE must be delivered upon the completion of the sale. Note: At the cruise data entry screen in POSALE, when prompted to enter the stand acres, enter your actual GPS acres for that stand—NOT the contract's estimated inventory-based acreage.

Annendix

ROSCOMMON MANAGEMENT UNIT LEAVE TREE MARKING SPECIFICATIONS

- 20. Leave Trees must be marked at breast height and also stump marked with green paint.
- 21. Paint on leave trees must be able to be seen from all sides of the tree.
- 22. Den trees and good mast trees, if found, must be marked to leave for wildlife.