

### TIMBER SALE PRESCRIPTION

				GENERAL				
Date				Forest, Minera	al and Fire Manager	ment Unit		
					Roscommon			
Timber Sale Number	er (if applicable)			Sale Name (o	Sale Name (or prescription name)			
					McGregor Farm RPP			
71-029-08-01								
News				LOCAL CONTACT				
Name				Telephone				
Steven Anderson (989) 275 - 4622								
Email Address				FAX	X			
anderssl@michigan.gov (989) 275-6203								
				, ,				
⊠ Map of Project Area Attached								
			L	EGAL DESCRIPTION				
T24N R02E	Section(s) 16	Descri	otion SWSE					
IZIN NOZE	0000011(3) ±0	Descri	SHOTT SWEE					
Vacuat Cutum		t	on Ctand N	l				
Year of Entry: 2	1004 Compar	tment(s):	197 Stand N	lumber(s): 38				
	THIS	TIMBER S	ALE CONTRA	ACT IS BASED ON TH	IE FOLLOWING	ACREAGE		
Estimated Acres	s: 29 Sourc	e: 🗌 OI	☐ GPS	Other GIS				
Boumont will be m	ada an tha hasia	of those of	stimated seres					
Payment will be m	lade on the basis	or these es						
			IRE	ATMENT & OBJECTI	VE			
STAND#	COVER TYPE	ACRES	BA	TREATMENT	N	MANAGEMENT OBJECTIVE		
38	R9	29	70	Final Harvest	Red Pine			
30	K9	29	70	Fillal narvest	Red Pille			
				PRESCRIPTION				
2. 3. 4. 5. 6. 7. 8. 9. 10.  Access Access	is via McGr	egor Roa	ad approx.	age for a red pin	f Fairview Ro	an oak/white pine component  ad  ESTIMATED DATE		
CONTRACT WO	ediately	Date:	EDBY Date: 1	2/15/2008				

1 of 5 R4038 (Rev. 02/27/2008)

PAINT LINE WORK								
$oxed{oxed}$ This is included in the bid $oxed{oxed}$ This is not included in the bid								
Paint line work to be performed: (See attached map for locations)								
TYPE OF LINE		WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR				
Private boundary				☐ Blue	Other:			
Sale boundary		$\boxtimes$		⊠ Red	Other:			
Sale cutting unit				☐ Yellow	Other:			
Retention		$\boxtimes$		☐ Other:				
Exclusions to mark a	•	gonnol prior to	a gommongomont	of fieldwork	for instructions o	n leaving		
					k, For retention, l			
					the stand. Retent	ion areas must		
have red pine, whi	te pine	, and oak compo	onents. Also s	see Appendix A				
Standards for marking	ng lines	against private l	and – N.A.					
			AREA CALCUL	ATION				
⊠ This is included i	n the bid	$\square$ This is no	t included in the	e bid				
UNIT	METHO	OD .			STANDARD	STANDARD		
Sale	⊠ GP	S String Cha	in  Other					
Payment Unit	☐GP							
Stand	⊠ GP							
Special Instructions:				ature, See also	Appendix A			
		TIMB	ER CRUISING SP	ECIFICATIONS				
⊠ This is included i	n the hid		t included in the					
	ii tii <del>c</del> bia		i iliciadea ili tile	<del>,</del> Diu				
Required Basal Area	Factor:		Other:					
Cruise Line Direction	ne							
Ciuise Line Direction	113							
CRUISING UNITS			NUMBER OF PLO	OTS PER ACRE	SPACING (C	CHAINS)		
3,1010			1		3 X 3			
					X			
					X			
					X			
TOTAL NUMBER	OF CRUIS	SE POINTS	2:	9				
Cruise Special Instru								
See Appendix B								
Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.								

2 of 5 R4038 (Rev. 02/27/2008)

	TIMBER MARKING	SPECIFICATIONS						
$oxed{\boxtimes}$ This is included in the bi	d   This is not included in	n the bid						
□ Precise specifications to	be delineated at pre-work me	eeting with DNR staff						
Total Merchantable Residual BA (Basal Area): <10 SF (Minimum to Maximum)								
TREA <sup>-</sup>	<b>TMENT</b>	NUMBER	SIZE					
Regeneration Gaps Per Acro Girdled Trees Per Acre	9							
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB					
Sawlogs								
Sawbolts								
Pulpwood								
	· · · · · · · · · · · · · · · · · · ·		T					
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR					
Trees marked to leave	$\boxtimes$		☐ Other					
Trees marked to cut			☐ Orange ☐ Other					
	TALLY IN	TENSITIES						
SPECIES /	PRODUCT	RATIO						
		1:						
		1:						
		1 :						
		1:						
SPECIAL MARKING INSTRU mark at least 1 wildlife	ICTIONS den tree and/or well crow	wned oak tree for mast pe	er acre, retention areas					

must have red pine, white pine, and oak components, Also see Appendix C

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

### RESTRICTIONS

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

#### **PAINT**

- 1. Call Steve Anderson at (989) 275 4622, to make arrangements for paint.
- 2. Paint will be supplied from Roscommon Field Office.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

#### **DELIVERABLES**

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.

# ROSCOMMON MANAGEMENT UNIT MARKING BOUNDARIES AND AREA

- 1. The attached type map delineates the contract marking area.
- 2. Marking must be done in dry weather and when tree surfaces are not wet.
- 3. Paint the boundary line in such a way that it can be seen both from the inside of the sale area and when walking along the line from either direction (two sides).
- 4. The Roscommon Management Unit does not contract the marking of private lines on any of our timber sales. Management Unit personnel will mark private lines with blue paint and the contractor will mark remaining stand(s) with red paint so as to obtain complete closure of all stands designated for cutting.
- If sale is to be divided into cutting units, line location will be as shown on attached map of sale.
   Cutting lines will be marked with yellow paint on four sides of trees.
- 6. Place Marks approximately six feet above the base of the tree.
- 7. The contractor will keep track of total quarts of paint used per-sale by color.
- 8. Contractor must use GPS to determine acreage.
- Position Mode must be set so that GPS receiver collects data from a minimum of four satellites and
   3D.
- 10. GPS receiver must log PDOP, SNR, number of satellites, and mode of collection (Manual/GPS).
- 11. PDOP mask must not exceed 7. This can be modified if approved by the Unit Manager.
- 12. GPS data must be differentially correct and provided in either ESRI .SHP or Trimble .COR format.

  Files will contain PDOP(HDOP at the discretion of the Unit Manager), SNR, number of satellites, and mode of collection (Manual/GPS) for each point collected. In addition, supply a disk of traverse file along with hard copy of the corrected traverse file.

4 of 5 R4038 (Rev. 02/27/2008)

### ROSCOMMON MANAGEMENT UNIT TIMBER CRUISING SPECIFICATIONS

- 13. Cruise at a rate specified in the Timber Sale Preparation Prescription.
- 14. Use a 10-factor prism for all plots. Plots shall be evenly distributed throughout sale area.
- 15. Use the product standards to determine products and heights of products. See appendix D of product summary in the "The Compleat Marker: A Guide to Managing Northern Hardwoods on Michigan State Forests".
- 16. Mark location of plots on the map, using the plot number.
- 17. Unless otherwise agreed to by the contract administrator and the contractor, plot center will be marked by a stake or stick firmly inserted in the ground (not snow) with ribbon attached to it at a height of not less than two feet above the ground, and labeled with the plot number. In addition, ribbon at least 12 inches long must be attached to a tree closest to plot center.
- 18. All cruise sheets must have compartment number, stand number, unit number, prism factor, date, individual tree species, and the cruiser's name.
- 19. A copy of the POSALE program will be provided to the successful bidder for cruise data entry. Original cruise sheets and a disk containing the cruise data exported from POSALE must be delivered upon the completion of the sale. Note: At the cruise data entry screen in POSALE, when prompted to enter the stand acres, enter your actual GPS acres for that stand—NOT the contract's estimated inventory-based acreage.

Annendix C

# ROSCOMMON MANAGEMENT UNIT LEAVE TREE MARKING SPECIFICATIONS

- 20. Leave Trees must be marked at breast height and also stump marked with green paint.
- 21. Paint on leave trees must be able to be seen from all sides of the tree.
- 22. Den trees and good mast trees, if found, must be marked to leave for wildlife.