

### TIMBER SALE PRESCRIPTION

Date				GENERAL Forest Mineral a	and Fire Manag	nement Unit				
Date Forest, Mineral and Fire 10/9/2008 Atlanta						gernent Onit				
Timber Sale Number (if applicable)  Attanta Sale Name (or prescription						ne)				
Compartment 176 RPP						,				
LOCAL CONTACT										
Name Telephone										
Cody Stevens         (989) 785 – 4251 Ext: 5241           Email Address         FAX										
Email Address										
Stevencn@Michigan.gov         (989) 785 - 3513										
⊠ Map of Project Area Attached										
			<u> </u>	EGAL DESCRIPTION						
TSENI POJE SA	action(s) 13 De	ccrintian	(Sec 13 - S1	I/2NE, N1/2SE, & SENV	۸۸					
	• • •	•	•		<u>v)</u>					
Year of Entry: 20	004 Compartm	ent(s):176	Stand Numbe	r(s): 19						
	THIS '	TIMBER S	ALE CONTRA	CT IS BASED ON THE F	OLLOWING A	CREAGE				
			☐ GPS [	Other						
Payment will be made on the basis of these estimated acres.										
				ATMENT & OBJECTIVE						
STAND#	COVER TYPE	ACRES	ВА	TREATMENT	M	ANAGEMENT OBJECTIVE				
19	R8	157	60	Shelterwood/Seed Tree		Red Pine				
13	110	107	00	Offeiterwood/Oeed Tree		rred i lile				
				PRESCRIPTION						
				DBA residual (representati 50 BA residual using the tr		tory species). Within 33 feet on erline.				
Access From the intersection of Doriva Beach Road and Black Mountain Road go north 0.5 miles.										
DND DE	SEDADATION VA	ODV TO I	DE DONE DON		1/	FOTIMATED DATE				
DNR PF	REPARATION W	ORK TO I	BE DONE PRIC	OR TO CONTRACT WOR	ır.	ESTIMATED DATE				
Private Boundary						2/1/2008				
CONTRACTOR										
CONTRACT WORK CAN BEGIN										
☐ Immediately ☐ Date: 12/1/2008										
CONTRACT WORK MUST BE COMPLETED BY Date: July 31, 2009										
JOHNSON HOME MOOT DE COMIT LETED DI Date. Duly 31, 2008										

1 of 5 R4038 (Rev. 02/27/2008)

PAINT LINE WORK										
│ │ │ This is not	t included in the	e bid								
Paint line work to be performed: (See attached map for locations)										
WORK TO BE DONE	NOT ADDITION DI E			DAINT COLOR						
WORK TO BE DONE	+			PAINT COLOR						
				Other:						
				Other: Green						
		=		Other:						
		□ Green		Other.						
against private la	and									
	AREA CALCUL	ATION								
☐ This is not	t included in the	e bid								
OD			STA	NDARD						
S  String Cha	in   Other									
•										
		tal sale area a	nd for each	stand and payment unit. Unit						
features.										
TIMBE	ER CRUISING SP	ECIFICATIONS								
	t included in the	e blu								
⊠ 10 □ 20	Other:									
	NI IMPED OF DI	OTS DED ASDE		SPACING (CHAINS)						
				or Adito (driAito)						
	0.	<u> </u>	4.0 × 5.0							
TOTAL NUMBER OF ORDINGS ROUNTS										
TOTAL NUMBER OF CRUISE POINTS 79  Cruise Special Instructions: Cruise all species separately. Separate cruise data by stand.										
eraice an openio	ooparatory.	sarato oraleo a	ata by otalic	••						
See APPENDIX 8 (will be provided upon request) and APPENDIX B										
	work to be done  work to be done  against private la  This is not  String Cha Sharpes Str	This is not included in the ned: (See attached map for local work to be done	MORK TO BE DONE   NOT APPLICABLE	Timber cruising Specifications  Timber cruising Specifications  Timber cruising Specifications  Timber cruising Specifications  This is not included in the bid  This is not included in the bid  This is not included in the bid  Timber cruising Specifications  Timber cruising Specifications  This is not included in the bid  This is not included in the bid  Timber cruising Specifications  Total of the cache features.						

2 of 5 R4038 (Rev. 02/27/2008)

☑ This is included in the bi	d ☐ This is not included in	the bid			
□ Precise specifications to	be delineated at pre-work me	eeting with DNR staff			
Total Merchantable Residua	ıl BA (Basal Area): <u>30</u> (Minim	um <u>20</u> to Maximum <u>40</u> )			
TREAT	TMENT	NUMBER	SIZE		
Regeneration Gaps Per Acre Girdled Trees Per Acre	•				
PRODUCT	PRODUCT MARKING SYMBOL		TOP DIB		
Sawlogs					
Sawbolts					
Pulpwood					
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR		
=	WORK TO BE DONE	NOT APPLICABLE			
Trees marked to leave	$\boxtimes$		⊠ Yellow □ Other		
Trees marked to cut		$\boxtimes$	☐ Orange ☐ Other		
	TALLY IN	TENSITIES			
SPECIES /	PRODUCT	RATIO			
		1:			
		1: 1:			
		1:			
SPECIAL MARKING INST	FRUCTIONS: Note that the ab	ove marking instructions app	ly to stand 19, except within 33		

feet on each side of the recreational trail mark red pine to 50 BA residual using the trail as the centerline.

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

#### **RESTRICTIONS**

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

#### PAINT

- 1. Call Cody Steven at ((989) 785 4251 Ext. 5241, to make arrangements for paint.
- 2. Paint will be supplied from the Atlanta or Grayling field office.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

#### **DELIVERABLES**

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.

## Grayling Management Unit Boundary Marking and Area Calculation

- 1. The attached type map delineates the contract marking area.
- 2. Marking must be done in dry weather and when tree surfaces are not wet.
- 3. Paint the boundary line in such a way that it can be seen from both the inside of the sale area and when walking along the line from either direction (two sides). Each boundary line tree must be stump-marked at the base of the stump (one side) between the roots extending all the way to the ground.
- 4. Paint a unit line which will constitute the payment unit boundary, dividing the sale into payment units, as shown on the attached map.
- 5. Place marks approximately six feet above the base of the tree.
- 6. The contractor will keep track of total quarts of paint used per sale by color.
- 7. The contractor will use a GPS unit to determine enclosed acreage to the nearest one-tenth acre, unless an alternative method is approved prior by Unit Management.
- 8. GPS units used must be compatible with Pathfinder Office (2.01 or later) or be capable of producing an ArcView-compatible shapefile. Supply electronic and paper copies of the corrected and edited (outlier/erroneous points cleaned up) GPS file.
- 9. Position Mode must be set so that the GPS receiver collects data from a minimum of four satellites. This must be recorded in the position properties window after downloading.
- The GPS receiver must log PDOP. This log must be recorded in the position properties window after downloading.
- 11. PDOP mask must be less than or equal to 8.
- 12. SNR setting must be greater than or equal to 4.
- 13. Sale boundaries are to be recorded as an area feature, not a line. Isolated stands must each be recorded as separate area features. Retention islands must also be recorded as area features. Retention clumps must be recorded and point features.
- 14. Payment Unit lines must be recorded as a line feature bisecting the sale.

# **Grayling Management Unit Timber Cruising Specifications**

- 1. Cruise designated timber using Appendix 8 Product Standards to determine products and heights of products. Separate cruise data by species/product. Appendix 8 will be provided upon request.
- 2. Cruise at the sampling intensity specified in the Timber Sale Prescription and apply that rate to your actual GPS'd stand acreage.
- 3. Separate cruise data by stand.
- 4. Use a 10-factor prism.
- 5. Mark location of plots on the map, using the plot number.
- 6. Record residual BA of trees where applicable. Record any mark-to-girdle trees separately. Do not count mark-to-girdle trees toward the specified residual BA target.
- 7. Unless otherwise agreed to by the contract administrator and the contractor, plot center will be marked by a stake or stick firmly inserted in the ground (not snow) with a ribbon attached to it at a height of not less than two feet above the ground, and labeled with the PU/stand number and plot number. In addition, ribbon at least 12 inches long must be attached to the tree closest to plot center.
- 8. All cruise sheets must be labeled with the compartment #, stand #, unit #, prism factor, date, individual tree species, and the cruiser's name.
- 9. The Grayling Management Unit Office will provide cruise sheets.
- 10. A copy of the "POSALE" program will be provided to the successful bidder for cruise data entry. Original cruise sheets and a disk containing cruise data exported from POSALE must be delivered upon the completion of the sale. Note: At the cruise data entry screen in POSALE, when prompted to enter the stand acres, enter your actual GPS file acres NOT the contract's estimated inventory-based acreage.

5 of 5 R4038 (Rev. 02/27/2008)