

TIMBER SALE PRESCRIPTION

GENERAL									
Date									
03/23/2009				Cadillac FMU	_				
Timber Sale Numb	mber Sale Number (if applicable)				Sale Name (or prescription name)				
63-025-09-01									
LOCAL CONTACT									
Name									
	neryl Nelson (231) 745 - 4651 Ext. 6942								
Email Address			FAX						
nelsonca@mic	iiigaii.gov			(231) 745 - 874	13				
⊠ Map of Project Area Attached									
LEGAL DESCRIPTION									
T18N R11W Section(s) 18, 19, 30 Description See Map									
Year of Entry: 2008 Compartment(s):23 Stand Number(s): 34, 38, 47, 60									
	THIS	TIMBER SA	ALE CONTRAC	CT IS BASED ON THE F	OLLOWING	ACREAGE			
Estimated Acre	es: 127 Sour	ce: 🛛 OI	☐ GPS	Other					
	nade on the basis		timated acres						
ayment will be i	nade on the basis	or triese es		TMENT & OBJECTIVE					
STAND#	COVER TYPE	ACRES	ВА	TREATMENT		MANAGEMENT OBJECTIVE			
34	06	9	90	Seed Tree		Oak			
38	06	45	110	Seed Tree		Oak			
47	09	55	140	Seed Tree		0ak			
60	W6	18	130	Thinning		White Pine			
				PRESCRIPTION					
 Stand 34: Remove overstory overtopping oak regeneration, leaving an avg. BA of 20. Mark to leave an avg. BA of 40 in solid oak zones and high quality oak areas (about 5 acres). Cut all aspen and red maple. Retention is included in the residual BA of the stand. Stand 38: Remove overstory overtopping oak regeneration, leaving an avg. BA of 20. Mark to leave an avg. BA of 40 in solid oak zones and high quality oak areas (about 22 acres). Cut all aspen and red maple. Retention is included in the residual BA of the stand. Stand 47: Cut all white pine over 8" DBH. Remove overstory overtopping oak regeneration, leaving an avg. BA of 20. Mark to leave an avg. BA of 40 in solid oak zones and high quality oak areas (about 30 acres). Cut all aspen and red maple. Retention is included in the portion of this stand that is not being treated. Stand 60: Cut all jack pine. Thin white pine to open up around areas of oak seedlings/saplings leaving an avg. BA of 40. Do not cut any oak. Retention is included in the residual BA of the stand. Access: County and forest roads. See map. 									
DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK ESTIMATED DATE									
CONTRACT WORK CAN BEGIN									
⊠ Imi	mediately	Date:							
CONTRACT WO	CONTRACT WORK MUST BE COMPLETED BY Date 09/01/2009								

1 of 4 R4038 (Rev. 02/27/2008)

		PAINT LINE V	VORK							
☐ This is included in the bid ☐ This is not included in the bid										
Paint line work to be performed: (See attached map for locations)										
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR						
Private boundary			☐ Blue	Other:						
Sale boundary			⊠ Red	Other:						
Sale cutting unit	\boxtimes			Other:						
Stand type line			Red	Other:						
Exclusions to mark and why										
Standards for marking lin	es against private i	and								
		AREA CALCUL	ATION							
□ This is included in the	bid This is no	t included in th	e bid							
UNIT ME	THOD			STANDARD						
Sale	GPS String Cha	ain		017111271112						
Payment Unit	GPS String Cha									
Stand	GPS String Cha									
Special Instructions:										
	TIMB	ER CRUISING SP	ECIFICATIONS							
☐ This is included in the	bid ☐ This is no	t included in th	e bid							
Required Basal Area Factor: 🛛 10 🔲 20 🔲 Other:										
Cruise Line Directions										
CRUISING U	NITS	NUMBER OF PL	OTS PER ACRE	SPACING (CHAIN	S)					
All		1		3 X 3						
				X						
				X						
				X						
TOTAL NUMBER OF C	RUISE POINTS									
Cruise Special Instructions:										
Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.										

2 of 4 R4038 (Rev. 02/27/2008)

	TIMBER MARKING	SPECIFICATIONS			
☐ This is included in the bit	id 🔲 This is not included i	n the bid			
	be delineated at pre-work m	eeting with DNR staff			
Total Merchantable Residua	I BA (Basal Area): Dependen	t on stand; see prescrip	otion		
TREAT	ГМЕНТ	NUMBER SIZE			
Regeneration Gaps Per Acre Girdled Trees Per Acre)				
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB		
Sawlogs		10.0 inches	8.0 inches		
Sawbolts					
Pulpwood		4.6 inches	4.0 inches		
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR		
Trees marked to leave	\boxtimes		⊠ Green □ Other		
	\boxtimes		☐ Orange ☐ Other		
		TENSITIES			
SPECIES /	PRODUCT	RATIO			
		1 :			
		1:			
		1 :			
		1:			

SPECIAL MARKING INSTRUCTIONS

- 1) Stand/boundary trees shall be marked red at DBH with a "V" that is visible on 3 sides and the point of the "V" facing the sale area. Corners within the sale should be marked with 3 well defined vertical "V"'s.
- 2) Paint leave trees green at DBH with a slash on two sides (that is visible from all sides), and a stump mark.
- 3) Paint cut trees orange at DBH with a slash on two sides (that is visible from all sides), and a stump mark.

See appendix for further instructions.

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

RESTRICTIONS

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

PAINT

- 1. Call Cheryl Nelson at (231) 745 4651, ext. 6942, to make arrangements for paint.
- 2. Paint will be supplied from the Baldwin Field Office.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

DELIVERABLES

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.

C23 Oak and Pine - Contractor Appendix

When establishing Paint Lines

- Avoid using dead or badly damaged trees- boundary trees must last for the duration of the timber sale Up to 5-6 years.
- Avoid using small (fast growing) stems and those exposed to direct sunlight.
- Marking must be done in dry weather and when the trees are not wet.
- Paint the boundary line in such a way that it can be seen from the inside of the sale as well when walking along the line from either direction.
- Lines should be four and a half feet above the base of the tree.

When Registered Corners or Witness Trees Are Discovered

- Any wooden posts encountered at corners must be painted/protected.
- Bearing and/or witness trees discovered during the course of sale preparation must be protected this can be accomplished by painting a ring completely around the tree at 4-6 feet above the ground.
- Please report corner condition to the local contact.

When Cruising

- Residual basal area must be recorded.
- Plot centers must be marked on cruise map with a scale of 1:15840 or larger (i.e., 1:7920).
- Plot center will be marked by a stake or stick firmly inserted in the ground (not snow) with ribbon attached to it at a height of not less than two feet above the ground, and labeled with the plot number. In addition, ribbon at least 12 inches long must be attached to a tree closest to plot center.

4 of 4 R4038 (Rev. 02/27/2008)