

TIMBER SALE PRESCRIPTION

GENERAL								
Date Forest, Mineral and Fire Management Unit								
01/05/09			Traverse City	Fraverse City				
Timber Sale Number (if applicable) Sale Name (or prescript						me)		
				Compartment 16	RPP			
			L	OCAL CONTACT				
Name				Telephone				
Scott Lint (231) 922 -5280								
Email Address FAX								
LintS@michigan	n.gov			(231) 922 - 1853	3			
			LE	GAL DESCRIPTION				
T26N R13W S	ection(s) 19 & 31	Description	n NENW W1/	2NW - SEC 19, S1/2SW -	SEC 31			
12011 111011 01		Dooonpare		21111 020 10, 01/2011				
Year of Entry:	2005 Compai	tment(s):	16 Stand Nu	mber(s): 65 & 107				
roar or Emry.	•			. ,				
	THIS	TIMBER S	ALE CONTRA	CT IS BASED ON THE FO	DLLOWING A	CREAGE		
Estimated Acres	s: 37 Source: [⊠ oı 🛚	GPS ☐ Oth	ner				
Paymont will be	e made on the b	acic of the						
rayment will be	e made on the b	asis 01 tile		TMENT & OBJECTIVE				
CTAND #	COVED TYPE	ACDEC			NA A	NACEMENT OF IECTIVE		
STAND#	COVER TYPE	ACRES	ВА	TREATMENT	IVIA	NAGEMENT OBJECTIVE		
65	R6	22	130	Final harvest		Red Pine		
107	R6	15	110	Final harvest		Red Pine		
-		_	-					
				PRESCRIPTION				
1. Stand 65	& 107 – Final hai	vest		TREGORII TION				
2.								
3.								
4.								
5.								
6.								
7.								
8.								
Access From the intersection of County road 669 (Thompsonville Hwy) and U.S. 31 go south on County road 669 (Thompsonville								
Hwy.) 1.25 miles to stand 107. To stand 65 continue south on (Thompsonville Hwy) 2.75 miles to the intersection of Aylsworth road.								
DAID DEED AD ATION WORK TO BE DONE DRICK TO GOVERN OF WORK								
DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK ESTIMATED DATE								
N/A								
CONTRACT WORK CAN BEGIN								
✓ Immediately □ Date:								
☐ Immediately ☐ Date:								
CONTRACT WORK MUST BE COMPLETED BY Date: August 30, 2009								

1 of 5 R4038 (Rev. 02/27/2008)

PAINT LINE WORK								
□ This is included in the bid □ This is not included in the bid								
Paint line work to be performed: (See attached map for locations)								
TYPE OF LINE		WORK TO BE DONE NOT APPLICABLE			PAINT COLOR			
Private boundary	Private boundary				Other:			
Sale boundary				⊠ Blue ⊠ Red		Other:		
Sale cutting unit		\boxtimes		⊠ Yellow		Other:		
Retention				Green		Other:		
Exclusions to mark a	and why		<u> </u>		1	-		
Standards for markir	ng lines	against private la	and					
			AREA CALCUL	ATION				
⊠ This is included in	n the bid	☐ This is not	included in the	e bid				
UNIT	METH	OD			STA	ANDARD		
Sale	⊠ GP	S String Cha	n 🗌 Other					
Payment Unit	⊠ GP	S String Cha	in 🗌 Other					
Retention	⊠ GP							
Special Instructions: GPS files must provide acreage for the total sale area and for each stand, payment unit and retention island. Unit lines must be recorded as line features. Retention islands must be recorded as area features and clumps as point features.								
See APPENDIX A								
		TIMBE	ER CRUISING SP	ECIFICATIONS				
☐ This is included in the bid ☐ This is not included in the bid								
Required Basal Area Factor: 🛛 10 🔲 20 🔲 Other:								
Cruise Line Directions E/S								
CRUISING UNITS			NUMBER OF PL	OTS PER ACRE		SPACING (CHAINS)		
Stand 65			1		3.1 X 3.2			
Stand 107			1		3.1 X 3.2			
					Х			
			X					
TOTAL NUMBER			3.					
Cruise Special Instructions: Cruise all species separately. Separate cruise data by stand.								
See APPENDIX 8 (will be provided upon request) and APPENDIX B								
Unless otherwise specified, the tally speets used must be those supplied by the Forest. Mineral and Fire Management Unit								

2 of 5 R4038 (Rev. 02/27/2008)

	HMBER MARKING	SPECIFICATIONS			
$oxed{\boxtimes}$ This is included in the bio	d	n the bid			
☐ Precise specifications to	be delineated at pre-work me	eeting with DNR staff			
Total Merchantable Residua	I BA (Basal Area): (Mi	inimum to Maximum)		
TREAT	ΓΜΕΝΤ	NUMBER	SIZE		
Regeneration Gaps Per Acre Girdled Trees Per Acre)				
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB		
Sawlogs					
Sawbolts					
Pulpwood					
		т	1		
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR		
Trees marked to leave			☐ Other		
Trees marked to cut			Orange Other		
	TALLY IN	TENSITIES			
SPECIES /	PRODUCT	RATIO			
		1 :			
		1 :			
		1 :			
		1 :			
SPECIAL MARKING INSTRU	CTIONS				

For retention in stands 65 & 107, mark-to-leave 9 clumps of 4 trees in each stand concentrated along (Thompsonville Hwy) and near the private boundaries.

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

RESTRICTIONS

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

PAINT

- 1. Call Scott Lint at (231) 922 -5280, to make arrangements for paint.
- 2. Paint will be supplied from the Traverse City Field office.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

DELIVERABLES

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.

Traverse City Management Unit Boundary Marking and Area Calculation

- 1. The attached type map delineates the contract marking area.
- 2. Marking must be done in dry weather and when tree surfaces are not wet.
- 3. Paint the boundary line in such a way that it can be seen from both the inside of the sale area and when walking along the line from either direction (two sides). Each boundary line tree must be stump-marked at the base of the stump (one side) between the roots extending all the way to the ground.
- 4. Paint a unit line which will constitute the payment unit boundary, dividing the sale into payment units, as shown on the attached map.
- 5. Place marks approximately six feet above the base of the tree.
- 6. The contractor will keep track of total quarts of paint used per sale by color.
- 7. The contractor will use a GPS unit to determine enclosed acreage to the nearest one-tenth acre, unless an alternative method is approved prior by Unit Management.
- 8. GPS units used must be compatible with Pathfinder Office (2.01 or later) or be capable of producing an ArcView-compatible shapefile. Supply electronic and paper copies of the corrected and edited (outlier/erroneous points cleaned up) GPS file.
- 9. Position Mode must be set so that the GPS receiver collects data from a minimum of four satellites. This must be recorded in the position properties window after downloading.
- 10. The GPS receiver must log PDOP. This log must be recorded in the position properties window after downloading.
- 11. PDOP mask must be less than or equal to 8.
- 12. SNR setting must be greater than or equal to 4.
- 13. Sale boundaries are to be recorded as an area feature, not a line. Isolated stands must each be recorded as separate area features. Retention islands must also be recorded as area features.
- 14. Payment Unit lines must be recorded as a line feature bisecting the sale.

4 of 5 R4038 (Rev. 02/27/2008)

Traverse City Management Unit Timber Cruising Specifications

- Cruise designated timber using Appendix 8 Product Standards to determine products and heights of products. Separate cruise data by species/product. Appendix 8 will be provided upon request.
- 2. Cruise at the sampling intensity specified in the Timber Sale Prescription and apply that rate to your actual GPS'd stand acreage.
- 3. Separate cruise data by stand.
- 4. Use a 20-factor prism.
- 5. Mark location of plots on the map, using the plot number.
- Record residual BA of trees where applicable. Record any mark-to-girdle trees separately. Do not count mark-to-girdle trees toward the specified residual BA target.
- 7. Unless otherwise agreed to by the contract administrator and the contractor, plot center will be marked by a stake or stick firmly inserted in the ground (not snow) with a ribbon attached to it at a height of not less than two feet above the ground, and labeled with the PU/stand number and plot number. In addition, ribbon at least 12 inches long must be attached to the tree closest to plot center.
- 8. All cruise sheets must be labeled with the compartment #, stand #, unit #, prism factor, date, individual tree species, and the cruiser's name. If a portable data recorder is used for cruising, submit a summary sheet that details the rest of the required information.
- 9. The Traverse City Management Unit Office will provide cruise sheets.
- 10. If using TCruise, contractor must provide tce and tcd files, along with Solo way. Files. If cruising with paper cruse sheets a copy of the "POSALE" program will be provided to the successful bidder for cruise data entry. Original cruise sheets and an electronic copy of the cruise data exported from POSALE must be delivered upon the completion of the sale. Note: At the cruise data entry screen in POSALE, when prompted to enter the stand acres, enter your actual GPSed acres NOT the contract's estimated inventory-based acreage. Also, if retention islands were delineated within the sale area, do not include those acres in the entered POSALE stand acres.