

TIMBER SALE PRESCRIPTION

X Map of Project Area Attached							
T48N R11W Section(s) 16,17,18 Description See attached map							
Year of Entry: 2011 Compartment(s): 10 Stand Number(s): 4, 11, 32, 35, 37							
TREATMENT & OBJECTIVE							
≣							
LEGAL DESCRIPTION T48N R11W Section(s) 16,17,18 Description See attached map Year of Entry: 2011 Compartment(s): 10 Stand Number(s): 4, 11, 32, 35, 37 THIS TIMBER SALE CONTRACT IS BASED ON THE FOLLOWING ACREAGE Estimated Acres: 317 Source: ☑ OI ☐ GPS ☐ Other Payment will be made on the basis of these estimated acres.							

PRESCRIPTION

- 1. Favor (leave) the best future crop tree in place, regardless of species.
- 2. Leave a component of all hardwood species present.
- 3. Stands 4 and 37 leave a residual of 40-60 BA removing approx. 1/3 1/2 of BA. Leave all conifers unless needed for maneuverability.
- 4. Stands 11, 32 and 35 leave a residual of 30-50 BA removing approx. 1/2 of BA. Leave all conifers unless some need to be removed for maneuverability.
- 5. Mark stand to improve maneuverability within the stand for logging operations to occur.
- 6. Leave obvious nest or den trees, retain potential wildlife trees if none are present.
- 7. Leave some beech as well as other mast producting trees such as cherry and oak.
- 8. If hawk nests are discovered within the stand while marking, contact the Newberry Office.
- 9. Being that nearly half of the stand is being removed, stands may be leave tree marked with volumes cruised or cut tree marked and volumes tallied as marking occurs. Options will be discussed a pre-work meeting. Call if you have questions about this work prior to bidding.

Access

Stands 4, 11, 32, 35 & 37: Proceed north from Newberry on M-123 to Co Rd 407. Turn left on Co Rd 407. Take Co Rd 407 to Pine Stump Junction. Turn west off of Co Rd 407 onto the CCI Road just north of Pine Stump Junction. Follow the CCI Road west for approx. 8 miles to where the sale work is located (see compartment map for further details).

DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK	ESTIMATED DATE
Establish needed survey corners that currently do not exist.	10/1/10
CONTRACT WORK CAN BEGIN	
CONTRACT WORK MUST BE COMPLETED BY Date 9/1/11	

1 of 3 R4038 (Rev. 02/27/2008)

		PAINT LINE W	ORK					
	ne bid ∏ This is no	ot included in the						
Paint line work to be performed: (See attached map for locations)								
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR				
Private boundary			⊠ Blue	Other:				
Sale boundary		☐ ☐ Red ☐ Other:						
Sale cutting unit				Other:				
Stand type line				Other:				
Exclusions to mark and	l why							
Standards for marking								
Must be within a mini property line establi		actual propert	y line. Use	DNR corners where t	hey exist for			
recreat, and dromes								
		AREA CALCUL	ATION					
$oxed{oxed}$ This is included in th	ne bid $\ \ \square$ This is no	t included in the	bid					
UNIT	METHOD			STANDARD				
Sale	☐ String Cha	PS String Chain Other						
Stand [
Special Instructions:				-				
The DNR must approve downloading informati		tractor must s	upply their o	wn GPS units that a	re capable of			
downiouding informati	ion co a re.							
	TIMB	ER CRUISING SPE	ECIFICATIONS					
☐ This is included in the second contract of the second con	ne bid	t included in the	bid					
<u> </u>								
Required Basal Area Factor: 🛛 10 🔲 20 🔲 Other:								
Cruise Line Directions To be discussed a pre-work meeting.								
Ordisc Line Directions to be discussed a pre-work meeting.								
CDITICING	TIMITS	NUMBER OF PLO	TS DED ACDE	SPACING (C	, HVING)			
CRUISING UNITS				,	, IIAII40)			
Stands 4, 11, 32, 35 & 37		0.	U	4 X 4				
				X				
				X				
TOTAL NUMBER OF			X					

Cruise Special Instructions:

Since approximately half of the volume is being removed from all stands it is the timber markers option to mark stands as cut tree or leave tree. If marker chooses to mark stands as a leave tree, stands must be cruised determine timber volumes. If marker chooses to mark stand as a cut tree, stands can be cruised or tallied to determine timber volumes (see Timber Marking Instructions and Tally Intensities listed below).

If stands are cruised to determine the timber volumes, cruise all stands at per Timber Cruising Specifications listed above. Cruise pulp and sawlogs per DNRE product standards (this will be discussed at the pre-work meeting). Take only basal areas on conifers such as white pine, hemlock, spruce, balsam and cedar, they are to be left as residual.

Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.

	TIMBER MARKING	SPECIFICATIONS		
$oxed{oxed}$ This is included in the bi	d 🔲 This is not included in	n the bid		
□ Precise specifications to	be delineated at pre-work m	eeting with DNR staff		
	al BA (Basal Area): nimum $\underline{40}$ to Maximum (Minimum $\underline{30}$ to Max			
TREA	TMENT	NUMBER	SIZE	
Regeneration Gaps Per Acre Girdled Trees Per Acre				
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB	
Sawlogs	"X" and dots	12	10	
Sawbolts				
Pulpwood	slash; dots-tally trees	6	4	
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR	
Trees marked to leave			☐ Green☐ Other	
Trees marked to cut			☑ Orange ☐ Other	
	TALLY IN	TENSITIES		
	PRODUCT	RATIO		
All marked hardwood sawlogs (by species)		1:1		
ixed hardwood pulp		1 : 20 1 :		
		1 :		
ODEOLAL MADIZINIO INICEDI	IOTIONIO			

SPECIAL MARKING INSTRUCTIONS

- -Two sided marking on all marked trees.
- -Maintain stand diversity across all age classes. Leave a component of all hardwood species present.
- -Remove low quality and high risk red and sugar maple. Promote yellow birch where possible
- -If stick nests are found, leave a minimum 1 chain buffer around the nest tree and contact the Newberry Unit Field Office for any additional requirements.
- -Beech Bark Disease is found on the most of the beech trees throughout the stand and many trees are dead or nearly dead. While marking, evaluate and take beech that still has merchantable value.
- -If cut tree marked, dots will be painted on the pulp tally trees so they can be checked.
- -If cut tree marked, mark all sawlog trees with an "X" with dots to correspond with the number of sawlogs tallied.

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

RESTRICTIONS

- 1. Forest, Mineral and Fire Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

PAINT

- 1. Call Keith Magnusson at (906) 293 3293 ext. 4745, to make arrangements for paint.
- 2. Paint will be supplied from the Newberry Field Office.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

DELIVERABLES

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.