

TIMBER SALE PRESCRIPTION

	GENERAL								
Date				· ·	Forest, Mineral and Fire Management Unit				
9/29/2010 Timber Sale Number (if applicable)					Shingleton Management Unit Sale Name (or prescription name)				
Timber Gale Harris	Compartment 145 Cont								
				LOCAL CONTACT	110 0011014	00012			
Name Telephone									
Jeff Stampfly (906) 452 - 6227 ext 2									
Email Address				FAX	FAX				
stampflj@mic	higan.gov	84							
⊠ Map of Project Area Attached									
LEGAL DESCRIPTION									
T47N R15W Section(s) 20,21,29 Description 20-SE1/4,E1/2SW1/4; 21-W1/2SW; 29-NENE									
Year of Entry:	2011 Compar	tment(s):	145 Stand N	umber(s): 24					
	THIS ⁻	TIMBER S	ALE CONTRA	CT IS BASED ON THE F	OLLOWING A	ACREAGE			
Estimated Acres: 97 Source: OI GPS Other Payment will be made on the basis of these estimated acres.									
rayment will be i	nade on the basis	or these e		ATMENT & OBJECTIVE					
STAND#	COVER TYPE	ACRES	ВА	TREATMENT	М	IANAGEMENT OBJECTIVE			
24	M6	0.7	100	Selection	Nowthown II	In advanda			
24	MO	97	100	Selection	Northern H	ardwoods			
				PRESCRIPTION					
 Establish all paint lines as indicated on the attached map. All paint lines must be located using a GPS in accordance with the sale preparation contract. Mark all stands according to specifications listed in the Compartment 145 Contractors Prescription Appendix, timber marking specifications, and specific details obtained at the pre-work meeting. Cruise all stands according to specifications listed in the Compartment 145 Contractors Prescription Appendix, timber cruising specifications, and specific details obtained at the pre-work meeting. Access: CO RD 450 northwest out of Seney for about 17 miles. 									
DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK ESTIMATED DATE						ESTIMATED DATE			
n/a									
CONTRACT WORK CAN BEGIN Immediately									
	CONTRACT WORK MUST BE COMPLETED BY Date 08/01/2011								

1 of 4 R4038 (Rev. 02/27/2008)

PAINT LINE WORK										
☑ This is included in the bid ☐ This is not included in the bid Paint line work to be performed: (See attached map for locations)										
. a										
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR						
Private boundary			Blue	Other:						
Sale boundary	\boxtimes		⊠ Red	Other:						
Sale cutting unit	\boxtimes			Other:						
Stand type line		☐ Other:		Other:						
Exclusions to mark and why		<u> </u>								
A portion of the northern sale boundary comes within proximity of Ross Creek. Buffer at least 100ft from Ross Creek. Sale Boundary line marking shall be completed by Feb. 01, 2011.										
Standards for marking lines against private land										
		AREA CALCUL	ATION							
$oxed{oxed}$ This is included in the bid $oxed{oxed}$ This is not included in the bid										
UNIT METHO	OD			STANDARD						
Sale	S String Cha	in 🗌 Other		See contract requireme	ents					
Payment Unit 🛛 GP	S String Cha	in 🗌 Other		See contract requireme	ents					
Stand 🖂 GP	S String Cha	in Other		See contract requireme	ents					
Special Instructions: GPS all paint lines. Area must be determined for each individual payment unit using a GPS unit consistent with contract specifications. GPS files must be compatible with Arcview or Pathfinder Office Software and all GPS files must be sent to the local contact by CD or e-mail. TIMBER CRUISING SPECIFICATIONS										
$oxed{\boxtimes}$ This is included in the bid	<u></u>	t included in the								
Required Basal Area Factor:	⊠ 10 □ 20	Other:								
Cruise Line Directions East										
CRUISING UNIT	S	NUMBER OF PLO	OTS PER ACRE	SPACING (CHAINS)						
Stand 24, Units 1 and 2		0.	6	4 X 4						
				X						
				X						
				Х						
TOTAL NUMBER OF CRUI	SE POINTS	61,	**							
Cruise Special Instructions:										
1. Each unit must be recorded on a separate cruise card so volume can be determined by unit. 2. Each cruise plot must be identified on the ground. A map showing the location of these cruise plots must be turned in. Scale on map must be 1:15840.										
3. Residual basal area by species must be tallied at each cruise plot. 4. Do not cruise trees which were marked with an "X" designating log trees. There will be a 100% tally on log trees marked with an "X". 5. Species grouping: mixed hardwood pulpwood (maple, yellow birch, ash, and cherry pulpwood) any										
ash and beech must be tallied separately and mixed aspen pulpwood (quaking and bigtooth). All										

- 6. No hemlock, oak or cedar will be cut. These species should be counted as residual basal area. **Cruise plots may decrease or increase depending on actual GPS acres.

Unless otherwise specified, the tally sheets used must be those supplied by the Forest, Mineral and Fire Management Unit.

2 of 4 R4038 (Rev. 02/27/2008)

$oxed{\boxtimes}$ This is included in the bio		n the bid								
□ Precise specifications to	be delineated at pre-work me	eeting with DNR staff								
Total Merchantable Residual BA (Basal Area): 80 (units 1 and 2) (Minimum 70 to Maximum 90)										
TREAT	MENT	NUMBER	SIZE							
Regeneration Gaps Per Acre Girdled Trees Per Acre		3-5 n/a	30 ft in diameter n/a							
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB							
Sawlogs	"X" on 2 sides, 6 feet up, and 1 dot per 8 ft log	11.1 inches	10 inches							
D	Slash on 2 sides, 6 feet up	4.6 inches	4 inches							
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR							
Trees marked to leave			☐ Green ☐ Other							
Trees marked to cut	\boxtimes		☐ Orange☐ Other							
		TENSITIES								
SPECIES /		RATIO								
Sawlogs - All sawlogs wil to a 10 inch DIB top.										
Sawlog pulp topwood (to 1 species.	.0 inch DIB) - tallied by	1 : 1								
All pulpwood trees		No tally see cruising instructions.								

SPECIAL MARKING INSTRUCTIONS

- 1. Additional pulpwood volume larger than 10 inches, top DIB, occurring in sawlog trees must be recorded on tally cards supplied by the Local Contact.
- 2. Avoid marking during wet weather conditions, or when tree boles are damp. Paint must last for the duration of the timber sale.
- 3. Each unit must be tallied and summarized separately.
- 4. DO NOT MARK ANY HEMLOCK, OAK OR CEDAR FOR HARVEST.
- 5. Look for beech bark resistant trees and may leave up to 10 percent of the residual area in beech.

Unless otherwise specified, the tally sheets used must be those provided by the Forest, Mineral and Fire Management Unit.

RESTRICTIONS

- 1. Forest Management Division must to be able to identify who did what on the timber sale.
- 2. The contractor may not have more than two markers in one payment unit without prior approval.
- 3. Each marker should have an assigned area to mark (not strips).

PAINT

- 1. Call Jeff Stampfly at (906) 452 6227, to make arrangements for paint.
- 2. Paint will be supplied from Shingleton.
- 3. Contractor's work schedule must coincide with the DNR work schedule for paint supply.
- 4. The DNR will not be available on weekends or evenings.

<u>DELIVERABLES</u>

- 1. A list of names that marked or cruised each payment unit.
- 2. A summary of paint used (in quarts).
- 3. Tally summaries for each payment unit (one summary, regardless of the number of markers) and all of the original tally sheets.
- 4. GPS files for any GPS work.

Compartment 145 CONTRACTORS TIMBER SALE PRESCRIPTION APPENDIX

When establishing paint lines:

- Avoid using dead or badly damaged trees boundary trees must last for the duration of the timber sale (up to 5-6 years).
- Favor the use of reserved species such as hemlock, oak or lesser occurring species.
- Avoid using small (fast-growing) stems and those exposed to direct sunlight.

When Registered Corners or Witness Trees are discovered:

- Any wooden posts encountered at corners must also be painted/protected.
- Bearing and/or witness trees discovered during the course of sale preparation must be protected. This can be accomplished by painting a ring completely around the tree at 4-6 feet above ground level with either red paint (corner surrounded by state lands) or blue paint (corner on private property boundary line). In addition, tying ribbon on these trees helps alert loggers to their presence. Do not mark any trees for harvest if cutting them is likely to result in damage to corner monuments and/or bearing trees.
- Please report the condition of all corners, posts and bearing trees to the local contact.

Stand(s) 24 Units 1 and 2 Management Objective All Aged Northern Hardwoods (Mark to Cut) When marking, prioritize selection of trees to be cut in the following order:

- Release suitable crop trees. (Refer to <u>The Complete Marker</u> for crop tree specifications.)
- When appropriate, try to increase the number of lesser occurring species such as yellow birch, hemlock and white pine. Open up the stand near cherry and any yellow birch for reproduction. The local contact can provide an explanation of this priority.
- Remove high-risk and poor quality trees.
- Apply beech bark disease guidelines as appropriate. The local contact can supply these guidelines.
- Maintain target basal area.
- Maintain all species diversity.

Reserved Species:

- No hemlock, Oak or Cedar can be marked. Avoid marking other trees if harvesting them is likely to result in damage to these reserved species.
- Marking of infrequently occurring species should be avoided. Consult the local contact for clarification.
- Leave 2-4 large, live cull trees per acre for den trees and soft snag production. Reserved tree species may also be used for this purpose. These should be well distributed.
- Do not mark within 100' of any raptor nest trees. Report these to the local contact as soon as possible and directions will be given at that time.

The contractor should contact Jeff Stampfly, Unit Manager, at the Shingleton Field Office, PO Box 67, M-28, Shingleton, MI 49884 (906) 452-6227 once the contract is awarded so a local contact can be assigned. Approximately 1 week prior to beginning work, the contractor will notify the local contact to arrange an on-site meeting to discuss the details of these prescriptions. Paperwork should be completed and all of the necessary reports submitted to the Unit secretary as soon as possible after the fieldwork is complete.

4 of 4 R4038 (Rev. 02/27/2008)