

## TIMBER SALE PRESCRIPTION

GENERAL									
Date		ement Unit							
08/01/2011				Grayling					
Timber Sale Numb				Sale Name (or prescription name)  Jack Pine Measurement Block Test A					
72-035-11-01 Jack Pine Measurement LOCAL CONTACT						Block Test A			
Name				Telephone					
Tim Greco				(989) 732 <b>-</b> 35	41				
Email Address									
grecot@michi	gan.gov			( )	-				
⊠ Map of Pro	ject Area Atta	ched							
			L:	EGAL DESCRIPTION					
T28N R1W	Section(s) 2	Descriptio	<b>n</b> W1/2 of t	the SE					
Year of Entry:	•	. ,		umber(s): 42					
	THIS	TIMBER SA	ALE CONTRA	CT IS BASED ON THE F	OLLOWING	ACREAGE			
Estimated Acre	es: 80 Sourc	e: 🗌 OI	oxtimes GPS	Other					
Payment will be r	nade on the basis	of these es	stimated acres.						
			TRE	ATMENT & OBJECTIVE					
STAND#	COVER TYPE	ACRES	ВА	TREATMENT		ANAGEMENT OBJECTIVE			
42	J6	40	90	Final Harvest	Jack Pine				
		10		111101 1101 (000	0 0 0 1 1 1 1 1 0				
				PRESCRIPTION					
stand.	_			s poor-quality north	_	ak scattered across the scattered red pine.			
	es from 30 to					- -			
5. All of the oak and JP will be cut; the few red pine will be left.									
_	ntion islands	5							
7. 8.									
9.									
10.									
Access Cny Ro	d 612 and M.	B. Exten	sion Road						
DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK						ESTIMATED DATE			
N/A									
CONTRACT::::	DIV 0411 DEC"								
CONTRACT WO	JKK CAN BEGIN	1							
⊠ Imn	nediately 🔲	Date:							
CONTRACT WORK MUST BE COMPLETED BY Date 30 days from PO issue									

PAINT LINE WORK								
☐ This is included in the bid	⊠ This is no	t included in the	e bid					
Paint line work to be perform	ed: (See attach	ed map for loca	tions)					
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR				
Private boundary			☐ Blue	Other:				
Sale boundary			Red	Other:				
Sale cutting unit			☐ Yellow	Other:				
Stand type line				Other:				
Exclusions to mark and why  Standards for marking lines a	against private I	and						
AREA CALCULATION  This is included in the bid								
UNIT METHO	METHOD STANDARD							
Sale	S String Cha	ain 🗌 Other						
Payment Unit GP	Payment Unit GPS String Chain Other							
Stand GP	S String Cha	ain						
Special Instructions:	TIMB	ER CRUISING SP	<b>ECIFICATIONS</b>					
☐ This is included in the bid ☐ This is not included in the bid								
Required Basal Area Factor:		Other:						
<b>Cruise Line Directions</b> The plots have already been established. The plot locations and numbering is shown on page 5.								
CRUISING UNIT	S	NUMBER OF PLO	OTS PER ACRE	SPACING	(CHAINS)			
North Forty		1		N/a X N/a	/a X N/a			
				X				
				X				
TOTAL NUMBER OF CRUIS	SE POINTS	4.0	)					

## Cruise Special Instructions:

Temporary plots have been established. Plot center is a wooden stake sticking out at least 4" above the ground, flagged, painted, numbered and easy to see. Additional flagging has been placed overhead so the plot may be easily located. All trees, whether 'cut' or 'leave', which are 'in' using a Limiting Distance Table with a Basal Area Factor of 10 have been marked. Marking consists of a horizontal line (about 6") at dbh and a tree number anywhere on the tree, but clearly visible from plot center. Tree numbers start at 1 for each plot. Every 4<sup>th</sup> tree is marked in a different color which can be ignored for this test.

Azimuth and distance to the center of the tree at the base from the plot center have been recorded along with species. This information will be provided to you by the DNR in an Excel format. When trees are near the edge of the stand, the 'walkthrough' method (Ducey et al 2004) was used to determine 'in' trees. Trees 'in' from the 'walkthrough' method have been counted twice, have two numbers painted on the tree and are listed twice on the Excel spreadsheet.

Using the tree data in the spreadsheet, cruise each tree on the plot according to the following procedure. An example of the data and tally card is shown on page 6. The entire spreadsheet will be emailed to the winning bidder.

DBH: Measure Diameter at Breast Height (DBH) in the location marked on each tree. Round down to the nearest  $10^{\rm th}$ . Use a d-tape, or the average of a caliper where two measurements are taken at  $90^{\circ}$ .

 $H_S(1')$ : Measure height for the sawtimber portion of the tree in feet to a 9" Diameter Outside Bark (DOB) or to the sawlog stopper (see Product Standards and Cruising Manual). Round down to the nearest 1'. Minimum DBH is 9.1". If a tree has no sawtimber portion record  $H_S$  as 0 (do not leave blank). This may occur on a tree with no 8' minimum log (9.1" tree with a fork at 6') or has no quality (9.1" tree with branches all the way to the ground). Use a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device to determine the 9" location on the stem and a clinometer, Relaskop, Laser Ace® or similar device to determine  $H_S$ .

 $L_{DS}$ : Length of deduct in the sawtimber portion of the tree recorded to the nearest 1'. This is the length of defect between a 1' stump and  $H_S1$ '. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for a sawlog is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct

 $L_{\text{DSR}}$ : Length of deduct in the sawtimber portion of the tree that is recoverable for pulpwood recorded to the nearest 1'. The minimum length for recoverable pulpwood is 8'. There is no maximum length. For example, if there is a  $(H_S=)30\text{'sawlog}$  section in a tree with a 10' long section in the middle of it that is defective  $(L_{DS}=10\text{'})$ , 9' of which could be a pulp log, then  $L_{DSR}=9\text{'}$ .


 $H_4(1')$ : Measure height of the tree in feet to a 4" Diameter Outside Bark (DOB). Round down to the nearest 1'. This can be, but is not necessarily the merchantable height. Record height to a 4" DOB regardless of the location of the pulpwood stopper (denoted as  $H_p$ ). Use a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device to determine the 4" location on the stem and use a clinometer, Relaskop, Laser Ace® or similar device to determine  $H_4$ . If there is a pulpwood stopper (See Product Standards and Cruising Manual), also record the height to the location of the pulpwood stopper,  $H_p(1')$  to the nearest 1'; use a clinometer, Relaskop, Laser Ace® or similar device to determine  $H_4$ .

 $L_{D4}\colon$  Length of deduct in the pulpwood portion of the tree recorded to the nearest 1'. This is the length of defect between the  $H_S$  and  $H_4$  (or  $H_P$ , if  $H_4\neq H_P$ ). This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for pulpwood is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

In addition to the tree measurements, you must track your time conducting this test. If you are using a portable data recorder, this could be used for time tracking. Time starts when you leave your truck to begin measurement and ends when you return to your truck. If you take breaks or lunch in the woods, then stop your time at the beginning of each break and start when you resume work. This is an important attribute of our test so it is important that you remember to start and stop your time appropriately.

Tally sheets will be provided by the DNR. Output from an electronic data recorder is acceptable.

	TIMBER MARKING	SPECIFICATIONS					
☐ This is included in the bid	the specifications to be delineated at pre-work meeting with DNR staff    Chantable Residual BA (Basal Area):						
☐ Precise specifications to I	pe delineated at pre-work me	eeting with DNR staff					
Total Merchantable Residual	BA (Basal Area): (Mir	nimum to Maximum _	)				
TREAT	MENT	NUMBER	SIZE				
Regeneration Gaps Per Acre Girdled Trees Per Acre							
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB				
Sawlogs							
Sawbolts							
Pulpwood							
TYPE OF WORK WORK TO BE DONE		NOT APPLICABLE	PAINT COLOR				
Trees marked to leave							
Trees marked to cut			I				
SPECIES / I	PRODUCT						
SPECIAL MARKING INSTRUC		<u>, + ·</u>					
		ovided by the Forest Managemer	nt Unit.				
		who did what on the timber sa	ale.				
PAINT  1. None needed.							
DELIVERABLES  1. The name of the person to t	hat did the cruising. Excel spreadsheet provided l	by the DNR.					



5 of 6

Plot #	Tree #	Species	Azimuth	Dist.	DBH	H <sub>s</sub> 1'	L <sub>DS</sub>	L <sub>DSR</sub>	H <sub>P</sub> 1'	H <sub>4</sub> 1'	L <sub>D4</sub>
1	1	jack pine	39	11.6		3-	-03	_D3K		4-	-04
1	2	jack pine	198	22.9							
1	3	jack pine	205	18.5							
1	4	jack pine	211	6.4							
1	5	jack pine	265	11							
1	6	jack pine	323	11.2							
2	1	jack pine	25	12.8							
2	2	jack pine	93	8							
2	3	jack pine	97	17.1							
2	4	jack pine	12	18.9							
2	5	jack pine	258	11.9							
2	6	jack pine	293	21							
2	7	jack pine	301	18.7							
2	8	jack pine	350	17.6							
3	1	jack pine	71	9.2							
3	2	jack pine	97	13.1							
3	3	jack pine	137	20							
3	4	jack pine	150	7.4							
3	5	jack pine	163	14.8							
3	6	jack pine	217	13.3							
3	7	jack pine	242	14.4							
3	8	jack pine	259	9.6							
3	9	jack pine	275	17.6							
3	10	jack pine	297	12.5							
3	11	jack pine	301	21.6							
3	12	jack pine	313	26.3							
3	13	jack pine	321	15.2							