

TIMBER SALE PRESCRIPTION

				GENERAL					
Date		ement Unit							
08/01/2011				Grayling					
Timber Sale Numb	er (if applicable)			Sale Name (d	Sale Name (or prescription name)				
72-035-11-01					Measurement	Block Test C			
Maria				LOCAL CONTACT					
Name Tim Greco				Telephone (989) 732	2541				
Email Address									
	gan gov								
grecot@michigan.gov () -									
	ject Area Atta	ched							
				GAL DESCRIPTION					
T28N R1W S	Section(s) 2	Description	on W1/2 of t						
Year of Entry:	2011 Compar	tment(s):	291 Stand N	umber(s): 42					
	THIS	TIMBER S.	ALE CONTRA	CT IS BASED ON TH	HE FOLLOWING	ACREAGE			
Estimated Acre	es: 40 Source	e: 🗆 OI	⊠ GPS	☐ Other					
Estimated Acres: 40 Source: OI September Other Payment will be made on the basis of these estimated acres.									
Payment will be n	nade on the basis	or these es		ATMENT & OBJECTI	VE				
STAND#	COVER TYPE	ACRES	BA	TREATMENT		MANAGEMENT OBJECTIVE			
	COVERTITE								
42	J6	40	80	Final Harvest	Jack Pine	•			
				PRESCRIPTION					
stand. 2. Pin oak 3. BA range 4. 5. All of tare mar 6. No reter 7. 8. 9. 10. Access Cny Ro	is roughly ses from 30 to the oak and a ked with let ntion islands	% of the 150 with the 150 will be 150 will	e canopy co th and aver be cut; the not number	poor-quality no ver, along with age of 90. few red pine wi	very widely	ak scattered across the scattered red pine. The 'leave' tree red pine			
DNR PREPARATION WORK TO BE DONE PRIOR TO CONTRACT WORK						ESTIMATED DATE			
N/A									
	nediately	Date:	EDBY Date 30) days from PO is	ssue				

PAINT LINE WORK										
☐ This is included in the bid ☐ This is not included in the bid										
Paint line work to be performed: (See attached map for locations)										
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR	PAINT COLOR					
Private boundary			Blue	Other:						
Sale boundary			Red	Other:						
Sale cutting unit			☐ Yellow	Other:						
Stand type line				Other:						
Exclusions to mark and why Standards for marking lines a	against private l	and								
AREA CALCULATION This is included in the bid										
UNIT METHO	OD			STANDARD	STANDARD					
Sale GP	S String Cha	ain 🗌 Other								
Payment Unit GP	S String Cha	ain 🗌 Other								
Stand	S String Cha	ain								
Special Instructions:	TIMO	ED CRIJISING SO	ECIFICATIONS							
TIMBER CRUISING SPECIFICATIONS In this is included in the bid This is not included in the bid Required Basal Area Factor: In Included I										
Control Dasai Alea Factor. 10 20 Other.										
Cruise Line Directions The plots have already been established. The plot locations and numbering is shown on page 5.										
CRUISING UNIT	S	NUMBER OF PLO	OTS PER ACRE	SPACING (CH	SPACING (CHAINS)					
South Forty		1		N/a X N/a	« N/a					
		Х								
TOTAL NUMBER OF CRUIS	SE POINTS	40								

Cruise Special Instructions:

Temporary plots have been established. Plot center is a wooden stake sticking out at least 4" above the ground, flagged, painted, numbered and easy to see. Additional flagging has been placed overhead so the plot may be easily located. All trees, whether 'cut' or 'leave', which are 'in' using a Limiting Distance Table with a Basal Area Factor of 10 have been marked. Marking consists of a horizontal line (about 6") at dbh and a tree number anywhere on the tree, but clearly visible from plot center. Tree numbers start at 1 for each plot.

Azimuth and distance to the center of the tree at the base from the plot center have been recorded along with species. This information will be provided to you by the DNR in an Excel format. When trees are near the edge of the stand, the 'walkthrough' method (Ducey et al 2004) was used to determine 'in' trees. Trees 'in' from the 'walkthrough' method have been counted twice, have two numbers painted on the tree and are listed twice on the Excel spreadsheet.

Using the tree data in the spreadsheet, cruise each tree on the plot according to the following procedure. An example of the data and tally card is shown on page 6. The entire spreadsheet will be emailed to the winning bidder.

DBH: Measure Diameter at Breast Height (DBH) in the location marked on each tree. Round down to the nearest $10^{\rm th}$. Use a d-tape or the average of a caliper where two measurements are taken at 90° .

 $H_S(1')$: Measure height for the sawtimber portion of the tree in feet to a 9" Diameter Outside Bark (DOB) or to the sawlog stopper (see Product Standards and Cruising Manual). Round down to the nearest 1'. Minimum DBH is 9.1". If a tree has no sawtimber portion record H_S as 0 (do not leave blank). This may occur on a tree with no 8' minimum log (9.1" tree with a fork at 6') or has no quality (9.1" tree with branches all the way to the ground). Use a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device to determine the 9" location on the stem and a clinometer, Relaskop, Laser Ace® or similar device to determine H_S .

 L_{DS} : Length of deduct in the sawtimber portion of the tree recorded to the nearest 1'. This is the length of defect between a 1' stump and H_S1 '. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for a sawlog is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct

 $L_{\rm DSR}$: Length of deduct in the sawtimber portion of the tree that is recoverable for pulpwood recorded to the nearest 1'. The minimum length for recoverable pulpwood is 8'. There is no maximum length. For example, if there is a ($H_{\rm S}$ =)30'sawlog section in a tree with a 10' long section in the middle of it that is defective ($L_{\rm DS}$ = 10'), 9' of which could be a pulp log, then $L_{\rm DSR}$ = 9'.

 $H_4(1')$: Measure height of the tree in feet to a 4" Diameter Outside Bark (DOB). Round down to the nearest 1'. This can be, but is not necessarily the merchantable height. Record height to a 4" DOB regardless of the location of the pulpwood stopper (denoted as H_P). Use a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device to determine the 4" location on the stem and use a clinometer, Relaskop, Laser Ace® or similar device to determine H_4 . If there is a pulpwood stopper (See Product Standards and Cruising Manual), also record the height to the location of the pulpwood stopper, $H_P(1')$ to the nearest 1'; use a clinometer, Relaskop, Laser Ace® or similar device to determine H_4 .

 L_{D4} : Length of deduct in the pulpwood portion of the tree recorded to the nearest 1'. This is the length of defect between the H_S and H_4 (or H_P , if $H_4 \neq H_P$). This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for pulpwood is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

Every 4th tree on each plot has been painted with a different colored number, e.g. tree #4, tree #8, etc. These are the sub-sample trees. The sub-sample trees will require 3 additional measurements: DFH, H1' and H_C1'.

DFH is the diameter at form-class height (17.3') measured to the nearest 0.1" using a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device. The location, i.e. 17.3', would be determined using a clinometer, Relaskop, Laser Ace® or similar device. If the $\rm H_41'$ height is less than 17.3', then record zero.


H1' is the total height of a tree measured to the nearest 1' using a clinometer, Relaskop, Laser Ace® or similar device.

 $\rm H_{c}l'$ is the height at the base of the (merchantable) crown (where the base of the first merchantable branch occurs) to the nearest 1' using a clinometer, Relaskop, Laser Ace® or similar device. If there is no merchantable branch, then record zero. A fork is considered a merchantable branch. The main stem would be considered the stem with the most value.

In addition to the tree measurements, you must track your time conducting this test. If you are using a portable data recorder, this could be used for time tracking. Time starts when you leave your truck to begin measurement and ends when you return to your truck. If you take breaks or lunch in the woods, then stop your time at the beginning of each break and start when you resume work. This is an important attribute of our test so it is important that you remember to start and stop your time appropriately.

Tally sheets will be provided by the DNR. Output from an electronic data recorder is acceptable.

	TIMBER MARKING	G SPECIFICATIONS								
☐ This is included in the bid ☐ This is not included in the bid										
☐ Precise specifications to be delineated at pre-work meeting with DNR staff										
Total Merchantable Residual BA (Basal Area): (Minimum to Maximum)										
TREAT		NUMBER	SIZE							
Regeneration Gaps Per Acre Girdled Trees Per Acre										
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB							
Sawlogs										
Sawbolts										
Pulpwood										
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR							
Trees marked to leave			☐ Green☐ Other							
Trees marked to cut			☐ Orange ☐ Other							
		TENSITIES								
SPECIES /	PRODUCT		RATIO							
		1:								
		1:								
		1:								
SPECIAL MARKING INSTRU	CTIONS	ı								
Unless otherwise specified, the tally sheets used must be those provided by the Forest Management Unit.										
RESTRICTIONS 1. Forest Management Division must to be able to identify who did what on the timber sale. 2. This work is to be performed by one person.										
PAINT 1. None needed.										
DELIVERABLES 1. The name of the person that did the cruising. 2. Tally from each plot in the Excel spreadsheet provided by the DNR.										



Plot #	Tree #	Species	Azimuth	Dist.	DBH	H _s 1'	L _{DS}	L _{DSR}	H _P 1'	H ₄ 1'	L _{D4}	DFH	H1'	H _c 1'
1	1	jp	30	12.1								-	-	-
1	2	jp	64	17.2								1	-	-
1	3	jp	111	20.3								1	-	-
1	4	ро	171	20										
1	5	ро	232	19.3								-	-	-
1	6	ро	242	18.7								-	-	-
1	7	ро	244	16								-	-	-
1	8	jp	338	17.9										
1	9	jp	354	11.2								-	-	-
2	1	jp	3	17.9								-	-	-
2	2	jp	93	14.7								-	-	-
2	3	jp	106	15.6								-	-	-
2	4	jp	175	13.6										
2	5	jp	326	16.8								-	-	-
2	6	jp	340	10.9								-	-	-
2	7	jp	351	9.2								-	-	-
3	1	jp	187	6.1								-	-	-
3	2	ро	291	16.2								-	-	-
3	3	ро	301	15.5								-	-	-
3	4	ро	301	17.5										