

TIMBER SALE PRESCRIPTION

				GENERAL						
Date		agement Unit								
08/01/2011				Crystal F	Crystal Falls					
Timber Sale Numb	er (if applicable)				Sale Name (or prescription name)					
12-0??-11-01				,	Aspen Measurement Block Test C					
,,, ,,				LOCAL CONTACT						
Name				Telephone						
Tom Seablom				(906) 485-1	1066					
Email Address										
	1									
seablomt@mic	nigan.gov			()	-					
⊠ Map of Pro	ject Area Atta	ched								
T44N R27W	Section(s) 11	s. 10		GAL DESCRIPTION						
			•							
Year of Entry:			22 Stand Nu		E FOLLOWIN	10 A0DEA0E				
	THIS	IIMBER SA	ALE CONTRA	CT IS BASED ON TH	E FOLLOWIN	IG ACREAGE				
Estimated Acre	es: 44.6 Sou	ırce: 🗌 O	I ⊠ GPS	☐ Other						
Dayma and will be m										
Payment will be n	nade on the basis	or these es			<i>,</i> =					
				ATMENT & OBJECTIV	/E					
STAND#	COVER TYPE	ACRES	ВА	TREATMENT		MANAGEMENT OBJECTIVE				
26	A6	44.6	126.6	Final Harvest	Aspen					
						_				
				PRESCRIPTION						
2. Stay out 3. 10.6" av 4. Mixed st 5. 6. 7. 8. 9. 10. Access Kates	t of vernal p verage DBH tand of asper	oonds. 1, balsam	n fir, bals	opt pine and ceda	ple, white	spruce and other hardwoods.				
N/A										
CONTRACT WO	nediately	Date:	DBY Nove	mber 15, 2011						

PAINT LINE WORK										
☐ This is included in the bid ☐ This is not included in the bid										
Paint line work to be performed: (See attached map for locations)										
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR	PAINT COLOR					
Private boundary			Blue	Other:						
Sale boundary			Red	Other:						
Sale cutting unit			Yellow	Other:						
Stand type line				Other:						
Exclusions to mark and why Standards for marking lines a	against private I	and								
☐ This is included in the bid	⊠ This is no	AREA CALCUL								
UNIT METHO	OD.			STANDARD						
Sale GP										
Payment Unit GP										
Stand GP										
Special Instructions:										
TIMBER CRUISING SPECIFICATIONS										
☐ This is included in the bid ☐ This is not included in the bid										
Required Basal Area Factor:	⊠ 10 □ 20	Other:								
Cruise Line Directions The shown on page 5.	plots have alr	eady been esta	ablished. The	plot locations and num	mbering is					
CRUISING UNIT	S	NUMBER OF PLO	OTS PER ACRE	SPACING (CHAINS)						
Southeast 40		1	N/a X N/a							
				N/a X N/a						
				X						
				X						
TOTAL NUMBER OF CRUIS	SE POINTS	3:	9							

Cruise Special Instructions:

Temporary plots have been established. The test measurement can't be done by the same people that set up the plots. Plot center is PVC pipe sticking out at least 4" above the ground, flagged, painted, numbered and easy to see. Additional flagging has been placed overhead so the plot may be easily located. All trees, whether 'cut' or 'leave', which are 'in' using a Limiting Distance Table with a Basal Area Factor of 10 have been marked. Marking consists of a horizontal line (about 6") at dbh and a tree number anywhere on the tree, but clearly visible from plot center. Tree numbers start at 1 for each plot.

Azimuth and distance to the center of the tree at the base from the plot center have been recorded along with species. This information will be provided to you by the DNR in an Excel format. When trees are near the edge of the stand, the 'walkthrough' method (Ducey et al 2004) was used to determine 'in' trees. Trees 'in' from the 'walkthrough' method have been counted twice, have two numbers painted on the tree and are listed twice on the Excel spreadsheet.

Using the tree data in the spreadsheet, cruise each tree on the plot according to the following procedure. An example of the data and tally card is shown on page 6. The entire spreadsheet will be emailed to the winning bidder.

DBH: Measure Diameter at Breast Height (DBH) in the location marked on each tree. Round down to the nearest 10^{th} . Use a d-tape, or the average of a caliper where two measurements are taken at 90° .

 $H_S(1')$: Record $H_S(1')$ for all trees with DBH \geq 9.1". Measure height for the sawtimber portion of the tree in feet to a 9" Diameter Outside Bark (DOB) or to the sawlog stopper, which is a lower point on the tree (see Product Standards and Cruising Manual). Round down to the nearest 1'. Minimum recordable height is 9' (considers a 1' stump). Record heights less than 9' as 0'. This may occur on a tree with no 8' minimum log (9.1" tree with a fork at 6') or has no quality (9.1" tree with branches all the way to the ground). Use a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device to determine the 9" location on the stem and a clinometer, Relaskop, Laser Ace® or similar device to determine H_S .

 $\rm L_{DS}$: If a sub-portion of the stem is defective between $\rm H_S$ and the stump, record the total cumulative length of defect to the nearest 1'. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for a sawlog is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

 $L_{\text{DSR}}\colon$ If a portion of L_{DS} is recoverable as pulpwood, record the length of deduct that is recoverable to the nearest 1'. The minimum length for recoverable pulpwood is 8'. There is no maximum length. For example, if there is a $(H_{\text{S}}=)30\text{'sawlog}$ section in a tree with a 10' section in the middle that is defective $(L_{\text{DS}}=10\text{'})$, 9' of which could be a pulp log, then $L_{\text{DSR}}=9\text{'}$.

 $H_4(1')\colon \text{Record } H_4(1')$ for all trees with DBH 2 4.6". Measure height of the tree in feet to a 4" Diameter Outside Bark (DOB) regardless of merchantability. Round down to the nearest 1'. This can be, but is not necessarily the merchantable height. Record height to a 4" DOB regardless of the location of the pulpwood stopper (denoted as H_P). Use a Wheeler Pentaprism®, Laser Ace®, Gator Eyes® or similar device to determine the 4" location on the stem and use a clinometer, Relaskop, Laser Ace® or similar device to determine H_4 .

 $H_p(1')$: If the limit of pulpwood merchantability is lower on the tree than H_4 , record $H_p(1')$, the height to a pulpwood stopper (See Product Standards and Cruising Manual); otherwise record H_p as H_4 . The minimum recordable height for H_p is 9' (considers a 1' stump). If the tree does not contain at least one 8' pulp log, record H_p = 0. Use a clinometer, Relaskop, Laser Ace® or similar device to determine H_p .

 $L_{D4}\colon$ If a sub-portion of the stem is defective between H_S and H_4 (or H_P , if $H_4 \neq H_P$) or between H_P and the stump when $H_S = 0$, record the total cumulative length of defect to the nearest 1'. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for pulpwood is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

Every 4th tree on each plot has been painted with a different colored number, e.g. tree #4, tree #8, etc. These are the sub-sample trees. The sub-sample trees will require 3 additional measurements: DFH, H1' and H_c1' .

DFH is the diameter at form-class height (17.3') measured to the nearest 0.1" using a Wheeler

Pentaprism®, Laser Ace®, Gator Eyes® or similar device. The location, i.e. 17.3', would be determined using a clinometer, Relaskop, Laser Ace® or similar device. If the H_41' height is less than 17.3', then record zero.

H1' is the total height of a tree measured to the nearest 1' using a clinometer, Relaskop, Laser Ace® or similar device.

H_Cl' is the height at the base of the (merchantable) crown (where the base of the first merchantable branch occurs) to the nearest 1' using a clinometer, Relaskop, Laser Ace® or similar device. If there is no merchantable branch, then record zero. A fork is considered a merchantable The main stem would be considered the stem with the most value.

In addition to the tree measurements, you must track your time conducting this test. If you are using a portable data recorder, this could be used for time tracking. Time starts when you leave your truck to begin measurement and ends when you return to your truck. If you take breaks or lunch in the woods, then stop your time at the beginning of each break and start when you resume work. This is an important attribute of our test so it is important that you remember to start and stop your time appropriately.

Tally sheets will be provided by the DNR. Output from an electronic data recorder is acceptable.

	TIMBER MARKIN	G SPECIFICATIONS			
☐ This is included in the bid	d	in the bid			
☐ Precise specifications to	be delineated at pre-work n	neeting with DNR staff			
Total Merchantable Residual	BA (Basal Area): (Minimum to Maximu	m)		
TREAT	MENT	NUMBER	SIZE		
Regeneration Gaps Per Acre Girdled Trees Per Acre					
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB		
Sawlogs					
Sawbolts					
Pulpwood					
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR		
Trees marked to leave			☐ Green ☐ Other		
Trees marked to cut			☐ Orange ☐ Other		
	TALLY IN	ITENSITIES			
SPECIES /	PRODUCT		RATIO		
		1:			
		1 :			
		1 :			
		1:			
SPECIAL MARKING INSTRU	CTIONS				

Unless otherwise specified, the tally sheets used must be those provided by the Forest Management Unit.

RESTRICTIONS


- 1. Forest Management Division must to be able to identify who did what on the timber sale.
- 2. This work is to be performed by one person.

PAINT

1. None needed.

DELIVERABLES

- 1. The name of the person that did the cruising.
- 2. Tally from each plot in the Excel spreadsheet provided by the DNR.



Plot#	Tree #	Species	Azimuth	Distance	DBH	H _s 1'	L _{DS}	L _{DSR}	H _P 1'	H ₄ 1'	L _{D4}	DFH	H1'	H _c 1'
1	1	asp	347	23								-	-	-
1	2	asp	66	2.9								-	-	-
1	3	rm	67	13.3								-	-	-
1	4	asp	74	18.3										
1	5	asp	110	14.4								-	-	-
1	6	ws	141	8.8								-	-	-
1	7	asp	157	22.2								-	-	-
1	8	asp	157	5.8										
1	9	asp	203	27.5								-	-	-
1	10	asp	204	6.5								-	-	-
1	11	asp	227	18.7								-	-	-
1	12	hm	304	36										
1	13	asp	306	11.5								-	-	-
1	14	ws	308	14.1								-	-	-
2	1	asp	65	21.4								-	-	-
2	2	bf	77	22.6								-	-	-
2	3	rm	82	50.1								-	-	-
2	4	asp	126	13.1										
2	5	bf	140	11.6								-	-	-
2	6	bf	166	14.9								-	-	-
2	7	rm	270	32.2								-	-	-
2	8	asp	294	9.4										
2	9	rm	332	36.3								-	-	-