

TIMBER SALE PRESCRIPTION

GENERAL										
Date	ement Unit									
08/01/2011				Naubinway	Forest, Mineral and Fire Management Unit					
Timber Sale Numb	er (if applicable)				Sale Name (or prescription name)					
45-101-11-01	ю (п аррисавіо)			· · · · · · · · · · · · · · · · · · ·	Gravy Pine AKA Red Pine Measurement Block Test C					
				LOCAL CONTACT	=					
Name				Telephone						
Don Kuhr					(906) 341-2518					
Email Address			10							
kuhrd@michig	an gov									
⊠ Map of Pro		ched		[()						
			LE	EGAL DESCRIPTION						
T42N R6W	Section(s) 1	Description	on							
Year of Entry: 2011 Compartment(s):103 Stand Number(s): 27										
	THIS	TIMBER S	ALE CONTRA	CT IS BASED ON THE	FOLLOWING	ACREAGE				
Catimated Agre										
Estimated Acre	es: 40 Sour	ce: 🗌 OI	⊠ GPS	Other						
Payment will be r	nade on the basis	of these es	stimated acres.							
			TRE	ATMENT & OBJECTIV	E					
STAND#	COVER TYPE	ACRES	ВА	TREATMENT		MANAGEMENT OBJECTIVE				
27	R9	40	130	Final Harvest	Red Pine					
27	K9	40	130	rillai naivest	Red Pille					
				PRESCRIPTION	<u> </u>					
 The cover is RP. All the RP are designated for harvest. In addition, there are a few white pine, white spruce and paper birch. 										
Access Town Line Rd.										
DNR PF	REPARATION W	ESTIMATED DATE								
N/A										
CONTRACT WO	ORK CAN BEGIN	J								
	nediately	Date:								
CONTRACT WO	-		ED BY Dece	mber 31, 2011						

PAINT LINE WORK								
☐ This is included in the bid	│	ot included in the						
Paint line work to be perform	ed: (See attach	ed map for loca	tions)					
TYPE OF LINE	WORK TO BE DONE	NOT APPLICABLE		PAINT COLOR	PAINT COLOR			
Private boundary			Blue	Other:				
Sale boundary			Red	Other:				
Sale cutting unit			Yellow	Other:				
Stand type line				Other:				
Exclusions to mark and why Standards for marking lines	against private l	and						
☐ This is included in the bid	l ⊠ This is no	AREA CALCUL						
UNIT METHO	OD			STANDARD				
Sale GP	S String Cha	ain 🗌 Other						
Payment Unit GPS String Chain Other								
Stand GP		_						
Special Instructions:	TIMP	ER CRUISING SPI	ECIEICATIONS					
☐ This is included in the bid Required Basal Area Factor:	☐ This is no	ot included in the						
Cruise Line Directions The shown on page 5.	plots have alr	eady been esta	ublished. The	plot locations and numbering	is			
CRUISING UNIT	S	NUMBER OF PLO	OTS PER ACRE	SPACING (CHAINS)				
West Forty		1		N/A X N/A				
				Х				
				X				
TOTAL NUMBER OF CRUIS	SE POINTS	POINTS 40						

Cruise Special Instructions:

Temporary plots have been established. The test measurement can't be done by the same people that set up the plots. Plot center is a wooden stake sticking out at least 4" above the ground, flagged, painted, numbered and easy to see. Additional flagging has been placed overhead so the plot may be easily located. All trees, whether 'cut' or 'leave', which are 'in' using a Limiting Distance Table with a Basal Area Factor of 10 have been marked. Marking consists of a horizontal line (about 6") at dbh and a tree number anywhere on the tree, but clearly visible from plot center. Tree numbers start at 1 for each plot.

Azimuth and distance to the center of the tree at the base from the plot center have been recorded along with species. This information will be provided to you by the DNR in an Excel format. When trees are near the edge of the stand, the 'walkthrough' method (Ducey et al 2004) was used to determine 'in' trees. Trees 'in' from the 'walkthrough' method have been counted twice, have two numbers painted on the tree and are listed twice on the Excel spreadsheet.

Using the tree data in the spreadsheet, cruise each tree on the plot according to the following procedure. An example of the data and tally card is shown on page 6. The entire spreadsheet will be emailed to the winning bidder.

DBH: Measure Diameter at Breast Height (DBH) in the location marked on each tree. Round down to the nearest 10^{th} . Use a d-tape, or the average of a caliper where two measurements are taken at 90° .

 $H_S(1')$: Record $H_S(1')$ for all trees with DBH \geq 9.1". Measure height for the sawtimber portion of the tree in feet to a 9" Diameter Outside Bark (DOB) or to the sawlog stopper, which is a lower point on the tree (see Product Standards and Cruising Manual). Round down to the nearest 1'. Minimum recordable height is 9' (considers a 1' stump). Record heights less than 9' as 0'. This may occur on a tree with no 8' minimum log (9.1" tree with a fork at 6') or has no quality (9.1" tree with branches all the way to the ground). Use Gator Eyes®, a Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device to determine the 9" location on the stem and a clinometer, Relaskop®, TruPulse®, Forestry 550®, Laser Ace® or similar device to determine H_S .

 $\rm L_{DS}$: If a sub-portion of the stem is defective between $\rm H_S$ and the stump, record the total cumulative length of defect to the nearest 1'. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for a sawlog is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

 $L_{\text{DSR}}\colon$ If a portion of L_{DS} is recoverable as pulpwood, record the length of deduct that is recoverable to the nearest 1'. The minimum length for recoverable pulpwood is 8'. There is no maximum length. For example, if there is a $(H_{\text{S}}=)30\text{'sawlog}$ section in a tree with a 10' section in the middle that is defective $(L_{\text{DS}}=10\text{'})$, 9' of which could be a pulp log, then $L_{\text{DSR}}=9\text{'}$.

 ${\rm H_4(1')}\colon$ Record ${\rm H_4(1')}$ for all trees with DBH 2 4.6". Measure height of the tree in feet to a 4" Diameter Outside Bark (DOB) regardless of merchantability. Round down to the nearest 1'. This can be, but is not necessarily the merchantable height. Record height to a 4" DOB regardless of the location of the pulpwood stopper (denoted as ${\rm H_P}$). Use Gator Eyes®, a Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device to determine the 4" location on the stem and use a clinometer, Relaskop, Laser Ace® or similar device to determine ${\rm H_4}$.

 $H_p(1')$: If the limit of pulpwood merchantability is lower on the tree than H_4 , record $H_p(1')$, the height to a pulpwood stopper (See Product Standards and Cruising Manual); otherwise record H_p as H_4 . The minimum recordable height for H_p is 9' (considers a 1' stump). If the tree does not contain at least one 8' pulp log, record $H_p = 0$. Use a clinometer, Relaskop®, TruPulse®, Forestry 550®, Laser Ace® or similar device to determine H_p .

 $L_{D4}\colon$ If a sub-portion of the stem is defective between H_S and H_4 (or H_P , if $H_4 \neq H_P$) or between H_P and the stump when H_S = 0, record the total cumulative length of defect to the nearest 1'. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for pulpwood is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

Every 4th tree on each plot has been painted with a different colored number, e.g. tree #4, tree #8, etc. These are the sub-sample trees. The sub-sample trees will require 3 additional measurements: DFH, H1' and H_C1'.

DFH is the diameter at form-class height (17.3') measured to the nearest 0.5" using Gator Eyesf e, a

Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device. The location, i.e. 17.3′, would be measured using Gator Eyes®, a Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device. If the H₄1′ height is less than 17.3′, then record zero.

 ${\rm H1'}$ is the total height of a tree measured to the nearest 1' using a clinometer, Relaskop®, ${\rm TruPulse}$ ®, ${\rm Forestry}~550$ ®, Laser Ace® or similar device.

 $\rm H_{c}l'$ is the height at the base of the (merchantable) crown (where the base of the first merchantable branch occurs) to the nearest 1' using a clinometer, Relaskop®, TruPulse®, Forestry 550®, Laser Ace® or similar device. If there is no merchantable branch, then record zero. A fork is considered a merchantable branch. The main stem would be considered the stem with the most value.

In addition to the tree measurements, you must track your time conducting this test. If you are using a portable data recorder, this could be used for time tracking. Time starts when you leave your truck to begin measurement and ends when you return to your truck. If you take breaks or lunch in the woods, then stop your time at the beginning of each break and start when you resume work. This is an important attribute of our test so it is important that you remember to start and stop your time appropriately.

Tally sheets will be provided by the DNR. Output from an electronic data recorder is acceptable.

	TIMBER MARKING	SPECIFICATIONS						
\square This is included in the bid	$oxed{\boxtimes}$ This is not included in	n the bid						
☐ Precise specifications to	be delineated at pre-work me	eeting with DNR staff						
Total Merchantable Residual	BA (Basal Area): (Min	nimum to Maximum)					
TREAT	MENT	NUMBER	SIZE					
Regeneration Gaps Per Acre Girdled Trees Per Acre	,							
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB					
Sawlogs								
Sawbolts								
Pulpwood								
			_					
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR					
Trees marked to leave			☐ Green ☐ Other					
Trees marked to cut			☐ Orange ☐ Other					
	TALLY IN	TENSITIES	'					
SPECIES /	PRODUCT	R	ATIO					
		1:						
	_	1:	_					
		1:						
	·	1:						

SPECIAL MARKING INSTRUCTIONS

Unless otherwise specified, the tally sheets used must be those provided by the Forest Management Unit.

RESTRICTIONS


- 1. Forest Management Division must to be able to identify who did what on the timber sale.
- 2. This work is to be performed by one person.

PAINT

1. None needed.

DELIVERABLES

- 1. The name of the person that did the cruising.
- Tally from each plot in the Excel spreadsheet provided by the DNR.



5 of 6

Plot #	Tree #	Species	Azimuth	Dist.	DBH	H _s 1'	L _{DS}	L _{DSR}	H _P 1'	H ₄ 1'	L _{D4}	DFH	H1'	H _c 1'
1	1	red pine	341	20.5								-	-	-
1	2	red pine	30	25.7								-	-	-
1	3	red pine	42	8.4								-	-	-
1	4	red pine	47	31.9										
1	5	red pine	112	28.7								-	-	-
1	6	red pine	119	37.7								-	-	-
1	7	red pine	156	16.6								-	-	-
1	8	red pine	193	28.4										
1	9	red pine	210	31.9								_	_	-
1	10	red pine	245	12.5								-	-	-
1	11	red pine	258	25.1								-	-	-
1	12	red pine	287	27.6										
1	13	red pine	302	15.6								-	-	-
1	14	red pine	308	36.3								-	-	-
2	1	red pine	5	31.3								_	_	_
2	2	red pine	17	3.7								-	-	-
2	3	red pine	25	37.8								-	-	-
2	4	red pine	27	31.3										_
2	5	red pine	48	30.8								_	_	_
2	6	red pine	91	29.6								-	-	-
2	7	red pine	150	24.2								-	-	-
2	8	red pine	195	40.7										
2	9	red pine	203	20.1								-	-	-
2	10	red pine	223	30								-	-	-
2	11	red pine	261	12.7								-	-	-
2	12	red pine	271	34.4										
2	13	red pine	304	16.8								-	-	-
2	14		343	32.9								-	-	-