

TIMBER SALE PRESCRIPTION

GE	ENERAL								
Date	Forest, Mineral and Fire Mana	Forest, Mineral and Fire Management Unit							
08/01/2011	Traverse City								
Timber Sale Number (if applicable)	Sale Name (or prescription name)								
61-080-11-01	asurement Block Test C								
	L CONTACT Telephone								
Name									
Scott Throop									
Email Address									
throops@michigan.gov	-								
⊠ Map of Project Area Attached									
T25N R10W Section(s) 35 Description	DESCRIPTION								
Year of Entry: 2011 Compartment(s): 58 Stand Number	• •	IC ACREAGE							
THIS TIMBER SALE CONTRACT IS BASED ON THE FOLLOWING ACREAGE Estimated Acres: 41 Source: OI GPS Other Payment will be made on the basis of these estimated acres.									
	IT & OBJECTIVE								
STAND# COVER TYPE ACRES BA	TREATMENT	MANAGEMENT OBJECTIVE							
112 Mixed Oak 9 41 75 CC w	/ Reserves Mixed o	ak and conifer							
		_							
PRES	CRIPTION								
 The BA range is 20 to 180, with an average of 75. Stand has been leave tree marked down to 0 to 30 B Current stand is Red Pine 30%, White oak 30%, Red 2% Oak, red maple, white pine in understory. Cut all trees except those marked to leave. 		%, red pine 6%, white pine							
Access Number Two Rd DNR PREPARATION WORK TO BE DONE PRIOR TO	CONTRACT WORK	ESTIMATED DATE							
N/A									
CONTRACT WORK CAN BEGIN Immediately	31, 2011								

PAINT LINE WORK										
☐ This is included in the bid	I ⊠ This is no	t included in the	e hid							
Paint line work to be performed: (See attached map for locations)										
TYPE OF LINE	WORK TO BE DONE	ORK TO BE DONE NOT APPLICABLE PAINT COLOR								
Private boundary			Other:							
Sale boundary			Red	Other:						
Sale cutting unit			Other:							
Stand type line				☐ Other:						
Exclusions to mark and why										
Standards for marking lines	against private i	and								
		AREA CALCUL	ATION							
This is included in the bid	I 🛚 🖂 I his is no	t included in the	e bid							
UNIT METHO	OD			STANDARD						
Sale	☐ GPS ☐ String Chain ☐ Other									
Payment Unit GP	☐ GPS ☐ String Chain ☐ Other									
Stand GP	S String Cha	ain								
Special Instructions:										
	TIMB	ER CRUISING SP	ECIFICATIONS							
□ This is included in the bid □ This is not included in the bid										
Required Basal Area Factor:										
Cruise Line Directions The plots have already been established. The plot locations and numbering is										
shown on page 5.										
CRUISING UNITS NUMBER OF PLOTS PER ACRE SPACING (CHAINS)										
West Forty (41.0 acres):		NUMBER OF PLO	JIS PER AGRE	SPACING (CHAINS)						
trees	F	1	1 N/A X N/A							
				N/A X N/A						
				Х						
				Х						
TOTAL NUMBER OF CRUIS	SE POINTS	4	n							

Cruise Special Instructions:

Temporary plots have been established. The test measurement can't be done by the same people that set up the plots. Plot center is a wooden stake sticking out at least 4" above the ground, flagged, painted, numbered and easy to see. Additional flagging has been placed overhead so the plot may be easily located. All trees, whether 'cut' or 'leave', which are 'in' using a Limiting Distance Table with a Basal Area Factor of 10 have been marked. Marking consists of a horizontal line (about 6") at dbh and a tree number anywhere on the tree, but clearly visible from plot center. Tree numbers start at 1 for each plot.

Azimuth and distance to the center of the tree at the base from the plot center have been recorded along with species. This information will be provided to you by the DNR in an Excel format. When trees are near the edge of the stand, the 'walkthrough' method (Ducey et al 2004) was used to determine 'in' trees. Trees 'in' from the 'walkthrough' method have been counted twice, have two numbers painted on the tree and are listed twice on the Excel spreadsheet.

Using the tree data in the spreadsheet, cruise each tree on the plot according to the following procedure. Leave Trees only need DBH. An example of the data and tally card is shown on page 6. The entire spreadsheet will be emailed to the winning bidder.

DBH: Measure Diameter at Breast Height (DBH) in the location marked on each tree. Round down to the nearest 10^{th} . Use a d-tape, or the average of a caliper where two measurements are taken at 90° .

 $H_S(1')$: Record $H_S(1')$ for all trees with DBH \geq 9.1". Measure height for the sawtimber portion of the tree in feet to a 9" Diameter Outside Bark (DOB) or to the sawlog stopper, which is a lower point on the tree (see Product Standards and Cruising Manual). Round down to the nearest 1'. Minimum recordable height is 9' (considers a 1' stump). Record heights less than 9' as 0'. This may occur on a tree with no 8' minimum log (9.1" tree with a fork at 6') or has no quality (9.1" tree with branches all the way to the ground). Use Gator Eyes®, a Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device to determine the 9" location on the stem and a clinometer, Relaskop®, TruPulse®, Forestry 550®, Laser Ace® or similar device to determine H_S .

 $\rm L_{DS}$: If a sub-portion of the stem is defective between $\rm H_S$ and the stump, record the total cumulative length of defect to the nearest 1'. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for a sawlog is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

 $L_{\text{DSR}}\colon$ If a portion of L_{DS} is recoverable as pulpwood, record the length of deduct that is recoverable to the nearest 1'. The minimum length for recoverable pulpwood is 8'. There is no maximum length. For example, if there is a $(H_{\text{S}}=)30\text{'sawlog}$ section in a tree with a 10' section in the middle that is defective $(L_{\text{DS}}=10\text{'})$, 9' of which could be a pulp log, then $L_{\text{DSR}}=9\text{'}$.

 ${\rm H_4(1')}\colon$ Record ${\rm H_4(1')}$ for all trees with DBH 2 4.6". Measure height of the tree in feet to a 4" Diameter Outside Bark (DOB) regardless of merchantability. Round down to the nearest 1'. This can be, but is not necessarily the merchantable height. Record height to a 4" DOB regardless of the location of the pulpwood stopper (denoted as ${\rm H_P}$). Use Gator Eyes®, a Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device to determine the 4" location on the stem and use a clinometer, Relaskop, Laser Ace® or similar device to determine ${\rm H_4}$.

 $H_p(1')$: If the limit of pulpwood merchantability is lower on the tree than H_4 , record $H_p(1')$, the height to a pulpwood stopper (See Product Standards and Cruising Manual); otherwise record H_p as H_4 . The minimum recordable height for H_p is 9' (considers a 1' stump). If the tree does not contain at least one 8' pulp log, record $H_p = 0$. Use a clinometer, Relaskop®, TruPulse®, Forestry 550®, Laser Ace® or similar device to determine H_p .

 $L_{D4}\colon$ If a sub-portion of the stem is defective between H_S and H_4 (or H_P , if $H_4 \neq H_P$) or between H_P and the stump when $H_S = 0$, record the total cumulative length of defect to the nearest 1'. This may be in one section or multiple sections, but is recorded as one number. If in multiple sections, add the sections together and record one number. The minimum length for pulpwood is 8'. There is no maximum length. See Product Standards and Cruising Manual for information on deduct.

Every 4th tree on each plot has been painted with a different colored number, e.g. tree #4, tree #8, etc. These are the sub-sample trees. The sub-sample trees will require 3 additional measurements: DFH, H1' and H_C1'.

DFH is the diameter at form-class height (17.3') measured to the nearest 0.5" using Gator Eyesf e, a

Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device. The location, i.e. 17.3′, would be measured using Gator Eyes®, a Wheeler Pentaprism®, a Criterion RD 1000®, Laser Ace® or similar device. If the H₄1′ height is less than 17.3′, then record zero.

 ${\rm H1'}$ is the total height of a tree measured to the nearest 1' using a clinometer, Relaskop®, ${\rm TruPulse}$ ®, ${\rm Forestry}~550$ ®, Laser Ace® or similar device.

 $\rm H_{c}l'$ is the height at the base of the (merchantable) crown (where the base of the first merchantable branch occurs) to the nearest 1' using a clinometer, Relaskop®, TruPulse®, Forestry 550®, Laser Ace® or similar device. If there is no merchantable branch, then record zero. A fork is considered a merchantable branch. The main stem would be considered the stem with the most value.

In addition to the tree measurements, you must track your time conducting this test. If you are using a portable data recorder, this could be used for time tracking. Time starts when you leave your truck to begin measurement and ends when you return to your truck. If you take breaks or lunch in the woods, then stop your time at the beginning of each break and start when you resume work. This is an important attribute of our test so it is important that you remember to start and stop your time appropriately.

Tally sheets will be provided by the DNR. Output from an electronic data recorder is acceptable.

	TIMBER MARKING	SPECIFICATIONS					
\square This is included in the bid	$oxed{\boxtimes}$ This is not included in	n the bid					
☐ Precise specifications to	be delineated at pre-work me	eeting with DNR staff					
Total Merchantable Residual	BA (Basal Area): (Min	nimum to Maximum)				
TREAT	MENT	NUMBER	SIZE				
Regeneration Gaps Per Acre Girdled Trees Per Acre	,						
PRODUCT	MARKING SYMBOL	MINIMUM DBH	TOP DIB				
Sawlogs							
Sawbolts							
Pulpwood							
			_				
TYPE OF WORK	WORK TO BE DONE	NOT APPLICABLE	PAINT COLOR				
Trees marked to leave			Green Other				
Trees marked to cut			☐ Orange ☐ Other				
	TALLY IN	TENSITIES	'				
SPECIES /	PRODUCT	RATIO					
		1:					
	_	1 :	_				
		1:					
	·	1:					

SPECIAL MARKING INSTRUCTIONS

Unless otherwise specified, the tally sheets used must be those provided by the Forest Management Unit.

RESTRICTIONS

- 1. Forest Management Division must to be able to identify who did what on the timber sale.
- 2. This work is to be performed by one person.

PAINT

1. None needed.

DELIVERABLES

- 1. The name of the person that did the cruising.
- Tally from each plot in the Excel spreadsheet provided by the DNR.



Plot #	Tree #	Species	Azimuth	Dist.	DBH	H _s 1'	L _{DS}	L _{DSR}	H _P 1'	H ₄ 1'	L_{D4}	DFH	H1'	H _c 1'
1	1	red maple	7	21								1	1	-
1	2	red maple	8	19.9								1	1	-
1	3	red maple	9	18.9								-	-	-
1	4	red maple	10	20.9										
1	5	white oak	114	32.3								1	1	-
1	6	red maple	164	13.3								-	-	-
1	7	white oak	168	26.6								-	-	-
1	a	white oak	209	24.3		-	-	-	-	1	-	-	-	-
1	b	white oak	211	22		-	-	-	-	-	-	-	-	-
1	8	white oak	251	16.1										
1	9	white oak	310	25.1								-	-	-
1	10	white oak	318	24.3								-	-	-
2	1	jack pine	26	16.5								-	-	-
2	2	jack pine	51	13.6								-	-	-
2	3	jack pine	77	18								-	-	-
2	4	jack pine	145	28.1										
2	5	red pine	211	35								-	-	-
2	6	red pine	212	34								-	-	-
2	7	white oak	276	24.4								-	-	-
2	a	white oak	294	32.1		-	-	-	-	-	-	-	-	-
2	b	white oak	297	30.3		ı	1	•	-	•	-	-	-	-
2	С	red pine	311	22.2		-	-	-	-	-	-	-	-	-
3	1	white oak	156	41.7								-	-	-
3	2	jack pine	197	20.4								-	-	-