

## **Compartment Review Presentation**

**Atlanta Forest Management Unit** 

Compartment 54107
Entry Year 2023
Acreage: 1,136
County Alpena

Management Area: Alpena Lake Plain

Revision Date: 2021-03-26 Stand Examiner: Doug Tyran

**Legal Description:** 

T31 N, R09E, SECS.09, 10, 15, 16 & 22

#### **Identified Planning Goals:**

Compartment consists of lowland covered by aspen, oak and conifer. Timber harvesting may occur to facilitate healthy forests. MNFI have identified 6 ERA's in the area and the El Cajon Bay ERA Management plan is part of this review to protect a majority of this compartment.

#### Soil and topography:

The major soils are Granby sand and Rifle peat. There are Summerville stony loam and Alpena cobbley loam.

#### Ownership Patterns, Development, and Land Use in and Around the Compartment:

La Farge Corporation and North Shore Development are large land owners in this area. Development is increasing along the Lake Huron shore line. Prospect Park, plotted in the early 1900's, has been reverting back to state ownership, making management difficult. Land use is varied throughout the area, including residences, hunting camps and corporate lands. Illegal dumping is common in this area, monitoring is needed to keep all trails closed.

#### **Unique Natural Features:**

As identified by MNFI: Northern Fen, Coastal Fen, Limestone Cliff, Emergent Marsh, Great Lakes Marsh, Rich Conifer Swamp.

#### **Archeological, Historical, and Cultural Features:**

None known.

#### **Special Management Designations or Considerations:**

Continue to monitor and gate illegal ORV trails & follow above described management plan.

#### **Watershed and Fisheries Considerations:**

Lake Huron frontage along with several streams.

#### Wildlife Habitat Considerations:

(See compartment header notes.)

#### Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of glacial outwash sand and gravel and postglacial alluvium and coarse-textured glacial till. An esker appears to be in this area. Glacial drift thickness varies between 200 and 400 feet. There is approximately 110 feet of local relief within the compartment. Beneath the Glacial Drift is the Devonian Traverse Group. The Traverse is quarried for Limestone/cement products. The nearest gravel pit is on private land within the compartment, in Section 9. The potential in the compartment is considered good. This area has had no drilling for oil and gas. The Antrim Shale was eroded off in this area. There are no leases for oil & gas in the compartment. The State owns additional mineral rights in the compartment.

#### **Vehicle Access:**

Roads as shown on compartment map and road closures

#### **Survey Needs:**

None identified at this time.

#### **Recreational Facilities and Opportunities:**

There are no existing recreation facilities within this compartment, deer hunting, bird hunting, camping and hiking are very popular.

#### **Fire Protection:**

10/7/2021 1:31:27 PM - Page 1 of 2 SWARTZN3

Protected by the Atlanta FMU, fire supression should only occur on the outside of the ERA's, not within.

#### **Additional Compartment Information:**

The following reports from the Inventory are attached:

**Total Acres by Cover Type and Age Class Cover Type by Harvest Method** 

**Proposed Treatments – No Limiting Factors** 

**Proposed Treatments – With Limiting Factors** 

**Stand Details (Forested and Nonforested)** 

**Dedicated and Proposed Special Conservation Areas** 

**Site Condition Details** 


The following information is displayed, where pertinent, on the attached compartment maps:


Base feature information, stand boundaries, cover types, and numbers


**Proposed treatments** 

Site condition boundaries

Details on the road access system







Compartment 107 Year of Entry 2023

Doug Tyran : Examiner

Atlanta Mgt. Unit



Age Class

	<b>¥</b> ord		3/2	\$ / \$	P K	3/\$		3/8	\$ / R	R &	* %	3 /2	70,70	Ø. / &.	R. S.	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	N. S. S.	\$ Jres	Log Log
Cedar	0	0	0	0	0	0	0	0	0	0	20	183	22	0	72	23	190	16	526
Herbaceous Openland	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Lowland Aspen/Balsam Poplar	0	33	0	0	3	19	0	0	0	0	0	0	10	0	0	0	0	0	65
Lowland Conifers	0	0	0	0	0	152	44	0	8	0	32	0	0	0	0	13	0	0	249
Lowland Mixed Forest	0	0	0	0	0	47	20	6	2	0	0	0	0	0	0	0	0	48	123
Lowland Shrub	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
Marsh	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28
Mixed Upland Deciduous	0	0	0	0	0	0	0	0	0	0	63	8	0	0	0	0	0	0	71
Urban	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Water	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
Total	103	33	0	0	3	218	64	6	10	0	115	191	32	0	72	36	190	64	1137



## **Report 2 – Treatment Summary**


# Atlanta Mgt. Unit

Year of Entry: 2023 Acres of Harvest


Compartment 107
Total Compartment Acres: 1,136

Commercial Harvest - 52 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

#### **Cover Type by Harvest Method**



#### **Proposed and Next Step Treatments by Method**



Stand

CoverType

Size

Density

Stand

Age

ВА

Range

Compartment: 107 Year of Entry: 2023

Age

Structure



Cut

**Proposed Treatments:** 

**Treatment** 

Name

s

t а

n

d

20 54107020-31.2 4191 - Mixed Sawtimber 96 81-110 Harvest Clearcut with 4191 - Mixed Even-Aged No **Upland Deciduous** CCR Well Retention Upland with Conifer Deciduous with

**Treatment** 

Type

**Treatment** 

Method

Conifer

Cover Type

Objective

Prescription Final harvest stand, cut all trees 2" and up, except hemlock.. Leave 3-10% area retention in 2-3 pockets focused on oak for mast production Specs:

and large diameter white pine.

Acres

Next Step Monitoring, Natural Regen (Re-Inventory)

**Treatments:** 

Acceptable Oak, Maple, Aspen, Fir, Spruce, Pine & Cedar

Regen:

Wood products will need to be hauled/skidded through the cedar stand to the west (into the aspen stand) or access granted from private land **Other** owners to the east. Tree's removed for a skid trail are not included timber and should be used as corduroy. Comment:

Site Condition

Proposed Start Date: 10/1 /2022

54107034-4191 - Mixed Sawtimber 91 81-110 Clearcut with 4191 - Mixed Even-Aged No 34 21.3 Harvest **Upland Deciduous** CCR Well Retention Upland with Conifer Deciduous with

Conifer

Prescription Final harvest stand, cut all trees 2" and up, except hemlock. Leave 3-10% area retention around hemlock pocket, try to include oak for mass

production. Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Oak, Maple, Aspen, Fir, Spruce, & Cedar

Regen:

**Other** Actual treatment boundary should be very close to planned boundary. 100 ft is the recommended buffer for timber harvests near wetland

Comment: ERAs. Mapped using the buffer tool.

The wet meadow should not be used as a landing location, as it has sensitive soils.

Site Condition

Proposed Start Date: 10/1 /2022

**Total Treatment** 52.5 **Acreage Proposed:** 

Atlanta Mgt. Unit

Doug Tyran : Examiner

Compartment: 107
Year of Entry: 2023

Availa	ability for	Managemer	nt					
Total	Acres	Acres Avail	Acres		omina	nt Site	Cond	ditions
Acres	Available	With Condition	Not Available		5B	2G	3A	5E
525	50	0	475	Cedar		73	401	
4	4	0	0	Herbaceous Openland				
64	54	0	10	Lowland Aspen/Balsam Poplar			10	0
248	131	0	117	Lowland Conifers		53	64	
124	67	6	51	Lowland Mixed Forest	6	0	48	2
53	53	0	0	Lowland Shrub				
28	28	0	0	Marsh				
71	63	0	8	Mixed Upland Deciduous			8	
4	4	0	0	Urban			0	
14	14	0	0	Water				
1,136	470	6	660	Total Forested Acres	6	127	531	2
	41%	1%	58%	Relative Percent		•		

\*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	3A: Conservation Values incompatible with harvest at this time	81	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
2	Available	5B: Maintain for regeneration purposes	6	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
	024 4:24:24 DM Down						CWADT

## Report 4 – Site Conditions

Atlanta Mgt. Unit

Doug Tyran : Examiner

3	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	32	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
6	Unavailable	3A: Conservation Values incompatible with harvest at this time	92	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: This area is apart of and a Limestone C	of the El Cajon Bay Ecological R Sliff	eferenc	e Area. MNFI has identifie	ed the following: Rich Conif	er Swamp, Coastal Fen, G	reat Lakes Marsh,
7	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	21	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
8	Unavailable	3A: Conservation Values incompatible with harvest at this time	8	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
9	Unavailable	3A: Conservation Values incompatible with harvest at this time	44	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

## Report 4 – Site Conditions

Atlanta Mgt. Unit
Doug Tyran : Examiner

Compartment: 107
Year of Entry: 2023

13	Unavailable	3A: Conservation Values incompatible with harvest at this time	3	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
17	Unavailable	3A: Conservation Values incompatible with harvest at this time	8	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
28	Unavailable	3A: Conservation Values incompatible with harvest at this time	295	Unspecified	Unspecified	Unspecified	Unspecified
Т	Comments: This area is a part Marsh	of the El Cajon Bay Ecological F	Reference	Area. MNFI has identifi	ed the following: A Rich Co	nifer Swamp, Coastal Fen	& a Great Lakes
31	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
33	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	74	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						

10/7/2021 1:31:21 PM - Page 3 of 3 SWARTZN3

Mgt. Unit

Compartment: #Type! Year of Entry:




#### Report 5 - PROPOSED SPECIAL CONSERVATION AREA\* (SCA) DETAILS

\* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Atlanta Mgt. Unit Compartment: 107



ERA = Ecological Reference Area



## Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

\* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservatio Area	on Type	Description	HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Great Lakes Islands	Great Lakes Islands provide significant habitat for numerous spe animals, several of which are endemic or largely restricted to the isolation, islands provide good examples of many Great Lakes-a ecosystems, and thus have potential to provide insights for unde disturbance on the increasingly fragmented ecosystems of the m	Great Lakes region. Due to their ssociated natural communities and rstanding the consequences of human
HCVA	Coastal Environmental Areas	The public designation process is defined by Part 323, Shoreland Natural Resources and Environmental Protection Act, 1994 PA 4 Michigan Department of Environmental Quality (DEQ). This is an currently under consideration by the DEQ.	51. The program is administered by the
ERA	Ecological Reference Areas	Ecological Reference Areas (ERAs) are high quality examples of identified as Element Occurrences (EOs) by the Michigan Natura context of their natural community classification system. Element (Excellent) or B (Good) and a Global (G) or State (S) element (rathreatened (2), or rare (3) serve as an initial base of ERAs. They the State. The system is comprised of individual or associations managed for restoration and maintenance of natural ecological psubmit recommendations for lands as ERAs using the DNR Constitutions.	al Features Inventory (MNFI) within the to Occurrences with viability ranks of A writy) ranking of endangered (1), a may be located upon any ownership in of natural community types that are processes and values. The public may



Stand	d Level 4 Co	over Type	5	Size De	nsity	Acres	Stand Age B	A Range	Managed S	Site	General Comments	MICHIGAN .
1	6120 - Lov	wland Ceda	ar Pol	etimbe	Mediu	m 5.9	112		N/A			
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	anopy Species	Density	Avg. Height	Size		
	Balsam Fir	25	Sapling/Pole	4		Ва	alsam Fir	Medium	Variable	Sapling		
No	orthern White Cedar	75	Pole/Sapling	5	112			1			•	
2	6129 - Mixed Conife	erous Lowla	and Forest	Sapling	Poor	31.8	90		N/A		Areas of standing water.	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	anopy Species	Density	Avg. Height	Size		
	Paper Birch	17	Sapling	2		Ва	alsam Fir	Medium	Variable	Sapling		
	Black Spruce	22	Pole	6		Т	ag Alder	High	Variable	Tall Shrub		
No	orthern White Cedar	37	Sapling/Pole	4	90						1	
	Tamarack	24	Pole	6								
3	622 - Low	land Shrub	)	Nonsto	cked	8.0			No			
4	6128 - Lowland 0 Deci	Coniferous,	, Mixed S	apling <b>I</b>	Medium	n 27.0	45		N/A		-slow growing	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	anopy Species	Density	Avg. Height	Size		
	Quaking Aspen	30	Sapling/Pole	4	45	Т	ag Alder	High	Variable	Tall Shrub		
	Black Spruce	15	Pole	7							1	
No	orthern White Cedar	30	Sapling	3								
	Balsam Fir	25	Sapling/Pole	4								
5	6112 - Lov	vland Aspe	n	Sapling	Well	4.4	40		N/A			
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	anopy Species	Density	Avg. Height	Size		
	Quaking Aspen	90	Sapling/Pole	3	40	Ва	alsam Fir	High	Variable	Sapling		
	Balsam Fir	10	Sapling/Pole	3							1	
6	6112 - Lov	vland Aspe	n	Sapling	ı Well	3.3	40		N/A			
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	anopy Species	Density	Avg. Height	Size		
	Quaking Aspen	70	Sapling/Pole	3	40	Ва	alsam Fir	Medium	Variable	Sapling		
	Balsam Fir	25	Sapling	3		Norther	n White Cedar	Medium	Variable	Sapling		
No	orthern White Cedar	5	Sapling	3				1			•	
7	6120 - Lov	wland Ceda	ar	Sapling	ı Well	1.8	100		N/A			
	Canopy Species	% Cover	Size Class	DBH	Age							
No	orthern White Cedar	83	Sapling	4	100							
	Black Spruce	7	Pole	5								
	Balsam Fir	5	Pole	5								
	Tamarack	5	Pole	9								



Stand	Level 4 C	over Type		Size De	nsity	Acres S	Stand Age	BA Range	Managed S	Site	General Comments
8	6132 - Mixed Lowla	and Forest v	with Cedar	Sawtimbe	er Well	2.4	70	111-140	N/A		This is retention from the surrounding / southern clear cut. All white pine
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cand	py Specie	s Density	Avg. Height	Size	left & area retention
	Quaking Aspen	40	Log	11	70	Wild Red	Raspberry	Medium	5 - 10 feet	Tall Shrub	
	White Pine	8	Log	15	90	Red Osie	r Dogwood	Low	5 - 10 feet	Tall Shrub	
	Balsam Fir	26	Pole	8							
No	rthern White Cedar	21	Pole	9							
	Paper Birch	5	Pole	8							
9	6233 - W	et Meadow	,	Nonsto	cked	1.8	0	Unspecified	No		
10	500 -	- Water		Nonsto	cked	14.4		Unspecified	No		
11	6112 - Lo	wland Aspe	n	Sapling N		7.8	6	Immature	N/A		-This is retention from the adjacent clearcut in 2015
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cand	py Specie	s Density	Avg. Height	Size	
	Quaking Aspen	70	Sapling	1	6	Wild Red	Raspberry	Medium	5 - 10 feet	Tall Shrub	
	Red Maple	2	Sapling	1		Se	dges	Medium	Unspecified	Non-Wood	
	Balsam Fir	5	Sapling	1							
	Paper Birch	5	Sapling	1							
	Balsam Poplar	18	Sapling	1							
12	6112 - Lo	wland Aspe	n	Sapling	Well	25.1	6	1-50	N/A		This stand was clearcut in 205, area retention was left & all white pine
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cand	py Specie	s Density	Avg. Height	Size	
	Quaking Aspen	92	Sapling	1	6	Wild Red	Raspberry	Medium	5 - 10 feet	Tall Shrub	
	Red Maple	1	Sapling	1		Red Osie	r Dogwood	Low	5 - 10 feet	Tall Shrub	
	White Pine	2	Log	15	90						
	Balsam Fir	5	Sapling	1							
13	6128 - Lowland Dec	Coniferous, iduous	, Mixed	Sapling N	/ledium	21.4	40		N/A		
	Canopy Species	% Cover	Size Class	DBH	Age						
	Quaking Aspen	20	Pole/Log	8							
	Balsam Fir	45	Sapling	2	40						
No	rthern White Cedar	35	Sapling/Pol	e 4							
14	622	1 - Fen		Nonsto	cked	29.1			No		
-											



Stand	Level 4 Co	over Type	;	Size De	nsity	Acres	Stand Age E	BA Range	Managed S	Site	General Comments	MICHIGAN
15	6120 - Lov	vland Ceda	r S	awtimbe	er Well	65.4	100	141-170	N/A		-lots of deer tracks	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Quaking Aspen	10	Log	16		Ва	lsam Fir	Medium	Variable	Sapling		
	Balsam Fir	10	Pole	6		Qual	ing Aspen	Low	< 5 feet	Sapling		
No	rthern White Cedar	62	Log/Pole	11	100						-	
	White Pine	7	Log	14	90							
	Black Spruce	5	Log	15								
	Red Oak	1	Pole	8								
	Paper Birch	5	Pole	7								
16	623 - Emer	gent Wetlaı	nd	Nonsto	cked	11.3			No			
17	6112 - Lov	vland Aspe	n P	oletimbe	er Well	10.9	45	51-80	N/A		-aspen to NW is significantly older, treated as an inclusion	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Quaking Aspen	78	Pole/Sapling	6	45	Ва	lsam Fir	Medium	Variable	Sapling		
	Balsam Fir	5	Pole	6		Northern	White Cedar	Medium	Variable	Sapling		
No	rthern White Cedar	10	Pole	9								
	Paper Birch	5	Pole	6								
	Red Maple	2	Log	11								
18	623 - Emer	gent Wetlaı	nd	Nonsto	cked	15.0			No			
19	622 - Low	land Shrub	1	Nonsto	cked	3.9			No			
20	4191 - Mixed Upla Co	and Deciduo	ous with S	awtimbe	er Well	31.2	96	81-110	N/A		-very mixed stand, predominantly red oak -unique stand very diverse species mix	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Sugar Maple	12	Log/Pole	10		Ва	lsam Fir	High	Variable	Sapling		
	White Pine	2	Log	16	90						1	
	Red Oak	45	Log/Pole	11	96							
	Paper Birch	5	Pole	7								
	Quaking Aspen	15	Log/Pole	11								
	Balsam Fir	7	Pole	7								
	Black Spruce	3	Log	12								
No	Black Spruce	10	Log/Pole	12								



Stand	Level 4 C	over Type		Size De	nsity	Acres	Stand Age	BA Range	Managed S	ite	General Comments
21	6120 - Lo	wland Ceda	ar	Sapling	g Well	42.2	100		N/A		-smaller diameter cedar compared to other cedar stands
	Canopy Species	% Cover	Size Class	DBH	I Age						-very dense -hard to walk through
	Balsam Fir	5	Pole	5							-pockets of larger log cedar close to aspen peninsula of higher ground
	Black Spruce	7	Pole	5							
Nor	rthern White Cedar	83	Sapling	4	100						
	Tamarack	5	Pole	9							
22	310 - Herbac	eous Open	land	Nonsto	ocked	2.4			No		
23	6120 - Lo	wland Ceda	ar I	Poletimb	er Wel	15.8	129	81-110	N/A		-canopy is more broken up compared to other cedar stands
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Quaking Aspen	15	Log	13	J .		Isam Fir	Medium	Variable	Sapling	
	Balsam Fir	10	Pole/Sapling			Northerr	n White Cedar	Low	Variable	Sapling	
Nor	rthern White Cedar	75	Pole/Log/Sap		129						
24	6128 - Lowland Dec	Coniferous,	, Mixed	Saplino	g Well	104.0	46	1-50	N/A		
	Canopy Species	% Cover	Size Class	DBH	I Age						
	Quaking Aspen	30	Sapling/Pole	9 4	46						
	Balsam Fir	30	Sapling/Pole	e 4							
Nor	rthern White Cedar	30	Sapling	3							
	Tamarack	10	Sapling	3							
25	6130 - Fir,	Aspen, Map	ple I	Poletimb	er Wel	20.2	51	51-80	N/A		
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Quaking Aspen	45	Sapling	4	47	Ва	lsam Fir	Medium	Variable	Sapling	
	Balsam Fir	47	Pole	5	51	Northerr	White Cedar	Low	Variable	Sapling	
Nor	rthern White Cedar	5	Pole	5				,			-
	Paper Birch	2	Pole	6							
	White Spruce	1	Sapling	4							
26	310 - Herbac	eous Open	lland	Nonsto	ocked	1.2			No		
27	622 - Lov	vland Shrub	)	Nonsto	ocked	4.6			No		
29	122 - Road	d/Parking L	ot	Nonsto	ocked	4.4			No		

Compartment: 107 Year of Entry: 2023



												rear or Littry. 2020	DNR DNR
Stand	Level 4 C	over Type		Size D	ensity	Acres	Stand Age I	BA Range	Managed \$	Site	Gene	ral Comments	MICHIGAN .
30	6120 - Lo	wland Ceda	ar l	Poletim	ber Wel	73.6	104	141-170	N/A				
	Canopy Species	% Cover	Size Class	DB	H Age	Sub-Ca	nopy Species	Density	Avg. Height	Size			
	Balsam Fir	10	Pole/Sapling	g 6		Ва	alsam Fir	High	Variable	Sapling			
	Black Spruce	20	Pole/Sapling	g 6		Norther	n White Cedar	High	Variable	Sapling			
No	rthern White Cedar	55	Pole/Sapling	g 7	104			,		,			
	Tamarack	10	Pole/Sapling	g 7									
	Quaking Aspen	5	Log	11									
31	6120 - Lo	wland Ceda	ar	Sawtim	ber Well	36.6	135	141-170	N/A				
	Canopy Species	% Cover	Size Class	DB	H Age	Sub-Ca	nopy Species	Density	Avg. Height	Size			
	Paper Birch	4	Pole	7		Ва	alsam Fir	Medium	Variable	Sapling			
	Quaking Aspen	10	Log	12		Ta	ag Alder	Low	5 - 10 feet	Tall Shrub			
	Balsam Fir	7	Pole	7									
No	rthern White Cedar	75	Log/Pole	10	135								
	Black Spruce	4	Pole	9									
32	6124 - Lowl		Size Class		er Mediu H Age		50 nopy Species	51-80 Density	N/A Avg. Height	Size			
	Quaking Aspen	6	Pole	9		Norther	n White Cedar	Low	Variable	Sapling			
	Balsam Fir	40	Pole	5	50	Can	adian Yew	Low	5 - 10 feet	Tall Shrub			
	Black Spruce	10	Log	11		Ва	alsam Fir	High	Variable	Sapling			
	White Pine	4	Log	15				,		,			
	Paper Birch	3	Pole	8									
No	rthern White Cedar	37	Pole	8	120								
34	4191 - Mixed Upl Co	and Decidu onifer	ous with	Sawtim	ber Well	31.6	91	81-110	N/A				
	Canopy Species		Size Class		H Age		nopy Species	Density	Avg. Height	Size			
	Sugar Maple	2	Log	12			ed Maple	Low	Variable	Sapling			
	Red Maple	7	Pole	8			alsam Fir	Medium	Variable	Sapling			
	Red Oak	40	Log/XLog	13	91	Servicebe	erry (Juneberry	) Low	Variable	Sapling			
	Paper Birch	7	Pole/Log	8		Wh	ite Spruce	Trace	< 5 feet	Sapling			
	Quaking Aspen	10	Log	11									
	Balsam Fir	8	Pole	7									
No	rthern White Cedar	14	Log/Pole	10									
	Hemlock	5	Log	14									

White Spruce

7

13

Log



	Level 4 Co	Si	Size Density			Acres Stand Age BA Range			Site	General Comments	MICHIGAN	
35	4191 - Mixed Upland Deciduous with Conifer		ous with Pole	th Poletimber Medium		ım 7.9	105	51-80	N/A		-fairly mixed stand-oak dominant with smaller sugar maple	
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Sugar Maple	15	Pole/Sapling	6		Sug	ar Maple	Medium	Variable	Sapling		
	Red Oak	35	Pole/Log	8	105	Ва	lsam Fir	Medium	Variable	Sapling		
	Paper Birch	6	Pole	6		Red Os	ier Dogwood	Medium	5 - 10 feet	Tall Shrub		
	Quaking Aspen	12	Pole	6		Iro	onwood	Low	< 5 feet	Sapling		
	Bigtooth Aspen	5	Log	10		Re	ed Pine	Trace	< 5 feet	Sapling		
	Balsam Fir	20	Pole/Sapling	6						1		
No	rthern White Cedar	7	Log/Pole	10	110							
36	6130 - Fir, <i>A</i>	Aspen, Map	ole Po	letimb	er We	II 46.6	45	111-140	N/A			
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Quaking Aspen	42	Pole	6	45	Ва	lsam Fir	High	Variable	Sapling		
	Balsam Fir	34	Pole/Sapling	5		Gr	een Ash	Medium	Variable	Sapling		
	Paper Birch	15	Sapling	4		Ta	ig Alder	Medium	5 - 10 feet	Tall Shrub		
	White Spruce	4	Pole	8		Northern	White Cedar	Low	Variable	Sapling		
	Red Oak	2	Sapling	4								
	rthern White Cedar	3	Sapling	4								
No	Title Title Cedai	3	Sapility	7								
37	6120 - Low	vland Ceda	ır Sa	wtimb	er Wel	I 55.7	157	141-170	N/A			
	6120 - Low	vland Ceda	Size Class	wtimb <b>DB</b> H	er Wel	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	6120 - Low Canopy Species Paper Birch	vland Ceda  **Cover** 10	size Class Pole	wtimb  DBH		Sub-Ca				<b>Size</b> Sapling		
	6120 - Low Canopy Species Paper Birch Balsam Fir	wland Ceda  W Cover  10 5	Size Class Pole Pole	wtimb  DBH  8		Sub-Ca	nopy Species	Density	Avg. Height			
37	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce	Wand Ceda  We Cover  10 5 5	size Class Pole	wtimb  DBH  8  6  7	I Age	Sub-Ca	nopy Species	Density	Avg. Height			
37	6120 - Low Canopy Species Paper Birch Balsam Fir	wland Ceda  W Cover  10 5	Size Class Pole Pole	wtimb  DBH  8		Sub-Ca	nopy Species	Density	Avg. Height			
37	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar	Wand Ceda  We Cover  10 5 5	Size Class Pole Pole Pole Log	wtimb  DBH  8  6  7	157	Sub-Ca	nopy Species Isam Fir	Density	Avg. Height			
<b>37</b>	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar	vland Ceda % Cover 10 5 80 - Fen	Size Class Pole Pole Pole Log	wtimb  DBH  8  6  7  11	157	<b>Sub-Ca</b> Ba	nopy Species Isam Fir Uı	<b>Density</b> Medium	Avg. Height Variable		-Quad trail from east. More of a Q-type along road	
No 38	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar	vland Ceda  % Cover  10  5  80  - Fen	Size Class Pole Pole Pole Log	wtimb  DBH  8  6  7  11  Nonsto	157	1.9	nopy Species Isam Fir Uı	Density  Medium  Inspecified	Avg. Height Variable  No		-Quad trail from east. More of a Q-type along road	
No 38	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar 6221	vland Ceda  % Cover  10  5  80  - Fen	Size Class Pole Pole Pole Log	wtimb  DBH  8  6  7  11  Nonsto	157 ocked	1.9 6.0 Sub-Ca	nopy Species Isam Fir Ui	Density Medium  nspecified  81-110	Avg. Height Variable  No  N/A	Sapling	-Quad trail from east. More of a Q-type along road	
No No 38	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar 6221 6130 - Fir, A	vland Ceda  **Cover* 10 5 5 80  - Fen  Aspen, Map	Size Class Pole Pole Pole Log  Pole Size Class	wtimb  DBH  8  6  7  11  Nonstc	157 ocked	1.9 6.0 Sub-Ca Ba	nopy Species Isam Fir Ui 65 nopy Species	Density Medium  Inspecified  81-110  Density	Avg. Height Variable  No  N/A  Avg. Height	Sapling	-Quad trail from east. More of a Q-type along road	
No 38 39	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar 6221 6130 - Fir, A	vland Ceda % Cover 10 5 80 - Fen Aspen, Map % Cover 10	Size Class Pole Pole Pole Log  Pole Size Class Log/Pole	wtimb  DBH  8 6 7 11  Nonsto	157 ocked	1.9 6.0 Sub-Ca Ba	nopy Species Isam Fir  Ui  65  nopy Species Isam Fir	Density  Medium  nspecified  81-110  Density  Medium	Avg. Height Variable  No  N/A  Avg. Height Variable	Sapling  Size  Sapling	-Quad trail from east. More of a Q-type along road	
No 38 39	6120 - Low Canopy Species Paper Birch Balsam Fir Black Spruce rthern White Cedar  6221  6130 - Fir, A Canopy Species Red Maple Paper Birch	vland Ceda % Cover	Size Class Pole Pole Log  Note Pole Log Note Pole Log/Pole Log/Pole	wtimb  DBH  8 6 7 11  Nonstc  DBH  11 11	157 ocked	1.9 6.0 Sub-Ca Ba	nopy Species Isam Fir  Ui  65  nopy Species Isam Fir	Density  Medium  nspecified  81-110  Density  Medium	Avg. Height Variable  No  N/A  Avg. Height Variable	Sapling  Size  Sapling	-Quad trail from east. More of a Q-type along road	



Stand	d Level 4 Co	evel 4 Cover Type Size Density Acres Stand Age BA Range Managed Site		Site	General Comments					
40	6120 - Lov	wland Ceda	ır Po	letimb	er Well	18.6 130	141-170	N/A		
	Canopy Species		Size Class	_	Age	Sub-Canopy Species		Avg. Height	Size	
	Yellow Birch	5	Pole	7		Balsam Fir	High	Variable	Sapling	
	Quaking Aspen	17	Log	17		Northern White Cedar	Low	Variable	Sapling	
No	orthern White Cedar	76	Pole/Log	8	130	Sedges	High	Unspecified	Non-Wood	
	Black Spruce	2	Pole	8		White Pine	Trace	< 5 feet	Sapling	
41	6120 - Lov	wland Ceda			er Well	18.9 145	141-170	N/A		-better drainage than stand 46 -more species diversity
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Canopy Species	Density	Avg. Height	Size	-more species diversity
	Balsam Fir	10	Sapling/Pole	4		Balsam Fir	Low	Variable	Sapling	
	Black Spruce	5	Pole/Sapling	6		Northern White Cedar	Low	Variable	Sapling	
No	orthern White Cedar	68	Pole/Sapling	5	145	Tamarack	Low	Variable	Sapling	
	Tamarack	12	Sapling/Pole	4		Black Ash	Low	Variable	Sapling	
	Yellow Birch	5	Sapling	4		Tag Alder	Low	Variable	Tall Shrub	
				•		Black Spruce	Low	< 5 feet	Sapling	
						Sedges	Medium	Unspecified	Non-Wood	
						Sphagnum Moss	Low	Unspecified	Non-Wood	
42	6120 - Lov	wland Ceda	ır Sa	wtimb	er Well	16.7 130	141-170	N/A		-old OI comment- standing water in much of the stand. Old growth
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Canopy Species	Density	Avg. Height	Size	potential.
	Yellow Birch	5	Pole	6		Balsam Fir	Medium	Variable	Sapling	
	Quaking Aspen	30	Log	14		Red Maple	Low	>20 feet	Sapling	
	Black Spruce	5	Log	15		Sedges	High	Unspecified	Non-Wood	
No	orthern White Cedar	57	Log	10	130					
	White Pine	3	1 /2/1							
		-	Log/XLog	16						
43	622 - Low	land Shrub		16 Nonsto	ocked	1.1		No		
43	•		)			2.0		No No		
	622 - Low 6128 - Lowland (	vland Shrub	)	Nonsto	ocked er Well					-very broken up canopy with highly variable size classes
44	622 - Low 6128 - Lowland (	vland Shrub vland Shrub Coniferous, iduous	)	Nonsto	ocked	2.0	Density	No	Size	-very broken up canopy with highly variable size classes
44	622 - Low 6128 - Lowland ( Deci	vland Shrub vland Shrub Coniferous, iduous	) I	Nonsto	ocked er Well	2.0 7.7 75	<b>Density</b> Full	No N/A	Size Sapling	-very broken up canopy with highly variable size classes
44	622 - Low 6128 - Lowland ( Deci Canopy Species	vland Shrub Vland Shrub Coniferous, iduous % Cover	Mixed Po	Nonsto	ocked er Well	2.0 7.7 75 Sub-Canopy Species		No N/A <b>Avg. Height</b>		-very broken up canopy with highly variable size classes
44	622 - Low 6128 - Lowland ( Deci Canopy Species Paper Birch	vland Shrub Coniferous, iduous Cover	Mixed Po	Nonsto	er Well	2.0 7.7 75 Sub-Canopy Species		No N/A <b>Avg. Height</b>		-very broken up canopy with highly variable size classes
44	622 - Low 6128 - Lowland ( Deci Canopy Species Paper Birch Quaking Aspen	vland Shrub Coniferous, iduous  Cover	Mixed Po  Size Class Pole Pole	Nonsto	er Well	2.0 7.7 75 Sub-Canopy Species		No N/A <b>Avg. Height</b>		-very broken up canopy with highly variable size classes

Atlanta Mgt. Unit



Stand	Level 4 Co	evel 4 Cover Type Size Density Acres Stand Age BA Range Managed Site		Site	General Comments						
46	6120 - Lov	wland Cedar		Sapling Well		62.8	150	1-50	N/A		-old OI comment- SLOW GROWING, WET, NON PRODUCTIVE
C	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	FOREST LAND. Trail in stand mostly under water.
	Balsam Fir	5	Sapling/Pole	4		Ва	lsam Fir	Low	Variable	Sapling	
Е	Black Spruce	5	Sapling/Pole	4		Northerr	White Cedar	High	Variable	Sapling	
North	hern White Cedar	60	Sapling/Pole	4	150	Ta	marack	Low	Variable	Sapling	
	Tamarack	30	Sapling/Pole	4		Ta	ıg Alder	Low	5 - 10 feet	Tall Shrub	
						Lab	rador Tea	Low	5 - 10 feet	Tall Shrub	
						S	edges	High	Unspecified	Non-Wood	
						Blad	k Spruce	Low	< 5 feet	Sapling	
47	6120 - Lov	vland Ceda	ır Pole	etimbe	r Mediu	m 16.0	110	1-50	N/A		-poor limestone soil -cedar showing decline and half crowns of
C	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	live/dead foliage-balsam in subcanopy also showing stress due to soil- much lower density than other cedar stands
Q	uaking Aspen	15	Pole/Log/Sap	8		Ва	lsam Fir	High	Variable	Sapling	That level deficity than exiler estating
	Balsam Fir	5	Pole	5		S	edges	High	Unspecified	Non-Wood	
North	hern White Cedar	80	Pole/Log	8	110			·		·	
48 6120 - Lowland Cedar Poletimber W		er Well	4.3 148		51-80 N/A			-cedar showing decline and half crowns of live/dead foliage			
C	Canopy Species	% Cover	Size Class	DBH Age		Sub-Ca	Sub-Canopy Species		Avg. Height	Size	-balsam in subcanopy also showing stress due to poor soil -much lower density than other cedar stands
	Paper Birch	5	Pole	6		Ва	lsam Fir	Low	Variable	Sapling	The state of the s
North	hern White Cedar	72	Pole/Log/Sap	7	148	Northerr	White Cedar	Low	Variable	Sapling	
	Tamarack	23	Pole	6		BI	ack Ash	Low	Variable	Sapling	
						Ta	ig Alder	Low	Variable	Tall Shrub	
49	6128 - Lowland ( Deci	Coniferous, duous	Mixed Po	oletimb	er Well	12.8	140	111-140	N/A		-stand difficult to walk through- a lot of down qa logs with balsam fir
C	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	coming up -poor limestone soil
Q	uaking Aspen	37	Log	13	105	Ва	lsam Fir	High	Variable	Sapling	-cedar showing decline and half crowns of live/dead foliage
	Balsam Fir	10	Sapling	4		Northern	White Cedar	Low	Variable	Sapling	-balsam in subcanopy also showing stress due to soil
E	Black Spruce	3	Pole	8		S	edges	High	Unspecified	Non-Wood	-much lower density than other cedar stands
North	hern White Cedar	44	Pole	6	140	Lab	rador Tea	Low	5 - 10 feet	Tall Shrub	
	Paper Birch	1	Pole	5							
<b>50</b> 6221 - Fen Nonstocked					1.3			No			



Stand	d Level 4 Co	over Type	S	ize De	nsity	Acres	Stand Age B	A Range	Managed S	ite	General Comments
51	6132 - Mixed Lowla	nd Forest v	with Cedar Sav	vtimber	Medium	48.4	145	81-110	N/A		-old OI commment- HIGHLY VARIABLE, SMALL TIMBER IN POCKETS
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	THROUGHOUT. Timber to south on private recently cut (1999)good representation of a multistoried stand in places
	Red Maple	6	Pole	6		Re	d Maple	Low	Variable	Sapling	-fair amoount of logs on ground creating canopy breaks and regen of
	Paper Birch	8	Pole	6		Ва	lsam Fir	High	Variable	Sapling	mostly balsam fir
	Quaking Aspen	25	Log	12	104	Northern	White Cedar	Low	Variable	Sapling	
	Balsam Fir	10	Pole/Sapling	6							
	White Spruce	10	Pole/Log	9							
No	orthern White Cedar	34	Pole/Log	9	145						
	White Pine	5	XLog/Log	18							
	Bigtooth Aspen	2	Log	11							
52	6120 - Lov	vland Ceda	ar Po	oletimb	er Well	19.5	95	141-170	N/A		-small pocket of larger cedar than surrounding cedar to west
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	
	Paper Birch	4	Pole	6		Northern	White Cedar	Medium	Variable	Sapling	
	Quaking Aspen	5	Log	11		Ва	lsam Fir	Medium	Variable	Sapling	
	Black Spruce	15	Log/Pole	10		Blac	k Spruce	Low	< 5 feet	Sapling	
No	orthern White Cedar	76	Pole	7	95						
54	6112 - Lov	vland Aspe	n s	Sapling	Well	2.9	34 I	mmature	N/A		
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	
	Quaking Aspen	85	Sapling	4	34	Ва	lsam Fir	Low	Variable	Sapling	
	Balsam Fir	15	Sapling	3							
55	6120 - Lov	vland Ceda	ar Sa	awtimb	er Well	44.5	155	201+	N/A		-very dense, mostly log cedar with blowdown pockets
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Red Maple	3	Log	12		Ba	lsam Fir	Low	Variable	Sapling	
	Paper Birch	7	Log/Pole	11							
	Quaking Aspen	15	Log	13							
No	orthern White Cedar	75	Log/Pole	12	155						
56	6112 - Lov	vland Aspe	n Sa	awtimb	er Well	9.6	110		N/A		
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	
	Paper Birch	5	Pole	7		Ва	lsam Fir	Medium	Variable	Sapling	
	Quaking Aspen	75	Log	13	110			1			
	Balsam Fir	5	Pole/Sapling	7							
No	orthern White Cedar	15	Log/Pole	12							
INC	orthorn willie Gedal	10	Log/i ole	12							



Stand	Level 4 Co	over Type		Size De	nsity	Acres	Stand Age	BA Range	Managed S	ite	General Comments
57	6120 - Lov	6120 - Lowland Cedar			Sawtimber Well		157	171-200	N/A		-similar to cedar stand to west-less qa and slightly less dense than
	Canopy Species	% Cover	Size Class	DBH	Age						west, decided to keep separate
	Paper Birch	5	Log	10							
	Quaking Aspen	5	Log	12							
Noi	rthern White Cedar	90	Log/Pole	11	157						
58	6221	1 - Fen		Nonsto	ocked	1.4			No		
59	6120 - Lov	wland Ceda	ar	Poletimb	er Well	18.1	153	111-140	N/A		-less dense and smaller size class than cedar to west
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Specie	es Density	Avg. Height	Size	
	Paper Birch	5	Pole	7		Ва	alsam Fir	Low	Variable	Sapling	
	Quaking Aspen	11	Log/Pole	10		Northern	n White Ceda	ar Low	Variable	Sapling	
Noi	rthern White Cedar	84	Pole/Log	9	153						-