

Gwinn Forest Management Unit Compartment Review Presentation Compartment 262 Entry Year: 2014

Compartment Acreage: 1,701 County: Marquette

Revision Date: 8/20/2012

Stand Examiner: Ben Travis

Legal Description: T45N R27W, Sec. 26, 34 and 35

RMU (if applicable): Chain Lakes Moraine Management Area

Management Goals: Planning will focus on timber management, fisheries management and wildlife habitat management. Public access, forest roads, forest regeneration, forest health, forest fire management, forest recreation, stream crossings, water quality and any resource damage are critical assessments considered during the forest mapping and inventory process. Overall management strives to provide for a diverse, healthy and productive forest through planning and implementation of sustainable, proper forest treatments.

Soil and Topography: Terrain ranges from level swamps and tag alder drainages to rolling or hilly uplands. Major soil series are: Pence fine sandy loam, Karlin sandy loam, Saynor-Rubicon complex, Greenwood and Dawson soils, Rubicon sand, Alcona loamy very fine sand, Rousseau fine sand, Shag silt-loam, Spear very fine sandy loam, Champion-Dishnow complex, Rousseau-Ocqueoc fine sand, Paquin sand, Carbondale and Tawas soils, Croswell-Deford complex and Rubicon-Keweenaw complex.

Ownership Patterns, Development, and Land Use in and Around the Compartment: Compartment is bordered by small private parcels to the northeast and state lands to northwest. State land borders compartment to the west. Dickinson County line runs along south side of compartment. A mix of state and small private parcels adjoin the compartment to the south. State land and small private parcels lie along the east edge of compartment. Camps are located on many of the private parcels. The private lands are generally used for hunting and lake recreation, with some timber production occurring.

Unique, **Natural Features:** Kate's Lake and Bryan Creek with various tributaries are within compartment. Retired ELF corridor passes through Section 25.

Archeological, Historical, and Cultural Features: Rich Conifer swamp found in southeast portion of Section 35, and is associated with Bryan Creek (Kate's Lake, BC-ranked).

Special Management Designations or Considerations: A special conservation area designates a riparian and wetland zone around Bryan Creek. Special conservation areas are designated around Kate's Lake and another un-named lake.

Watershed and Fisheries Considerations:

Wildlife Habitat Considerations: Featured species include black bear, gray jay, northern goshawk, pileated woodpecker and red crossbill.

Mineral Resource and Development Concerns and/or Restrictions: Surface sediments consist of coarse-textured glacial till. There is insufficient data to determine the glacial drift thickness. The Precambrian

Archean Granite/Gneiss subcrops below the glacial drift. This rock could be used as dimension stone. Gravel pits are located two miles to the west and potential should to be good. Abandoned iron mines are located nine miles to the east. Section 35 was previously leased for metallic exploration. There is no economic oil and gas production in the UP

Vehicle Access: Charlie Lakes Road, Bryan Creek Road and Kate's Grade are the primary access routes for this compartment. A fairly extensive DNR forest road network provides entry to many areas of the compartment. The south portion of Section 35 lacks good access due to swamps and creeks.


Survey Needs: Two new survey monuments are needed.


Recreational Facilities and Opportunities: There are no developed recreational facilities within the compartment. Hunting, fishing, berry picking, mushroom picking, off-road vehicle usage and snowmobiling are important forest uses.


Fire Protection: This compartment is contained within the "581 Zone Dispatch Area" which provides for a pre-planned dispatch of DNR fire fighting equipment depending on expected forest fire behavior. Areas of jack pine and red pine with numerous dwellings have warranted this designation.

Additional Compartment Information:

- ➤ The following 5 reports from the Operations Inventory System (OIPC) are attached:
 - **♦** Cover Type by Age Class
 - **♦** Cover Type by Management Objective
 - **♦** Compartment Volume Summary
 - **♦** Proposed Treatments No Limiting Factors
 - **♦** Proposed Treatments With Limiting Factors
- ➤ The following information is displayed, where pertinent, on the attached compartment maps:
 - **♦** Base feature information, stand numbers, cover types
 - **♦** Proposed treatments
 - ♦ Proposed road access system
 - ♦ Suggested potential old growth







Compartment 262 Year of Entry 2014

Gwinn Mgt. Unit
Ben Travis : Examiner



Age Class

	Age Class															
		6.9	0.79	,	, S	LO. AS	\$5.05 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\$5.00 / i	, r. ,	\$ 8	, S. /	00,00	70,70	No* Ju	8 / A	, or large
Aspen	155	198	51	245	129	50	25	15	27	0	0	0	0	0	896	
Bog	7	0	0	0	0	0	0	0	0	0	0	0	0	0	7	
Cedar	0	0	0	0	0	0	0	0	0	0	0	0	36	0	36	
Herbaceous Openland	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Jack Pine	0	42	0	0	0	33	40	2	0	0	0	0	0	0	117	
Low-Density Trees	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Lowland Conifers	0	0	0	0	0	0	0	0	16	300	0	0	0	0	316	
Lowland Mixed Forest	0	0	0	0	0	0	0	18	0	0	0	0	0	0	18	
Lowland Shrub	72	0	0	0	0	0	0	0	0	0	0	0	0	0	72	
Mixed Upland Deciduous	0	0	0	0	0	0	26	0	0	0	0	0	0	0	26	
Northern Hardwood	0	0	0	0	0	0	16	0	0	0	0	0	0	0	16	
Oak	0	0	0	0	0	0	0	0	0	9	0	0	0	0	9	
Red Pine	0	10	0	0	0	0	0	0	0	0	0	8	0	0	18	
Treed Bog	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
Upland Conifers	26	0	0	0	0	0	30	0	0	0	0	0	0	0	56	
Upland Mixed Forest	1	0	0	0	0	0	0	5	0	0	0	0	0	0	6	
Upland Shrub	27	0	0	0	0	0	0	0	0	0	0	0	0	0	27	
Upland Spruce/Fir	0	0	0	0	0	0	4	29	0	0	0	0	0	0	33	
Water	40	0	0	0	0	0	0	0	0	0	0	0	0	0	40	
Total	336	250	51	245	129	83	140	70	43	310	0	8	36	0	1701	



Table 2 – Proposed Treatment Summaries

Gwinn Mgt. Unit

Compartment 262 Year of Entry 2014 **Total Compartment Acres: 1701**

Acres by Treatment Type

Commercial Harvest - 323 Site Prep - 0 Tree Planting - 0 Prescribed Burn - 0 Other - 0

Habitat Cut - 0 Opening Maintenance - 2 Tree Seeding - 0 Pesticide - 0

Cover Type by Harvest Method




Table 3 -- Treatments Prescribed with No Limiting Factor

Comp Year

artment: 262	NOF NATURAL P.
of Entry 2014	DNR
	MICHIGAN .

s	
t	
а	
n	

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
3	32262003-Cut	8.4	429 - Mixed Upland Conifers	High Density Log	65 I	141-170	Harvest	Clearcut with Reserves	4136 - Aspen, Mixed Conifer	Cmpt. Review Proposal

Prescription --Ben Travis: 08/23/2012 comments: A decision was made at the pre-review to leave some tamarack by excluding it with the boundary line Specs: placement.

Harvest all tamarack, spruce, maple, fir, jack pine and aspen. Leave white pine and red pine. Retain any oak, cedar and hemlock if present. Keep boundary line on top of slope, which extends along the south edge of stand. Incorporate retention patches into boundary line work by excluding at least 3% of the stand.

<u>Other</u> Comments:

Next Follow-up treatment with a regeneration survey as outlined in the "Work Instruction 2.1 Reforestation". Pine, aspen, oak, spruce, red maple and Steps: fir are acceptable regeneration.

Proposed

10/01/2013 Start Date:

42120 - Planted 6 32262006-Cut 28 6 42220 - Natural High 62 111-140 Harvest Clearcut Cmpt. Review Jack Pine **Density Log** Jack Pine Proposal

Prescription Harvest all jack pine, red maple and aspen. Leave red pine, white pine and white birch unless residual stocking would hinder planting operations. Retain any oak, hemlock or cedar if present. Leave some scattered spruce along Charlie Lakes Road. Retention will not meet the 3% threshold. Specs:

Other_ Comments:

Next Once harvest activities have created areas needing regeneration, a forest treatment proposal for cultural work (including herbicide application) to Steps: provide for jack pine site prep and/or regeneration methods (including planting) will be developed. Jack pine will be the preferred regeneration, but aspen, oak, red pine and white pine will be considered acceptable. After cultural work is completed, a regeneration survey(s) will be

conducted as outlined in the "Work Instruction 2.1 Reforestation".

Proposed

Start Date: 10/01/2013

32262007-Cut 4.6 4319 - Mixed 141-170 Clearcut 4319 - Mixed High 72 Harvest Cmpt. Review Density **Upland Forest Upland Forest** Proposal Pole

Prescription Harvest all aspen, jack pine, maple and fir. Remove most white birch and spruce, though leaving some scattered around site. Leave all white Specs: pine and red pine. Leave any oak or hemlock if found. Retention will probably not meet the 3% threshold.

Other_ Comments:

Follow-up treatment with a regeneration survey as outlined in the "Work Instruction 2.1 Reforestation". Aspen, pine, fir, spruce, white birch and

maple are acceptable regeneration. Steps:

Proposed

<u>Next</u>

10/01/2013 Start Date:

32262012-Cut High Cmpt. Review 3.2 42220 - Natural 42221 - Natural 12 54 Harvest Clearcut Jack Pine Jack Pine, Mixed Proposal **Density Log** Deciduous

Prescription Harvest all jack pine, white birch, aspen, spruce, fir and maple. Retain red pine and white pine. Leave any oak, hemlock or cedar if present. No chipping will be allowed in order to maintain good jack pine seed across site. Specs:

Other Comments:

Next Dozer/skidder pulling anchor chains may be used for scarification after sale is cut. Follow-up treatment with regeneration survey as outlined in

"Work Instruction 2.1 Reforestation". Pine, aspen, maple, white birch, fir and spruce are acceptable regeneration.

Steps: Proposed

10/01/2013 Start Date:

Year of Entry 2014

Table 3 -- Treatments Prescribed Compartment: 262 with No Limiting Factor

t а **Treatment** BA **Treatment Treatment Cover Type** n Acres CoverType Size Stand **Approva**l Range Method Status Name Density Objective d Age Type 32262015-Cut 15 21.5 429 - Mixed Upland High 68 141-170 Harvest Clearcut with 4134 - Aspen, Cmpt. Review Conifers Density Log Reserves Spruce/Fir Proposal

Prescription Harvest all aspen, jack pine, fir, spruce, maple and white birch. Leave several retention patches. Retain all white pine. May remove up to 50% of Specs: red pine. Leave any oak, hemlock or cedar if found.

Other_ Large portion of stand is within potential old-growth designation for Bryan Creek. Fish Division will most likely want 300 foot set-back from Bryan

Comments: Creek. Follow-up treatment with a regenerations survey as provided for in "Work Instruction 2.1 Reforestation". Aspen, fir, spruce, pine, maple and white <u>Next</u>

Steps: birch are acceptable regeneration.

Proposed

s

10/01/2013 Start Date:

32262019-Cut 23 42220 - Natural High 141-170 Harvest Clearcut with 42220 - Natural Cmpt. Review Jack Pine Jack Pine Proposal Density Log Reserves

Prescription Harvest all jack pine, fir, white birch, aspen and maple. Leave some scattered spruce. Retain any white pine, red pine, oak, cedar or hemlock. Specs: Provide for sale boundary set-back along Bryan Creek. No chipping will be allowed in order to maintain jack pine seed on site.

<u>Other</u> Comments:

Dozer/skidder pulling anchor chains may be used for scarification after sale is cut. Follow-up treatment with regeneration survey as provided for Next in "Work Instruction 2.1 Reforestation". Jack pine is the preferred regeneration, but aspen, maple, fir, white birch, red pine, white pine and spruce Steps:

are acceptable regeneration.

Proposed

10/01/2013 Start Date:

20 32262020-Cut 36 42221 - Natural High 62 81-110 Harvest Clearcut 42221 - Natural Cmpt. Review Jack Pine, Mixed **Density Log** Jack Pine, Mixed Proposal Deciduous Deciduous

Prescription Harvest all jack pine, aspen, fir, white birch, spruce and maple. May remove up to 1/2 of red pine. Leave white pine. Retain oak, cedar and hemlock if present. Retention probably won't meet the 3% threshold. No chipping will be allowed in order to maintain good jack pine seed across Specs:

stand

Other_ Comments:

Dozer/skidder pulling anchor chains may be used for scarification after sale is cut. Follow-up treatment with a regeneration survey as outlined in <u>Next</u>

Steps: "Work Instruction 2.1 Reforestation". Pine, aspen, fir, white birch, spruce and maple are acceptable regeneration.

Proposed

10/01/2013 Start Date:

25 32262025-Cut 26.0 4191 - Mixed High 62 111-140 Clearcut with 4191 - Mixed Cmpt. Review Harvest **Upland Deciduous** Density Log Upland Deciduous Proposal with Conifer with Conifer

Prescription --Ben Travis: 08/23/2012 comments: A decision was made at pre-review to incorporate large aspen (prefer bigtooth) and white spruce into the Specs: exclusion patches.

Harvest all aspen, white birch, tamarack, jack pine, maple, fir and spruce. Leave all white pine. May remove up to 50% of red pine. Leave any oak, cedar or hemlock if present. Use area retention to meet retention standards.

<u>Other</u> Comments:

Follow-up treatment with a regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Aspen, pine, maple, fir, spruce and white birch are acceptable regeneration.

Steps: Proposed

Next

Start Date: 10/01/2013

Table 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 262 Year of Entry 2014

S	
t	
а	
n	

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
26	32262026-Cut	24.5	4132 - Aspen, Jack Pine	High Density Log	62	111-140	Harvest	Clearcut with Reserves	4132 - Aspen, Jack Pine	Cmpt. Review Proposal

Prescription --Ben Travis: 08/23/2012 comments: It was decided at pre-review to incorporate large aspen (prefer bigtooth) and white spruce into retention Specs: patches.

Harvest all aspen, jack pine, fir, spruce, maple and white birch. Leave white pine. May remove up to 50% of red pine. Leave any oak, hemlock or cedar if present. Employ patch exclusion to meet retention standards . Small embedded bog near Charlie Lakes Rd will be included in a retention patch.

<u>Other</u> Comments:

Next Follow-up treatment with a regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Aspen, pine, fir, spruce, maple, oak and white birch are acceptable regeneration. Steps:

Proposed

10/01/2013 Start Date:

30 32262030-Cut 11 1 42221 - Natural High 57 51-80 Harvest Clearcut with 42221 - Natural Cmpt. Review Jack Pine, Mixed Density Reserves Jack Pine, Mixed Proposal Deciduous Pole Deciduous

Prescription Harvest jack pine, red maple, white birch, fir, spruce and aspen. Retain white pine, oak and hemlock if present. May remove up to 50% of red Specs: pine.

Other

Comments:

Upon completion of harvest, develop a Forest Treatment Proposal to regenerate the site to jack pine. Follow-up treatment with regeneration Next survey as outlined in "Work Instruction 2.1 Reforestation". Jack pine is the preferred regeneration. Acceptable regeneration includes aspen, Steps: maple, fir, spruce, red pine, white pine and white birch.

Proposed

10/01/2013 Start Date:

32 32262032-Cut 82 Harvest Clearcut 4130 - Aspen Cmpt. Review 7.2 4130 - Aspen High Density Proposal Pole

Prescription Harvest all trees except hemlock, oak, cedar, white pine and red pine.

Specs:

Other_ Comments:

<u>Next</u> Follow-up harvest with regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Acceptable regeneration is aspen, fir, spruce,

maple, white birch and pine. Steps:

<u>Proposed</u>

10/01/2013 Start Date:

39 32262039-Cut 19.4 High 84 Harvest Clearcut 4134 - Aspen. Cmpt. Review 4134 - Aspen. Spruce/Fir **Density Log** Spruce/Fir Proposal

Prescription Harvest all species except for hemlock, oak, cedar, white pine and red pine.

<u>Specs:</u>

Other_ Comments:

Follow-up harvest with a regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Acceptable regeneration is aspen, fir, spruce, <u>Next</u>

Steps: white birch and pine.

Proposed

10/01/2013 Start Date:

Table 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 262 Year of Entry 2014

S	
t	
а	
n	

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
44	32262044-Cut	78.5	4130 - Aspen	High Density Pole	45	111-140	Harvest	Clearcut with Reserves	4130 - Aspen	Cmpt. Review Proposal

Prescription --Ben Travis: 08/23/2012 comments: A decision was made at pre-review to incorporate windfirm white spruce and large aspen (prefer bigtooth)

into retention patches. Specs:

> Harvest all aspen, jack pine, fir, spruce, maple and white birch. May remove up to 50% of red pine. Leave all white pine. Leave oak, hemlock and cedar if present. Use area exclusion method to provide for appropriate retention.

Other Hunter Walking Trail passes through stand. Leave some mature trees around the wildlife opening (stand 52). The Hunter Walking Trail will be graded by the logger once harvest operations end to prepare for re-establishment of herbaceous cover. A small portion of stand is coded as Comments: potential old-growth. Recommned removal of this designation around Kate's Lake, and following Fish Division recommendations for an SCA

along the Bryan Creek corridor.

Follow-up treatment with regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Aspen, fir, spruce, pine, maple and white birch <u>Next</u> Steps: are acceptable regeneration. A Forest Treatment Proposal will be developed to re-establish and maintain the herbaceous cover of the Hunter

Walking Trail.

Proposed

10/01/2013 Start Date:

High 45 32262045-Cut 39.9 4130 - Aspen 50 81-110 Harvest Clearcut with 4130 - Aspen Cmpt. Review **Density Log** Reserves Proposal

Prescription Harvest aspen, jack pine, maple, fir, spruce and white birch. May remove up to 50% of red pine. Leave all white pine. Leave any oak, hemlock

and cedar if present. Use area exclusion to achieve retention standards. Specs:

Other_ Comments:

Follow-up with regeneration survey as outlined in the "Work Instruction 2.1 Reforestation". Aspen, pine, maple, fir, spruce and white birch are <u>Next</u> Steps:

acceptable regeneration.

<u>Proposed</u>

10/01/2013 Start Date:

High 32262050-Cut 15.1 4134 - Aspen. 81-110 Harvest Clearcut with 4134 - Aspen. Cmpt. Review Spruce/Fir **Density Log** Reserves Spruce/Fir Proposal

Prescription Leave some scattered white birch and white spruce by Charlie Lakes Road. Remove aspen, white birch, jack pine, fir, spruce and maple. May Specs: remove up to 50% of red pine. Leave white pine and oak. Retain any cedar or hemlock if present. Use patch exclusion to achieve retention

standards.

<u>Other</u>

Comments:

Follow-up treatment with a regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Aspen, pine, maple, fir, spruce and white birch <u>Next</u>

are acceptable regeneration. Steps:

Proposed_

10/01/2013 Start Date:

32262054-Cut 10.1 4130 - Aspen High 81-110 Harvest Clearcut with 4130 - Aspen Cmpt. Review Density Reserves Proposal Pole

Prescription --Ben Travis: 08/23/2012 comments: A decision was made at pre-review to incorporate windfirm white spruce and large aspen (prefer bigtooth)

into retention patches. Retention should be closer to the high end of the range. Specs:

Harvest aspen, white birch, spruce, fir, maple and jack pine. Leave some scattered mature trees along forest road. Leave white pine and oak.

Retain any cedar or hemlock if present. May remove up to 50% of red pine. Retention will be achieved by patch exclusion.

Other_

Comments:

Next Follow-up treatment with regeneration survey as outlined in "Work Instruction 2.1 Reforestation". Aspen, pine, oak, maple, fir, spruce and white Steps:

birch are acceptable regeneration.

Proposed

10/01/2013 Start Date:

Table 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 262 Year of Entry 2014

8
100
URC
9

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
64	32262064-Cut	18.9	42220 - Natural Jack Pine	High Density Pole	55	81-110	Harvest	Clearcut with Reserves	42220 - Natural Jack Pine	Cmpt. Review Proposal

Prescription Remove jack pine, aspen, maple, fir, spruce and white birch. Exclude some patches of spruce. Leave red pine, white pine and cherry. Chipping Specs:

will only be allowed down to a two-inch top to maintain a good jack pine seed source across site.

Other Comments:

<u>Next</u>

Steps:

s

Upon completion of harvest, develop a Forest Treatment Proposal to regenerate the site to jack pine. Follow-up the cultural treatment with regeneration surveys as provided for in "Work Instruction 2.1 Reforestation". Jack pine is the preferred regeneration. Aspen, fir, spruce, maple, red pine and white pine are acceptable regeneration.

Proposed

07/30/2012 Start Date:

NF_32262021-3102 - Grass 0.5 3105 - Mixed Non-Forest Cmpt. Review Other - Specify Upland Herbaceous Management Proposal NonFor

Prescription If funds or personnel are available, this opening will be scheduled for maintenance. Maintenance may include wildlife plantings (rye or other suitable wildlife mix), shrub or tree plantings, yearly maintenance as required, brush removal, and/or other maintenance practices that will benefit Specs:

wildlife as required.

Possible location for a cooperative project with hunters or sportsmen groups. Other_

Possible location for a cooperative project with hunters or sportsmen groups.

Comments:

Next Steps:

Proposed

Start Date: Unspecified

NF_32262052-1.6 3105 - Mixed Non-Forest Other - Specify 3102 - Grass Cmpt. Review 52 NonFor Upland Herbaceous Management Proposal

Prescription If funds or personnel are available, this opening will be scheduled for maintenance. Maintenance may include wildlife plantings (rye or other

suitable wildlife mix), shrub or tree plantings, yearly maintenance as required, brush removal, and/or other maintenance practices that will benefit Specs: wildlife as required.

<u>Other</u> Comments:

Next

Steps: Proposed

Unspecified Start Date:

Total Treatment

Acreage Proposed: 325.2

Gwinn Mgt. Unit Table 4 -- Treatments Prescribed with Compartment: 262 a Limiting Factor s Year of Entry 2014 n Treatment **Acres** CoverType Size Stand BA **Treatment Treatment Cover Type Approval** Name Age Method Objective Status Density Range Type d #Error Prescription Specs: <u>Other</u> Comment: <u>Next</u> Steps: <u>Proposed</u> Start Date: #Error

Total Treatment Acreage Proposed:

Limiting Factor and No Treatment Reason

0

Out of YOE -- Treatments Prescribed with No Limiting Factor

Year of Entry: 2014

Approval Status CoverType **Treatment Cover Type** Treatment Acres Size Stand BA **Treatment** Name Density Range Type Method Objective Age

Prescription Specs:

Other Comments:

Next Steps:

Proposed

Start Date: #Error

Total Treatment Acreage Proposed:

0

s t	Gwinn Mgt. Unit			5 – Fo	orested Sta	nds Compartment: 262 Year of Entry: 2014		
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:		
1	4130 - Aspen	High Density Sapling	18.7	15		Stand was harvested in Feb/March of 1997, permit #009-94. Very infrequent red oak saplings.		
2	4311 - Pine, Aspen Mix	High Density Sapling	1.2	2		White pine saplings present. Residual white pine and red pine poles left after harvest. Many jack pine snags standing.		
3	429 - Mixed Upland Conifers	High Density Log	8.4	65	141-170	Treatment was delayed last entry for age/size class diversity. Many aspen, spruce and jack pine snags. All species are overmature. Distinct patches of aspen within jack pine. Quite high bank above the floodplain. White pine, red pine and white birch are infrequent overstory associates. White pine saplings encountered.		
5	6124 - Lowland Spruce- Fir	Low Density Pole	16.0	86		Floodplain along Bryan Creek.		
6	42220 - Natural Jack Pine	High Density Log	28.6	62	111-140	Harvest was delayed last entry for age/size class diversity. Ma jack pine crowns are sparse. Numerous jack pine snags and deadfall. Aspen poles are poor quality. Uncommon white pine saplings. Black spruce and tamarack are infrequent overstroy associates.		
7	4319 - Mixed Upland Forest	High Density Pole	4.6	72	141-170	Treatment was delayed last entry for age/size class diversity. Fir and aspen overmature. Aspen snags. White pine uncommon in overstory. White birch saplings present.		
8	429 - Mixed Upland Conifers	Low Density Sapling	26.1	7		Stand harvested in 2005 under permit #119-04. FTP C32-637 describes cultural work for regeneration. Natural volunteer jack pine seedlings are 2 to 3 feet tall. White pine and red pine saplings on site. Residual white pine, red pine and black spruce poles. The trenched/seeded jack pine are around 6 inches tall.		
9	4130 - Aspen	High Density Sapling	41.7	7		Stand was harvested during May to July of 2005 under permit #32-05. Good stocking levels. More residual red pine to south. Sparse white pine sawtimber.		
10	4130 - Aspen	High Density Pole	16.2	36	81-110	Sporadic white pine and red pine poletimber. Red oak and white birch saplings present.		
11	42220 - Natural Jack Pine	High Density Log	7.6	68	111-140	Riparian zone along Bryan creek. jack pine range from 10 to 16 inches Dbh. Jack pine snags. 5 stick trees.		
12	42220 - Natural Jack Pine	High Density Log	3.2	54		Jack pine snags present. White spruce is infrequent overstory associate.		
13	4134 - Aspen, Spruce/Fir	High Density Pole	49.1	38	81-110	Stand was harvested in 1974. White birch, tamarack and white pine are infrequent overstory associates. White birch saplings found.		
14	42110 - Planted Red Pine	High Density Sapling	10.2	14		Red pine range from 16 to 18 feet tall. Red pine live branches extend to the ground. Nice form to red pine boles. Good stocking. Scarce white pine and red oak poletimber found. Cherry and red maple saplings present.		

s t	Gwinn	Mgt. Unit		5 – Fo	orested Sta	Year of Entry: 2014
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
15	429 - Mixed Upland Conifers	High Density Log	21.5	68	141-170	Hunter walking trail passes through east side of stand. Aspen diameters range from 12 to 18 inches Dbh. jack pine deteriorating. Jack pine snags and deadfall present. Fir snags. Some 6 stick jack pine and black spruce. Scarce white pine in overstory.
16	4130 - Aspen	High Density Pole	78.9	36	1-50	Approximately 40% of aspen in overstory are still at the sapling stage. Bigtooth aspen more vigorous than trembling. White pine is overstory associate. Red oak and red pine saplings found.
17	42120 - Planted Jack Pine	High Density Sapling	41.8	14		Stand originated from cultural work described in FTP C31-366 and associated completion report. Jack pine is approximately 14 to 18 feet tall. Excellent stocking levels and jack pine health. Scarce red pine poles/sawtimber, white pine sawtimber, red oak sawtimber, aspen saplings, red maple poletimber, fir poletimber, black spruce poletimber and red pine saplings.
18	42210 - Natural Red Pine	High Density Log	7.6	112	141-170	Red pine stand was released in the 1950s. Red pine, white birch and white pine saplings present. Stand is adjacent to bog.
19	42220 - Natural Jack Pine	High Density Log	2.3	72	141-170	Treatment was delayed last entry period for size class/age diversity. Stand is adjacent to Bryan creek. Will need to provide buffer for creek.
20	42221 - Natural Jack Pine, Mixed Deciduous	High Density Log	3.6	62	81-110	Some jack pine crowns becoming sparse. frequent jack pine snags.
22	4130 - Aspen	High Density Sapling	23.0	7		Harvetsed in May/June of 2005, permit number 32-005-01. Good stocking levels.
25	4191 - Mixed Upland Deciduous with Conifer	High Density Log	26.0	62	111-140	Stand was held last entry for age/size class diversity. Conks are found on many of the aspen boles. Aspen snags present. Aspen is in decline. Spruce crowns are sparse. Higher stocking of spruce to south. White pine and tamarack poles present.
26	4132 - Aspen, Jack Pine	High Density Log	24.5	62	111-140	Treatment was delayed last entry period for age/size class diversity. Jack pine have sparse foliage. High incidence of aspen and jack pine snags/deadfalls. Aspen diameters range up to 16 inch Dbh. High hill. Steep, long slopes down to swamp to south. Some black spruce poles, white pine poles, and white pine saplings.
27	4130 - Aspen	High Density Sapling	51.4	26	1-50	Variable stocking levels. Aspen range from 3 to 7 inches Dbh. Occasional white spruce and white birch poles. Red oak, white birch, red pine and white pine saplings found.
30	42221 - Natural Jack Pine, Mixed Deciduous	High Density Pole	11.1	57	51-80	Stand was not treated last entry due to age/size class diversity considerations. Jack pine and aspen snags.
32	4130 - Aspen	High Density Pole	7.2	82		Stand was prescribed for sale preparation in 2011 at the 2012 Compartment Review. Sale prep completed and sale will be advertised.

Gwin	Gwinn Mgt. Unit				Compartment: 262 Year of Entry: 2014
Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
42330 - Upland Fir	Low Density Pole	10.1	72	81-110	Some lowland areas. Stand within riparian zone of Bryan Creek.
4134 - Aspen, Spruce/Fir	High Density Sapling	102.2	15		East portion of stand harvested in 1995 under permit #18-94. West portion was harvested in 2000 under permit #22-98. White pine and balsam poplar saplings present.
4130 - Aspen	High Density Sapling	11.9	5		Stand harvested in 2007 under permit #318-05-01. Aspen is approximately 10 feet tall. Few jack pine and white pine seedlings noted. Occasional red pine and black spruce poles.
4130 - Aspen	Medium Density	32.4	5		Stand harvested in 2007 under permit #318-05. 20 acres of site were trenched and seeded to jack pine in 2008. Regeneration check showed 100 jack pine/acre and 814 all tree species seedlings/acre. Aspen range from 6 to 8 feet tall. Many jack pine snags. Residual red pine and white pine poles and sawtimber. White pine saplings found.
4130 - Aspen	High Density Pole	54.3	36	51-80	Many submerchantable-sized aspen stems. Stocking adequate. White pine, white birch, red oak, black cherry and black spruce saplings present. White pine, white spruce, red pine, red oak and white birch are infrequent overstory associates.
4136 - Aspen, Mixed Conifer	High Density Pole	42.6	40	81-110	White birch, red maple, white spruce and white pine poles present. White pine and red pine saplings found. Aspen have 2 sticks.
4134 - Aspen, Spruce/Fir	High Density Log	19.4	84		Stand was added to the 2011 Plan of Work at the 2012 Compartment Review. Stand has been prepared for sale and will be advertised.
6139 - Mixed Lowland Forest	High Density Log	18.3	72	111-140	Portions of stand are upland. Red pine, cedar and white pine are infrequent overstory associates. Stand surrounds small pond.
4130 - Aspen	High Density Sapling	14.1	36		Some small patches of aspen poles. Aspen stocking adequate for timber management. scattered red pine and white pine in overstory. White birch saplings present.
4130 - Aspen	High Density Pole	78.5	45	111-140	Stand was non-commercially cut in 1964 with dozer/KG blade. Hunter walking trail within stand. Aspen healthy. Red pine and white pine are uncommon overstory associates. Black cherry is found in overstory. Red maple found in understory. Spruce bud worm infestation detected in July 2012. Understory fir are being severely defoliated.
4130 - Aspen	High Density Log	39.9	50	81-110	Red maple is minor overstory associate. Jack pine is in decline. Jack pine, aspen and white birch snags.
4123 - Red Oak	High Density Log	9.2	94	81-110	Stand harvested in June/July of 1995 under permit #11-94. All oak was retained. Illegal box blind in stand.
	Level 4 Cover Type 42330 - Upland Fir 4134 - Aspen, Spruce/Fir 4130 - Aspen 4130 - Aspen 4134 - Aspen, Mixed Conifer 4134 - Aspen, Spruce/Fir 6139 - Mixed Lowland Forest 4130 - Aspen	Level 4 Cover Type 42330 - Upland Fir 4134 - Aspen, Spruce/Fir 4130 - Aspen 4130 - Aspen 4130 - Aspen Medium Density A136 - Aspen, Mixed Conifer High Density Pole 4134 - Aspen, Spruce/Fir High Density Pole 4136 - Aspen, Mixed Conifer High Density Pole 4137 - Aspen High Density Log High Density Pole High Density Log High Density Pole	Level 4 Cover Type Size Density Acres 42330 - Upland Fir Spruce/Fir Low Density Pole 10.1 4134 - Aspen, Spruce/Fir High Density Sapling 102.2 4130 - Aspen High Density Sapling 11.9 4130 - Aspen Medium Density 32.4 4130 - Aspen, Mixed Conifer High Density Pole 54.3 4134 - Aspen, Mixed Conifer High Density Log 19.4 6139 - Mixed Lowland Forest High Density Log 18.3 4130 - Aspen High Density Sapling 14.1 4130 - Aspen High Density Pole 78.5 4130 - Aspen High Density Pole 78.5 4130 - Aspen High Density Log 39.9 4123 - Red Oak High Density Density Log 39.9	Level 4 Cover Type Size Density Density Acres Stand Age 42330 - Upland Fir Pole Low Density Pole 10.1 72 4134 - Aspen, Spruce/Fir High Density Sapling 102.2 15 4130 - Aspen High Density Sapling 11.9 5 4130 - Aspen Medium Density 32.4 5 4130 - Aspen, Mixed Conifer High Density Pole 42.6 40 4134 - Aspen, Spruce/Fir Pole High Density Log 19.4 84 6139 - Mixed Lowland Forest High Density Log 18.3 72 4130 - Aspen High Density Sapling 14.1 36 4130 - Aspen High Density Pole 78.5 45 4130 - Aspen High Density Pole 39.9 50 4130 - Red Oak High Density Density 9.2 94	Level 4 Cover Type Size Density Acres Stand Age BA Range 42330 - Upland Fir Pole Low Density Pole 10.1 72 81-110 4134 - Aspen, Spruce/Fir Sapling High Density Sapling 102.2 15 4130 - Aspen High Density Sapling 11.9 5 4130 - Aspen Medium Density 54.3 36 51-80 4130 - Aspen, Mixed Conifer High Density Pole 42.6 40 81-110 4134 - Aspen, Spruce/Fir Eorest High Density Log 19.4 84 111-140 6139 - Mixed Lowland Forest High Density Log 18.3 72 111-140 4130 - Aspen High Density Sapling 14.1 36 111-140 4130 - Aspen High Density Pole 78.5 45 111-140 4130 - Aspen High Density Log 39.9 50 81-110 4123 - Red Oak High Density Density Density Pole 9.2 94 81-110

S t	Gwinn	Gwinn Mgt. Unit			orested Sta	Ands Compartment: 262 Year of Entry: 2014
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
47	4130 - Aspen	High Density Pole	8.4	48	1-50	Aspen not real vigorous. Many aspen saplings in each plot. Clones of older/larger aspen with avg. Dbh of 10 to 12 inches. White pine and red pine poles present. Red pine and oak saplings found.
49	4131 - Aspen, Oak	High Density Sapling	17.7	17		Stand was harvested in in 1995 under permit #11-94. Aspen are approximately 24 feet tall. High species diversity of trees. Scattered red oak sawtimber. White birch and bigtooth aspen are infrequent overstory associates. Jack pine, white birch and white pine saplings found. Some hazel. Some small patches red oak poles and sawtimber.
50	4134 - Aspen, Spruce/Fir	High Density Log	15.1	71	81-110	Treatment was delayed last entry for age/size class diversity. Aspen overmature. Red pine, white pine and red oak are uncommon in the overstory. White birch, white pine, red pine and oak saplings present.
53	42340 - Upland Spruce/Fir	High Density Log	4.4	72		Buffer around Kate's Lake.
54	4130 - Aspen	High Density Pole	10.1	52	81-110	Aspen ranges from 9 to 16 inches Dbh. Fair number of aspen and fir snags. Jack pine crowns becoming sparse. Aspen is tall with nice form. Red pine is infrequent overstory associate. Black cherry, white spruce and white pine saplings present.
55	6128 - Lowland Coniferous, Mixed Deciduous	High Density Pole	300.5	94	81-110	Steep bank along edges of this stand. Some open areas with more alder. Occasional red maple, white pine, red pine, white spruce, balsam poplar and fir in overstory. White birch and tamarack saplings present.
57	4130 - Aspen	High Density Pole	18.8	36	81-110	Stand harvested in 1975.
58	4130 - Aspen	High Density Pole	14.0	36	51-80	Stand harvested in 1975. Aspen composed of roughly 50% saplings and 50% poles. White birch saplings present.
59	4136 - Aspen, Mixed Conifer	High Density Sapling	46.3	4		Stand harvested in 2008 under permit #307-06. Overal, aspen stocking good. Patches of heavier oak regeneration. Red pine, jack pine and white spruce saplings found.
60	4130 - Aspen	High Density Sapling	59.1	15		Stand harvested between 1995 and 1997 under permit #11-94. Aspen are approximately 24 feet tall.
61	42320 - Upland Spruce	High Density Pole	14.9	78		Conifer crowns healthy. White birch is overstory associate.
62	4113 - R.Maple, Conifer	Medium Density Pole	15.8	60	81-110	A timber trespass occured about 10 years ago and was resolved at that time. Nearly all the large diameter white pine were removed. Stand was effectively thinned and canopy is very open overall. Many old skid trails still evident. Pockets of M3 and F3. Infrequent small groups of mature aspen. Many open areas with fir, maple and white pine saplings. DNR survey monument at SE corner of private 40, west of this stand.

S t a n d	Gwinn Mgt. Unit			5 – Fo	orested Sta	rnds Compartment: 262 Year of Entry: 2014
	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
63	42360 - Upland Cedar	High Density Log	36.4	120	171-200	Good to excellent form class to cedar boles. Cedar crowns are healthy.Bryan creek flows through stand.
64	42220 - Natural Jack Pine	High Density Pole	18.9	55	81-110	Fair amount of jack pine deadfall and snags. Foliage on jack pine becoming quite sparse. This stand was prescribed for a clearcut with reserves, after obtaining permission following out-of-entry year guidelines. It has been prepared for sale and advertised with stands being treated in Cmpt 261 to the east.
65	42320 - Upland Spruce	High Density Pole	3.6	61	111-140	Healthy spruce crowns. Many submerchantable spruce stems. Occasional trembling aspen poles.

5 - Forested Stands

6 - Nonforested Stands

Compartment: 262 Year of Entry: 2014



Stand	Cover Type	Acres	Managed Site	Management Priority (Objective)	General Comments:
4	6224 - Treed Bog	1.1	No	Unspecified	Black spruce and tamarack saplings in bog. Buffer around bog comprised of black spruce, trembling aspen and jack pine poles. White birch and fir saplings present.
21	3105 - Mixed Upland Herbaceous	0.5	Yes	High (NonForested)	Excellent quality forage. Opening is part of hunter walking trail.
23	3201 - Sweet Fern	26.1	No	Unspecified	Stand is composed mainly of old ELF line segments. White spruce, trembling aspen, jack pine and balsam fir saplings encroaching. Also red pine, trembling aspen and jack pine poles present.
24	6225 - Bog	5.1	No	Unspecified	Leatherleaf.
28	6224 - Treed Bog	1.2	No	Unspecified	Fringe of black spruce, aspen and jack pine along margin of stand.
29	6224 - Treed Bog	1.9	No	Unspecified	16 to 20 foot tall black spruce. Spruce is spindly with very sparse cowns.
31	3201 - Sweet Fern	1.1	No	Unspecified	Stand roughly 90% open. Some jack pine poles and saplings filling in.
42	50 - Water	6.5	No	Unspecified	
43	6220 - Alder/willow	72.4	No	Unspecified	Floodplain along Bryan Creek. Fir, spruce, tamarack and aspen saplings present. Fir, spruce and tamarack poles found.
48	6225 - Bog	2.0	No	Unspecified	Leatherleaf, black spruce saplings and tamarack saplings.
51	3302 - Low Density Conifer Trees	1.0	No	Unspecified	Opening filling in. White spruce poletimber and saplings are predominant trees. Jack pine poles, jack pine saplings and red pine saplings present. Poor herbaceous forage and areas of bracken.
52	3105 - Mixed Upland Herbaceous	1.6	Yes	Medium (NonForested)	Excellent quality forage. Opening is part of hunter walking trail.
56	50 - Water	33.1	No	Unspecified	Kate's Lake.

Compartment: 262 Year of Entry: 2014



7 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

Stand	SCA Type	SCA Name	Acres	Comments
multiple - see	Unique Site - SCA	32262_SCA	51.6	RAU added SCA
multiple - see	SCA Removal	32262_SCA_Removal	368.1	RAU added SCA

Compartment: 262 Year of Entry 2014



8 – DEDICATED CONSERVATION AREA DETAILS

* This is a list of Dedicated Biodiversity Areas for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to Dedicated Conservation Area Map for areas that the below listed Conservation Areas are located.

Conservation Area	on Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxyg stocked trout populations and those of other coldwater conditions for coldwater fishes may occur in Michigar groundwater inflows, or are located in colder (norther Director's action and designated as trout resources by	er fish species to persist from year to year. Suitable n lakes if they are relatively deep, have substantial rn) areas of the state. Such lakes are established by
SCA Cold Water Stream Stream A coldwater stream has temperature and dissolved oxyg stocked trout populations and those of other coldwater fir year to year. Coldwater streams in Michigan typically pro contributions of groundwater to their stream flows. Such designated as trout resources by Fisheries Order 210.		stocked trout populations and those of other coldwate year to year. Coldwater streams in Michigan typically contributions of groundwater to their stream flows. So	er fish species (e.g., slimy sculpin) to persist from provide these conditions due to substantial uch streams are established by Director's action and