

Compartment Review Presentation

Escanaba Forest Management Unit

Compartment 34 Entry Year 2016

Acreage: 1,475
County Menominee

Management Area: Green Bay Lake Plain

Revision Date: 06/12/2014

Stand Examiner: Dan Racine

Legal Description:

T37N R 25W Sections 23-27

Identified Planning Goals:

The major cover types within this compartment are lowland spruce and fir, aspen and cedar. The overall compartment is a mix of upland and lowland cover types. The major upland cover type is aspen and the major lowland cover types are cedar and lowland spruce and fir. Within this compartment several of the upland and lowland stands proposed for treatment have a mix of upland and lowland cover types with a white pine and hemlock component in the overstory and white pine and mixed conifer component in the understory. The treatments within these stands are a mix of harvest methods designed to retain the hemlock component and enhance and promote the existing white pine and mixed conifer regeneration. The other treatments are aspen harvests, northern hardwood selection and thinnings, and mixed upland deciduous and lowland deciduous harvests.

Soil and topography:

The topography is level with drops in elevation to the swamps and lowland areas. The soil types in this compartment include; Deford poorly drained, Lupton Muck very poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Arnheim poorly drained. The prominent soil series in this compartment is DefordThe topography is level with drops in elevation to the swamps and lowland areas. The soil types in this compartment include; Deford poorly drained, Lupton Muck very poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Arnheim poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Lupton Muck very poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Arnheim poorly drained. The prominent soil series in this compartment include; Deford poorly drained, Lupton Muck very poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Lupton Muck very poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Arnheim poorly drained, Wainola fine sand somewhat poorly drained, Deford mucky fine sand poorly drained, Arnheim poorly drained. The prominent soil series in this compartment is Deford

Ownership Patterns, Development, and Land Use in and Around the Compartment:

This compartment contains mostly state land with private land interspersed throughout. The surrounding area is also state land with private land interspersed.

Unique Natural Features:

No Unique Natural Features known.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

Special conservation areas are designated for riparian corridors for the Cedar River and Degraves Creek.

Watershed and Fisheries Considerations:

Degraves Creek and Cedar River riparian corridors.

Wildlife Habitat Considerations:

The east side of the compartment contains a large (600 acre) expanse of treed bog and spruce/cedar swamp. No management is practical within this area, and it will continue to be maintained for the unique plant and animal biodiversity it contains. The west side of the compartment contains a mix of aspen, mixed conifer, and mixed hardwood stands which provide valuable habitat for numerous game and non-game species. Degraves Creek and the Big Cedar River run through the compartment and provide riparian habitat for many species of wildlife. Proposed treatments include clearcutting aspen, mixed conifer, and mixed deciduous stands which will establish early successional forest that will benefit white-tailed deer, ruffed grouse, and wild turkey. Pockets of cedar and hemlock will be retained in these areas to provide good seasonal

cover.

Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of lacustrine (lake) sand and gravel and minor medium-textured glacial till. The glacial drift thickness varies between 10 and 50 feet. The Ordovician Trenton Formation underlies the glacial drift. The Trenton is quarried for stone west of Escanaba. This area has not been leased previously for metallic exploration. A gravel pit is located on a drumlin in Section 27 and potential appears to be good on the upland drumlins. No economic oil and gas production has been found in the UP.

Vehicle Access:

The main access to this compartment is off the 7 mile marsh road and county road 551. There is presently good vehicle access with permission required for access through private lands for some of the treatments prescribed.

Survey Needs:

Sections 23, 26, and 27.

Recreational Facilities and Opportunities:

The compartment provides opportunity for hunting and fishing with no developed recreational sites.

Fire Protection:

There are adequate water resources as well as vehicle access to this compartment. There is low to moderate fire danger throughout this compartment except for some scattered pine types and private lands.


Additional Compartment Information:


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details

The following information is displayed, where pertinent, on the attached compartment maps:

Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system







Report 1 – Total Acres by Cover Type and Age Class

Escanaba Mgt. Unit

Dan Racine : Examiner

Compartment 034 Year of Entry 2016



Age	Class
-----	-------

						Age	J1455									
		0,	0,0	, o	ng /	Parks /	/ \$0 ⁸ /	800	va, \	\$0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0.00 \ 0	95%	00,00	0,70,70	, 20 × / 20 / 20 / 20 / 20 / 20 / 20 / 20	No.	, de la companya de l
														/ 3		
Aspen	11	53	47	28	122	24	7	0	0	0	0	0	0	0	293	
Bare/Sparsely Vegetated	34	0	0	0	0	0	0	0	0	0	0	0	0	0	34	
Cedar	0	0	0	0	0	0	0	0	0	7	0	172	33	0	213	
Hemlock	0	0	0	0	0	0	0	0	0	5	79	11	0	0	95	
Herbaceous Openland	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
Lowland Conifers	0	0	0	0	0	0	0	7	0	0	0	23	0	0	30	
Lowland Deciduous	0	0	0	0	0	0	0	0	50	6	0	0	0	0	56	
Lowland Mixed Forest	0	0	0	0	0	0	0	0	6	0	0	24	0	0	30	
Lowland Shrub	51	0	0	0	0	0	0	0	0	0	0	0	0	0	51	
Lowland Spruce/Fir	0	0	0	0	0	361	0	0	0	0	0	0	0	0	361	
Mixed Upland Deciduous	0	0	0	0	0	0	0	0	57	0	0	0	0	0	57	
Natural Mixed Pines	0	0	0	0	0	0	0	0	0	2	0	0	0	0	2	
Northern Hardwood	0	0	0	0	0	0	0	39	35	0	0	0	0	0	74	
Red Pine	0	0	0	0	0	0	3	0	0	0	0	0	0	0	3	
Upland Conifers	0	0	0	0	0	0	0	0	0	20	48	0	0	0	68	
Upland Mixed Forest	0	0	0	0	0	0	0	0	18	0	9	0	0	0	27	
Upland Spruce/Fir	0	7	0	0	10	0	0	0	0	0	0	0	0	0	17	
Urban	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Water	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
White Pine	0	3	0	0	0	0	0	0	0	18	0	34	0	0	55	
Total	106	62	47	28	132	385	10	45	167	58	137	264	33	0	1475	



Report 2 – Proposed Treatment Summaries

Escanaba Mgt. Unit Year of Entry 2016

Compartment 034
Total Compartment Acres: 1,475

Acres by Treatment Type

Commercial Harvest - 386

Tree Planting - 0

Other - 0

Habitat Cut - 0

Opening Maintenance - 4

	Cover Type by Harvest Method											
			Se o	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Lie S	No O	Citating Office	S. J. S.	Se de la constant de			
Aspen Types		32	0	0	0	0	0	32				
Lowland Coniferous Forest		0	0	7	0	0	0	7				
Lowland Deciduous Forest	26	0	0	4	0	0	30					
Lowland Mixed Forest	3	0	0	0	0	0	3					
Mixed Upland Conifers		0	0	0	44	0	0	44				
Mixed Upland Deciduous		57	0	0	0	0	0	57				
Natural Pines		0	0	0	57	0	0	57				
Northern Hardwood		14	31	0	0	5	0	49				
Other Upland Conifers		0	0	0	0	16	10	26				
Upland Mixed Forest		27	53	0	0	0	0	80				
	Total	159	84	7	106	21	10	386				

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 034 Year of Entry 2016

M/CHIGAN .

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
5	33034005-Cut	9.8	6117 - Lowland Deciduous, Mixed Coniferous	High Density Pole	83		Harvest	Clearcut with Reserves	6117 - Lowland Deciduous, Mixed Coniferous	Cmpt. Review Proposal

Prescription Clearcut with reserves- Cut all trees except leave a retention area in the heaviest hemlock area. Outside the retention leave some pine and Specs:

spruce seed trees and all the hemlock.

Other The hemlock is 20% of the canopy cover type.

Comments:

<u>Next</u> Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

33034010-Cut 53.0 4312 - Hemlock, High 100 111-140 Harvest **Group Selection** 4312 - Hemlock, Cmpt. Review Mixed Deciduous Mixed Deciduous Proposal Density

Prescription Group selection- Cut all trees except the hemlock and cedar, leave pine and spruce seed trees. Leave retention areas around the heaviest

pockets of hemlock at approximately 10-20% of the stand, mostly through the center of the stand. Specs:

<u>Other</u> This harvest will create gaps with some canopy retention areas of hemlock and scattered hemlock and pine left throughout. The start date will be Comments:

10/1/2014 with the stands to the north in compartment 33.

<u>Next</u> Steps: Monitor the regeneration at appropriate intervals.

Proposed

10/01/2015 Start Date:

33034015-Cut 8.0 4130 - Aspen Hiah 56 Harvest Clearcut with 413 - Aspen Cmpt. Review 15 **Density Log** Reserves Proposal

Prescription Clearcut with reserves- Leave a retention strip along the south boundary line. Leave all the hemlock and some spruce seed trees.

Specs:

The hemlock is a trace of the canopy cover type. <u>Other</u>

Comments:

Monitor the regeneration at appropriate intervals. Next

Steps:

Proposed

10/01/2015 Start Date:

33034017-Cut 15.8 6117 - Lowland High 83 141-170 Harvest Clearcut with 6117 - Lowland Cmpt. Review 17 Deciduous, Mixed Density Reserves Deciduous, Mixed Proposal Coniferous Pole Coniferous

Prescription Clearcut with reserves- Leave all the cedar, hemlock, beech as well as a few pine seed trees. Leave a retention area along the boundary line.

Specs:

The cedar cover type is approximately 10% of the canopy cover type. The hemlock is approximately 10% of the canopy cover type. **Other**

Comments:

Next Monitor the regeneration at appropriate intervals.

Steps:

Proposed

10/01/2015 Start Date:

Compartment: 034 Report 3 -- Treatments Prescribed Year of Entry 2016 with No Limiting Factor

а **Treatment** Size BA **Treatment Treatment Cover Type** Acres CoverType **Approval** n Method Objective d Name Density Age Range Type Status 5.0 4119 - Mixed High 81-110 Clearcut with 4191 - Mixed Cmpt. Review 18 33034018-Cut 83 Harvest Upland Deciduous Northern Hardwoods Density Reserves Proposal with Conifer Pole

Prescription Clearcut with reserves- Harvest all trees except hemlock. Leave a retention strip along the western line of the bluff edge.

Specs

s t

Other There is very high amounts of balsam fir regeneration in some places. The hemlock is approximately 5% of the canopy cover type.

Comments:

<u>Next</u> Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

33034019-Cut 34.2 42200 - Natural High 118 81-110 Harvest Shelter Wood 429 - Mixed Upland Cmpt. Review White Pine with Reserves **Density Log** Conifers Proposal

Prescription Shelterwood seed tree with reserves- Leave scattered seed trees of white pine, red pine, and spruce throughout the stand and leave all cedar

and hemlock. Leave retention patches in the areas with high to very high amounts of regeneration. Specs:

<u>Other</u> There is 5% of the canopy as cedar cover type and some hemlock along the boundary line.

Comments:

<u>Next</u> Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

33034022-Cut 19.6 429 - Mixed Upland Harvest Shelterwood 429 - Mixed Upland 22 High 96 Cmpt. Review Conifers Conifers **Density Log** Proposal

Prescription Shelterwood seed tree harvest- Leave all the hemlock and cedar, and leave pine seed trees throughout. The residual BA will be approximately

Specs: 30-40 BA.

The hemlock is 5% and the cedar is 2% of the canopy cover type. Other

Comments:

Monitor the regeneration at appropriate intervals. **Next**

Steps:

Start Date:

Proposed

10/01/2015

33034025-Cut 6117 - Lowland 81-110 Shelter Wood 6117 - Lowland Cmpt. Review High 82 Harvest with Reserves Deciduous, Mixed Proposal

Deciduous, Mixed Density Coniferous Pole

Prescription Shelterwood with reserves- Cut all the ash 6 inches and greater. Leave all the yellow birch, cedar, and hemlock.

Specs:

The start date will be 10/1/2014 to be treated along with the stands in compartment 33 to the north. The best access is from the landowner to Other

Comments: the southwest with potential access through the landowner to the northwest.

Next Steps: Monitor the regeneration at appropriate intervals.

Proposed

10/01/2014 Start Date:

4113 - R.Maple, 26 33034026-Cut 4119 - Mixed High 83 111-140 Harvest Clearcut with Cmpt. Review 8.7 Northern Hardwoods Density Log Reserves Conifer Proposal

Prescription Clearcut with reserves- Leave all the hemlcok and some spruce seed trees. Retention along the south boundary line. Pocket of more sugar

Specs: maple to the north and at time of sale prep decide wether to split out a unit and selective harvest .

Other The hemlock is approximately 3% of the canopy cover type.

Comments:

Monitor the regeneration at appropriate intervals.

Next Steps:

<u>Proposed</u>

10/01/2015 Start Date:

Coniferous

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 034 Year of Entry 2016

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
30	33034030-Cut	14.3	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	83		Harvest	Clearcut with Reserves	4113 - R.Maple, Conifer	Cmpt. Review Proposal

Prescription Clearcut with reserves- Cut all trees except leave the cedar, pine, hemlock and yellow birch. Leave a retention area on the south end where the Specs:

hemlock and pine is along county road 551.

Other The stand is along county road 551. The cedar, pine, yellow birch and hemlock is 12% of the canopy cover type.

Comments:

Next Monitor the regeneration at appropriate intervals.

Steps:

S

<u>Proposed</u>

Start Date: 10/01/2015

33 33034033-Cut 20.2 4191 - Mixed High 111-140 Harvest Clearcut with 4191 - Mixed Cmpt. Review **Upland Deciduous** Reserves **Upland Deciduous** Proposal Density with Conifer with Conifer Pole

Prescription Clearcut with reserves- Leave the hemlock, cedar, and some pine seed trees. Leave a retention patch in an area with the highest hemlock

Specs: volumes.

<u>Other</u> The hemlock is approximately 25% and the cedar is 5% of the canopy cover type.

Comments:

Monitor the regeneration at appropriate intervals. Next

Steps:

<u>Proposed</u>

10/01/2015 Start Date:

33034034-Cut 7.9 4130 - Aspen High 56 Harvest Clearcut with 413 - Aspen Cmpt. Review 34 Density Reserves Proposal Pole

Prescription Clearcut with reserves- Cut all the trees except leave all cedar and leave a retention area along the edge of the boundary line.

Specs:

Other The proposed start date will be 10/1/2014, harvesting these stands with compartment 33 to the north. Access through private with the best access from the landowner to the south and west and potentially from the northwest. There is no cedar in the canopy cover type with some Comments:

along the edges of the stand.

Monitor the regeneration at appropriate intervals. <u>Next</u>

Steps:

<u>Proposed</u>

Start Date: 10/01/2014

33034035-Cut 4191 - Mixed 81-110 Harvest Clearcut with 4191 - Mixed Cmpt. Review 35 High Density Upland Deciduous Reserves **Upland Deciduous** Proposal with Conifer Pole with Conifer

Prescription Clearcut with reserves- Cut all trees except cedar and hemlock and leave a retention area where the hemlock is. Leave a retention buffer along

Specs: the east side along Degraves creek of approximately 1/2 chain wide.

The start date will be 10/1/2014 to be included with the stands in compartment 33 to the north. The best access is from the private landowner to <u>Other</u> the southwest, with potential access from the landowner to the north and west. There are hemlock patches on the north 1/3 of the stand and the Comments:

cedar is scattered and 5% of the canopy cover type.

<u>Next</u>

Monitor the regeneration at appropriate intervals

Steps:

Proposed

10/01/2014 Start Date:

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 034
Year of Entry 2016

DNR DICHIGAN

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
37	33034037-Cut	24.9	429 - Mixed Upland Conifers	High Density Log	108		Harvest	Shelter Wood with Reserves	429 - Mixed Upland Conifers	Cmpt. Review Proposal

<u>Prescription</u> Seed tree/shelterwood with reserves- Leave all cedar and hemlock. Leave some white pine seed trees, leaving approximately 30-40 BA overall.

Specs:

Other The cedar is 5%, the hemlock is 25% of the canopy cover type.

Comments:

Next Monitor the regeneration at appropriate intervals.

Steps:

Proposed

Start Date: 10/01/2015

4119 - Mixed High 78 81-110 Single Tree 4119 - Mixed Cmpt. Review 38 33034038-Cut 2.4 Harvest Northern Hardwoods Density Selection Northern Hardwoods Proposal

Pole

Prescription Selection harvest- Retain approximately 70-80 BA, leaving all hemlock and focusing on removing teh majority of the ash.

Specs:

Other The start date is 10/1/2014 treating this stand with compartment 33 to the north. The hemlock is approximately 5% of the canopy cover type.

Comments:

Next Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

39 33034039-Cut 9.7 42330 - Upland Fir High 48 Harvest Other - Specify 4319 - Mixed Cmpt. Review in Comments Upland Forest Proposal

Pole

<u>Prescription</u> Salvage/Removal- Take out the mature balsam fir and red maple and protect the areas of younger red maple regeneration.

Specs:

Other The start date for this stand is 10/1/2014 and will be treated with the stands in compartment 33 to the north.

Comments:

Next Steps:

Proposed

Start Date: 10/01/2014

40 33034040-Cut 8.4 4139 - Aspen, High 59 Harvest Clearcut with 4139 - Aspen, Cmpt. Review Mixed Deciduous Proposal

Pole

Prescription Clearcut with reserves- Leave some pine for seed trees and retention along the boundary of the stand.

Specs:

Other The white pine is approximately 10% of teh canopy cover type.

Comments:

Monitor the regeneration at appropriate intervals.

Next Steps:

<u>Proposed</u>

Start Date: 10/01/2015

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 034 Year of Entry 2016

DEPARTMEN	DNR MICHES N
	MICHIGAN

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
43	33034043-Cut	6.8	6129 - Mixed Coniferous Lowland Forest	High Density Pole	72		Harvest	Seed Tree with Reserves	6129 - Mixed Coniferous Lowland Forest	Cmpt. Review Proposal

Prescription Seed tree with reserves- Leave pine and spruce seed trees throughout the stand with the majority pine. Leave retention of the areas that have Specs:

the highest amount of existing regeneration.

Other Expect mixed conifer and aspen, red maple regeneration. This stand has areas of very high densities of existing regeneration.

Comments:

<u>Next</u> Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

33034045-Cut 18.3 42200 - Natural High 96 Harvest Shelter Wood 429 - Mixed Upland Cmpt. Review White Pine with Reserves **Density Log** Conifers Proposal

Prescription Shelterwood seed tree harvest- Leave pine seed trees and all the cedar and hemlock. This will retain approximately 30-40BA throughout. Leave Specs:

retention areas around the heaviest areas of regeneration and little overstory component.

<u>Other</u> The hemlock is 20% and the cedar is 2% of the canopy cover type.

Comments:

<u>Next</u> Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

33034055-Cut 6132 - Mixed High 141-170 Harvest Clearcut with 6132 - Mixed Cmpt. Review 55 3.3 Lowland Forest with Lowland Forest with Reserves Proposal Density Cedar Pole Cedar

Prescription Clearcut with reserves- Cut all trees except leave retention patches where cedar is the heaviest.

Specs:

The retention patches will be to the north end of the stand. Most of the cedar is to the north and is approximately 40% of the overall canopy <u>Other</u>

Comments: cover type.

Next Monitor the regeneration at appropriate intervals.

Steps:

<u>Proposed</u>

10/01/2015 Start Date:

33034056-Cut 8.1 4110 - Sugar Maple High 76 111-140 Harvest Single Tree 4110 - Sugar Maple Cmpt. Review 56 Association **Density Log** Selection Association Proposal

Prescription Selection harvest- Retain approximately 70-80 BA. Create canopy gaps to try and establish maple regeneration. Leave the hemlock and favor

to leave the ironwood along the edge of the stand. Specs:

Nice hardwood stand. Priority of enhancing the existing stand quality. <u>Other</u>

Comments:

<u>Next</u> Monitor the regeneration at appropriate intervals focusing on the success of hardwood regeneration.

Steps:

Proposed Start Date: 10/01/2015

Compartment: 034 Escanaba Mgt. Unit Report 3 -- Treatments Prescribed Year of Entry 2016 with No Limiting Factor s t а **Treatment** Acres CoverType Size BA **Treatment Treatment Cover Type** Approval n Density Method Objective **Status** d Name Age Range Type 33034057-Cut 4.7 4119 - Mixed High 76 111-140 Harvest Single Tree 4119 - Mixed Cmpt. Review 57 Northern Hardwoods Density Selection Northern Hardwoods Proposal Pole Prescription Selection harvest- Retain approximately 70-80 BA leaving all the hemlock. Create canopy to establish maple regeneration. Specs: Other Favor to create larger canopy gaps of 60+ feet for the maple regeneration. Comments: <u>Next</u> Monitor the regeneration at appropriate intervals. Steps: <u>Proposed</u> Start Date: 10/01/2015 61 33034061-Cut 2.6 42210 - Natural High 64 Harvest Shelterwood 4221 - Natural Red Cmpt. Review Red Pine Proposal Density Pine Pole Prescription Shelterwood seed tree harvest- Leave pine seed trees throughout the stand retaining approximately 30-40 BA to provide for overstory cover for existing regeneration. Specs: <u>Other</u> High regeneration of pine with the majority white pine in the understory. The overstory is 90% red pine and 10% white pine. Comments: Monitor the regeneration at appropriate intervals. <u>Next</u> Steps: **Proposed** Start Date: 10/01/2015 33034068-Cut 16.2 42350 - Upland High 106 141-170 Harvest Crown Thinning 4312 - Hemlock. Cmpt. Review 68 Hemlock **Density Log** Mixed Deciduous Proposal

Prescription Thinning- Retain approximately 60-70BA in the areas that are more to hardwood and 140BA in the areas that are heaviest to hemlock.

Specs:

The hemlock is approximately 60% of the canopy cover type. <u>Other</u>

Comments:

Next Steps:

Proposed

10/01/2015 Start Date:

70 33034070-Cut 4.8 4112 - Maple. High 84 81-110 Harvest Crown Thinning 4119 - Mixed Cmpt. Review Beech, Cherry **Density Log** Northern Hardwoods Proposal

Association

Prescription Thinning- Retain approximately 70-80BA and remove only those hemlock that are necessary for harvest.

Specs:

<u>Other</u> The hemlock is approximately 20% of the canopy cover type.

Comments:

Next Monitor the regeneration at appropriate intervals.

Steps:

Proposed

10/01/2015 Start Date:

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 034
Year of Entry 2016

OEPAKTME	DNR MINUS AN
	MICHIGAN

a n Treatment Acres d Name

Density

Size

Stand Age BA Treatment Range Type

Treatment Method Cover Type Objective Approval Status

14 NF_33034014-NonFor 3.2 3102 - Grass

CoverType

Non-Forest Management Other - Specify

3102 - Grass

Cmpt. Review Proposal

<u>Prescription</u> Opening enhancement. Cut brush and encroaching tree species, mow, herbicide, lime, fertilize, plant both annual and perennial herbaceous <u>Specs:</u> plants as well as hard/soft mast producers within the opening boundaries for the benefit of both game and non-game species.

Other_

S t

Comments:

Next

Create an FTP and yearly maintenance.

Steps:

Proposed

Start Date: Unspecified

NonFor

36 NF_33034036- 1.3

1.3 3102 - Grass

Non-Forest Management Other - Specify

310 - Herbaceous Openland

Cmpt. Review Proposal

<u>Prescription</u> Opening enhancement. Cut brush and encroaching tree species, mow, herbicide, lime, fertilize, plant both annual and perennial herbaceous <u>Specs:</u> plants as well as hard/soft mast producers within the opening boundaries for the benefit of both game and non-game species.

Other Commo

Comments:

Next Steps:

Proposed

Start Date: Unspecified

Total Treatment

Acreage Proposed: 322.1

Escanaba Mgt. Unit Report 4 -- Treatments Prescribed with Compartment: 034 a Site Condition s Year of Entry 2016 t **Treatment** CoverType BA **Treatment Treatment Cover Type** Acres Size Stand **Approval** n Objective d Name Density Age Range Type Method **Status** 16.1 4191 - Mixed High Clearcut with 4191 - Mixed Cmpt. Review 1 33034001-Cut 84 Harvest **Upland Deciduous** Density Reserves **Upland Deciduous** Proposal with Conifer Pole with Conifer Prescription Clearcut with reserves- Leave any cedar and hemlock and leave a buffer along the drainage area and creek that runs from southwest to Specs: northeast Other This stand is limited factor due to access with no roads through the private and blocked by Degrayes creek to teh west and the lowland brush Comment: and cedar swamp to the east. The cedar is 5 and the hemlock is 5% approximately of the canopy cover type. Monitor the regeneration at appropriate intervals. <u>Next</u> Steps: **Proposed** 10/01/2015 Start Date: 2B: Unknown if access through adjacent landowner(s) is possible Limiting Factor 2 33034002-Cut 18.2 4319 - Mixed High 83 141-Harvest Clearcut with 4319 - Mixed Cmpt. Review **Upland Forest** Density Log 170 Reserves **Upland Forest** Proposal Prescription Clearcut with reserves- Cut all the trees except leave some pine and spruce seed trees, leave all cedar, and leave a retention patch where the Specs: hemlock volumes are the heaviest. This stand is limited factor due to access through private with no roads and blocked by the cedar swamp the east and Degraves creek. The Other Comment: hemlock is approximately 15% and the cedar is 5% of teh canopy cover type. Next Monitor the regeneration at appropriate intervals. Steps: Proposed Start Date: 10/01/2015 2B: Unknown if access through adjacent landowner(s) is possible Limiting Factor 33034009-Cut 15.5 4110 - Sugar Maple High 78 111-Harvest Single Tree 411 - Northern Cmpt. Review q Density Association 140 Selection Hardwood Proposal Pole Prescription Selection harvest- Retain approximately 70-80 BA. Leave a 100 foot buffer along the Cedar River. Specs: The best access is from the private landowner to the north. Limited factor due to private access. Other Comment: Next Monitor the regeneration at appropriate intervals. Steps: Proposed Start Date: 10/01/2015 2B: Unknown if access through adjacent landowner(s) is possible Limiting Factor 4311 - Pine, Aspen Cmpt. Review 33034054-Cut Clearcut 9.1 4311 - Pine, Aspen High 103 Harvest **Density Log** Mix Proposal Mix Prescription Clearcut- Cut all trees except leave pine seed trees throughout. Specs: **Other** Limited factor due to access and blocked by surrounding stand 64. Comment: <u>Next</u> Monitor the regeneration at appropriate intervals. Steps: **Proposed**

2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)

10/01/2015

Start Date:

Limiting Factor

S t			Escana	ıba Mgt. Unit	Report 4		eatmen Site Cor	ts Prescribed Idition	l with	Compartment: 034 Year of Entry 2016	DNR DNR
a n d		tment ime	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
58		34058- ut1	2.1	42290 - Natural Mixed Pine	High Density Log	96 g		Harvest	Shelterwood	429 - Mixed Upland Conifers	Cmpt. Review Proposal
Prescr Specs	-	Shelterw regenera		ee harvest- Retain	approximately	y 20-30 E	BA of pine	seed trees throu	gout the stand pro	viding cover for the exis	ting
Other Comm	nent:			factor. Access will ed to cross the Deg		ranted by	the lando	owner to the north	and potentially a	road built through privat	e. A portable
<u>Next</u> Steps:		Monitor t	he regener	ation at appropriate	intervals.						
Propos Start D	Date:	10/01/20		Blacked by physical	obstaclo (o o	. unland	stand in s	a lowland area)			
Limitin	ig Faci	<u>OI</u>	2⊓. I	Blocked by physical	obstacie (e.g	j. upiano	Stand in a	a iowiano area)			
69	33034	069-Cut	7.4	4130 - Aspen	High Density Pole	60		Harvest	Clearcut	4191 - Mixed Upland Deciduous with Conifer	Cmpt. Review Proposal
Prescr Specs			lection harv							and white pine. In the M portion retain most of t	
Other Comm	nent:			factor due to unknowith stands in comp				perty to the south	. This stand was o	originally prescribed as a	an out of entry
<u>Next</u> Steps:		Monitor t	he regener	ation at appropriate	intervals.						
Propos Start D		10/01/20	14								
Limitin	g Fact	<u>or</u>	2B: l	Jnknown if access t	hrough adjac	ent lando	owner(s) is	s possible			

Total Treatment Acreage Proposed:

68.4

Dan Racine: Examiner

Compartment 034
Year of Entry 2016

Availa	ability for I	Management						
Total	Acres	Acres		Dominai	nt Site	e Con	dition	s
Acres	Available	Not Available		No	5C	ЗА	2H	2B
293	293		Aspen	285				7
213	213		Cedar	213				
95	95		Hemlock	95				
30	30		Lowland Conifers	7	23			
56	36	20	Lowland Deciduous	30	6	20		
30	30		Lowland Mixed Forest	30				
361	361		Lowland Spruce/Fir	361				
57	57		Mixed Upland Deciduous	41				16
2		2	Natural Mixed Pines				2	
74	70	4	Northern Hardwood	54		4		15
3	3		Red Pine	3				
68	68		Upland Conifers	68				
27	27		Upland Mixed Forest					27
17	17		Upland Spruce/Fir	17				
55	55		White Pine	55				
1,380	1,354	26	Total Forested Acres	1,258	29	24	2	66
	98%	2%	Relative Percent					

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

	ominant Site ond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
004	Not Available	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	2	No Limiting Factor			
Со	mments:						
005	Available	2B: Unknown if access through adjacent landowner(s) is possible	16	No Limiting Factor			
Co	mments:						

Report 5 – Site Conditions

Escanaba Mgt. Unit

Dan Racine: Examiner

Compartment 034 Year of Entry 2016

006	Available	2B: Unknown if access through adjacent landowner(s) is possible	16	2E: Road needed		
C	omments:					
007	Available	2B: Unknown if access through adjacent landowner(s) is possible	18	2E: Road needed		
C	omments:					
800	Available	2B: Unknown if access through adjacent landowner(s) is possible	9	No Limiting Factor		
C	omments:					
009	Not Available	3A: Potential old growth / biodiversity	20			
	omments: edar River riparia	n corridor. The stand has small	creek a	and draingages running to	Cedar River.	
010	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	6			
C	omments:					
011	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	23			
C	omments:					

Report 5 – Site Conditions

Escanaba Mgt. Unit

Dan Racine: Examiner

Compartment 034 Year of Entry 2016

012	Available	2B: Unknown if access through adjacent landowner(s) is possible	7				
С	omments:						
013	Not Available	3A: Potential old growth / biodiversity	4				
	Comments: This stand is along the Cedar River Riparian corridor.						

Compartment: 034 Year of Entry: 2016



Report 6 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Area 1 Comments Edge of the River	Spring-Seeps, Riparian Areas	Riparian Area	SCA	4.1
Area 2 Comments	Spring-Seeps, Riparian Areas	Riparian Area	SCA	19.7
Area 3 Comments	Spring-Seeps, Riparian Areas	Riparian Area	SCA	24.5
R 3 Comments PROPOSED OLD GROWTH	Potential Old Growth		SCA Removal	4.8
R 4 Comments PROPOSED OLD GROWTH	Potential Old Growth		SCA Removal	13.1
R 2 Comments Trace amount of black spruce	Potential Old Growth e in the overstory and red pine in t	he understory.	SCA Removal	18.3
R 1 Comments Island pocket of tamarack.	Potential Old Growth		SCA Removal	150.4

Escanaba Mgt. Unit Compartment: 034





Report 7 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservati Area	on Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area				
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxyge stocked trout populations and those of other coldwater conditions for coldwater fishes may occur in Michigan groundwater inflows, or are located in colder (northern Director's action and designated as trout resources by	r fish species to persist from year to year. Suitable lakes if they are relatively deep, have substantial areas of the state. Such lakes are established by				
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved ox stocked trout populations and those of other coldwater year to year. Coldwater streams in Michigan typically prontributions of groundwater to their stream flows. Such designated as trout resources by Fisheries Order 210.	r fish species (e.g., slimy sculpin) to persist from provide these conditions due to substantial ch streams are established by Director's action and				
SCA Riparian Area		A transitional area between aquatic and terrestrial ecosystems in which the terrestrial ecosystem influences the aquatic ecosystem and vice-versa. Because of the unique conditions adjacent to lakes, streams and open water wetlands, riparian areas harbor a high diversity of plants and wildlife. Riparian communities are ecologically and socially significant in their effects on water quality and quantity, as well as aesthetics, habitat, bank stability, timber production, and their contribution to overall biodiversity.					

S				Report 8	– Forested	Stands Compartment: 034 Year of Entry: 2016
t a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
1	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	16.1	84		This stand is a mix of upland/lowland with the combining the ash stand along the creek.
2	4319 - Mixed Upland Forest	High Density Log	18.2	83	141-170	Dead balsam fir. Other species include; yellow birch,white spruce.
3	6120 - Lowland Cedar	High Density Pole	21.8	111		There is a small ridge in the northeast portion with some maple/birch/spruce/hemlock/ and pine.
5	6117 - Lowland Deciduous, Mixed Coniferous	High Density Pole	9.8	83		Separated out from stand pre-inventory stand 8. Pocket of maple,ash,hemlock, and white pine with some birch. Couple of pockets of black spruce to the east side of stand along pre-inventory 16.
6	4130 - Aspen	High Density Sapling	11.0	7		This stand was cut under the C34 done at last sale completed in 2007. All cedar, hemlock, and submerchantable spruce/fir were left.
7	4112 - Maple, Beech, Cherry Association	High Density Pole	6.0	83		Red maple mostly 7-9inches dbh with scattered larger white pine,paper birch,q.aspen, and a few scattered spruce and hemlock. Trace amount of red pine and hemlock. Cut next treatment period.
8	4136 - Aspen, Mixed Conifer	High Density Sapling	5.9	17		This stand was cut under the Mack Spring block in 1997. All trees cut except cedar,hemlock,pine,beech,green painted trees and some pine were cut. Aspen stand with red maple and spruce/fir with some hemlock and white pine super canopy trees.
9	4110 - Sugar Maple Association	High Density Pole	15.5	78	111-140	Other species include hemlock, yellow birch, ash and cedar along the river. West portion of the stand is smaller pole timber and larger more logs to the east.
10	4312 - Hemlock, Mixed Deciduous	High Density Pole	53.0	100	111-140	Red maple on 10 of 11 plots with a dbh range of 8-12 inches. Hemlock on 11 of 11 plots with a dbh range of 8-12 inches. There is more species to be cut BA than hemlock BA on 7 of 11 plots. Trace amounts of black ash, white spruce, white pine and green ash.
11	4130 - Aspen	High Density Sapling	20.8	22		Aspen sapling stand cut in 1992 with some super canopy pine, spruce, and birch trees. The north end was separated into its own stand.
12	42350 - Upland Hemlock	Medium Density Pole	7.1	108		Cut in 1997 under the Mack spring block sale. All but cedar,hemlock,pine, and beech were cut. All spruce 7" and greater and orange marked pine were cut. High amount of understory with a mix of red maple,white pine,white spruce,balsam fir, and some aspen. Trace amounts of beech and cedar.
13	4134 - Aspen, Spruce/Fir	High Density Sapling	21.3	11		Mix of sap and pole. Scattered large pine left with several pockets of balsam fir/white spruce in overstory and understory. Trace amounts of balm,tamarack,cedar, and red pine.

S				Report 8	– Forested	Stands Compartment: 034 Year of Entry: 2016	
t a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:	
15	4130 - Aspen	High Density Log	8.0	56		Other species include white spruce,black cherry, hemlock. Dead and dying spruce and fir.	
17	6117 - Lowland Deciduous, Mixed Coniferous	High Density Pole	15.8	83	141-170	Cut under the Mack Spring Block in 1997. Trace amounts of white spruce in the overstory and black ash in the understory. Medium to High understory of white pine, white spruce, beech, and balsam fir.	
18	4119 - Mixed Northern Hardwoods	High Density Pole	5.0	83	81-110	Other species include black cherry and balm to the north along the opening.	
19	42200 - Natural White Pine	High Density Log	34.2	118	81-110	Basically a canopy of pine with mostly white pine and a mix of red pine, spruce, and some deciduous species. The understory is high regeneration with a mix of black spruce, balsam fir, white spruce, white pine and a few red maple and red pine. More red pine regen along the north edge of stand 31 but mostly white pine here.	
20	42350 - Upland Hemlock	High Density Pole	10.5	110		Part of the C34 done at last sale that was completed as a thinning in 2008. All orange marked trees, balsam fir, aspen, and balm cut. Mixed upland/lowland site.	
21	6118 - Lowland Deciduous with Cedar	High Density Log	19.7	83	111-140	Cedar/Hemlock/Ash to the east along the ridge and creek and west side along the Cedar River. Mostly Cedar and Hemlock on the north point. Areas predominate to Ash to the south and south east. Creek runs through the east and through the center bordered by Cedar River to the west. Silver Maple and sensitive fern toward the river and along the drainiage through the stand.	
22	429 - Mixed Upland Conifers	High Density Log	19.6	96			
23	4112 - Maple, Beech, Cherry Association	High Density Pole	3.8	78	81-110	Piece of hardwood with sugar maple,red maple,and other scattered species that will be treated with the stand to the north in compartment 33.	
25	6117 - Lowland Deciduous, Mixed Coniferous	High Density Pole	4.2	82	81-110	bottom of the ridge with black ash, cedar, some maple and birch on north end.	
26	4119 - Mixed Northern Hardwoods	High Density Log	8.7	83	111-140	mix of a pole/log stand. Black cherry and beech here as well.	
27	4119 - Mixed Northern Hardwoods	High Density Pole	10.8	84	51-80	The top part of the ridge is more sugar maple and as you move east more red maple vs sugar maple.	
29	4134 - Aspen, Spruce/Fir	High Density Pole	5.4	38		Other species include black cherry and ash. Mix of red maple and aspen about 2-4 sticks tall with some super canopy white pine. 1976 year of origin.	
30	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	14.3	83		More ash to the west and pockets of pine and hemlock. This stand was cut under the C34 done at last sale. Selective marking of maple and removal of aspen, balm.	

s t	Escanaba Mgt. Unit			Report 8	Forested	Stands Compartment: 034 Year of Entry: 2016
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
31	4112 - Maple, Beech, Cherry Association	High Density Pole	4.1	78		Edge of the River
32	4130 - Aspen	High Density Pole	10.5	35		The diameters for aspen are 4-7 inches with some super canopy white pine and red maple.
33	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	20.2	83	111-140	Other species include paper birch,beech,black cherry.
34	4130 - Aspen	High Density Pole	7.9	56		Variety of ages with the increment borer on most at 56 and cutting records in the 70's.
35	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	6.6	84	81-110	Red maple and ash with small balsam fir and scattered cedar and spruce.
37	429 - Mixed Upland Conifers	High Density Log	24.9	108		Other species include paper birch and balsam fir. No reliable age with increment borer on the white pine.
38	4119 - Mixed Northern Hardwoods	High Density Pole	2.4	78	81-110	This stand was broken out from 38 for a selection area.
39	42330 - Upland Fir	High Density Pole	9.7	48		
40	4139 - Aspen, Mixed Deciduous	High Density Pole	8.4	59		Some older and some younger aspen. Trace amount of paper birch in the overstory and beech in the understory.
41	42350 - Upland Hemlock	High Density Log	3.2	106		Small patch of almost pure hemlock. Scattered pine. Red maple paper birch scattered throughout.
42	4133 - Aspen, Mixed Pine	High Density Sapling	26.2	24		This stand was cut in 1992. Overall between the understory and overstory component this stand is a 50/50 mix of pine and aspen with some other minor component species. Minor component of cedar, and tamarack.
43	6129 - Mixed Coniferous Lowland Forest	High Density Pole	6.8	72		Heavy understory throughout most of the stand of white pine, black spruce, aspen, balsam fir, and some tamarack. Variable black spruce regeneration. Trace amounts of tamararack, red pine, and red maple understory.
45	42200 - Natural White Pine	High Density Log	18.3	96		Trace amount of black spruce in the overstory and red pine in the understory.
46	4130 - Aspen	High Density Pole	105.2	40		Aspen with scattered pine. Mix of ages with some 3-4 inch areas are more 6-7 inch areas. Look at next treatment period. Trace of black ash.
47	4130 - Aspen	High Density Sapling	9.4	14		Cut under the partridge recovery sale, completed in 2000. Unit 2 cut all trees except pine and hemlock with some orange marked pine.

S				Report 8	– Forested	Stands Compartment: 034 Year of Entry: 2016
t a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
48	4130 - Aspen	High Density Sapling	16.0	14		Cut under the partridge recovery sale in 2000. All trees cut except pine and hemlock with some orange marked pine cut.
50	429 - Mixed Upland Conifers	High Density Log	23.1	106		Cut in 2000 under the partridge recovery sale. Wait 10 years and follow eastern hemlcok guide for harvest.
51	42200 - Natural White Pine	Medium Density	2.6	14		Cut under the partridge recovery sale in 2000. Filling in with white pine, spruce, balsam and occasional hemlock, cedar and white pine. P/L sized pine left standing most is dead.
52	6120 - Lowland Cedar	High Density Pole	33.5	130		A ridge that runs through the center of the stand with mature red maple,balsam fir,spruce and scattered cedar and hemlock that is too small to break out.
53	42340 - Upland Spruce/Fir	Medium Density	7.0	14		Cut under the partridge recovery sale completed in 2000. White pine is 3-15,balsam fir 3-20 and pockets of aspen to the west.
54	4311 - Pine, Aspen Mix	High Density Log	9.1	103		Upland island
55	6132 - Mixed Lowland Forest with Cedar	High Density Pole	6.4	84	141-170	Pocket of cedar and other species on north end as you move sout more ash,red maple,yellow birch,and less cedar.
56	4110 - Sugar Maple Association	High Density Log	8.1	76	111-140	Increment borer on an ash tree. Log/pole stand with mix of white pine, balsam fir,spruce,beech in understory. Trace amount of hemlock.
57	4119 - Mixed Northern Hardwoods	High Density Pole	4.7	76	111-140	East side is fringe of cedar,ash,red maple,aspen. Quality not as good as stand 55.
58	42290 - Natural Mixed Pine	High Density Log	2.1	96		Large red pine and white pine with balsam fir in the understory. Aspen scattered throughout.
59	42350 - Upland Hemlock	High Density Log	4.8	92		Stand was thinned with white pine,balsam fir and maple removed.
60	6120 - Lowland Cedar	High Density Pole	150.4	111		Island pocket of tamarack.
61	42210 - Natural Red Pine	High Density Pole	2.6	64		Red pine log/pole stand.
62	6118 - Lowland Deciduous with Cedar	High Density Pole	6.1	94		Pockets where the cedar is heavy. Needs treatment next treatment period before A and P is gone and maple/birch is decent size.
63	6132 - Mixed Lowland Forest with Cedar	High Density Pole	23.7	111		Cedar with ash,redmaple,paperbirch. Better quality on east side near the ridge. Look to treat in 10 years.

S t	Escanaba	Escanaba Mgt. Unit			– Forested	Stands Compartment: 034 Year of Entry: 2016
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
64	6128 - Lowland Coniferous, Mixed Deciduous	High Density Pole	23.1	111		Tamarack is dying or dead. Ash is submerchantable. Cedar is in patches.
65	4130 - Aspen	High Density Pole	16.9	41		Aspen with patches of hemlock,cedar,and pine. Pine is dying with 18-24"dbh.
66	6122 - Black Spruce	Low Density Sapling	360.7	50		Some open areas mixed of treed bog and 25-30% canopy. Mix of black spruce and more tamarack to the north end. Very poor quality stand. Trace amounts of tag alder and holly in the understory.
67	6120 - Lowland Cedar	High Density Pole	7.3	96		Very poor quality stand. Lots of 3-5 inch maple and ash.
68	42350 - Upland Hemlock	High Density Log	16.2	106	141-170	Stand was thinned previously.
69	4130 - Aspen	High Density Pole	7.4	60		Not accessible and private to the south with no accessibility.
70	4112 - Maple, Beech, Cherry Association	High Density Log	4.8	84	81-110	Upland northern hardwood stand with hemlock.
71	4134 - Aspen, Spruce/Fir	High Density Pole	12.4	30		Along the 7 mile marsh road with trace of red pine in overstory. Maybe next treatment period.

Report 9 - Nonforested Stands

Compartment: 034 Year of Entry: 2016



Stand	Cover Type	Acres	Managed Site	Management Priority (Objective)	General Comments:
4	790 - Other Bare/Sparsely Vegetate	34.2	No	Unspecified	
14	3102 - Grass	3.2	Unspecified	Unspecified	
16	50 - Water	3.5	No	Unspecified	
24	6229 - Mixed lowland shrub	24.5	No	Unspecified	
28	122 - Road/Parking Lot	2.3	Unspecified	Unspecified	
36	3102 - Grass	1.3	Unspecified	Unspecified	
44	6229 - Mixed lowland shrub	24.5	No	Unspecified	
49	6229 - Mixed lowland shrub	2.0	No	Unspecified	