DNR DNR DNR

Compartment Review Presentation

Escanaba Forest Management Unit

Compartment 99
Entry Year 2016

Acreage: 641
County Delta

Management Area: Dead Horse Moraines

Revision Date: 06/12/2014

Stand Examiner: Dan McNamee

Legal Description:

T43N, R22W, Sections 19&30; T43N, R23W, Section 24

Identified Planning Goals:

A variety of silviculture techniques will be used to treat 8 stands totaling approximately 109.5 acres. 31 acres of lowland coniferous forest will be treated by the seed tree method of harvest, 8 acres of lowland Deciduous forest type will be clearcut, 45 acres of Northern Hardwood forest will treated using the selection method of harvest; 21 acres will be treated using the shelterwood method of harvest and 5 acres of Upland Mixed forest type will be treated using the shelterwood harvest method.

Soil and topography:

Major soil types are Carbondale, Lupton, Rifle, Tacoosh, Angelica, and Trenary. Topography is nearly level to moderately steep.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

State land to the north and east. Non-Industrial Private land borders to the south and west.

Unique Natural Features:

No Unique Natural Features known.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

This area is part of the Lampi deer yard cedar regeneration project. This project was started in the late 1950's and has been ongoing for the past 50 years or so.

Watershed and Fisheries Considerations:

Wildlife Habitat Considerations:

This small irregularly-shaped compartment is located on the west edge of a larger block of state land. The area is predominantly aspen and upland hardwoods with cedar swamp and lowland brush patches occupying the lowland wet areas. The compartment provides a mix of habitat conditions for numerous wildlife species. Several upland hardwood stands will be thinned creating canopy gaps that will produce abundant red maple browse for wintering deer and other wildlife. Additionally, some large unmerchantable trees will be retained to provide food and nesting requirements for various bird species. A buffer will be maintained along the Rapid River which will provide riparian wildlife habitat.

Mineral Resource and Development Concerns and/or Restrictions

Vehicle Access:

Limited, private land and wet ground make it hard to access.

Survey Needs:

None

Recreational Facilities and Opportunities:

Hunting and trapping.

Fire Protection:

If a fire should ever get started in this area, initial attack will be difficult. As stated before access is limited.


Additional Compartment Information:


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class Cover Type by Harvest Method Proposed Treatments – No Limiting Factors Proposed Treatments – With Limiting Factors Stand Details (Forested and Nonforested) Dedicated and Proposed Special Conservation Areas Site Condition Details

The following information is displayed, where pertinent, on the attached compartment maps:

Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system







Escanaba Mgt. Unit

Dan McNamee : Examiner

Compartment 099 Year of Entry 2016



	Age Class															
		8.9	0,70	,	80° 80° /	AD AS	\$5'05'	00°00	10°	80° 8	85.00	00.00	70,70	20 [*] Ju	A A	, so l
Aspen	10	39	103	49	0	0	0	0	0	0	0	0	0	0	201	
Cedar	0	0	0	0	0	0	0	0	0	14	40	24	8	0	86	
Low-Density Trees	10	0	0	0	0	0	0	0	0	0	0	0	0	0	10	
Lowland Conifers	0	0	0	56	0	0	0	0	31	0	0	0	19	0	106	
Lowland Deciduous	0	0	0	0	0	8	0	0	0	0	0	0	0	0	8	
Lowland Mixed Forest	0	0	4	0	0	0	0	0	5	7	0	0	0	0	17	
Lowland Shrub	45	0	0	0	0	0	0	0	0	0	0	0	0	0	45	
Mixed Upland Deciduous	0	0	40	0	0	0	0	0	0	0	0	0	0	0	40	
Northern Hardwood	0	0	0	0	0	0	0	46	40	0	0	0	0	0	87	
Upland Conifers	0	0	0	0	0	0	0	0	0	21	0	0	0	0	21	l
Upland Mixed Forest	0	0	0	0	0	5	0	0	0	0	0	0	0	0	5	
Water	15	0	0	0	0	0	0	0	0	0	0	0	0	0	15	
Total	81	39	148	105	0	13	0	46	77	42	40	24	27	0	641	



Report 2 – Proposed Treatment Summaries

Escanaba Mgt. Unit

Compartment 099 **Total Compartment Acres: 641** Year of Entry 2016

Acres by Treatment Type

Commercial Harvest - 110 Tree Planting - 0 Other - 0

Habitat Cut - 0 Opening Maintenance - 32

		Cover Type by Harvest Method							
		/ (Sea of	Seit of	N. S. S.	No de la constante de la const	China Or		, kros
Lowland Coniferous Forest		0	0	31	0	0	0	31	/
Lowland Deciduous Forest		8	0	0	0	0	0	8	
Northern Hardwood		0	45	0	21	0	0	66	
Upland Mixed Forest		0	0	0	5	0	0	5	
	Total	8	45	31	26	0	0	110	

Escanaba Mgt. Unit S

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 099
Year of Entry 2016

DEPARTMEN	DNR MICHIGAN
	MICHIGAN
10	

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
1	33099001-Cut	19.6	4112 - Maple, Beech, Cherry Association	High Density Pole	80	51-80	Harvest	Group Selection	4110 - Sugar Maple Association	Cmpt. Review Proposal
Spec Othe	dead red	d maple cav	ity nesting trees who	ere present.			·		roughout the stand an	
Next Step		regen ched	ck per work instruction	on. Acceptab	le regen	= SM, RM	, Fb			
Propo	osed_									

<u>Start Date:</u> 10/01/2015

10 33099010-Cut 20.8 4119 - Mixed High 80 81-110 Harvest Shelterwood 4113 - R.Maple, Cmpt. Review Northern Hardwoods Density Conifer Proposal

<u>Prescription</u> Treat by Shelterwood method. Leave 10 - 20 BA of Maple, also leave patches of Cedar and Hemlock that are located within stand intact. Leave Specs: the dead red maple cavity nesting trees where present.

Other Predominately R. maple with scattered cedar, hemlock and spruce. There are patches where cedar and hemlock are heavy. There is good regen of R maple, balsam fir and spruce.

Next Conduct regen check per work instructions. Acceptable regen= R maple, y. birch, s. maple balsam and spruce. Steps:

Proposed

Start Date: 10/01/2015

33099018-Cut 31.1 6124 - Lowland High 81 Harvest Seed Tree with 612 - Lowland Cmpt. Review 18 Spruce-Fir Density Reserves Coniferous Forest Proposal Pole

<u>Prescription</u> Harvest the mature timber, Leave seed source along the west edge of stand, seed trees will be spruce or tamarack. Pocket of cedar on north end <u>Specs:</u> of stand will be left intact. If there is another area of heavy cedar it will be left.

Other Overmature Tamarack and spruce. Timber is heavy in some areas and patchy in others. there is scattered A, P, Fb throughout stand.

Next Steps: Conduct regen check per work instructions. Acceptable regen= T, Fs, A, P, Fb.

Proposed

Comments:

Start Date: 10/01/2015

33099019-Cut 6117 - Lowland High 58 Harvest Clearcut 611 - Lowland Cmpt. Review 19 7.7 Deciduous, Mixed Density **Deciduous Forest** Proposal Coniferous Pole

Prescription Clearcut, leave the submerchatable timber.

Specs:

Other Mix of P, Ash, Fb Fs, Rm. and scatterd Cedar. If a pocket of heavy Cedar is located within stand it will be left otherwise all incidental cedar.

<u>Comments:</u> should be harvested to allow stand to regenerate to a fully stocked stand.

Next Conduct regen checks per work instructions. Acceptable regen= Ash, Balm, R. maple, Fb, Fs, and C.

Steps:

Proposed Start Date: 10/01/2015

Escanaba Mgt. Unit

Report 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 099 Year of Entry 2016 DNR DICHIGAN

a n d	Treatment Name	Acres	CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
24	33099024-Cut	8.7	4113 - R.Maple, Conifer	High Density Log	75 I	51-80	Harvest	Group Selection	4119 - Mixed Northern Hardwoods	Cmpt. Review Proposal

<u>Prescription</u> Create Regen gaps by marking individual gaps throughout the stand. Leave the heavier patches of Cedar on east side of stand.

Specs:
Other

S

West side of stand is more contains more hardwood without cedar. East side of stand has some cedar pockets.

Comments:

conduct regen check per work instruction. Acceptable regen = R. maple, S.Maple. and other associated hardwoods.

Next Steps:

<u>Proposed</u>

Start Date: 10/01/2015

36 33099036-Cut 12.8 4112 - Maple, High 78 Harvest Single Tree 411 - Northern Cmpt. Review Beech, Cherry Density Log Selection Hardwood Proposal

Prescription Select Harvest. Harvest stand to Residual BA 70-80.

Specs:

Other Comments: This stand should be included when stands 31,32,35 from compartment 98 are treated. Create an Out of entry harvest for stand 29 in comp98 and treat this the same as this stand is being treated. Acces will have to be from the north or through pvt landowner to the south, either mark through the lowland vain or clearcut leaving no retention.

Next Steps:

Proposed

Start Date: 10/01/2015

39 33099039-Cut 3.8 4110 - Sugar Maple High 78 Harvest Group Selection 411 - Northern Cmpt. Review Association Density Log Hardwood Proposal

<u>Prescription</u> Selection harvest/groupselection. retain 70 BA and open up regen gaps around existing regeneration.

Specs:

Other Harvest these stands with adjacent stand in compartment 98 (35, 32, 31).

Association

Comments:

Next Conduct regen check per work instructions. Acceptable regen= Sm, Rm and associated hdwd spp. also Fb.

Steps:

<u>Proposed</u>

Start Date: 10/01/2015

13 NF_33099013- 13.2 622 - Lowland Shrub Non-Forest Other - Specify 3204 - Mast Cmpt. Review Management Producing Shrub Proposal

Prescription Plant soft mast species within the lowland area for deer browse

Specs:

<u>Other</u>

Comments:

Next create FTP

Steps:

<u>Proposed</u>

Start Date: Unspecified

17NF_33099017-18.5622 - Lowland ShrubNon-ForestOther - Specify3204 - MastCmpt. ReviewNonForManagementProducing ShrubProposal

Prescription Plant soft mast species in the lowland areas for deer browse

Specs:

Other Comments:

Next Create FTP

Steps:

Orcato i ii

Proposed

Start Date: Unspecified

Escanaba Mgt. Unit

CoverType

Size

Density

Stand

Age

Acres

136.0

Report 3 -- Treatments Prescribed with No Limiting Factor

Treatment

Type

ВА

Range

Compartment: 099 Year of Entry 2016

Treatment

Method

Cover Type Objective

Approval

Status

Name **Total Treatment**

Treatment

s t

n

Acreage Proposed:

Escanaba Mgt. Unit Report 4 -- Treatments Prescribed with Compartment: 099 a Site Condition s Year of Entry 2016 t **Treatment** Acres CoverType Size Stand ВА **Treatment Treatment Cover Type Approval** n Objective Method Status Name Range Density Age Type #Type! #Type! **Prescription** Specs: Other Comment: <u>Next</u> Steps: <u>Proposed</u> #Type! Start Date:

Total Treatment

Limiting Factor

Acreage Proposed: 0.0

Report 5 – Site Conditions

Escanaba Mgt. Unit

Dan McNamee : Examiner

100%

Compartment 099 Year of Entry 2016

Avail	ability for I	Management				
Total	Acres	Acres		Domina	nt Site	Conditions
Acres	Available	Not Available		No	5B	
201	201		Aspen	201		
86	86		Cedar	86		
106	106		Lowland Conifers	87	19	
8	8		Lowland Deciduous	8		
17	17		Lowland Mixed Forest	17		
40	40		Mixed Upland Deciduous	40		
87	87		Northern Hardwood	87		
21	21		Upland Conifers	21		
5	5		Upland Mixed Forest	5		
570	570		Total Forested Acres	552	19	1

Relative Percent

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
002	Available	5B: Maintain for regeneration purposes	19				
(Comments:						

Escanaba Mgt. Unit Com

Compartment: 099 Year of Entry: 2016



Report 6 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Escanaba Mgt. Unit Compartment: 099





Report 7 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservation Area	Туре	Description	HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen cond stocked trout populations and those of other coldwater fish speci year to year. Coldwater streams in Michigan typically provide the contributions of groundwater to their stream flows. Such streams designated as trout resources by Fisheries Order 210.	ies (e.g., slimy sculpin) to persist from ese conditions due to substantial
SCA	Habitat Area	An area that provide some specific need for the life cycle of wildle and Waterfowl Production Areas, deer wintering complexes in loopenings and savannas. Habitat areas are distinct from critical hendangered or threatened species (such as Kirtland's warbler or general in nature, are not primarily associated with threatened or covered by species recovery plans that are developed in cooperations.	wland conifer communities, grassland abitat designated for recovery of piping plover areas) in that they are more rendangered species, and are not
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosystems in influences the aquatic ecosystem and vice-versa. Because of the streams and open water wetlands, riparian areas harbor a high communities are ecologically and socially significant in their effects as aesthetics, habitat, bank stability, timber production, and their	e unique conditions adjacent to lakes, diversity of plants and wildlife. Riparian cts on water quality and quantity, as well

s t	Escanaba	a Mgt. Unit		Report 8	– Forested	Stands Compartment: 099 Year of Entry: 2016
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
1	4112 - Maple, Beech, Cherry Association	High Density Pole	19.6	80	51-80	
2	4136 - Aspen, Mixed Conifer	High Density Pole	6.0	19		Aspen and R. maple regen under residual R. maple, B. fir.
3	6129 - Mixed Coniferous Lowland Forest	Medium Density	18.9	128		This stand is a mix of two aged lowland conifer. It was harvested in 1969 using the strip cut method and again in 1996 using the seed tree method. little cedar regen, more tamarack and spruce. Stand in adjacent compartment (90) to north has significant regen of cedar.
4	6132 - Mixed Lowland Forest with Cedar	Low Density Pole	5.4	81		Stand is scattered B.ash, B. fir, aspen, balm, and a few Paper birch. North end contains more of the above species with lowland brush (tag alder and michigan holly. Mix of 25-50% and 50-75% canopy closure.
5	6120 - Lowland Cedar	Medium Density Pole	23.9	118		The Tamarack areas are more open with more holly and tag alder understory. The more cedar areas of the stand have is more closed canopy, but the stand is more of a T-4 stand overall. There is paper birch component in stand, but only a trace.
6	6132 - Mixed Lowland Forest with Cedar	Low Density Pole	6.9	92		More of an E type to the east and More of C w/ E to west.
8	4130 - Aspen	Low Density Sapling	2.1	6		Harvested in 2008. Filling in with A, P, Rm. Open in some areas.
9	4134 - Aspen, Spruce/Fir	Medium Density	7.9	6		Stand harvested in 2008, residual Fb, C, Rm and ash 7-8"diam. 3-4 stks tall. stand is filling in with A,Fb,Rmand Fs.
10	4119 - Mixed Northern Hardwoods	High Density Pole	20.8	80	81-110	
12	4319 - Mixed Upland Forest	High Density Pole	5.1	58		
14	42380 - Non Pine Upland Conifer, Mixed Deciduous	Medium Density Pole	20.7	92		This stand was treated under the "Beaverr Meadows Hardwood Sale, #330429201 in 1995. All the cedar was left and the smal hardwod island was select cut. Clear cut this stand in 2 treatment periods, Harvesting all the timber, the Cedar is a component of the stand and it is restricting regen growth, leave some pockets where it is heavy but cut the rest that is scattered.
16	6120 - Lowland Cedar	High Density Pole	7.8	120		Center of stand and to the east 80-90% od the cedar is dead,
18	6124 - Lowland Spruce- Fir	High Density Pole	31.1	81		
19	6117 - Lowland Deciduous, Mixed Coniferous	High Density Pole	7.7	58		

S	Escanaba		Report 8	– Forested	Stands Compartment: 099 Year of Entry: 2016	
t a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
20	4134 - Aspen, Spruce/Fir	High Density Sapling	6.6	17		Harvested in 1997. In places heavy to Fb and in places heavy to A/P
21	6120 - Lowland Cedar	High Density Pole	16.9	106		Cedar with mix of other spp. quality of cedar is poor, as you move east through stand you get more Fb,P,Wb,ash.
24	4113 - R.Maple, Conifer	High Density Log	8.7	75	51-80	
25	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	40.4	24		
26	4112 - Maple, Beech, Cherry Association	High Density Pole	15.3	75		Harvested in 2011, Engineer hdwd sale. Where stand was opened up there is good maple regen recruiting into stand. Where it was not opened up there is regen but it is being browsed by deer(not getting enough sun to recruit into stand), Stand is on the border of pole>log.
27	4134 - Aspen, Spruce/Fir	High Density Pole	48.5	35		Treated in 1980, Bee Sting Sale.
28	6120 - Lowland Cedar	High Density Pole	8.5	99		Primarily Cedar some short lived spp but would be hard to harvest. Small island of hardwood in middle of stand, to small to break out.
29	4112 - Maple, Beech, Cherry Association	High Density Log	5.9	75	81-110	Thinned in 2011, Engineer Hdwd sale. Primarily Red maple stand. stand has maple regen and deer have browsed it.
30	4134 - Aspen, Spruce/Fir	High Density Sapling	75.6	24		Treated in 1990, Flying Squirrel Hdwds. Mix of high and low ground, mosity high with some low.
31	6120 - Lowland Cedar	Medium Density Pole	22.9	103		
32	4130 - Aspen	High Density Sapling	6.7	17		
33	6120 - Lowland Cedar	High Density Pole	5.8	99		
34	6124 - Lowland Spruce- Fir	High Density Pole	56.0	30		Stand was harvested in 1986. Low and high ground mix. Mix of timber, young mixed with older spruce and cedar. Patchy timber, small diameter 2-3 sticks with some 4-5 stick. Nice cedar patches in the north end and another in the central part of stand, too small to map out.
35	4130 - Aspen	High Density Pole	19.8	17		Stand treated in 1997.
36	4112 - Maple, Beech, Cherry Association	High Density Log	12.8	78		Treated in 1997. Sugar maple/R.maple/Ironwood. Vain of B.ash, B.spruce, Q.aspen that runs N>S through center of stand. Very south end is overmature R.maple mixed with Ash.

S t	Escanab	Escanaba Mgt. Unit			– Forested	Stands Compartment: 099 Year of Entry: 2016
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
37	4130 - Aspen	High Density Pole	27.9	20		
38	6139 - Mixed Lowland Forest	High Density Sapling	4.5	20		Extremely thick Tamarack/ B. spruce regen with lowland brush. pockets of B. ash regen, small pockets of aspen and balm regen.
39	4110 - Sugar Maple Association	High Density Log	3.8	78		

Report 9 - Nonforested Stands

Compartment: 099 Year of Entry: 2016



Stand	Cover Type	Acres	Managed Site	Management Priority (Objective)	General Comments:
7	3302 - Low Density Conifer Trees	10.1	Unspecified	Unspecified	Michigan Holly and tagalder with scattered spruce, tamarack, paper birch,and red maple. sometimes the trees are in patches but mostly scattered trees. Will probably convert to T in the future.
11	50 - Water	15.3	No	Unspecified	
13	622 - Lowland Shrub	13.2	No	Unspecified	Lowland brush eith scattered ash.
15	6220 - Alder/willow	6.0	No	Unspecified	Lowland brush with scattered Fb and ash along Rapid River.
17	622 - Lowland Shrub	18.5	No	Unspecified	Old beaver flooding. Dead Cedar with Lowland brush and open areas of marsh grass.
22	6220 - Alder/willow	3.8	No	Unspecified	Tag Alder with scattered ash and some pockets of catails
23	622 - Lowland Shrub	4.0	No	Unspecified	Tag alder with a few scattered ash.