

#### ATLANTA FOREST MANAGEMENT UNIT

#### COMPARTMENT REVIEW PRESENTATION

**COMPARTMENT 065 ENTRY YEAR: 2012** 

Compartment Acreage: 1962 County: Montmorency

Revision Date: October 26, 2010

**Stand Examiner:** Major

**Legal Description:** T32N, R2E, Sec. 23, 26, 34 & 35

RMU (if applicable): Thunder Bay Outwash

Management Goals: Maintain aspen and oak.

**Soil and Topography:** Terrain varies greatly from one area to another from moderately rolling to rolling to somewhat steep. Mostly aspen/oak with some Jack pine in the southwest and conifer in the northeast. PArVHa/PArVVb, PVCd, AFO,

Ownership Patterns, Development, and Land Use in and Around the Compartment: North portion is mostly state ownership with an 80-acre block of hunting land. The southwest, Clear Lake residential area and State park lands. In the east is 240 acres of private with multiple ownership's, from the Atlanta Rod & Gun Club to full time residences to vacation cabins. Some Antrim gas activity in the southeast.

Unique, Natural Features (include only non-site specific and non-sensitive information): None reported.

Archeological, Historical, and Cultural Features (include only non-site specific and non-sensitive information): One or more occurrences have been reported for this compartment.

Special Management Designations or Considerations: None reported.

Watershed and Fisheries Considerations: Clear Lake is a cold water lake.

Wildlife Habitat Considerations: This compartment is primarily aspen, oak, and hardwoods with several small openings and cedar swamp to the north. Mast trees are common in the existing hardwood and oak stands, providing a good source of food for wild turkey, ruffed grouse, squirrels, and white-tailed deer. The mixture of forest types provides habitat for several bird species like pileated woodpecker, barred owl, screech owl, red-eyed vireo, black-throated green warbler, among others. Areas of cedar left uncut within this compartment will provide cover for deer in winter, habitat for a number of bird species such as blackburnian warbler, and conditions required by several amphibian species.

Mineral Resource and Development Concerns and/or Restrictions: Surface sediments consist of glacial outwash sand and gravel and postglacial alluvium and coarse-textured glacial till. The glacial drift thickness varies between 200 and 400 feet. Beneath the glacial drift is the Devonian Antrim Shale. There is no known economic use for the Antrim Shale. The nearest gravel pits lie outside the compartment to the north and in the compartment in Section 34 and potential is considered to be good. Most of this area is leased and has been drilled and is in production from the Antrim Shale.

**Vehicle Access:** Roads to be closed are shown on the compartment map as closed or abandoned.


Survey Needs: None.


**Recreational Facilities and Opportunities:** The following types of trails run through the compartment: ORV trail/MCCCT, ORV route/snowmobile trail, and the High Country Pathway. Clear Lake State Park is adjacent. The park prepares a dog sled trail for an annual race held at the park. Part of this trail runs over compartment 65.


**Fire Protection:** Adequate.

**Additional Compartment Information:** 

- > The following 5 reports from the Operations Inventory System (OIPC) are attached:
  - **♦** Cover Type by Age Class
  - **♦** Cover Type by Management Objective
  - **♦** Compartment Volume Summary
  - ♦ Proposed Treatments No Limiting Factors
  - **♦** Proposed Treatments With Limiting Factors
- ➤ The following information is displayed, where pertinent, on the attached compartment maps:
  - ♦ Base feature information, stand numbers, cover types
  - **♦** Proposed treatments
  - **♦** Proposed road access system
  - ♦ Suggested potential old growth







Data updated before 2:00 PM

Compartment 065 Year of Entry 2012



## Age Class

	, Age	A SE	\$2 /	0,0	, 4.20 1.00	No. No.	do do	\$5.50 \	8 /	10° /	\$ 6	85.	00 00 ° 2	70,70	0 <sup>*</sup> /30°	No. 19
Aspen	0	0	92	199	248	361	0	4	0	0	23	0	0	0	0	927
Cedar	0	0	0	0	0	0	0	0	174	0	0	0	0	7	0	181
Herbaceous Openland	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	41
Jack Pine	0	0	26	0	8	0	0	0	0	0	0	0	0	0	0	34
Lowland Conifers	0	0	0	0	0	0	0	0	18	0	0	0	0	0	0	18
Lowland Mixed Forest	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	8
Lowland Shrub	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31
Lowland Spruce/Fir	0	0	0	0	0	0	0	0	15	8	0	0	0	0	0	23
Mixed Upland Deciduous	0	0	0	0	0	0	0	8	0	86	0	0	0	0	0	93
Natural Mixed Pines	0	0	0	0	8	0	0	0	7	5	0	0	0	0	0	19
Northern Hardwood	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	9
Oak	0	0	0	13	0	0	0	9	18	141	119	0	0	0	0	299
Red Pine	0	0	0	0	0	0	0	0	0	0	78	0	0	0	0	78
Upland Mixed Forest	0	0	0	0	0	0	0	0	0	145	0	0	0	0	0	145
Upland Shrub	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
Water	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
White Pine	0	0	0	0	0	0	0	0	0	0	0	0	24	0	0	24
Total	104	0	118	211	264	361	0	21	232	393	229	0	24	7	0	1962



# **Table 2 – Proposed Treatment Summaries**

Data updated before 2:00 PM

Atlanta Mgt. Unit Year of Entry 2012

Compartment 065
Total Compartment Acres: 1962

## **Acres by Treatment Type**

Commercial Harvest - 519 Site Prep - 0 Tree Planting - 0 Prescribed Burn - 0 Other - 0

Habitat Cut - 0 Opening Maintenance - 22 Tree Seeding - 0 Pesticide - 0

#### **Cover Type by Harvest Method**

		Cover Type by narvest Method								
		The second secon							Se de la companya de	
Aspen		84	0	0	0	0	0	84		
Lowland Mixed Forest		8	0	0	0	0	0	8		
Mixed Upland Deciduous		86	0	0	0	0	0	86		
Northern Hardwo	od	0	9	0	0	0	0	9		
Oak	171	0	0	0	0	0	171			
Red Pine	78	0	0	0	0	0	78			
Upland Mixed Fo	82	0	0	0	0	0	82			
	Total	510	9	0	0	0	0	519		

Compartment: 065 Atlanta Mgt. Unit Table 3 -- Treatments Prescribed with No Limiting Factor Year of Entry 2012 s Data updated before 2:00 PM t а **Treatment** Acres Stage1 Size Stand **Treatment** Treatment Cover Type **Approval** n Method Name **Density** Objective Status CoverType Type d Age 54065004-Cut 9.6 4123 - Red Oak High Density Log 92 Harvest Clearcut Other Mixed Upland Cmpt. Review Deciduous Proposal Prescription Clearcut. No retention due to size of stand. Expect natural regeneration. Specs: <u>Other</u> Comments: <u>Next</u> Steps: 54065010-Cut 35.9 4191 - Mixed Harvest Clearcut with Oak, Pine Cmpt. Review High Density Log **Upland Deciduous** Reserves Proposal with Conifer Prescription clearcut to regenerate. leave up to 3 healthy oak and or white pine per acre for aesthetics and wildlife. Specs: orv trail along north edge of stand. hilly, sandy roads, low visibility around corners. some water barring might be needed at close of sale as its Other\_ Comments: steep and very sandy. <u>Next</u> Steps: 54065016-Cut 4111 - S.Maple, Mixed Northern Cmpt. Review 9.1 High Density Log Harvest Single Tree Selection Hardwoods Hard Mast Proposal Association Prescription Single tree selection. Mark to 70-80 sq. ft. of residual BA. Specs: Other\_ Comments: <u>Next</u> Steps: 4310 - Pine, Oak Cmpt. Review 54065017-Cut 49.9 High Density Log 88 Harvest Clearcut with Pine, Oak Mix Reserves Proposal Prescription clearcut to regenerate. leave up to 3 healthy oak and or white pine per acre for aesthetics and wildlife. Specs: some water barring might be needed at close of sale as its steep and very sandy. Other\_ Comments: <u>Next</u> Steps: 54065027-Cut 61.8 4130 - Aspen High Density Pole Harvest Clearcut Aspen, Mixed Cmpt. Review Deciduous Proposal Prescription Clearcut. No retention needed as only part of stand is being cut. Expect natural regeneration. Specs: Other\_ Comments: <u>Next</u> Steps: 34 **54065034-Cut** 59.2 4124 - Red with Medium Density 89 Harvest Clearcut Aspen, Oak Cmpt. Review White Oak Proposal Log Prescription Overstory removal to release advanced regen before its gone, also to regenerate oak. Leave up to 2 mature healthy crowned oak for wildlife and aesthetics. Specs: <u>Other</u> Aspen and red maple cut out of stand in 2002. To much oak residual left from previous cut.

Comments:

Next
Steps:

Table 3 -- Treatments Prescribed Compartment: 065 Atlanta Mgt. Unit Year of Entry 2012 with No Limiting Factor s Data updated before 2:00 PM а **Treatment** Acres Size Stand **Treatment** Treatment Cover Type Stage1 Approval n Method Name Objective Status CoverType Density Type d Age 38 54065038-Cut 73.6 42110 - Planted High Density Log 93 Harvest Clearcut with Mixed Upland Cmpt. Review Red Pine Reserves Deciduous with Proposal Conifer Prescription Clearcut. Leave retention along private border. Protect vernal ponds, considering the following (recommendations from BMP manual) as Specs: appropriate: "when harvesting occurs, there should be no disturbance to the vernal pool depression. All equipment, trees and tops should be kept out of this area. Within 100 feet or at least one tree length of the pool, it is especially important to avoid deep ruts which can interfere with the movement of salamanders to and from the pools. Equipment should generally only be used when the soil is in a dry or frozen condition to keep rutting to a minimum in this area. Timber harvesting can occur in the area, but the canopy closure should not be reduced to less than 70% to minimize the affect of sun and wind.' Other\_ Comments: <u>Next</u> Burn to reduce slash and hardwood competition, then plant to red pine. Steps: 54065041-Cut 32.5 4310 - Pine, Oak Medium Density 83 Harvest Clearcut with Mixed Upland Cmpt. Review Deciduous with Mix Reserves Proposal Log Conifer Prescription Overstory removal, leave up to 2 mature healthy crowned oak and or pine for wildlife and aesthetics. Expect natural regen. Specs: Aspen and maple cut out in 2004. Overstory removal to release advanced regen before its gone, also to regenerate oak. To much oak and pine <u>Other</u> Comments: residual left from previous cut. Leave up to 2 mature healthy crowned oak or pine for wildlife and aesthetics. Next Steps: 44 54065044-Cut 4.1 42110 - Planted Medium Density 93 Harvest Clearcut Mixed Upland Cmpt. Review Red Pine Deciduous with Proposal Log Conifer Prescription Clearcut, no retention due to size of stand. Specs: **Other** Comments: **Next** Burn to reduce slash and hardwood competition, then plant to red pine. Steps: 50 54065050-Cut 16.1 4191 - Mixed

Mixed Upland Cmpt. Review High Density Log 85 Harvest Clearcut with **Upland Deciduous** Deciduous with Proposal Reserves with Conifer Conifer

Prescription Clearcut with reserves. Leave up to 2-3 mature oak or pine per acre. Buffer vernal pond in stand with paint, no harvest specs. Specs:

Harvest. Leave up to 2-3 mature oak or pine per acre for wildlife and aesthetics. Hiking trail thru stand. Small vernal pond south of trail. Should Other Comments: at minimum buffer south and east sides of vernal pond.

Next Steps:

58 54065058-Cut 15.3 4126 - White, High Density Log Harvest Clearcut with Mixed Upland Cmpt. Review Black, N. Pin Oak Reserves Deciduous with Proposal Conifer

Prescription Clearcut. Leave 2-3 mature oak or pine per acre for wildlife. SE portion of stand is a thin ridge between 2 wetland areas, consider leaving this Specs: area for retention.

Other\_ Comments:

<u>Next</u> Evaluate regen, plant to jack pine if natural regen fails.

Steps:

Compartment: 065 Atlanta Mgt. Unit Table 3 -- Treatments Prescribed with No Limiting Factor Year of Entry 2012 s Data updated before 2:00 PM t а **Treatment** Acres Stage1 Size Stand **Treatment Treatment** Cover Type Approval n CoverType Method Name **Density** Objective **Status** Type d Age 60 54065060-Cut 22.6 4133 - Aspen, High Density Log 90 Harvest Clearcut with Mixed Upland Cmpt. Review Mixed Pine Reserves Deciduous with Proposal Conifer Prescription Clearcut, leave up to 2-3 mature large crowned oak and or pine for aesthetics and wildlife. Specs: Other Comments: **Next** Steps: Cmpt. Review 64 54065064-Cut 33.6 4191 - Mixed High Density Log 83 Harvest Clearcut with Mixed Upland **Upland Deciduous** Reserves Deciduous with Proposal with Conifer Conifer Prescription Clearcut. Leave up to 2 healthy large crowned oak and pine per acre for wildlife and aesthetics. Leave retention along M33. Specs: Other Comments: Next Steps: 8.1 6139 - Mixed Mixed Upland Cmpt. Review 65 54065065-Cut High Density Log 87 Harvest Clearcut Lowland Forest Deciduous with Proposal Conifer Prescription Clearcut. No retention due to size of stand. Expect natural regen. Specs: Other Comments: Evaluate regen and plant to jack pine if regen fails. <u>Next</u> Steps: 78 54065078-Cut 87.1 4123 - Red Oak High Density Log 92 Harvest Clearcut with Aspen, Mixed Cmpt. Review Reserves Deciduous Proposal Prescription clearcut to regenerate stand. leave up to 2 healthy crowned mature oak and or pine per acre for aesthetics and wildlife. Leave retention along Ellison Road. <u>Next</u> Steps:

Specs:

Other\_

Comments:

NF\_54065019-19 1.4 Non-Forested 0 Non-Forest Other - Specify Mixed Upland Cmpt. Review NonFor Management Herbaceous Proposal

Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs:

Other

Comments:

Monitor for cover type and perform opening maintenance on 5-10 year rotation

<u>Next</u> Steps:

Table 3 -- Treatments Prescribed Compartment: 065 Atlanta Mgt. Unit with No Limiting Factor Year of Entry 2012 s Data updated before 2:00 PM t а **Treatment** Acres Stage1 Size Stand **Treatment Treatment** Cover Type Approval n Method Name CoverType **Density** Objective Status Type d Age 35 NF 54065035-2.4 Non-Forested 0 Non-Forest Other - Specify Mixed Upland Cmpt. Review Management NonFor Herbaceous Proposal Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs: <u>Other</u> Comments: Monitor for cover type and perform opening maintenance on 5-10 year rotation <u>Next</u> Steps: NF\_54065036-0 Non-Forest Other - Specify Mixed Upland Cmpt. Review 36 5.0 Non-Forested NonFor Management Herbaceous Proposal Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs: <u>Other</u> Comments: Next Monitor for cover type and perform opening maintenance on 5-10 year rotation Steps: NF\_54065037-37 3.0 Non-Forested 0 Non-Forest Other - Specify Mixed Upland Cmpt. Review NonFor Management Herbaceous Proposal Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs: <u>Other</u> Comments: Monitor for cover type and perform opening maintenance on 5-10 year rotation <u>Next</u> Steps: 42 NF 54065042-2.1 Non-Forested 0 Non-Forest Other - Specify Mixed Upland Cmpt. Review NonFor Management Herbaceous Proposal Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs: Other\_ Comments: Monitor for cover type and perform opening maintenance on 5-10 year rotation <u>Next</u> Steps: NF\_54065053-0 53 3.4 Non-Forested Non-Forest Other - Specify Mixed Upland Cmpt. Review NonFor Management Herbaceous Proposal Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs: Other Comments: <u>Next</u> Monitor for cover type and perform opening maintenance on 5-10 year rotation Steps: NF\_54065068-68 1.6 Non-Forested 0 Non-Forest Other - Specify Mixed Upland Cmpt. Review NonFor Herbaceous Proposal Management Prescription Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs:

Monitor for cover type and perform opening maintenance on 5-10 year rotation

Other Comments:

Next Steps:

Atlanta Mgt. Unit Data updated before 2:00 PM

## Table 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 065 Year of Entry 2012

1			4	
Mic	higo	n		쾳
DI	NRE		T	Ĩ
			_	9

S t	S Data updated before 2:00 PM		,	with No I	_imiting Facto	or	Year of Entry 2012	DNRE	
a n d	Treatment Name	Acres	Stage1 CoverType	Size Density	Stand Age	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
73	NF_54065073- NonFor	2.7	Non-Forested		0	Non-Forest Management	Other - Specify	Mixed Upland Herbaceous	Cmpt. Review Proposal

<u>Prescription</u> Maintain as opening through mowing and/or planting to food and cover crops for wildlife Specs:

<u>Other</u> Comments:

<u>Next</u>

Monitor for cover type and perform opening maintenance on 5-10 year rotation

Steps:

**Total Treatment** 

Acreage Proposed: 540.2

Atlanta Mgt. Unit Table 4 -- Treatments Prescribed with Compartment: 065 a Limiting Factor s Year of Entry 2012 Data updated before 2:00 PM **Treatment** n **Treatment** Acres Stage1 Size Stand **Treatment Cover Type Approval** Name CoverType Density Method Objective Status Age Type #Error **Prescription** Specs: <u>Other</u> Comment:

Total Treatment Acreage Proposed:

<u>Limiting Factor and No</u> <u>Treatment Reason</u>

Next Steps:

0

Data updated before 2:00 PM

#### Out of YOE -- Treatments **Prescribed with No Limiting Factor**

Year of Entry: 2012

Treatment	Acres	Stage1	Size	Stand	Treatment	Treatment	Cover Type	Approval
Name		CoverType	Density	Age	Type	Method	Objective	Status
022_St28C.Cu t	25.0				Harvest	Clearcut with Reserves	Oak, Aspen	Cmpt. Review Proposal

Prescription Cut with stand 14 in Compartment 24. Clear cut: In areas of heavy oak leave up to 10-20BA of oak and pine. In areas predominantly apsen Specs:

only leave scattered oak.

Other\_ Acceptable regen is any mix of aspen, oak and pine. Some white pine is present. Leave both a mix red and white oak. No retention is needed Comments:

because leaving steep slope along northern edge of stand.

<u>Next</u> Regen survey 3-5 yrs after harvest.

Steps:

54030 OutOfY 1.2 Harvest Seed Tree with **OE-STR** 

Natural Red Pine. Cmpt. Review Mixed Deciduous Reserves Proposal

Prescription MMark red pine residual to average tree height spacing. Leave 10 BA white pine and all oak, if present. Paint in 2 chain wide buffer along High Specs: Country Pathway, using pathway as centerline. Allow whole tree skidding; require chipping of tops, with movement of tops to approved landings

to be done concurrently with harvesting. Post sale: scarify sale area to regenerate red pine, but may exclude areas of heavy white pine

regeneration.

<u>Other</u> Comments:

Continued scarification until full stocking of red pine is achieved. <u>Next</u>

Steps:

54004 St8-Red Oak Cmpt. Review 12.1 Prescribed Burn Unspecified Burn Proposal

Prescription Burn with adjacent stand in Compartment 24. Understory burn to remove red maple regeneration

<u>Other</u> Comments:

<u>Next</u> follow up with timber harvest next entry.

Steps:

**Total Treatment** 

38.2 Acreage Proposed:

S t	Atlanta	Atlanta Mgt. Unit			orested Stan ated before 2:	
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
1	4136 - Aspen, Mixed Conifer	Medium Density	6.6	16		old private property signs and posts on west edge of stand.
2	4130 - Aspen	High Density Sapling	57.9	24		Old gate and camper in north east corner of stand.
3	42120 - Planted Jack Pine	High Density Pole	8.3	31		cable across road in middle of stand.
4	4123 - Red Oak	High Density Log	9.6	92	81-110	New stand added.
5	4130 - Aspen	High Density Pole	10.9	35		
6	4130 - Aspen	High Density Pole	10.9	24		
7	4131 - Aspen, Oak	High Density Pole	27.4	34		
8	6120 - Lowland Cedar	High Density Pole	174.2	78		
9	6129 - Mixed Coniferous Lowland Forest	Medium Density Pole	18.3	78		
10	4191 - Mixed Upland Deciduous with Conifer	High Density Log	35.9	83	111-140	orv trail along north edge of stand. hilly, sandy roads, low visibility around corners.
13	4130 - Aspen	High Density Sapling	65.2	17		
14	6122 - Black Spruce	High Density Pole	14.7	75		
15	42290 - Natural Mixed Pine	High Density Pole	7.3	73		
16	4111 - S.Maple, Hard Mast Association	High Density Log	9.1	94	111-140	
17	4310 - Pine, Oak Mix	High Density Log	49.9	88	111-140	
20	6120 - Lowland Cedar	High Density Pole	6.7	131		
21	4191 - Mixed Upland Deciduous with Conifer	High Density Pole	7.6	63		
22	4131 - Aspen, Oak	High Density Log	4.5	69		

S t	Atlanta	Atlanta Mgt. Unit			orested Sta ted before 2		Compartment: 065 Year of Entry: 2012  ONRE		
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range		General Comments:		
23	42200 - Natural White Pine	High Density Log	23.6	112		previous invento	ory comments said to leave as old growth. small hard to get to stand.		
24	42290 - Natural Mixed Pine	High Density Pole	7.5	36					
27	4130 - Aspen	High Density Pole	329.5	41					
29	4130 - Aspen	High Density Pole	35.9	38			New stand added.		
30	4131 - Aspen, Oak	High Density Pole	23.0	36					
33	4122 - Oak, Pine	High Density Log	12.0	81		of work and mo remediating da recommend it no	rs the clear lake gravel pit. there has been a lot oney spent on closing this area off to orv's and mage caused by them. stand could be cut but t be due to all the work done in the area. cutting uld again allow orv routes into the pit.		
34	4124 - Red with White Oak	Medium Density Log	59.2	89	51-80	Aspen	and red maple cut out of stand in 2002.		
38	42110 - Planted Red Pine	High Density Log	73.6	93	81-110				
40	4133 - Aspen, Mixed Pine	High Density Log	31.5	47					
41	4310 - Pine, Oak Mix	Medium Density Log	94.9	83	51-80	New stand	added. aspen and maple cut out in 2004.		
43	4130 - Aspen	High Density Sapling	20.3	16					
44	42110 - Planted Red Pine	Medium Density Log	4.1	93	51-80				
47	4131 - Aspen, Oak	High Density Pole	95.1	28					
48	42220 - Natural Jack Pine	High Density Sapling	4.0	16					
50	4191 - Mixed Upland Deciduous with Conifer	High Density Log	16.1	85	111-140				
51	4122 - Oak, Pine	High Density Log	45.4	82	51-80				
52	6122 - Black Spruce	Medium Density Pole	8.5	84					

# 5 - Forested Stands

		10
		3
nigo		2
IRF	Š	ď
L		- 1
	igo IRE	nigan .

Level 4 Cover Type  4124 - Red with White Oak  42290 - Natural Mixed Pine	Size Density High Density Log	Acres	Stand Age	BA Range	General Comments:
Oak 42290 - Natural Mixed	Log	17.6			Comments.
			78		aspen and red maple where cut out of this stand in 2005.
	Medium Density Log	4.6	87	1-50	
4126 - White, Black, N. Pin Oak	High Density Log	24.3	82		
42120 - Planted Jack Pine	High Density Sapling	21.7	16		
4133 - Aspen, Mixed Pine	High Density Log	22.6	90	81-110	poor form and quality w pine suppressed under mature aspen and oak. white oak in this stand is very healthy, nice big crowns.
4123 - Red Oak	High Density Log	22.5	90	111-140	New stand added.
4191 - Mixed Upland Deciduous with Conifer	High Density Log	33.6	83	81-110	powerline through stand. high country pathway through stand.
6139 - Mixed Lowland Forest	High Density Log	8.1	87	51-80	
4131 - Aspen, Oak	High Density Pole	120.1	34		
4133 - Aspen, Mixed Pine	High Density Pole	7.0	38		
4131 - Aspen, Oak	High Density Pole	34.9	26		
4123 - Red Oak	High Density Log	9.0	63		aspen regen soon to die because too much oak residual left when aspen and maple where cut out 5 yrs ago.
4125 - Black, N. Pin Oak	High Density Sapling	12.5	27		
4132 - Aspen, Jack Pine	High Density Pole	23.4	34		
4123 - Red Oak	High Density Log	87.1	92	81-110	
	Pin Oak  42120 - Planted Jack Pine  4133 - Aspen, Mixed Pine  4123 - Red Oak  4191 - Mixed Upland Deciduous with Conifer  6139 - Mixed Lowland Forest  4131 - Aspen, Oak  4133 - Aspen, Mixed Pine  4131 - Aspen, Oak  4123 - Red Oak  4123 - Red Oak	Pin Oak  42120 - Planted Jack Pine  High Density Sapling  4133 - Aspen, Mixed Pine  High Density Log  High Density Pole  High Density Log  High Density Log  High Density Log  High Density Pole  High Density Log  High Density Sapling	Pin Oak  42120 - Planted Jack Pine  High Density Sapling  21.7  4133 - Aspen, Mixed Pine  High Density Log  4123 - Red Oak  High Density Log  33.6  High Density Log  33.6  High Density Log  4191 - Mixed Upland Deciduous with Conifer  High Density Log  4131 - Aspen, Oak  High Density Pole  4131 - Aspen, Mixed High Density Pole  4131 - Aspen, Oak  High Density Pole  4131 - Aspen, Oak  High Density Pole  4123 - Red Oak  High Density Pole  4123 - Red Oak  High Density Pole  4125 - Black, N. Pin Oak  High Density Sapling  12.5  4132 - Aspen, Jack Pine  High Density Sapling  23.4  4123 - Red Oak  High Density Sapling  23.4	Pin Oak         Log           42120 - Planted Jack Pine         High Density Sapling         21.7         16           4133 - Aspen, Mixed Pine         High Density Log         22.6         90           4123 - Red Oak         High Density Log         22.5         90           4191 - Mixed Upland Deciduous with Conifer         High Density Log         33.6         83           6139 - Mixed Lowland Forest         High Density Log         8.1         87           4131 - Aspen, Oak         High Density Pole         120.1         34           4133 - Aspen, Mixed Pine         High Density Pole         7.0         38           4131 - Aspen, Oak         High Density Pole         34.9         26           4123 - Red Oak         High Density Log         9.0         63           4125 - Black, N. Pin Oak         High Density Sapling         12.5         27           4132 - Aspen, Jack Pine         High Density Pole         23.4         34           4123 - Red Oak         High Density Pole         23.4         34	Pin Oak       Log         42120 - Planted Jack Pine       High Density Sapling       21.7       16         4133 - Aspen, Mixed Pine       High Density Log       22.6       90       81-110         4123 - Red Oak       High Density Log       22.5       90       111-140         4191 - Mixed Upland Deciduous with Conifer       High Density Log       33.6       83       81-110         6139 - Mixed Lowland Forest       High Density Log       8.1       87       51-80         4131 - Aspen, Oak       High Density Pole       120.1       34         4133 - Aspen, Mixed Pine       High Density Pole       7.0       38         4131 - Aspen, Oak       High Density Pole       34.9       26         4123 - Red Oak       High Density Log       9.0       63         4125 - Black, N. Pin Oak       High Density Sapling       12.5       27         4132 - Aspen, Jack Pine       High Density Pole       23.4       34         4123 - Red Oak       High Density Pole       23.4       34

# 6 - Nonforested Stands

Compartment: 065 Year of Entry: 2012 Data updated before 2:00 PM Stand **Cover Type** Acres Gen Cmts: 6.0 310 - Herbaceous Openland 11 622 - Lowland Shrub 24.0 Stand swapped from Forested to Non-Forested. 12 310 - Herbaceous Openland 18 1.0 19 310 - Herbaceous Openland 1.4 50 - Water 1.0 25 26 50 - Water 2.5 629 - Mixed non-forested wetland 3.3 28 31 50 - Water 7.1 310 - Herbaceous Openland 1.2 32 310 - Herbaceous Openland 2.4 35 36 310 - Herbaceous Openland 5.0 3.0 310 - Herbaceous Openland 37 310 - Herbaceous Openland 0.9 39

50 - Water

320 - Upland Shrub

42

45

46

49

53

310 - Herbaceous Openland

310 - Herbaceous Openland

310 - Herbaceous Openland

2.1

1.2

3.4

1.0

3.4

# 6 - Nonforested Stands Data updated before 2:00 PM

Compartment: 065 Year of Entry: 2012



Stand	Cover Type	Acres	Gen Cmts:
56	622 - Lowland Shrub	3.6	
57	310 - Herbaceous Openland	1.0	
61	320 - Upland Shrub	15.7	
62	50 - Water	1.2	
66	310 - Herbaceous Openland	2.1	
68	310 - Herbaceous Openland	1.6	
73	310 - Herbaceous Openland	2.7	
74	310 - Herbaceous Openland	1.2	
75	310 - Herbaceous Openland	3.7	
77	310 - Herbaceous Openland	1.0	

Compartment: 065 Year of Entry: 2012



## 7 - PROPOSED SPECIAL CONSERVATION AREA\* (SCA) DETAILS

\* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

Data updated before 2:00 PM

Stand	SCA Type	SCA Name	Acres	Comments

Compartment: 065 Year of Entry 2012



#### 8 - DEDICATED CONSERVATION AREA DETAILS

\* This is a list of Dedicated Biodiversity Areas for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to Dedicated Conservation Area Map for areas that the below listed Conservation Areas are located.

Conservation Area	on Type	Description	Data updated before 2:00 PM	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area					
SCA	Cold Water Lake	stocked trout popula conditions for coldw groundwater inflows	A coldwater lake has temperature and dissolved oxygen conditions that allow naturally-reproduced or stocked trout populations and those of other coldwater fish species to persist from year to year. Suitable conditions for coldwater fishes may occur in Michigan lakes if they are relatively deep, have substantial groundwater inflows, or are located in colder (northern) areas of the state. Such lakes are established by Director's action and designated as trout resources by Fisheries Order 200.						
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen conditions that allow naturally-reproduced stocked trout populations and those of other coldwater fish species (e.g., slimy sculpin) to persist from year to year. Coldwater streams in Michigan typically provide these conditions due to substantial contributions of groundwater to their stream flows. Such streams are established by Director's action designated as trout resources by Fisheries Order 210.							
Critical Habitat U.S. Fish and Wildlife se 365, Endangered Specie PA 451, and the Federal			ife service for the recovery of threatened a pecies Protection, of the Natural Resource deral Endangered Species Act of 1973. The	ooperative process between the DNR and the and endangered species, as governed by Part es and Environmental Protection Act, 1994 his is an active program, with proposed o exist, Kirtland Warbler Habitat and Piping					