

ATLANTA FOREST MANAGEMENT UNIT COMPARTMENT REVIEW PRESENTATION

COMPARTMENT # 94 ENTRY YEAR: 2013

Compartment Acreage: 1,214 County: Alpena

Revision Date: 10/27/2011

Stand Examiner: Cody Stevens

Legal Description: T31N-R5E, Sections 11, 13, 14 and T31N-R6E Section 18

RMU (if applicable): Alpena Lake Plain

Management Goals:

The main goal in this compartment is to conduct multiple resource management for the good of the citizens of the State of Michigan.

Soil and Topography:

The topography of the compartment is level low ground. The dominate cover types for the compartment are lowland hardwoods and aspen. The Thunder Bay River flows through the compartment.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

The compartment boundary is state land throughout but a large portion of the compartment is bounded by private. The compartment has some recreational use by snowmobiles.

Unique, Natural Features:

Some species are present in and around the compartment.

Archeological, Historical, and Cultural Features.

None known at this time.

Special Management Designations or Considerations:

None at this time.

Watershed and Fisheries Considerations:

Fisheries Concerns:

Wildlife Habitat Considerations:

This compartment is composed primarily of mixed conifer-hardwood forested wetlands dominated by lowland hardwoods and brush. It provides excellent habitat for black bear, white-tailed deer, ruffed grouse, American woodcock, wood ducks, and migrating waterfowl. No treatments were recommended during the last compartment review as a result of poor to fair regeneration. One treatment is proposed in lowland poplar during this review period and should result in good habitat for grouse and woodcock. No managed openings exist in this compartment, though extensive agriculture and openings to the south are sufficient to meet wildlife opening requirements.

Mineral Resource and Development Concerns and/or Restrictions:

Surface sediments consist of peat and muck and coarse-textured glacial till. The glacial drift thickness varies between 50 and 200 feet. Beneath the glacial drift is the Devonian Traverse Group. The Traverse is quarried for Limestone/cement products. Gravel pits are located to the south of the compartment and potential appears to be limited with the possible exception of Section 18. South of this area has had some drilling and gas production from the Antrim Shale. Additional drilling for the Antrim Shale is unlikely, as the Antrim Shale appears to be gone in this area. There are no oil and gas leases, but there may be potential for the Collingwood Formation.

Vehicle Access:

This compartment is accessed from Salina road and the snowmobile trail. The snowmobile trail is gated except during snowmobile season. There are a few two tracks for traversing the area.

Survey Needs:

None needed at this time.

Recreational Facilities and Opportunities:


There are many opportunities for hunting, fishing and wildlife viewing in the area, as well as snowmobiling.


Fire Protection:


Fire response to the compartment will be covered by the Alpena DNR office as well as the Long Rapids Township Fire Department.

Additional Compartment Information:

- > The following 5 reports from the Operations Inventory System (OIPC) are attached:
 - **♦** Cover Type by Age Class
 - **♦** Cover Type by Management Objective
 - **♦** Compartment Volume Summary
 - **♦** Proposed Treatments No Limiting Factors
 - **♦** Proposed Treatments With Limiting Factors
- ➤ The following information is displayed, where pertinent, on the attached compartment maps:
 - **♦** Base feature information, stand numbers, cover types
 - **♦** Proposed treatments
 - ♦ Proposed road access system
 - ♦ Suggested potential old growth







Compartment 094 Year of Entry 2013

Atlanta Mgt. Unit Cody Stevens : Examiner



Age Class

	Age Class																
	Hor	Do Jago	8.7	02.00	St. St.	No. St.	LO'AS	\$	8,0	10° / 1	\$ 8. S. S.	8 /	00,00	81,27	SO SU	88 E	, so l
Aspen	0	0	0	0	0	0	0	0	0	42	0	0	0	0	0	42	ĺ
Cedar	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	6	I
Lowland Aspen/Balsam Poplar	0	0	0	76	101	0	0	0	0	69	0	0	0	0	0	246	I
Lowland Conifers	0	0	0	0	0	0	0	0	0	117	29	0	0	0	0	146	I
Lowland Deciduous	0	0	0	46	41	0	0	0	0	332	304	0	0	0	0	723	I
Lowland Shrub	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	I
Urban	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	[
Water	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	23	I
Total	50	0	0	122	142	0	0	0	0	566	333	0	0	0	0	1214	l



Table 2 – Proposed Treatment Summaries


Atlanta Mgt. Unit Compartment 094 Year of Entry 2013 **Total Compartment Acres: 1214**

Acres by Treatment Type

Commercial Harvest - 89 Site Prep - 0 Tree Planting - 0 Prescribed Burn - 0 Other - 0

Habitat Cut - 0 Tree Seeding - 0 Pesticide - 0 Opening Maintenance - 0

Cover Type by Harvest Method



Atlanta Mgt. Unit

Table 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 094 Year of Entry 2013

600
1000
1

t a n d	Treatment Name	Acres	Stage1 CoverType	Size Density	Stand Age	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
15	94015-C.Cut	46.5	6112 - Lowland Aspen	High Density Pole	84	Harvest	Clearcut with Reserves	6112 - Lowland Aspen	Cmpt. Review Proposal

Prescription Clear Cut: Leave scattered oak where present. Dry summer cut only because of Snowmobile conflicts. Use standard trail specs to require haul Specs:

road to be restored to equal or better condition.

Acceptable regen is any mix of aspen, or mixed deciduous. Expect some rutting. Possibly more than normal standards allow. If doesn't sell <u>Other</u>

Comments: treat non-commercially over next 5 yrs.

Follow up with regen survey. <u>Next</u>

Steps:

s

Total Treatment

46.5 Acreage Proposed:

Atlanta Mgt. Unit Table 4 -- Treatments Prescribed with Compartment: 094 a Limiting Factor s Year of Entry 2013 t а Treatment Acres Stage1 Size Stand **Treatment Treatment Cover Type Approval** n CoverType Density Method Objective Status Name Age Type d 28 94028-C.Cut 42.2 4133 - Aspen, High Density Log 81 Harvest Clearcut with 4133 - Aspen, Mixed Cmpt. Review Mixed Pine Reserves Pine Proposal

Prescription Clear Cut leave scattered pine, up to 1-3 per acre.

Specs:

Other acceptable regen is any mix of aspen, pine or hdwd.

Comment:

Next Steps:

<u>Limiting Factor and No</u> 2A: Adjacent landowner denies

<u>Treatment Reason</u> access

Treat if adjacent landowner ever cuts his property.

Total Treatment

Acreage Proposed: 42.2

Out of YOE -- Treatments Prescribed with No Limiting Factor

Year of Entry: 2013

OFN	ATURAL
DNI	3
O. MIC	HIGAN .
proval	110

Approval Status Treatment **Treatment Treatment Acres** Stage1 Size Stand **Cover Type** Name CoverType Density Age Method Objective Type <u>Prescription</u> Specs: <u>Other</u> Comments:

Total Treatment Acreage Proposed:

Next Steps:

0

Atlanta		5 – Fo	orested Stands	Compartment: 094 Year of Entry: 2013	
Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
6113 - Lowland Maple	High Density Log	161.5	92		big stand of mature maple.
6119 - Mixed Lowland Deciduous Forest	High Density Sapling	46.2	23	s	tand is a mix of e type and p type. east side of stand may be older.
6112 - Lowland Aspen	High Density Pole	22.0	82		pockets of tagalder
6112 - Lowland Aspen	High Density Sapling	46.3	23		pockets of tagalder.
6113 - Lowland Maple	High Density Sapling	40.8	35		pockets of tagalder.
6112 - Lowland Aspen	High Density Pole	55.5	34		pockets of tagalder. old kg stand.
6113 - Lowland Maple	High Density Pole	44.7	87	рс	ockets of tagalder. se corner of stand has a lot of balsam fir in understory.
6120 - Lowland Cedar	High Density Log	5.6	87		
6113 - Lowland Maple	High Density Log	86.0	88		very wet. pockets of tagalder and drainages runs through stand.
6113 - Lowland Maple	Medium Density Log	58.2	92		lot of older blowdowns.
6112 - Lowland Aspen	High Density Sapling	29.7	27		
6128 - Lowland Coniferous, Mixed Deciduous	High Density Log	28.7	94		2 pockets of maple along river.
6112 - Lowland Aspen	High Density Pole	46.5	84		few pockets of tagalder. scattered oak.
6113 - Lowland Maple	High Density Log	55.4	92	lo	ow ground, big diameters. drainage runs through west side of stand.
6111 - Lowland Balsam Poplar	Low Density Pole	16.8	35		very wet, drainage runs through stand. poor regen.
6128 - Lowland Coniferous, Mixed Deciduous	High Density Pole	97.2	86		poor quality timber.
6113 - Lowland Maple	High Density Log	22.3	86		tbr floodplain.
	Level 4 Cover Type 6113 - Lowland Maple 6119 - Mixed Lowland Deciduous Forest 6112 - Lowland Aspen 6112 - Lowland Maple 6113 - Lowland Maple 6113 - Lowland Maple 6113 - Lowland Maple 6113 - Lowland Maple 6114 - Lowland Maple 6115 - Lowland Maple 6116 - Lowland Maple 6117 - Lowland Maple 6118 - Lowland Maple 6119 - Lowland Maple 6110 - Lowland Maple 6111 - Lowland Aspen 6112 - Lowland Aspen 6113 - Lowland Maple	Cover TypeDensity6113 - Lowland MapleHigh Density Log6119 - Mixed Lowland Deciduous ForestHigh Density Sapling6112 - Lowland AspenHigh Density Pole6112 - Lowland AspenHigh Density Sapling6113 - Lowland MapleHigh Density Sapling6113 - Lowland MapleHigh Density Pole6120 - Lowland CedarHigh Density Log6113 - Lowland MapleHigh Density Log6113 - Lowland MapleMedium Density Log6112 - Lowland AspenHigh Density Sapling6128 - Lowland Coniferous, Mixed DeciduousHigh Density Log6111 - Lowland AspenHigh Density Log6111 - Lowland MapleHigh Density Log6111 - Lowland Balsam PoplarLow Density Pole6128 - Lowland Coniferous, Mixed DeciduousLow Density Pole6113 - Lowland MapleHigh Density Pole6113 - Lowland MapleHigh Density Pole	Level 4 Cover TypeSize DensityAcres6113 - Lowland MapleHigh Density Log161.56119 - Mixed Lowland Deciduous ForestHigh Density Sapling46.26112 - Lowland AspenHigh Density Pole22.06112 - Lowland AspenHigh Density Sapling46.36113 - Lowland MapleHigh Density Sapling40.86113 - Lowland AspenHigh Density Pole55.56113 - Lowland MapleHigh Density Log566113 - Lowland MapleHigh Density Log566113 - Lowland MapleHigh Density Log58.26112 - Lowland AspenHigh Density Sapling29.76128 - Lowland Coniferous, Mixed DeciduousHigh Density 	Level 4 Cover Type Size Density Acres Stand Age 6113 - Lowland Maple High Density Log 161.5 92 6119 - Mixed Lowland Deciduous Forest High Density Sapling 46.2 23 6112 - Lowland Aspen Pole High Density Pole 22.0 82 6112 - Lowland Aspen Pole High Density Sapling 46.3 23 6113 - Lowland Maple High Density Pole 55.5 34 6112 - Lowland Aspen Pole High Density Pole 55.5 34 6113 - Lowland Maple Pole High Density Pole 56 87 6113 - Lowland Maple Pole High Density Pole 58.2 92 6112 - Lowland Aspen Pole High Density Pole 29.7 27 6128 - Lowland Pole Pole High Density Pole 46.5 84 6113 - Lowland Aspen Pole High Density Pole 55.4 92 6111 - Lowland Balsam Poplar Low Density Pole 56.4 92 6113 - Lowland Maple High Density Pole 46.5 84 6113 - Lowland Maple High Density Pole 56.4 </td <td>Level 4 Cover Type Size Density Acres Stand Age BA Range 6113 - Lowland Maple High Density Log 161.5 92 6119 - Mixed Lowland Deciduous Forest High Density Sapling 46.2 23 s 6112 - Lowland Aspen High Density Pole 22.0 82 82 6112 - Lowland Aspen High Density Sapling 46.3 23 6113 - Lowland Maple High Density Sapling 40.8 35 6112 - Lowland Aspen High Density Pole 55.5 34 6113 - Lowland Maple High Density Pole 56.8 87 6113 - Lowland Maple High Density Log 86.0 88 6113 - Lowland Maple Medium Density Log 58.2 92 6112 - Lowland Aspen High Density Log 29.7 27 6128 - Lowland Coniferous, Mixed Deciduous High Density Pole 46.5 84 6113 - Lowland Maple High Density Pole 55.4 92 Id 6113 - Lowland Maple High Density Pole 55.4 92 Id</td>	Level 4 Cover Type Size Density Acres Stand Age BA Range 6113 - Lowland Maple High Density Log 161.5 92 6119 - Mixed Lowland Deciduous Forest High Density Sapling 46.2 23 s 6112 - Lowland Aspen High Density Pole 22.0 82 82 6112 - Lowland Aspen High Density Sapling 46.3 23 6113 - Lowland Maple High Density Sapling 40.8 35 6112 - Lowland Aspen High Density Pole 55.5 34 6113 - Lowland Maple High Density Pole 56.8 87 6113 - Lowland Maple High Density Log 86.0 88 6113 - Lowland Maple Medium Density Log 58.2 92 6112 - Lowland Aspen High Density Log 29.7 27 6128 - Lowland Coniferous, Mixed Deciduous High Density Pole 46.5 84 6113 - Lowland Maple High Density Pole 55.4 92 Id 6113 - Lowland Maple High Density Pole 55.4 92 Id

S t	Atlanta Mgt. Unit			5 – Fo	orested Stand	S Compartment: 094 Year of Entry: 2013	DNR DNR
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:	MICHIGAN . S
20	6113 - Lowland Maple	High Density Log	77.4	86		tbr floodplain, stand has standing wate	r.
21	6128 - Lowland Coniferous, Mixed Deciduous	High Density Pole	20.0	86		mixed lowland and upland. poor access off	grade.
22	6113 - Lowland Maple	High Density Log	12.2	89		floodplain	
23	6112 - Lowland Aspen	High Density Pole	29.1	38			
24	6113 - Lowland Maple	High Density Log	23.1	80		Floodplain. Balsam more to the north and looked ground than the south part of stand.	a little higher
25	6113 - Lowland Maple	High Density Log	29.2	92		Floodplain	
27	6113 - Lowland Maple	High Density Log	66.4	82		one pocket of higher ground, has aspen and b	alsam fir.

High Density Log

42.2

81

4133 - Aspen, Mixed

Pine

28

no legal access to stand. if adjacent land owners ever harvest there property try to treat then.

6 - Nonforested Stands

Compartment: 094 Year of Entry: 2013



Stand	Cover Type	Acres	Managed Site	Management Priority (Objective)	General Comments:
3	622 - Lowland Shrub	15.5	N\A	Unspecified	
14	122 - Road/Parking Lot	11.5	N\A	Unspecified	
26	50 - Water	11.2	N\A	Unspecified	
29	50 - Water	12.3	N\A	Unspecified	

Atlanta Mgt. Unit

Compartment: 094 Year of Entry: 2013

DNR DNR

7 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

Stand	SCA Type	SCA Name	Acres	Comments

Atlanta Mgt. Unit

Compartment: 094 Year of Entry 2013



8 – DEDICATED CONSERVATION AREA DETAILS

* This is a list of Dedicated Biodiversity Areas for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to Dedicated Conservation Area Map for areas that the below listed Conservation Areas are located.

Conservation Type Description
Area

ERA = Ecological Reference Area

HCVA = High Conservation Value Area

SCA = Special Conservation Area