

GRAYLING FOREST MANAGEMENT UNIT COMPARTMENT REVIEW PRESENTATION

COMPARTMENT # 213 ENTRY YEAR: 2012

GIS Compartment Acreage: 927 County: Crawford

Revision Date: 4/20/2010

Stand Examiner: Patrick Cotant

Legal Description: Sections 4 - 6, T28N-R03W, Crawford County

Management Goals: To maintain species diversity while also addressing sustainability, forest health, productivity, wildlife habitat requirements, aesthetics, best management practices and recreational opportunities throughout the compartment.

Soils and Topography: The terrain is flat to gently rolling. The main soil type present within this compartment is Rubicon Sand. This soil type is classified as being excessively well drained and is common on outwash plains and stream terraces. There is little risk of both surface erosion and windthrow in this soil series. Blue Lake Loamy Sand and Dawson –Loxley Peat are the other two soil types that are well represented within this compartment. Blue Lake Loamy Sand is classified as being well drained and is typical of moraine land forms. Within this soil type, erosion and windthrow possibilities are slight. Dawson-Loxley Peat is classified as being very poorly drained and is common on closed depressions on lake plains. The chance for erosion is negligible and wind throw possibility is high depending on exposure to winds.

Ownership Patterns, Development, and Land Use in and Around the Compartment: State ownership is interrupted in this area by the Crawford-Otsego landfill. On March 8, 2010, a restrictive covenant of 68.12 acres in section 4 of this compartment was done due to groundwater contamination issues from the adjacent Water's Landfill. There is a fair amount of private ownership in the western portion of the compartment near Bluegill and Horseshoe Lakes.

Maple Forest Township is in process of trying to lease the Access Site on Blue Gill Lake to serve as a Township Park.

Unique, Natural Features (include only non-site specific and non-sensitive information): The water bodies in the western portion of the compartment have groundwater flow influence to the headwater areas of the Mainstream of the AuSable river which lies just across Old-27.

Watershed and Fisheries Considerations: Bluegill and Horseshoe Lakes lie in the western portion of the compartment. Each lake has a designated access site on it which are currently managed by Parks and Recreation Division. These lakes are noted for having good fishing opportunities.

Wildlife Habitat Considerations: A great deal of wildlife utilize all areas of this compartment. The major species that were observed during field data collection were; whitetail deer, wild turkey and ruffed grouse. Forest management in the compartment has contributed to excellent habitat for each of these species.

Mineral Resource and Development Concerns and/or Restrictions: Surface sediments consist of glacial and ice-contact outwash sand and gravel and postglacial alluvium. The glacial drift thickness varies between 600 and 1000 feet. Beneath the glacial drift is the Coldwater Shale. There is not an economic use for the Coldwater Shale. The nearest gravel pit is thought to be in the SW of Section 5, and gravel potential is thought to be good on the upland areas. All except Section 6 has been leased and developed for Antrim Shale gas. The Niagaran Reef Trend is also located in this area, but has no production on State lands in the compartment.

Vehicle Access: Access to the compartment is limited with Sherman Rd and Old 27 being the main corridors. Forest roads and 2-tracks access the remainder of the state land in the area. Gates restrict access to some state lands located near the landfill, requiring access be obtained by crossing state land from the south.

Survey Needs: No survey needs at this time.


Recreational Facilities and Opportunities: The two lakes and the associated access sites present in this compartment provide a great deal of recreational possibilities in this area. There is also a fair amount of hunting that occurs in this area.


Fire Protection: Fire activity is of concern in this area. The State of Michigan is responsible for wildland fire suppression in this area.


Additional Compartment Information:

LOTS Compartment Acreage: 927 acres

- > The following reports are available:
 - **♦** Cover Type by Age Class
 - **♦** Proposed Treatment Summaries
 - **♦** Dedicated Conservation Area Details
 - **♦** Listing of Forested Stands
 - **♦** Listing of Non-Forested Stands
 - **♦** Proposed Treatments No Limiting Factors
 - **♦** Proposed Treatments With Limiting Factors
- > The following information is displayed, where pertinent, on the attached compartment maps:
 - ♦ Base feature information, stand numbers, cover types, recreation trails and facilities
 - **♦** Proposed treatments
 - **♦** Proposed road access system
 - **♦** Special Conservation areas







Data updated before 2:00 PM

Compartment 213 Year of Entry 2012



Age Class

	Age Class																
	No.	O Signal	8.7 /	0,79	1 8 P	,	AD PO	\$	\$3.00	,	\$ 6	85.00	0,00	,70,70 0,70	,	S / S	, de la companya della companya della companya de la companya della companya dell
Aspen	0	0	129	270	170	71	0	14	0	15	0	0	0	0	0	669	
Bare/Sparsely Vegetated	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	[
Herbaceous Openland	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	
Jack Pine	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	3	1
Low-Density Trees	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18	[
Natural Mixed Pines	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	12	[
Northern Hardwood	0	0	0	0	0	0	0	0	93	0	0	0	0	0	0	93	[
Planted Mixed Pines	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	3	[
Red Pine	0	0	0	0	0	40	0	0	3	0	0	0	0	0	0	43	[
Treed Bog	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	[
Water	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	[
White Pine	0	0	0	0	0	0	0	18	0	27	0	0	0	0	0	45	[
Total	59	0	129	270	170	115	3	32	96	54	0	0	0	0	0	927	



Table 2 – Proposed Treatment Summaries

Data updated before 2:00 PM

Grayling Mgt. Unit Year of Entry 2012


Compartment 213
Total Compartment Acres: 927.0

Acres	bv	Treatment	Tvpe

Commercial Harvest - 170 Site Prep - 0 Tree Planting - 0 Prescribed Burn - 0 Other - 0

Habitat Cut - 0 Opening Maintenance - 0 Tree Seeding - 0 Pesticide - 0

Cover Type by Harvest Method



Grayling Mgt. Unit

Data updated before 2:00 PM

Table 3 -- Treatments Prescribed with No Limiting Factor

Compartment: 213
Year of Entry 2012

Michigan 3

t a n d	Treatment Name	Acres	Stage1 CoverType	Size Density	Stand Age	Treatment Type	Treatment Method	Cover Type Objective	Approval Status
23	72213023-Cut	170.2	4130 - Aspen	High Density Pole	36	Harvest	Clearcut with Reserves	Aspen, Mixed Deciduous	Cmpt. Review Proposal

<u>Prescription</u> Treat stand by final harvesting all aspen. Identify 2-3 islands in northern portion of compartment to serve as retention. If possible, delineate <u>Specs:</u> islands where they will maintain some species diversity of hardwoods while also keeping in tact mast producing species.

Other Comments:

Next

monitor for aspen regeneration.

Steps:

S

Total Treatment

Acreage Proposed: 170.2

Grayling Mgt. Unit Table 4 -- Treatments Prescribed with Compartment: 213 a Limiting Factor s Year of Entry 2012 Data updated before 2:00 PM t **Treatment Treatment** n Acres Stage1 Size Stand **Treatment Cover Type Approval** Name CoverType Density Method Objective Status Age Type #Error **Prescription** Specs: <u>Other</u> Comment:

Total Treatment Acreage Proposed:

<u>Limiting Factor and No</u> <u>Treatment Reason</u>

Next Steps:

0

Data updated before 2:00 PM

Out of YOE -- Treatments **Prescribed with No Limiting Factor**

Year of Entry: 2012

Treatment Name	Acres	Stage1 CoverType	Size Density	Stand Age	Treatment Type	Treatment Method	Cover Type Objective	Approval Status	
-									_
Prescription Specs:									

<u>Other</u> Comments:

<u>Next</u> Steps:

> **Total Treatment** Acreage Proposed:

0

Grayling Mgt. Unit

5 – Forested StandsData updated before 2:00 PM

Compartment: 213
Year of Entry: 2012



t				Data upda	ated before 2	2:00 PM Year of Entry: 2012
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
2	42210 - Natural Red Pine	High Density Log	2.8	77	141-170	New stand added. natural rp stand abutting bog. some wp/oak and asp mixed in. rp is growing well and quite variable in terms of size.
3	4133 - Aspen, Mixed Pine	High Density Pole	13.8	65	81-110	Aspen stand with white and red pine fazing in from stand to the south. aspen growing fairly well as is white and red pine. stand is in close proximity to 27 and 75 with high visual impact.
4	42200 - Natural White Pine	High Density Log	26.5	88	111-140	nice natural wp stand with aspen, oak and some rm present. red pine also present in pockets. close proximity to lake and road as well as I-75 corridor. pipeline runs n/s through stand. much heavier to asp/rm in northern reaches of stand.
7	4130 - Aspen	High Density Sapling	15.7	15		New stand added. stand is western portion of orig stand 5. pure aspen stand growing well. occasional oak and birch-very few.
8	4131 - Aspen, Oak	High Density Log	15.4	80	111-140	New stand added. central portion of original stand 5. stands used as buffers for lakes when aspen stand was harvested. some decline in aspen, oak is doing fairly well. wp present in fair numbers, moreso along lake edges.
9	42250 - Pine, Oak	Low Density Log	11.7	80	1-50	New stand added. natural wp/oak stand that had aspen/rm removed last yoe. aspen regen looks good so far. wp and oak are serving well as visual trees and seed producers. this stand is the eastern portion of orig stand 5.
12	42200 - Natural White Pine	High Density Log	18.2	69	141-170	nice natural wp stand, similar to stand 2 to the north. stand has fewer aspen and also pockets of hemlock in the south. priovides another nice buffer for lake to the west.
14	4130 - Aspen	High Density Sapling	40.0	10		young aspen stand regenerating well. wp present in aspen size class as well asoccasional individuals in overstory class. this goes for oak as well. larger oak are mostly around perimeter.
16	4130 - Aspen	High Density Sapling	209.4	20		aspen stand with wp, oak, rp and rm present. occasional other misc. species present as well. aspen growing well, some variability in size/density and pockets of different age classes as well. for the most part stand is uniform and similar overall. less white pine than stand 21 to the east. some topography in western portions of stand, sloping towards I-75.
18	4130 - Aspen	High Density Pole	3.7	40		small aspen stand, lacking wp majority as in stands 2/8. hemlock present in low numbers. some beech present in understory.
 19	42120 - Planted Jack Pine	High Density Pole	3.4	40		small jp stand/plantation, treat next yoe. some aspen creeping in near edges.
 20	4116 - Mixed N. Hardwood - Aspen	High Density Log	4.9	70	111-140	hdwd/aspen stand on steep slope, left as residuaaal from last harvest. small amount of oak/sm present. fair quality, aspen good.

Grayling Mgt. Unit

5 - Forested Stands

Compartment: 213
Year of Entry: 2012



S t	Graylin	g Mgt. Unit			orested Sta ted before 2	Medicine
a n d	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	General Comments:
23	4130 - Aspen	High Density Pole	170.2	36	111-140	mixed aspen/hdwd stand with aspen dominant. some pocke heavier to hdwd. occasional large oak present as well. final n yoe? a few hemlock in understory along eastern edge of star Stand is similar in make-up and composition to stand 10 but I a greater component of white pine throughout. some variation terms of size and density throughout. possibly more than or age class.
24	4130 - Aspen	High Density Sapling	51.4	10		aspen stand regenerating, occasional wp scattered througho occasional oak left as residual from harvest, log size class
26	4130 - Aspen	High Density Sapling	22.5	20		aspen stand regenerating well. some wp, sm and bc preser thick w/ occasional areas of lower density.
27	4130 - Aspen	High Density Pole	44.1	44	51-80	aspen stand with occasional white pine throughout. not a grasite, less quality than some surrounding stands. pole sized vector some sapling sized trees in pockets.
28	42110 - Planted Red Pine	High Density Log	30.7	41	171-200	Stand was planted in 1969 and was harvested last YOE. Approximate average DBH of stand is 9-10"
29	4130 - Aspen	High Density Pole	37.5	20	1-50	aspen stand with hardwood mixed in. aspen growing fairly we
30	42110 - Planted Red Pine	High Density Log	9.4	41	141-170	red pine plantation growing well. has benn third row thinned thick hdwd understory.
31	4139 - Aspen, Mixed Deciduous	High Density Sapling	22.3	10		aspen stand in process of regen with rm and sm present in descent numbers. some snags stll standing providing wildlif habitat. fair amount of dwd. some browse in pockets.
33	4111 - S.Maple, Hard Mast Association	High Density Log	85.7	75	81-110	mixed northern hdwd stand with sm and beech beiing domina thinned in 02, stand has responded fairly well. lots of beec regen throughout understory. quality is very good, some multi stem sm and some pockets of limby trees but overall a high quality hdwd stand.
34	4130 - Aspen	High Density Pole	23.2	48	51-80	aspen stand with red maple in low numbers. cherry also pres in low numbers where openings in stand exist. aspen is fai quality with minimal decline.
36	4112 - Maple, Beech, Cherry Association	High Density Pole	2.6	75	81-110	mixed hdwd stand with hemlock present along northern edg overall poor quality, especially compared to standd to the sou
38	42130 - Planted Scotch Pine	High Density Log	2.7	54	141-170	Planted scotch pine stand with red and white pine present a well in significant numbers. looks as though stand was plant to scotch pine and there was red and white pine mixed in to planting stock.

Grayling Mgt. Unit

6 – Nonforested StandsData updated before 2:00 PM



Compartment: 213

Year of Entry: 2012

Stand Acres Gen Cmts: **Cover Type** 6224 - Treed Bog 1.8 treed bog with scattered wp. leatherleaf is abundant with alder thick at edges. 1 6224 - Treed Bog 3.6 5 50 - Water 7.3 eastern/northern shore of horseshoe lake. 6 10 790 - Other Bare/Sparsely Vegetate 0.9 Gas well site- Maple Forest A2-5. 9.8 50 - Water northeast portion of blue gill lake. 11 13 790 - Other Bare/Sparsely Vegetate 2.2 opening with some vegetation creeping in around edges. 1.0 790 - Other Bare/Sparsely Vegetate well site dominated by grasses as groundcover. Maple Forest-C2-5 HD1 15 3102 - Grass 0.7 small grassy opening in low spot near I-75. surrounded by jp on 2 sides. 17 21 790 - Other Bare/Sparsely Vegetate 1.2 Gas well site, Maple Forest B3-5. 22 790 - Other Bare/Sparsely Vegetate 1.1 gas well with grass and knapweed being the dominant ground cover. some ferns and seedlings around perimeter of pad. Gas well site, Maple Forest A4-5. 25 790 - Other Bare/Sparsely Vegetate 0.9 well site with gasses and knapweed as dominant groundcover. Gas well site, Maple Forest O3-5. 790 - Other Bare/Sparsely Vegetate 1.0 gas well site for 3 well pads, Maple Forest B3-4, A4-4, and A3-4 B116. 32 3301 - Low Density Deciduous Tree 18.2 35 opening with cherry and some aspen present. includes gas well in southern portion of stand. 3102 - Grass 8.3 paved road access to Waste Management landfill and road right of way along this 37 also includes portions of right of way along Sherman Rd. two entrance signs for waste management are located at intersection with Sherman rd. 39 790 - Other Bare/Sparsely Vegetate 8.0 Road and Railroad ROW running through corner of stand to the east. Added after compartment was transferred to preinventory layer.

Grayling Mgt. Unit Compartment: 213

Year of Entry: 2012

7 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

Data updated before 2:00 PM

Stand	SCA Type	SCA Name	Acres	Comments

Compartment: 213 Year of Entry 2012



8 – DEDICATED CONSERVATION AREA DETAILS

* This is a list of Dedicated Biodiversity Areas for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to Dedicated Conservation Area Map for areas that the below listed Conservation Areas are located.

Conservati Area	on Type	Data updated before 2:00 PM Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area				
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxygen condition stocked trout populations and those of other coldwater fish specific conditions for coldwater fishes may occur in Michigan lakes if the groundwater inflows, or are located in colder (northern) areas of Director's action and designated as trout resources by Fisheries	les to persist from year to year. Suitable by are relatively deep, have substantial the state. Such lakes are established by				
SCA	Concentrated Recreation Area	Facilities that are designed and maintained for routine or heavy recreational use, including State Parks, State Forest campgrounds, motorized and non-motorized trails, trailheads, staging areas and public access sites.					
HCVA	Natural Rivers	There are two Natural Rivers datasets which are derived from sp approved distance from the river centerlines. The Natural Rivers most Natural Rivers. The Vegetative Buffer ranges from 25 to 10 and Vegetative Buffers for each Natural River see the table locat folder.	S Zoning District is a 400 foot buffer for 00 feet. To view specific Zoning Districts				
SCA	Research and Military Areas	These areas provide facilities and lands specifically dedicated fo include the 5,847 acre Forest Fire Experiment Station, the 12,00 Area, the Beaver Islands Archipelago Wildlife Research Area (th High and Hog Islands, all state owned land on Beaver, South Fo Wildlife Research Area, the 3,000 acre Hunt Creek Fisheries Re Nursery, and over 144,000 acres of Military Lands.	0 acre Houghton Lake Wildlife Research at includes most of Garden Island, all of x and North Fox Islands), the Cusino				