

Compartment Review Presentation

Escanaba Forest Management Unit

Compartment 33051 Entry Year 2026 Acreage: 1,282

County Menominee

Management Area: Green Bay

Stand Examiner: Dustin Salter

Legal Description:

T35N R25W Section's 4 and 9

Identified Planning Goals:

This compartment is comprised of many different covertypes. The northern half is primarily aspen and upland conifer on ridges that are surrounded by lowland conifers and lowland brush. The southern half of the compartment is mostly upland deciduous. A mix of the different covertypes are prescribed for harvest. There are three lowland ash/hardwood stands that will be harvested prior to the ash dying. The emerald ash borer is present and is causing mortality in the mature ash. Two lowland spruce stands will be harvested, regenerating with a mix of conifers. Two natural pine stands will be thinned to improve the growth of the residual stems. Five upland conifer and upland deciduous stands will be harvested, regenerating with a mix of hardwood and conifer species. Deer have heavily browsed and killed most of the ash and maple stump sprouts from harvests over the past twenty years. This has pushed these stands to have a higher percentage of conifer.

Soil and topography:

This compartment contains Wainola Fine Sand; Deford-Wainola-Rousseau Complex; Tawas-Deford Association; Loxley-Dawson Association; and Deford Mucky Fine Sand among others. This compartment primarily is composed of black muck, which is poorly drained and fine sand, which is well drained. Terrain is nearly level, with a few rolling hills.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

This compartment is on the southern end of a block of state land that is approximately 8 miles wide and 20 miles long, that extends into Delta County. This compartment is primarily blocked in with state land. There are only 4 private forties in and around this compartment, with each of them having a hunting camp. Hunting and ORV riding are the primary uses of this area.

Unique Natural Features:

Elwood Creek flows through the southern third of the compartment.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

None

Watershed and Fisheries Considerations:

This compartment contains Elwood Creek, a Type 1 Designated Trout Stream, however it is has a warmwater stream classification. If any treatments are near a wetland area, best management practices should be incorporated which include a 100' buffer.

Wildlife Habitat Considerations:

This 1,282 acre compartment contains a diverse array of lowland and upland cover types, with the largest cover type being lowland shrub, at 16.5%. 192 acres of treatments are proposed this YOE, representing about 15% of the compartment. Of these treatments, 71 acres of clearcuts in lowland deciduous, mixed upland deciduous, and lowland coniferous forest, 27 acres of crown thinning in pine stands, 69 acres of seed tree treatments in northern hardwoods, upland mixes, and lowland coniferous forest, and 24 acres of shelterwood upland conifer stands are planned. Featured species for this compartment include American Woodcock, Wood Thrush, Black Bear, Wild Turkey, and White-tailed Deer. Clearcuts, seed tree, crown thinning, and shelterwood treatments which create young forest condition will benefit all of these species with the exception of the Wood Thrush. No treatments are planned in potential wood thrush habitat.

Mineral Resource and Development Concerns and/or Restrictions

No known potential exists for commercial oil & gas production in this part of the state. The nearest active sand & gravel operations are more than one mile southwest and south including the State-owned Westman Dam Road Pit. The latter has not been leased for commercial use in the last 20 years, and the pit has not been recently assessed for existing and future

7/15/2024 1:19:03 PM - Page 1 of 2 HEINTZELMANC

potential aggregate resources. Most of the compartment consists of low wetlands, which would inhibit surface mining. Some remote geophysical surveys covering this area have been conducted, and some past mineral test drilling has occurred within one mile of the compartment. No data is currently available on the results of the past exploration efforts. There may be potential for iron ore or other metallic and critical minerals beneath the compartment, but such mineral occurrences would be at significant depth and may not have significant economic value. Additional research/exploration is needed. There is no current leasing activity involving State-owned mineral rights in the area.

Vehicle Access:

The Camp "O" Road and Elwood Creek Road provide the main access into the compartment. There are a number of two-track roads that branch off of the two main roads. The Camp "O" Road runs along the southern edge of the compartment and the Elwood Creek Road runs through the northern half.

Survey Needs:

No registered corners will need to be set.

Recreational Facilities and Opportunities:

A portion of the Forest Island Orv Trail runs throught the northeastern corner of the compartment. There are no other developed facilities within the compartment.

Fire Protection:

There is a very low probability of a large wildfire in this compartment due to the forested landscape. In the northern portion there are some pine ridges, but they are surrounded by lowland forest types. And in the south, most of the forest contains hardwood. The Elwood Creek provides a water source. The upland areas of the compartment have good vehicle access.

Additional Compartment Information:

The following reports from the Inventory are attached:

Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details

The following information is displayed, where pertinent, on the attached compartment maps:

Base feature information, stand boundaries, cover types, and numbers

Proposed treatments
Site condition boundaries
Details on the road access system

Escanaba Mgt. Unit

Dustin Salter: Examiner

Compartment 51 Year of Entry 2026



Age Class

	,	/ * /	/ ,	/ /	/ /	/	/ /	/	/ ,	/ /	/ /	/	/ /	/	/ /	/ /	/ /	/ /	/&/
	/.	ζ ^{ον} / .	§ / s	\$ \ £	\$ \\ \&	9 /		8 /	\$ / 8	\$ ^P / \$	8 / 8 S	§ /	& / ,	& /s			P /	* / '	EN YOU
	\ ₹6	* * * * * * * * * * * * * * * * * * *	°/ «	s / &	s. / '&	/ &	s / &	/ &	³ / ⁸	s / &	s / &	8 /5		\ \&	\$ / Æ	\$ \ \ \P	,	8 / Jr. 63	A LOW
Aspen	0	82	45	0	32	0	0	0	0	0	0	0	0	0	0	0	0	0	158
Cedar	0	0	0	0	0	0	0	0	0	0	14	0	0	41	4	0	0	0	59
Hemlock	0	0	0	0	0	0	0	0	0	0	0	2	0	14	35	0	0	0	51
Lowland Conifers	0	0	19	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	22
Lowland Deciduous	0	0	0	0	0	0	0	0	0	21	66	0	0	0	0	0	0	0	87
Lowland Mixed Forest	0	28	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	32
Lowland Shrub	211	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	211
Lowland Spruce/Fir	0	0	77	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	97
Mixed Upland Deciduous	0	0	10	0	0	28	0	0	0	0	0	14	0	0	0	0	0	0	52
Natural Mixed Pines	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Northern Hardwood	0	0	0	0	0	0	0	0	0	0	0	55	0	0	0	0	0	0	54
Red Pine	0	7	0	0	0	0	5	28	0	0	0	0	0	0	0	0	0	0	40
Tamarack	0	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
Treed Bog	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73
Upland Conifers	0	0	0	57	17	0	0	0	0	0	0	0	0	0	0	0	0	0	74
Upland Mixed Forest	0	0	0	0	134	77	0	0	0	0	0	6	0	0	0	0	0	15	232
White Pine	0	0	0	0	0	5	7	5	0	0	0	0	0	0	0	0	0	0	17
Total	284	132	151	57	191	110	12	36	0	21	100	81	0	55	39	0	0	15	1282
				1		1													



Report 2 – Treatment Summary


Escanaba Mgt. Unit Year of Entry: 2026

Acres of Harvest


Compartment 51
Total Compartment Acres: 1,282

Commercial Harvest - 192 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

Cover Type by Harvest Method



Proposed and Next Step Treatments by Method



S ŧ а

Treatment n Name d

Acres Stand CoverType

Size Stand Density Age

BA Range **Treatment** Type

Treatment Method

Cover Type Objective

Compartment: 51

Year of Entry: 2026

Age Structure Habitat Cut

Proposed Treatments:

33051001-Cut 15.3 6119 - Mixed Poletimber 87 81-110 Harvest Clearcut with 613 - Lowland Even-Aged No Lowland Deciduous Well Retention Mixed Forest

Forest

Prescription Cut all trees greater than three (3) inches at DBH, except retain the smaller diameter portion on the north end and the dense patches of cedar area along the eastern edge. In addition retain all spruce/fir less then seven (7) inches at DBH. Mark to retain some scattered green ash trees for seed and future cavity trees.

Next Step Treatments:

Monitoring, Natural Regen (Re-Inventory)

Comment:

Acceptable Red maple, birch, tamarack, pine, ash, and spruce/fir.

Regen: Other

Specs:

Mature lowland hardwood stand, with some scattered cedar. The southeast corner of the stand has dense cedar and the northern end has heavier to lowland brush. Emerald ash borer is present and is causing defoliation and mortality. Harvesting this stand now while the ash and other lowland hardwoods are alive, will allow them to stump sprout. This stand will regenerate with a mix of lowland hardwoods and conifers. This stand is in deer conditional range and has a canopy composition of 15% cedar. Harvest of cedar outside of planned retention

areas has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 100 cords.

Site Condition

Proposed Start Date: 10/1 /2025

33051014-Cut 8.3 6122 - Black Spruce Poletimber 95 81-110 Harvest Seed Tree with 612 - Lowland Even-Aged Nο Well Retention Coniferous Forest

Prescription Cut all trees greater than three (3) inches at DBH; except mark to retain some pine seed trees on the narrow upland strips.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Spruce, pine, and tamarack.

Regen:

Other Mature lowland spruce and pine stand. All species are mature and ready to be harvested. Lowland stand with a few narrow upland ridges. Comment:

This stand will regenerate really well with leaving some pine seed trees and the seeds within the moss layer getting full sunlight and

germinating.

Site Condition

Proposed Start Date: 10/1 /2025

33051017-Cut 11.5 6122 - Black Spruce Poletimber 51-80 Clearcut with 612 - Lowland Nο 93 Harvest Even-Aged Coniferous Retention

Forest

Prescription Cut all trees greater than three (3) inches at DBH, except retain the dense patch of cedar in the northwest corner of the stand. Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Spruce, tamarack, pine, ash, maple and balsam fir. <u>Acceptable</u>

Regen:

Other Comment: Moderate to low quality black spruce in the northern half and a mix of lowland conifers in the southern half. All species are mature and are ready to be harvested. This stand has a dense layer of moss that once the overstory is removed the seeds in the moss will germinate and grow readily. This stand is in deer conditional range and has a canopy composition of 5% cedar. Harvest of cedar outside of planned retention areas has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 30 cords.

Site Condition

Escanaba Mgt. Unit

Report 3 -- Treatments

Compartment: 51 Year of Entry: 2026

Aged

Red Pine

S t а

Treatment Acres Stand Size Stand BA **Treatment Treatment Cover Type** Age Habitat n Method Structure CoverType Objective Name Density Age Range Type Cut d 23 33051023-Cut 47 42210 - Natural Sawtimber 111-Harvest Crown Thinning 42210 - Natural Uneven-Nο

140

Well Prescription Thin stand down to 90 basal area, marking the pine to cut and cutting all other merchantable species.

Specs:

Next Step Treatments:

Acceptable Red and white pine.

Regen:

Other Good quality red pine stand with a dense understory of aspen sprouts. Stand was thinned in 2009 on contract 034-06-01. The pine is ready Comment:

to be thinned again, to improve the growth of the residual stems.

Red Pine

Site Condition

Proposed Start Date: 10/1 /2025

33051028-Cut 22.8 42210 - Natural Sawtimber 65 141-Harvest Crown Thinning 42210 - Natural Uneven-No Red Pine Well 170 Red Pine Aged

Prescription Thin stand down to 90 to 120 basal area, marking the pine to cut and cutting all other merchantable species. In the areas with larger

Specs: diameters reduce the basal area down to 90 and in the pole sized areas reduce the basal area down to 120.

Next Step Treatments:

Acceptable Red and white pine.

Regen:

Overall a very good quality natural red pine stand, that is ready to be thinned again. The average basal area is around 150. The thinning will Other

improve the growth of the residual stems. Comment:

The stand had its first thinning in 2009 on contract 034-06-01.

Site Condition

Proposed Start Date: 10/1 /2025

33051035-Cut 13.0 42350 - Upland Sawtimber 137 111-Harvest Shelterwood with 4312 -Uneven-No Hemlock Well 140 Retention Hemlock, Mixed Aged Deciduous

Prescription Cut all trees greater than three (3) inches, except hemlock. Mark to retain some pine seed trees.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Hemlock, pine, maple, birch, and spruce/fir.

Regen:

<u>Other</u> Mature dense hemlock stand, with some pine and hardwood mixed in. The shorter lived species are mature and should be harvested. The

stand is too dense at this time to get regeneration, by opening the stand up more it will allow for more pine, hemlock and red maple Comment:

regeneration. This stand was last thinned in 2009 on contract 034-06-01.

Site Condition

Escanaba Mgt. Unit

Report 3 -- Treatments

Compartment: 51 Year of Entry: 2026

s
t
а

Treatment Acres Stand Size Stand BA **Treatment Treatment Cover Type** Age Habitat n Method Objective Name CoverType Density Age Range Type Structure Cut Ч 39 33051039-Cut 6.2 Harvest Seed Tree with

4319 - Mixed **Upland Forest** Sawtimber 81-110 Well

Retention

42260 - Natural Pine. Mixed Deciduous

Even-Aged

No

Prescription Cut all trees greater than three (3) at DBH, except retain all hemlock. Also mark to retain some pine seed trees.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen, maple, pine, birch, and spruce/fir.

Regen:

Other Mature mixed hardwood and pine stand. All species are mature and ready to be harvested. This stand is an upland sand ridge, with more pine on the north end and more hardwood on the south end. This stand will be seed tree harvested to allow the hardwoods to sprout and the Comment:

residual conifers to provide seed. This will allow the stand to continue to be a mixed forest type.

Site Condition

Proposed Start Date: 10/1 /2025

33051040-Cut 23.7 4191 - Mixed Poletimber 49 51-80 Harvest Clearcut with 4133 - Aspen, Even-Aged Upland Deciduous Well Retention Mixed Pine

with Conifer

Prescription Cut all trees greater than three (3) inches at DBH, except retain all hemlock. Also mark to retain some pine, cedar, ash, and yellow birch seed trees. Retain the dense pockets of hemlock and cedar, retaining the other species within them.

Next Step

Specs:

Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen, maple, pine, birch, balm, and spruce/fir.

Regen:

Other Comment: Mature stand with a mix of aspen and red maple, with pockets of conifers. The stand is a two aged stand with 50 year old aspen and fir, with older hardwood, hemlock, and cedar. The majority of the stand is upland, except for an ash drain running through the middle. All species are mature and are ready to be harvested. This stand will be managed for a mix of aspen, hardwood and a mix of conifers. The aspen and hardwoods will sprout following the harvest and the conifers will seed in over time. This stand is in deer conditional range and has a canopy composition of 10% hemlock and 5% cedar. Harvest of cedar outside of planned retention areas has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 40 cords.

Site Condition

Proposed Start Date: 10/1 /2025

33051042-Cut 8.5 6115 - Lowland Ash Poletimber 6117 - Lowland 51-80 Harvest Clearcut with Even-Aged No Well Retention Deciduous.

Mixed Coniferous

Prescription Cut all trees greater than three (3) inches at DBH, except mark to retain some cedar, birch, maple, and ash seed trees. Also retain all spruce/fir less than seven (7) inches at DBH. Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Maple, birch, ash, pine, spruce/fir, and tamarack. Acceptable

Regen: Other 1

Comment:

Mature lowland ash stand, that needs to be harvested prior to the emerald ash borer kills it all. The stand needs to be harvested while the ash and red maple are vigorous enough to stump sprout following the harvest. This stand is in deer conditional range and has a canopy composition of 15% cedar. Harvest of cedar outside of planned retention areas has been agreed upon between FRD and WLD in this

stand. This harvest is estimated to produce about 30 cords.

Site Condition

Hemlock, Mixed Deciduous

s	
t	
а	

a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
44	33051044-Cut	10.9	42350 - Unland	Sawtimbe	r 138	171-	Harvest	Shelterwood	4312 -	Two-Aged	No

200

Specs:

Prescription Cut all trees greater than three (3) inches at DBH, except retain the hemlock. Also mark to retain some pine and birch seed trees. A small amount of hemlock will need to be harvested to harvest all other species. The Harvest Exception specification will be applied to the contract.

Next Step Treatments:

Monitoring, Natural Regen (Re-Inventory)

Hemlock

Well

<u>Acceptable</u> Maple, pine, birch, aspen, balm, and spruce/fir.

Regen:

Other Comment:

Upland hemlock and deciduous stand. The shorter lived species are mature and dying out of the stand. The shorter lived species should be harvested while the hardwoods are vigorous enough to sprout following the harvest. The open areas of the stand following the harvest will regenerate with a mix of hardwoods and conifers. This stand is in deer conditional range and has a canopy composition of 55% hemlock. Harvest of hemlock for operational purposes has been agreed upon between FRD and WLD in this stand. This harvest is estimated to produce about 10 cords of hemlock.

Site Condition

Proposed Start Date: 10/1 /2025

12.5 6115 - Lowland Ash Sawtimber 33051056-Cut 99 81-110 Harvest Clearcut with 613 - Lowland Even-Aged No Well Retention Mixed Forest

Prescription Cut all trees greater than three (3) inches at DBH; except retain some ash seed trees. Also, retain all spruce/fir that are less than seven (7)

inches at DBH. Specs:

Monitoring, Natural Regen (Re-Inventory) Next Step

Treatments:

Acceptable Ash, maple, balm, spruce/fir, and white pine.

Regen:

Other Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs to be harvested soon to prevent the loss of timber products and to allow the ash to stump sprout following the harvest while they are still alive. Comment:

About 5 cords of cedar will be harvested.

Site Condition

Proposed Start Date: 10/1 /2025

33051058-58 6229 - Mixed Nonstocked 0 Unspec Monitoring Natural Regen 613 - Lowland Even-Aged No Monitor lowland shrub ified (Re-Inventory) Mixed Forest

Prescription Monitor for regeneration.

Specs:

Next Step

Treatments:

Acceptable Balm, ash, maple, spruce/fir, tamarack, and white pine.

Regen: Other

Comment:

Stand was clearcut in 2019 on contract 33-034-16. The cedar was retained, but most has blown over or died since the harvest. There is very little regeneration, deer have browsed and killed almost all of the red maple and ash stump sprouts. The stand is too wet to try and

scarify it, to improve the regeneration.

Site Condition

Escanaba Mgt. Unit

Report 3 -- Treatments

Compartment: 51	TOF NATURAL PL
Year of Entry: 2026	DNR
	. MICHIGAN

s
t
_

S t									Year of Entry	y: 2026	DNR BY R
a n Treati d Nar		Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
60 330510	060-Cut	54.5	4113 - R.Maple, Conifer	Sawtimbe Well	r 108	111- 140	Harvest	Seed Tree with Retention	4113 - R.Maple, Conifer	Even-Aged	No
Prescription Specs:	includir	ng the oth	ater than three (3) in er species that are o partial shade, and d	designated							
Next Step Treatments:		ring, Natu	ral Regen (Re-Inver	ntory)							
Acceptable Regen:	Red m	aple, beed	ch, ash, white pine,	hemlock, a	nd spru	ce/fir.					
Other Comment:	The red 1995 of stand, hardwo of ceda	d maple han contract leaving a loods to stu	e stand with a dens as lots of defect and to 51-92-01. The so mix of species. Thi ump sprout. This st of planned retentior 0 cords.	d decline du outhwestern s will allow and is in de	e to its quarte the advi	age, so t r of the st anced req litional rai	hinning is no lor and has a few lo generation to be nge and has a c	nger an effective tre owland ash drains r released and the s anopy composition	atment. This star unning through it. tand will be open of 10% hemlock	nd was last thi Seed tree ha enough to allo and 3% cedar	nned in arvest this bw the . Harvest
Site Condition	<u>on</u>										

Proposed Start Date: 10/1 /2025

Total Treatment Acreage Proposed: 200

Escanaba Mgt. Unit

Dustin Salter: Examiner

Compartment: 51
Year of Entry: 2026

Availability for Management Total Acres Avail Acres Acres **Dominant Site Conditions** With Condition Not Available 5E Acres Available 5B 3J Aspen Cedar Hemlock **Lowland Conifers Lowland Deciduous Lowland Mixed Forest** Lowland Shrub Lowland Spruce/Fir **Mixed Upland Deciduous Natural Mixed Pines** Northern Hardwood **Red Pine** Tamarack Treed Bog **Upland Conifers Upland Mixed Forest** White Pine 1,282 1,208 **Total Forested Acres** 5% 94% 1% Relative Percent

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition	
1	Unavailable 3J: Water quality / BMPs (stream, river, or lake)		45	Unspecified	Unspecified	Unspecified	Unspecified	
		through this stand. This stans present and is causing a sig			and provides a wildlife tra	vel corridor. The stand is l	neavy with ash, and the	
2	Unavailable	5E: Long-Term Retention	6	Unspecified	Unspecified	Unspecified	Unspecified	
	Comments: The north end is mo	stly sub-merchantable stems	and the p	patch along the eastern ed	lge has dense cedar.			

Report 4 – Site Conditions

Compartment: 51

Escanaba Mgt. Unit

Dustin Salter : Examiner Year of Entry: 2026

3	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Denser patch of ced	dar being retained.					
4	Unavailable	5E: Long-Term Retention	5	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Areas with denser h	nemlock and cedar, where all sp	ecies w	ill be retained.			
5	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Denser patches of o	cedar that were retained.					
6	Available	5B: Maintain for regeneration purposes	14	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: This stand was she	Iterwood cut, and the residual s	oecies a	re providing seed and par	tial shade. There isn't end	ough volume to harvest the	overstory.
9	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Retention patches.						
10	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Retention patches.						
12	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						

Mgt. Unit

Compartment: #Type! Year of Entry:



Report 5 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Escanaba Mgt. Unit Compartment: 51
Year of Entry 2026



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservati Area	ion Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxygen condi- stocked trout populations and those of other coldwater fish spe- conditions for coldwater fishes may occur in Michigan lakes if t groundwater inflows, or are located in colder (northern) areas of Director's action and designated as trout resources by Fisherica	ecies to persist from year to year. Suitable they are relatively deep, have substantial of the state. Such lakes are established by
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen constocked trout populations and those of other coldwater fish specyear to year. Coldwater streams in Michigan typically provide to contributions of groundwater to their stream flows. Such stream designated as trout resources by Fisheries Order 210.	ecies (e.g., slimy sculpin) to persist from hese conditions due to substantial



Stand	d Level 4 Cover Type		5	Size Density		Acres S	Stand Age B	A Range	Managed S	Site	General Comments		
1	6119 - Mixed Lowla	and Deciduous Forest		oletimb	oer Well	21.1	87	81-110	N/A		Mature lowland hardwood stand, with some scattered cedar. The southeast corner of the stand has dense cedar and the northern end has		
	Canopy Species	% Cover	Size Class	DBI	H Age	Sub-Cand	ppy Species	Density	Avg. Height	Size	heavier to lowland brush. Emerald ash borer is present and is causing		
	Paper Birch	25	Pole	8	87	Michig	an Holly	Low	5 - 10 feet	Tall Shrub			
	Red Maple	10	Pole/Log	9	87	Tag	Alder	Medium	5 - 10 feet	Tall Shrub	other lowland hardwoods are alive, will allow them to stump sprout. This		
No	orthern White Cedar	15	Pole/Log	8	115						stand will regenerate with a mix of lowland hardwoods and conifers.		
	Black Ash	10	Pole/Log	9	87								
	Green Ash	40	Pole/Sap/Log	7	87								
2	4130	- Aspen		Sapling Well		51.2	7 Ir	nmature	N/A		Stand was clearcut in 2017 on contract 33-026-16. All species were cut		
	Canopy Species	% Cover	Size Class	DBI	H Age	Sub-Cand	py Species	Density	Avg. Height	Size	except the white pine was retained. There were two retention patches also retained. Mostly stocked aspen and red maple stand, with some		
	Red Maple	25	Sapling	1	7	Whit	e Pine	Low	< 5 feet	Sapling	lowland pockets that are regenerating with conifers. The northwest edge		
	Quaking Aspen	65	Sapling	1	7	White	Spruce	Low	< 5 feet	Sapling	of the stand didn't regenerate with aspen and is mostly open, with some		
	Ironwood	3	Sapling	1	7	Blackberry	//Raspberry	Medium	5 - 10 feet	Tall Shrub	conifers seeding in.		
	White Pine	2	XLog/Log	18	105								
	Black Cherry	5	Sapling	1	7								
3	6224 - 7	Treed Bog		Nonst	ocked	33.7	Ur	specified	No		Treed bog with a mix of spruce, tamarack, and white pine.		
						Sub-Cand	py Species	Density	Avg. Height	Size			
						Whit	e Pine	Low	>20 feet	Sapling			
						Black	Spruce	Full	>20 feet	Sapling			
						Tam	arack	Medium	>20 feet	Sapling			
4	6122 - BI	6122 - Black Spruce Sapling \		g Well	20.5 15		nmature	N/A		Nearly fully stocked stand with spruce, tamarack and white pine. The			
	Canopy Species	% Cover	Size Class	DBI	H Age	Sub-Cand	py Species	Density	Avg. Height	Size	stand was seed tree cut in 2010 on contract 034-06-01. There are older sub-merchantable stems mixed in, most of which are stunted.		
	Red Maple	5	Sapling	1	15	Michig	an Holly	Low	5 - 10 feet	Tall Shrub			
	Black Spruce	65	Sapling	1	15	Tag	Alder	Medium	5 - 10 feet	Tall Shrub			
	White Pine	15	Sapling/Pole/Lo	g 1	15					-			
	Tamarack	15	Sapling	1	15								
5	40000 N :			te Pine Poletimber Mediu				n 4.7					
	42200 - Natu	ıraı vvnite i	FILE FOR	etimbe	r Mediur	n 4.7	65	1-50	N/A		Stand was clearcut in 2009 on contract 034-06-01; except about 30 base		
	42200 - Natu		Size Class		r Mediur H Age		65 opy Species	1-50 Density	N/A Avg. Height	Size	area of pine was retained. This stand is now a two aged stand, with pine		
					1	Sub-Cand				Size Sapling	· · · · · · · · · · · · · · · · · · ·		
	Canopy Species	% Cover	Size Class	DB I	H Age	Sub-Cand Black	ppy Species	Density	Avg. Height		area of pine was retained. This stand is now a two aged stand, with pine		
6	Canopy Species White Pine Red Pine 4191 - Mixed Upla	% Cover 70 30	Size Class Pole/Sap/Log Pole/Sap/Log	DB I	65 65	Sub-Cand Black	Spruce th Aspen	Density Low	Avg. Height >20 feet	Sapling	area of pine was retained. This stand is now a two aged stand, with pine in the overstory and a fully stocked aspen and pine understory. Fully stocked red maple and white pine stand. The overstory was removed in 2019 on contract 33-026-16. The pine, cedar, and hemlock		
6	Canopy Species White Pine Red Pine 4191 - Mixed Upla	% Cover 70 30 and Decidu	Size Class Pole/Sap/Log Pole/Sap/Log	BH 8 8 8 Sapline	65 65	Sub-Cand Black Bigtoot 4.2	Spruce h Aspen	Density Low Full	Avg. Height >20 feet >20 feet	Sapling	area of pine was retained. This stand is now a two aged stand, with pine in the overstory and a fully stocked aspen and pine understory. Fully stocked red maple and white pine stand. The overstory was removed in 2019 on contract 33-026-16. The pine, cedar, and hemlock were retained. This stand was previously shelterwood cut in 2010 on		
6	Canopy Species White Pine Red Pine 4191 - Mixed Upla	% Cover 70 30 and Decidu	Size Class Pole/Sap/Log Pole/Sap/Log uous with	BH 8 8 8	65 65 8 Well	Sub-Cand Black Bigtoot 4.2 Sub-Cand	Spruce th Aspen 15 In	Density Low Full	Avg. Height >20 feet >20 feet N/A	Sapling Sapling	area of pine was retained. This stand is now a two aged stand, with pine in the overstory and a fully stocked aspen and pine understory. Fully stocked red maple and white pine stand. The overstory was removed in 2019 on contract 33-026-16. The pine, cedar, and hemlock were retained. This stand was previously shelterwood cut in 2010 on contract 034-06-01. The overstory was removed in 2019 to release the		
	Canopy Species White Pine Red Pine 4191 - Mixed Upla Co Canopy Species	% Cover 70 30 and Deciduonifer % Cover	Size Class Pole/Sap/Log Pole/Sap/Log uous with	BH 8 8 Sapling	65 65 8 Well	Sub-Cand Black Bigtoot 4.2 Sub-Cand Michig	Spruce th Aspen 15 Ir	Density Low Full nmature Density	Avg. Height >20 feet >20 feet N/A Avg. Height	Sapling Sapling Size	area of pine was retained. This stand is now a two aged stand, with pine in the overstory and a fully stocked aspen and pine understory. Fully stocked red maple and white pine stand. The overstory was removed in 2019 on contract 33-026-16. The pine, cedar, and hemlock were retained. This stand was previously shelterwood cut in 2010 on contract 034-06-01. The overstory was removed in 2019 to release the advanced regeneration from the harvest in 2010.		

DNR DNR

Stand	Level 4 C	over Type	:	Size De	nsity	Acres	Stand Age B	A Range	Managed 9	Site	General Comments
7	42200 - Nati	ural White I	Pine F	oletimb	er Well	5.4	42	1-50	N/A		Fully stocked stand with a mix of white pine and red maple, of various
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	sizes and ages. The stand was shelterwood cut in 2009 on contract 034- 06-01. There are some older mature birch, red pine, and beech within
	Red Maple	5	Log	14	95	Sai	nd Cherry	Medium	5 - 10 feet	Tall Shrub	the stand, but not 2% of anyone of them.
	Red Maple	27	Sapling	2	15						
	Black Spruce	3	Sapling/Pole	3	42						
	White Pine	65	Pole/Sap/Log	5	42						
8	6129 - Mixed Conif	erous Lowl	and Forest Po	letimbe	Mediur	n 2.8	69	1-50	N/A		Overall the stand is a low quality mixed conifer stand. The center of the
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	stand has fewer trees and is dense with lowland brush.
	White Pine	25	Pole/Sapling	5	69	Wi	tch Hazel	Medium	>20 feet	Tall Shrub	
	Black Spruce	40	Pole/Sapling	5	69	Mich	nigan Holly	High	>20 feet	Tall Shrub	
	Tamarack	20	Sapling/Pole	4	69					-	
	Red Pine	15	Pole/Sapling	5	69						
9	6129 - Mixed Conif	erous Lowl	and Forest S	apling I	Medium	7.4	15	1-50	N/A		Stand was clearcut in 2009 on contract 034-06-01. There are some
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	residual sub-merchantable spruce and tamarack stems along with some mature red pine. The stand is mostly lowland, except for the upland ridge
	Black Spruce	45	Sapling	1	15	Mich	nigan Holly	Low	5 - 10 feet	Tall Shrub	
	Red Pine	15	Log/Pole/Sap	10	95					'	areas are regenerating well with lowland conifers and the upland has red
	White Pine	17	Sapling	1	15						pine and red maple.
	Red Maple	3	Sapling	1	15						
	Tamarack	20	Sapling	1	15						
10	6131 - Hemlock, E	White Pine Birch	, Maple, Po	letimbe	Mediur	n 3.8	100	1-50	N/A		Stand was shelterwood cut in 2010 on contract 034-06-01. The northern half of the stand is upland with pine and red maple and the southern half
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	is lowland with red maple and lowland brush. The stand will continue to fill in with more conifers over time.
	White Pine	35	Log/Pole/Sap	15	100	Sai	nd Cherry	Medium	5 - 10 feet	Tall Shrub	
	Black Ash	10	Pole/Log/Sap	8	100	Ta	amarack	Low	10 - 20 feet	Sapling	
	Paper Birch	5	Pole/Log/Sap	9	100	Mich	nigan Holly	Medium	5 - 10 feet	Tall Shrub	
	Red Maple	40	Log/Pole/Sap	10	100	Bla	ck Spruce	Low	10 - 20 feet	Sapling	
11	629 - Mixed noi	n-forested v	wetland	Nonsto	ocked	158.3	Ur	specified	No		This stand is a mix of lowland marsh grass and lowland brush. There is a
						Sub-Ca	nopy Species	Density	Avg. Height	Size	small creek that flows through this stand, south into Elwood Creek.
						Ta	amarack	Low	>20 feet	Pole	
						Ta	ag Alder	Medium	5 - 10 feet	Tall Shrub	
						Sai	nd Cherry	Medium	5 - 10 feet	Tall Shrub	
						Bla	ck Spruce	Low	>20 feet	Pole	
						Mich	nigan Holly	Medium	Unspecified	Tall Shrub	



Stand		s	Size De	ensity	Acres	<u> </u>		Managed S	Site	General Comments	
12	6121 - 1	Tamarack	;	Saplin		15.1	7 I	mmature	N/A		Stand was clearcut in 2017 on contract 023-16-01. Three retention patches were retained, that contained denser cedar. A few seed tree
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-C	anopy Species	Density	Avg. Height	Size	clumps were also retained. This stand has regenerated very well with
	Balsam Fir	2	Sapling	1	7		chigan Holly	Low	5 - 10 feet	Tall Shrul	tamarack and other conifers and will continue to fill in over time.
	Tamarack	66	Sapling	1	7	7	Γag Alder	Low	5 - 10 feet	Tall Shrul	
No	rthern White Cedar	10	Pole/Log	9	98						
	Red Maple	2	Sapling	1	7						
	White Pine	10	Sapling	1	7						
	Black Spruce	10	Sapling	1	7						
13	42210 - Nat	ural Red P	Pine Sav	vtimbe	r Mediun	n 5.3	55	1-50	N/A		Two aged stand with older pine over a fully stocked understory of aspen
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-C	anopy Species	Density	Avg. Height	Size	and red maple. This stand was cut in 2009 on contract 025-06-01. The cedar, hemlock, white pine and red pine less then 10 inches were
	White Pine	25	Pole/Log/Sap	8	55	Big	tooth Aspen	High	>20 feet	Sapling	retained.
	Red Pine	75	Log/Pole/Sap	11	55		Beech	Low	10 - 20 feet	Sapling	
				-		В	salsam Fir	Low	10 - 20 feet	Sapling	
						R	Red Maple	Low	>20 feet	Sapling	
14	6122 - Bla	ack Spruce	e Po	oletimb	er Well	8.3	95	81-110	N/A		Mature lowland spruce and pine stand. All species are mature and ready to be harvested. Lowland stand with a few narrow upland ridges. This
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-C	anopy Species	Density	Avg. Height	Size	stand will regenerate really well with leaving some pine seed trees and
	Black Spruce	60	Pole/Sap/Log	7	95	Mic	chigan Holly	Low	5 - 10 feet	Tall Shrul	the seeds within the moss layer getting full sunlight and germinating.
	White Pine	15	Pole/Sap/Log	8	95						
	Red Pine	25	Log/Pole/Sap	14	95						
15	42290 - Natu	ıral Mixed I	Pine	Saplin	g Well	7.7	35	1-50	N/A		Stand was clearcut in 2009 on contract 025-06-01. Some pine seed
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-C	anopy Species	Density	Avg. Height	Size	trees were retained along with some advanced white pine, red pine, and spruce regen. The stand is fully stocked with a mix of older pine
	Black Spruce	10	Sapling/Pole	3	35	В	salsam Fir	Low	10 - 20 feet	Sapling	regeneration and younger aspen and red maple regeneration from the
	Red Pine	15	Sapling/Pole/Lo	g 3	35		Beech	Low	5 - 10 feet	Sapling	last harvest.
	White Pine	55	Sapling	4	35						-
	Red Maple	10	Sapling	2	15						
	Bigtooth Aspen	10	Sapling	2	15						
16	6127 - Lo	wland Pine	e	Saplin	g Well	11.5	15	1-50	N/A		Stand was seed tree cut in 2009 on contract 025-06-01. The cedar and
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-C	anopy Species	Density	Avg. Height	Size	hemlock were retained. Also all white pine and red pine less then 10 inches were retained. There are a few dense pockets of pine and
	Tamarack	2	Sapling	1	15	Mic	higan Holly	Low	5 - 10 feet	Tall Shrul	hemlock, but most of the residual pine is scattered. The stand has fully
	Red Maple	3	Sapling	2	15						regenerated with pine and other conifers. The stand is 70% lowland, with
	White Pine	60	Sapling	1	15						a few upland knobs.
	Black Spruce	15	Sapling	1	15						
	Hemlock	2	Log/Pole	12	98						
	White Pine	13	Log	15	98						
	Red Pine	5	Sapling	1	15						



Stand	Level 4 Co	over Type	;	Size De	ensity	Acres	Stand Age B	A Range	Managed S	Site	General Comments
17	6122 - Bla	ack Spruce	e P	oletim	er Well	12.0	93	51-80	N/A		Moderate to low quality black spruce in the northern half and a mix of lowland conifers in the southern half. All species are mature and are
	Canopy Species	% Cover	Size Class	DBI	H Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	ready to be harvested. This stand has a dense layer of moss that once
	Tamarack	25	Pole/Sap/Log	8	93	Ta	ıg Alder	High	5 - 10 feet	Tall Shrub	the overstory is removed the seeds in the moss will germinate and grow
	White Pine	2	Log/Pole	16	93	Ва	lsam Fir	Low	10 - 20 feet	Sapling	readily.
	Red Maple	2	Log/Pole	10	90						
	Black Spruce	66	Pole/Sapling	7	93						
Nor	thern White Cedar	5	Pole/Log	9	93						
18	42110 - Plar	nted Red P	ine	Saplin	g Well	7.4	8	1-50	N/A		This stand was trenched and planted with red pine in 2018. This stand
	Canopy Species	% Cover	Size Class	DBI	H Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	was previously seed tree cut in 2009 on contract 034-06-01. Red and white pine seed trees were retained. The site was than mechanically
	Red Pine	60	Sapling	1	8	Sar	d Cherry	Medium	5 - 10 feet	Tall Shrub	
	White Pine	30	Sapling	2	15						of planted red pine in the center of the stand and the perimeter of the
ı	Bigtooth Aspen	3	Sapling	2	15						stand is a mix of other upland conifers.
	Balsam Fir	2	Sapling	2	30						
	White Spruce	5	Sapling	2	30						
19	6223 - Inundate	ed Shrub S	wamp	Nonst	ocked	11.4	U	Inspecified	No		Dense lowland brush stand with tag alder and holly. There are some
					Γ	Sub-Ca	nopy Species	Density	Avg. Height	Size	scattered trees around the perimeter.
							igan Holly	Full		Tall Shrub	
							Alder	Full		Tall Shrub	
20	6120 - Lov	vland Ceda	ar Pol	letimbe	r Mediun	n 14.1	93	51-80	N/A		Very poor quality stand, with all species growing poorly. Including the
	Canopy Species	% Cover	Size Class	DBI	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	cedar which is dying out of the stand.
	Tamarack	10	Pole/Log/Sap		93		ıg Alder	High	5 - 10 feet	Tall Shrub	
	Black Ash	20	Pole/Sapling	7	93	Mich	igan Holly	High	5 - 10 feet	Tall Shrub	
	Red Maple	5	Pole/Log	9	93		lsam Fir	Low	>20 feet	Sapling	
Nor	rthern White Cedar	65	Pole/Log	9	93						
21	6224 - T	reed Bog		Nonst	ocked	22.4	U	Inspecified	No		Treed bog with very few merchantable trees.
						Sub-Ca	nopy Species	Density	Avg. Height	Size	
						WI	nite Pine	Low	>20 feet	Sapling	
						Blac	k Spruce	High	>20 feet	Sapling	
						Ta	marack	Low	>20 feet	Sapling	
						Mich	igan Holly	Medium		Tall Shrub	
							Alder	Medium		Tall Shrub	
22	6122 - Bla	ack Spruce	; S	apling	Medium	21.9	15	Immature	N/A		This stand is regenerating very well with black spruce and other lowland
	Canopy Species	% Cover	Size Class	DBI	H Age						conifers. This stand should be fully stocked by next entry. This stand was clearcut in 2019 on contract 33-026-16. The stand is lowland, except
	Black Spruce	70	Sapling	1	15						for two narrow upland ridges that run through the center of the stand.
	White Pine	15	Sapling	1	15						, , ,
	Tamarack	15	Sapling	1	15						

Level 4 Cover Type Stand Size Density Managed Site **General Comments** Acres Stand Age BA Range 4.7 N/A 42210 - Natural Red Pine Sawtimber Well 65 111-140 Good quality red pine stand with a dense understory of aspen sprouts. 23 Stand was thinned in 2009 on contract 034-06-01. The pine is ready to **Canopy Species** % Cover Size Class **DBH Age Sub-Canopy Species** Density Avg. Height Size be thinned again, to improve the growth of the residual stems. 5 - 10 feet White Pine 15 Log/Pole/Sap 12 65 Red Maple Medium Sapling Red Pine 85 Log/Pole/Sap 12 65 Bigtooth Aspen Medium 10 - 20 feet Sapling Balsam Fir Iow < 5 feet Sapling 42200 - Natural White Pine Sawtimber Well 6.7 50 81-110 N/A Two aged stand of older pine over a fully stocked understory of aspen 24 and red maple. Stand was cut in 2009 on contract 034-06-01. All aspen DBH Age **Canopy Species** Size Class **Sub-Canopy Species** Size % Cover Density Ava. Height was cut and pine greater then 12 inches was cut to release the advanced White Pine 60 Log/Pole/Sap 10 50 Bigtooth Aspen Hiah 10 - 20 feet Sapling white pine regen. The pine ranges from 10 to 60 years in age, 50 is the mean age. Red Pine 40 10 50 Red Maple 10 - 20 feet Sapling Log/Pole/Sap High 25 4133 - Aspen, Mixed Pine Sapling Well 26.3 6 **Immature** N/A Fully stocked two-aged stand with older pine regeneration over a fully stocked understory of aspen and red maple. The stand was seed tree % Cover Size Class **Canopy Species DBH Age Sub-Canopy Species** Density Ava. Height Size cut in 2018 on contract 33-026-16. All trees were cut, except some pine White Pine Sapling/Pole/Log 3 29 Balsam Fir Iow < 5 feet Sapling seed trees were retained. This stand had a dense understory of pine and red maple saplings that were released with the removal of the overstory. Red Pine 5 Sapling/Pole/Log 29 < 5 feet Sapling 3 Beech Low The stand is primarily upland, with the exception of a few lowland pockets. Quaking Aspen 20 Sapling 6 1 40 Bigtooth Aspen Sapling 1 6 Red Maple 15 Sapling 1 6 6224 - Treed Boa No 26 Nonstocked 16.6 Unspecified Treed bog with very few merchantable stems. Avg. Height Size **Sub-Canopy Species** Density Tamarack Medium >20 feet Sapling White Pine 10 - 20 feet Low Sapling Black Spruce Hiah >20 feet Sapling 27 4133 - Aspen, Mixed Pine Sapling Well 14.5 15 Immature N/A Fully stocked two-aged stand with older pine regeneration with young aspen and red maple regeneration. This stand was clearcut in 2009 on Size Class Size **Canopy Species** % Cover **DBH Age Sub-Canopy Species** Density Avg. Height contract 034-06-01. Red pine seed trees were retained. The majority of Bigtooth Aspen 15 Sapling/Pole 1 15 Balsam Fir Iow 5 - 10 feet Sapling the stand is upland, except for a lowland drain running through the southern half. 10 4 38 Red Pine Sapling/Pole 45 15 Quaking Aspen Sapling 1 Red Maple 10 Sapling 1 15 White Pine Sapling/Pole 4 38 42210 - Natural Red Pine Sawtimber Well 22.8 65 141-170 N/A Overall a very good quality natural red pine stand, that is ready to be 28 thinned again. The average basal area is around 150. The thinning will **Canopy Species** % Cover Size Class **DBH Age Sub-Canopy Species** Density Avg. Height Size improve the growth of the residual stems. White Pine 5 Pole/Log/Sap 9 65 Bigtooth Aspen Low 10 - 20 feet Sapling The stand had its first thinning in 2009 on contract 034-06-01.

5 - 10 feet

Low

Sapling

Red Pine

95

10

Log/Pole/Sap

65

Black Spruce



Stand	d Level 4 Co	ver Type		Size De	ensity	Acres	Stand Age B	A Range	Managed S	Site	General Comments
29	4136 - Aspen,			Poletimb		26.9	36	51-80	N/A		Good quality aspen stand. This stand was clearcut in 1988 on contract 20-86-01, some pine was retained. The majority of the stand is upland, with
	Canopy Species	% Cover			l Age						the exception of some lower ground on the southern end.
	Red Maple	15	Sapling/Pole		36						
	Balsam Fir	5	Sapling/Pole		36						
	Bigtooth Aspen	30	Pole/Sapling	_	36						
	White Pine	10	Pole/Log/Sap		36						
	Red Pine	5	Log/Pole/Sap		65						
	Quaking Aspen	35	Pole/Sapling	6	36						
30	6120 - Low	land Ceda			Medium	12.4	127	1-50	N/A		Two - aged stand with mature cedar, hemlock and pine over a mix of conifer regeneration. The majority of the red maple and ash that stump
	Canopy Species	% Cover	Size Class		I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	sprouted following the harvest has been browsed and killed by deer. The
	White Pine	5	Log/XLog	17	127	Та	g Alder	Medium	5 - 10 feet	Tall Shrub	stand was cut in 2019 on contract 33-026-16. The cedar and hemlock
	Hemlock	15	Log/Pole	13	127	Bal	Isam Fir	Medium	< 5 feet	Sapling	was retained. The residual basal area varies from 10 to 120 BA, with the stand averaging 40 BA.
No	orthern White Cedar	80	Log/Pole	12	127	Blac	k Spruce	Medium	< 5 feet	Sapling	Stariu averaging 40 DA.
						Mich	igan Holly	Low	5 - 10 feet	Tall Shrub	
						Wh	ite Pine	Medium	< 5 feet	Sapling	
						Re	d Maple	Low	< 5 feet	Sapling	
31	6223 - Inundate	d Shrub S	wamp	Nonst	ocked	4.4	U	nspecified	No		Lowland brush stand with some scattered cedar, ash, and spruce.
						Sub-Car	nopy Species	Density	Avg. Height	Size	
						Northern	White Cedar	Low	>20 feet	Pole	
						Mich	igan Holly	High		Tall Shrub	
						Та	g Alder	High	5 - 10 feet	Tall Shrub	
						Bla	ack Ash	Low	>20 feet	Sapling	
						Blac	k Spruce	Low	>20 feet	Pole	
32	6120 - Low	land Ceda	ır Po	letimbe	r Medium	3.9	137	51-80	N/A		Low quality cedar stand with some tamarack mixed in.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Car	nopy Species	Density	Avg. Height	Size	
	Paper Birch	2	Pole	8		Mich	igan Holly	Medium	5 - 10 feet	Tall Shrub	
No	orthern White Cedar	86	Pole	9	137	Та	g Alder	Medium	5 - 10 feet	Tall Shrub	
	White Pine	2	Log/Pole	12		Bal	lsam Fir	Low	< 5 feet	Sapling	
	Tamarack	10	Pole	9							
33	6130 - Fir, A	spen, Mar	ole	Sapling	Poor	28.4	5 I	mmature	N/A		Stand was clearcut in 2019 on contract 33-026-16. The hemlock was
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Car	nopy Species	Density	Avg. Height	Size	retained, along with some conifer seed trees. In addition, two retention patches were retained. The stand is regenerating with a mix of red
	Balsam Fir	15	Sapling	1	5	Blackbei	rry/Raspberry	Low	5 - 10 feet	Tall Shrub	maple, white pine, balm, and balsam fir. More conifers will continue to
No	orthern White Cedar	5	Log/Pole	12	137	Та	g Alder	Low	5 - 10 feet	Tall Shrub	seed in over time. Most of the ash and maple stump sprouts have been
	Red Maple	30	Sapling	1	5						browsed and killed by deer.
	White Pine	30	Sapling	1	5						
	Balsam Poplar	15	Sapling	1	5						
	Beech	5	Sapling	1	5						

DNR DNR

Stand	d Level 4 C	over Type	S	Size Density	Acres	Stand Age I	BA Range	Managed \$	Site	General Comments
34	42350 - Up	land Hemlo	ock Sa	awtimber We	II 4.3	135	111-140	N/A		Hemlock stand with scattered other species. this stand was last thinned in 1988 on contract 020-86-01. The majority of the short lived species
	Canopy Species	% Cover	Size Class	DBH Age	Sub-C	anopy Species	Density	Avg. Height	Size	have been removed from this stand. There is some white pine and red
No	orthern White Cedar	8	Log/Pole	10 107	V	Vhite Pine	Low	10 - 20 feet	Sapling	maple regeneration in the open areas.
	White Pine	10	Log/XLog/Pole		F	Red Maple	Low	>20 feet	Sapling	
	Hemlock	70	Log/Pole	14 135						
	Paper Birch	2	Log/Pole	10 107						
	Red Pine	5	Log/Pole	16 107						
	Red Maple	5	Pole/Log	9 107						
35	42350 - Up	land Hemlo	ock Sa	awtimber We	ll 13.0	137	111-140	N/A		Mature dense hemlock stand, with some pine and hardwood mixed in.
	Canopy Species	% Cover	Size Class	DBH Age	Sub-C	anopy Species	Density	Avg. Height	Size	The shorter lived species are mature and should be harvested. The stand is too dense at this time to get regeneration, by opening the stand
	White Pine	25	Log/XLog/Pole	16 137	R	Red Maple	Low	10 - 20 feet	Sapling	up more it will allow for more pine, hemlock and red maple regeneration.
	Red Pine	3	Log/Pole	15 137	V	Vhite Pine	Medium	5 - 10 feet	Sapling	This stand was last thinned in 2009 on contract 034-06-01.
	Hemlock	60	Log/Pole	13 137	В	salsam Fir	Low	10 - 20 feet	Sapling	
No	orthern White Cedar	2	Log/Pole	14 137						
	Red Maple	10	Log/Pole	12						
					V R Bla	Ranopy Species White Pine Red Maple ack Spruce Fag Alder Chigan Holly	Low Low Low Low Low Medium	>20 feet >20 feet >20 feet >20 feet 10 feet Unspecified	Pole Pole Pole Tall Shrub Tall Shrub	
37	6122 - Bl	ack Spruce	e :	Sapling Well	34.1	14	Immature	N/A		Stand was seed tree cut in 2010 on contract 034-06-01. There were
	Canopy Species	% Cover	Size Class	DBH Age	Sub-C	anopy Species	Density	Avg. Height	Size	seed trees retained throughout the stand. The northern two-thirds of the stand are regenerating very well with a mix of lowland conifers.
	Black Spruce	55	Sapling	1 14		Γag Alder	Medium	5 - 10 feet	Tall Shrub	
	Red Pine	5	Sapling	1 14						
	White Pine	10	Sapling	1 14						
	Tamarack	30	Sapling	1 14						
38	6229 - Mixed	l lowland sl	hrub	Nonstocked	13.1	0 (Jnspecified	No		This stand is a mix of lowland brush with pockets of very low quality
					Sub-C	anopy Species	Density	Avg. Height	Size	lowland conifers. This stand will never have enough volume to harvest it.
					٦	Tamarack	Low	>20 feet	Pole	
					V	Vhite Pine	Low	>20 feet	Sapling	
					Bla	ack Spruce	Low	>20 feet	Pole	



Stand		over Type	S	Size De	ensity	Acres	Stand Age B	A Range	Managed S	Site	General Comments	
39	4319 - Mixed	<u>'</u>			er Well	6.2	101	81-110	N/A		Mature mixed hardwood and pine stand. All species are mature and ready to be harvested. This stand is an upland sand ridge, with more	
	Canopy Species		Size Class		I Age		nopy Species		Avg. Height	Size	pine on the north end and more hardwood on the south end. This stand	
	Austrian Pine	3	Log/Pole	11	101		Beech	Low	5 - 10 feet	Sapling	will be seed tree harvested to allow the hardwoods to sprout and the residual conifers to provide seed. This will allow the stand to continue	
	Red Pine	20	Log/Pole/Sap	12	101						be a mixed forest type.	
	Paper Birch	15	Pole/Log	9	101						So a minor recent type.	
	Bigtooth Aspen	5	Log/Pole	14	101							
	Black Spruce	5	Pole/Sap/Log	8	101							
	Balsam Fir	7	Pole/Log/Sap	9	101							
	Red Maple	30	Log/Pole/Sap	10	101							
	White Pine	15	Log/Pole/Sap	10	101							
40	4191 - Mixed Upla Co	and Decidu onifer	ous with Po	oletimb	er Well	28.2	49	51-80	N/A		Mature stand with a mix of aspen and red maple, with pockets of conifers. The stand is a two aged stand with 50 year old aspen and fir,	
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	with older hardwood, hemlock, and cedar. The majority of the stand is upland, except for an ash drain running through the middle. All species	
	White Pine	5	Log/XLog/Pole	17	97	Wł	nite Pine	Low	5 - 10 feet	Sapling	are mature and are ready to be harvested. This stand will be managed	
	Red Maple	30	Pole/Log/Sap	9	97	[Beech	Low	5 - 10 feet	Sapling	for a mix of aspen, hardwood and a mix of conifers. The aspen and	
	Hemlock	10	Log/Pole/XLog	15	137						hardwoods will sprout following the harvest and the conifers will seed in over time.	
	Quaking Aspen	33	Pole/Log/Sap	9	49						over time.	
	Paper Birch	2	Pole/Log/Sap	7	49							
	Green Ash	5	Log/Pole	10	97							
	Balsam Poplar	3	Pole	7	49							
	Balsam Fir	2	Pole/Sap/Log	7	49							
	Black Ash	5	Pole/Log	8	97							
41	6120 - Lo	wland Ceda	ar S	awtimb	er Well	28.7	124	141-170	N/A		Two aged stand with mature cedar, ash, and maple with younger balm,	
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	spruce/fir, maple and birch. The stand was strip cut in 1975. There are dense strips of cedar, with a mix of other species surrounding them. This	
	Black Ash	10	Pole/Log/Sap	8	124	Ва	lsam Fir	Medium	>20 feet	Pole	stand will be ready to harvest next entry.	
	Red Maple	10	Log/Pole/Sap	12	124	Ta	ıg Alder	Medium	5 - 10 feet	Tall Shrub		
No	rthern White Cedar	65	Log/Pole	12	124	Bals	am Poplar	Medium	>20 feet	Pole		
	Paper Birch	10	Pole/Sap/Log	9	124							
	Green Ash	5	Log/Pole	10	124							
42	6115 - Lo	owland Ash	n Po	oletimb	er Well	8.5	97	51-80	N/A		Mature lowland ash stand, that needs to be harvested prior to the emerald ash borer kills it all. The stand needs to be harvested while the	
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	ash and red maple are vigorous enough to stump sprout following the	
	Green Ash	15	Log/Pole	13	97	Ва	lsam Fir	Low	< 5 feet	Sapling	harvest.	
	Black Ash	60	Pole/Log	8	97	Mich	igan Holly	Medium	5 - 10 feet	Tall Shrub		
	Paper Birch	3	Pole/Log	8	97	Та	ıg Alder	Low	5 - 10 feet	Tall Shrub		
No	rthern White Cedar	15	Log/Pole	10	97							
	Red Maple	5	Log/Pole	11	97							
	Yellow Birch	2	Pole/Log	9	97							



	Level 4 Co	over Type	S	ize Density	Acres S	Stand Age BA	A Range	Managed S	Site	General Comments
43	42350 - Upla	and Hemic	ock Sa	awtimber Poo	14.2	124	51-80	N/A		Stand was cut in 2019 on contract 33-034-16. All hemlock, cedar, and pine was retained. Three retention patches were also retained. The
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Cand	opy Species	Density	Avg. Height	Size	stand is regenerating well with a mix of conifer seedlings and red maple
	Hemlock	85	Log/Pole	13 124	Bals	am Fir	Low	< 5 feet	Sapling	sprouts. The stand will continue to fill in over time. The red maple stump
No	orthern White Cedar	5	Log/Pole	12 124	White	Spruce	Medium	< 5 feet	Sapling	sprouts have by browsed hard by the deer. 70% of the stand is upland.
	White Pine	10	Log/Pole	15 124	Whit	e Pine	Medium	< 5 feet	Sapling	
					Red	Maple	Medium	< 5 feet	Sapling	
					Tam	arack	Low	< 5 feet	Sapling	
					Ве	ech	Low	< 5 feet	Sapling	
44	42350 - Upla	and Hemic	ock Sa	awtimber Wel	10.9	138 1	171-200	N/A		Upland hemlock and deciduous stand. The shorter lived species are
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Cand	opy Species	Density	Avg. Height	Size	mature and dying out of the stand. The shorter lived species should be harvested while the hardwoods are vigorous enough to sprout following
	Red Maple	18	Log/Pole	12	Ве	eech	Low	5 - 10 feet	Sapling	the harvest. The open areas of the stand following the harvest will
No	rthern White Cedar	5	Log/Pole	13 138			-		-	regenerate with a mix of hardwoods and conifers.
	Hemlock	55	Log/Pole	13 138						
	Paper Birch	18	Log/Pole	12						
	Balsam Fir	2	Pole/Sap/Log	8						
	Red Pine	2	Log/Pole/Sap	16 138						
45	4319 - Mixed	Upland Fo	rest Po	oletimber We	76.6	47	51-80	N/A		Two aged stand with older pine over maturing aspen and red maple. The
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Cand	ppy Species	Density	Avg. Height	Size	aspen and red maple have been slow growing, growing up under the partial overstory of pine and hemlock. The aspen and maple have been
	Balsam Fir	5	Pole/Sapling	6 47	Tag	Alder	Low	5 - 10 feet	Tall Shrub	growing slowly. This stand was clearcut in the 1970's; except for the pine
	Red Maple	0.5	Dolo/Con/Log	0 47						cedar and hemlock. In 2004 the large pine was cut out of this stand on
	rtou mapio	25	Pole/Sap/Log	6 47						
	Red Pine	5	Log/Pole/Sap	10 104						contract 046-01-01. Harvest this stand next entry.
	<u>'</u>		. 0							
	Red Pine	5	Log/Pole/Sap	10 104						
	Red Pine Quaking Aspen	5 30	Log/Pole/Sap Pole/Sap/Log	10 104 7 47						
46	Red Pine Quaking Aspen White Pine	5 30 25 10	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104	9.8	Ur	nspecified	No		contract 046-01-01. Harvest this stand next entry. Lowland brush stand with some ash and cedar along the edge. Elwood
46	Red Pine Quaking Aspen White Pine Hemlock	5 30 25 10	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104 14 104		Ur opy Species	nspecified Density	No Avg. Height	Size	contract 046-01-01. Harvest this stand next entry.
46	Red Pine Quaking Aspen White Pine Hemlock	5 30 25 10	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104 14 104	Sub-Cand				Size Tall Shrub	Contract 046-01-01. Harvest this stand next entry. Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand.
46	Red Pine Quaking Aspen White Pine Hemlock	5 30 25 10	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104 14 104	Sub-Cand Tag	opy Species	Density	Avg. Height		Contract 046-01-01. Harvest this stand next entry. Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand.
46	Red Pine Quaking Aspen White Pine Hemlock	5 30 25 10	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104 14 104	Sub-Cand Tag Northern V	opy Species Alder	Density Medium	Avg. Height 5 - 10 feet	Tall Shrub	Contract 046-01-01. Harvest this stand next entry. Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand.
46	Red Pine Quaking Aspen White Pine Hemlock	5 30 25 10	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104 14 104	Sub-Cand Tag Northern V	Alder White Cedar	Density Medium Low	Avg. Height 5 - 10 feet >20 feet	Tall Shrub Pole	Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand. Stand was cut in 2018 and 2019 on contract 33-027-16. All species were
	Red Pine Quaking Aspen White Pine Hemlock 629 - Mixed non	5 30 25 10 -forested v	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole	10 104 7 47 10 104 14 104 Nonstocked	Sub-Cand Tag Northern V Blac	Alder White Cedar	Density Medium Low Low	Avg. Height 5 - 10 feet >20 feet >20 feet	Tall Shrub Pole	Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand. Stand was cut in 2018 and 2019 on contract 33-027-16. All species were cut, except for hemlock and cedar. Also, some pine were marked to
47	Red Pine Quaking Aspen White Pine Hemlock 629 - Mixed non	5 30 25 10 -forested v	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole vetland	10 104 7 47 10 104 14 104 Nonstocked	Sub-Cand Tag Northern V Blace 133.9 Sub-Cand	Alder White Cedar k Ash	Density Medium Low Low 1-50	Avg. Height 5 - 10 feet >20 feet >20 feet N/A	Tall Shrub Pole Pole	Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand. Stand was cut in 2018 and 2019 on contract 33-027-16. All species were
47	Red Pine Quaking Aspen White Pine Hemlock 629 - Mixed non 4319 - Mixed Canopy Species	5 30 25 10 -forested v	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole vetland prest Size Class	10 104 7 47 10 104 14 104 Nonstocked	Sub-Cand Tag Northern V Blac 133.9 Sub-Cand Gree	Alder White Cedar k Ash 30 ppy Species	Density Medium Low Low 1-50 Density	Avg. Height 5 - 10 feet >20 feet >20 feet N/A Avg. Height	Tall Shrub Pole Pole Size	Contract 046-01-01. Harvest this stand next entry. Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand. Stand was cut in 2018 and 2019 on contract 33-027-16. All species were cut, except for hemlock and cedar. Also, some pine were marked to retain. Stand was previously thinned in 1995 on contract 051-92-01. There were a number of retention patches retained, most of which contain dense hemlock and a mix of other species. There is dense
47	Red Pine Quaking Aspen White Pine Hemlock 629 - Mixed non 4319 - Mixed Canopy Species orthern White Cedar	5 30 25 10 -forested v	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole wetland prest Size Class Log/Pole	10 104 7 47 10 104 14 104 Nonstocked Sapling Well DBH Age 12 138	Sub-Cand Tag Northern V Blac 133.9 Sub-Cand Gree Blackberry	Alder White Cedar ck Ash 30 ppy Species en Ash	Density Medium Low Low 1-50 Density Low	Avg. Height 5 - 10 feet >20 feet >20 feet N/A Avg. Height < 5 feet	Pole Pole Size Sapling	Contract 046-01-01. Harvest this stand next entry. Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand. Stand was cut in 2018 and 2019 on contract 33-027-16. All species were cut, except for hemlock and cedar. Also, some pine were marked to retain. Stand was previously thinned in 1995 on contract 051-92-01. There were a number of retention patches retained, most of which contain dense hemlock and a mix of other species. There is dense advanced white pine, spruce and balsam fir regeneration. There are also
47	Red Pine Quaking Aspen White Pine Hemlock 629 - Mixed non 4319 - Mixed Canopy Species orthern White Cedar Hemlock	5 30 25 10 -forested v Upland Fo **Cover** 3 17	Log/Pole/Sap Pole/Sap/Log Log/Pole/Sap Log/Pole wetland prest Size Class Log/Pole Log/Pole	10 104 7 47 10 104 14 104 Nonstocked Sapling Well DBH Age 12 138 12 138	Sub-Cand Tag Northern V Blac 133.9 Sub-Cand Gree Blackberry	Alder White Cedar Sk Ash 30 Sppy Species en Ash y/Raspberry	Density Medium Low Low 1-50 Density Low Medium	Avg. Height 5 - 10 feet >20 feet >20 feet N/A Avg. Height < 5 feet 5 - 10 feet	Pole Pole Size Sapling Tall Shrub	Lowland brush stand with some ash and cedar along the edge. Elwood Creek flows through this stand. Stand was cut in 2018 and 2019 on contract 33-027-16. All species were cut, except for hemlock and cedar. Also, some pine were marked to retain. Stand was previously thinned in 1995 on contract 051-92-01. There were a number of retention patches retained, most of which



Stand		ver Type		Size Density		Acres Stand Age BA		A Range	Managed \$	Site	General Comments
48	42350 - Upl			Sawtimb		7.3	138	171-200	N/A		Dense hemlock stand with some red maple mixed in. This stand was las thinned in 1995 on contract 051-92-01.
	Canopy Species		Size Class		l Age		nopy Species		Avg. Height	Size	
	Red Maple	21	Log/Pole	10	138		Beech	Low	5 - 10 feet	Sapling	
	Hemlock	75	Log/Pole	12	138	Wh	nite Pine	Low	10 - 20 feet	Sapling	
	Yellow Birch	2	Pole/Log	8							
	White Pine	2	Log/XLog	16	138						
49	4136 - Aspen			Poletimb		5.0	30	1-50	N/A		Stand was clearcut in 1994 on contract 051-92-01. Fully stocked aspen stand, with some pockets of conifer. Some of the pockets of conifer are
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	older at 50 to 60 years of age.
	Hemlock	2	Log/Pole	13	138	Irc	nwood	Low	10 - 20 feet	Sapling	, · · · ·
	Green Ash	5	Sapling/Pole	3	30						
	Quaking Aspen	55	Pole/Sapling	5	30						
No	rthern White Cedar	2	Log/Pole	12	138						
	Balsam Poplar	15	Pole/Sapling	5	30						
	White Spruce	6	Pole/Sapling	5	30						
	Balsam Fir	10	Pole/Sapling	5	30						
	Red Maple	5	Sapling/Pole	3	30						
50	6115 - Lo	wland Ash	Sa	awtimbe	r Medium	44.7	99	51-80	N/A		Lowland ash stand with Elwood Creek flowing through it. The stand provides mature forest conditions along the creek, but the Emerald Ash
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	Borer is present and these conditions will be lost in the near future.
	Red Maple	15	Log/Pole	12	99	Та	g Alder	High	5 - 10 feet	Tall Shrub	, , , , , , , , , , , , , , , , , , ,
	Black Ash	25	Log/Pole	12	99	Ва	lsam Fir	Low	10 - 20 feet	Sapling	
	Green Ash	50	Log/Pole	12	99						
No	rthern White Cedar	10	Log/Pole	12	99						
51	4319 - Mixed	Upland Fo	rest	Sapling	g Well	15.4	15	1-50	N/A		This stand was shelterwood cut in 2009 on contract 024-06-01 to release
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	the advanced conifer regeneration. Some mature hardwoods were marked to leave, along with some mature pine. The stand is fully stocked
	Red Maple	45	Sapling	2	15	H	emlock	Low	< 5 feet	Sapling	with a combination of advanced white pine regeneration and red maple
	Hemlock	3	Log/Pole	13	107	E	Beech	Low	10 - 20 feet	Sapling	sprouts following the last harvest. The stand is about 80% upland, with a
No	rthern White Cedar	2	Log/Pole	12	107	Та	g Alder	Low	5 - 10 feet	Tall Shrub	pocket of lowland in the center.
	White Spruce	5	Sapling/Pole	3	40				ı		
	Balsam Fir	5	Sapling	2	15						
	White Pine	35	Sapling/Pole	4	40						
	Green Ash	5	Log/Pole	12	107						
52	42350 - Upl	and Hemlo	ck :	Sawtimb	er Well	1.7	106	171-200	N/A		Stand was thinned in 2004 on contract 051-02-01. Overall the stand is
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	mature hemlock with scattered red maple and yellow birch.
	Hemlock	75	Log/Pole	13	106	Ва	lsam Fir	Low	>20 feet	Sapling	
	Red Maple	15	Log/Pole	10	106			,			-
	Yellow Birch	E	Pole/Log	0	100						
	I GIIOW DITCH	5	r ole/Log	9	106						

DNR DNR

Compartment: 51

Year of Entry: 2026

Stand	Level 4 Co	over Type		Size De	ensity	Acres	Stand Age B	A Range	Managed S	Site	General Comments
53	429 - Mixed U	Jpland Con	ifers S	apling	Medium	17.1	35	1-50	N/A		Stand was clearcut in 2019 on contract 33-027-16; except the hemlock, white pine and cedar were retained. Stand was previously thinned in
	Canopy Species	% Cover	Size Class		H Age		nopy Species	Density	Avg. Height	Size	1994 on contract 051-92-01. The stand is a mix of advanced white pine
	Hemlock	2	Log/Pole	12	107	Blackbe	erry/Raspberry	Low	5 - 10 feet	Tall Shrub	
	White Pine	58	Sapling/Pole	4	35						The deer have browsed and killed most of the ash and red maple stump sprouts following the harvest. The stand is 70% upland, with a lowland
	Beech	5	Sapling	3	35						swale running through the middle of the stand.
	White Spruce	10	Sapling	3	35						
	Red Maple	20	Sapling	1	5						
	Balsam Fir	5	Sapling	1	5						
54	4199 - Other Mixed	d Upland D	eciduous S	awtimb	er Poor	14.2	107	1-50	N/A		Stand was shelterwood cut in 2009 on contract 024-06-01. Two aged
	Canopy Species	% Cover	Size Class	DBI	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	stand with mature red maple and ash over a fully stocked understory of ash seedlings in the lowland and a mix of white pine, red maple, and
	Green Ash	50	Log/Pole	13	107		Beech	Low	5 - 10 feet	Sapling	other conifers on the upland portions. The deer have browsed and killed
No	rthern White Cedar	5	Log/Pole	12	107	Gr	reen Ash	Medium	< 5 feet	Sapling	most of the ash and red maple stump sprouts following the harvest. The
	Red Maple	45	Log/Pole	12	107	Ta	ag Alder	Low	5 - 10 feet	Tall Shrub	mature ash is dying out due to the emerald ash borer, but there is not enough volume to try and harvest.
						Re	ed Maple	Low	>20 feet	Sapling	
						Bals	am Poplar	Low	>20 feet	Sapling	
						Ba	alsam Fir	Low	5 - 10 feet	Sapling	
							alsam Fir hite Pine	Low	5 - 10 feet 10 - 20 feet	Sapling Sapling	
 55	429 - Mixed U	Jpland Con	ifers S	apling	Medium						Stand was cut in 2019 on contract 33-034-16. The cedar and hemlock
55	429 - Mixed U	<u>'</u>	ifers S		Medium	56.8	hite Pine	Medium	10 - 20 feet		was retained, along with some pine and spruce seed trees. The stand
55		<u>'</u>				56.8 Sub-Ca	hite Pine 20	Medium 1-50	10 - 20 feet N/A	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying
55	Canopy Species	% Cover	Size Class	DBI	l Age	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central
55	Canopy Species Balsam Fir	% Cover 5	Size Class Sapling	DB I	Age 5	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying
55	Canopy Species Balsam Fir White Spruce	% Cover 5 10	Size Class Sapling Sapling	DBI	5 5	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central
55	Canopy Species Balsam Fir White Spruce Hemlock	% Cover 5 10 8	Size Class Sapling Sapling Log/Pole	DBH 1 1 12	5 5 100	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central
	Canopy Species Balsam Fir White Spruce Hemlock Red Maple	% Cover 5 10 8 25	Size Class Sapling Sapling Log/Pole Sapling	DBH 1 1 12 1	5 5 100 5	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central
	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine	% Cover 5 10 8 25 30	Size Class Sapling Sapling Log/Pole Sapling Sapling	DBH 1 1 12 1 2	5 5 100 5 20	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central
	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine	% Cover 5 10 8 25 30 20	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/XLog	1 1 12 1 1 2 11 16	5 5 100 5 20 100	56.8 Sub-Ca	20 anopy Species	Medium 1-50 Density	10 - 20 feet N/A Avg. Height	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The
No	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine	% Cover 5 10 8 25 30 20 2 www.and Ash	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/YLog	DBH 1 1 12 1 2 11 16 cawtimb	5 5 100 5 20 100 100	56.8 Sub-Ca Blackbe	20 anopy Species erry/Raspberry	1-50 Density Medium	N/A Avg. Height 5 - 10 feet	Sapling	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs
No	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine	% Cover 5 10 8 25 30 20 2 www.and Ash	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/XLog	DBH 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 5 100 5 20 100 100 per Well	Sub-Ca Blackbe	20 anopy Species erry/Raspberry	1-50 Density Medium 81-110	N/A Avg. Height 5 - 10 feet	Size Tall Shrub	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs to be harvested soon to prevent the loss of timber products and to allow
No 56	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine 6115 - Lo	% Cover	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/XLog	DBH 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 Age 5 5 100 5 20 100 100 er Well 1 Age	Sub-Ca Blackbe	20 Inopy Species erry/Raspberry 99 Inopy Species	Medium 1-50 Density Medium 81-110 Density	N/A Avg. Height 5 - 10 feet N/A Avg. Height	Size Tall Shrub	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs to be harvested soon to prevent the loss of timber products and to allow
No 56	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine 6115 - Lo Canopy Species Balsam Fir	% Cover 5 10 8 25 30 20 2 2 www. Cover 5 5	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/XLog Size Class Pole/Log/Sap	1	1 Age 5 5 100 5 20 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100	Sub-Ca Blackbe	20 Inopy Species erry/Raspberry 99 Inopy Species	Medium 1-50 Density Medium 81-110 Density	N/A Avg. Height 5 - 10 feet N/A Avg. Height	Size Tall Shrub	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs to be harvested soon to prevent the loss of timber products and to allow
No 56	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine 6115 - Lo Canopy Species Balsam Fir rthern White Cedar	% Cover 5 10 8 25 30 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/XLog Size Class Pole/Log/Sap Log/Pole	DBH 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 Age 5 5 100 5 20 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100	Sub-Ca Blackbe	20 Inopy Species erry/Raspberry 99 Inopy Species	Medium 1-50 Density Medium 81-110 Density	N/A Avg. Height 5 - 10 feet N/A Avg. Height	Size Tall Shrub	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs to be harvested soon to prevent the loss of timber products and to allow
No 56	Canopy Species Balsam Fir White Spruce Hemlock Red Maple White Pine rthern White Cedar White Pine 6115 - Lo Canopy Species Balsam Fir rthern White Cedar Green Ash	% Cover 5 10 8 25 30 20 2 2 2 2 5 5 2 65 65	Size Class Sapling Sapling Log/Pole Sapling Sapling Log/Pole Log/XLog Size Class Pole/Log/Sap Log/Pole Log/Pole	DBH 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 Age 5 5 100 5 20 100 100 20 20 100 20 20 20 20 20 20 20 20 20 20 20 20 2	Sub-Ca Blackbe	20 Inopy Species erry/Raspberry 99 Inopy Species	Medium 1-50 Density Medium 81-110 Density	N/A Avg. Height 5 - 10 feet N/A Avg. Height	Size Tall Shrub	was retained, along with some pine and spruce seed trees. The stand was previously thinned in 2004 on contract 044-01-01. The stand is regenerating, but will take more time to fill in. The residual cedar is dying out of the stand. About 70% of the stand is upland, except in the central and southern portions. Good quality green ash stand, that is ready to be harvested. The emerald ash borer is present and is causing dieback. This stand needs to be harvested soon to prevent the loss of timber products and to allow



Stand	7.		ensity	Acres	Stand Age B	A Range	Managed :	Site	General Comments		
57	4136 - Aspen, Mixed Conifer Sapling Well Canopy Species % Cover Size Class DBH Age					29.6	15	1-50	N/A		Stand was clearcut in 2009 on contract 024-06-01. Stand has
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	regenerated well with aspen, with some mature spruce and cedar scattered throughout the stand.
	Quaking Aspen	75	Sapling	3	15	Ta	ag Alder	Medium	5 - 10 feet	Tall Shrub	osano osa unosagnos uno otana.
	White Spruce	10	Log/Pole/Sap	10	99		Beech	Low	5 - 10 feet	Sapling	
	Balsam Fir	5	Sapling/Pole	3	40						
No	rthern White Cedar	5	Log/Pole	10	99						
	Green Ash	5	Sapling/Pole	2	40						
58	6229 - Mixed	lowland sl	hrub	Nonst	ocked	8.1	0 U	Inspecified	613 - Lowland M	lixed Forest	Stand was clearcut in 2019 on contract 33-034-16. The cedar was retained, but most has blown over or died since the harvest. There is
							nopy Species		Avg. Height	Size	very little regeneration, deer have browsed and killed almost all of the red
						Northern	n White Cedar	Low	>20 feet	Pole	maple and ash stump sprouts. The stand is too wet to try and scarify it, to improve the regeneration.
59	4139 - Aspen, I			Saplin		4.7		Immature	N/A		Stand was clearcut in 2019 on contract 33-034-16. The stand has regenerated well with aspen and balm and the edges that are slightly
	Canopy Species		Size Class		l Age		nopy Species		Avg. Height	Size	wetter have spruce/fir seeding in.
	Balsam Poplar	45	Sapling	1	5	Blackbe	erry/Raspberry	Low	5 - 10 feet	Tall Shrub	
	Quaking Aspen	50	Sapling	1	5						
	Balsam Fir	5	Sapling	1	5						
60	4113 - R.M	aple, Conit	fer S	awtimb	er Wel	54.5	108	111-140	N/A		Mature red maple stand with a dense understory of conifer regeneration.
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	The maple along with all other species are ready to be harvested. The red maple has lots of defect and decline due to its age, so thinning is no
	Balsam Fir	2	Pole/Sap/Log	7			Beech	Low	10 - 20 feet	Sapling	longer an effective treatment. This stand was last thinned in 1995 on
	Black Spruce	3	Pole/Sap/Log	7	108	Ва	ılsam Fir	Medium	10 - 20 feet	Sapling	contract 051-92-01. The southwestern quarter of the stand has a few
No	rthern White Cedar	3	Log/Pole	13	108	Whi	te Spruce	Medium	10 - 20 feet	Sapling	lowland ash drains running through it. Seed tree harvest this stand, leaving a mix of species. This will allow the advanced regeneration to be
	White Pine	3	Log/Pole	12	108	W	hite Pine	Medium	10 - 20 feet	Sapling	released and the stand will be open enough to allow the hardwoods to
	Sugar Maple	2	Log/Pole	13	108						stump sprout.
	Hemlock	10	Log/Pole	14	108						
	Black Ash	5	Pole/Log	8	108						
	Paper Birch	2	Pole/Log	8	108						
	Red Maple	65	Log/Pole	12	108						
	Green Ash	5	Log/Pole	11	108						

Report 7 – Stands



Compartment: 51

Year of Entry: 2026

Stand	Level 4 Co	over Type		Size D	ensity	Acres	Stand Age I	BA Range	Managed S	Site	General Comments
61	4199 - Other Mixe	d Upland D	Deciduous	Saplin	g Well	5.5	15	1-50	N/A		Stand was shelterwood cut in 2009 on contract 024-06-01. Some
	Canopy Species	% Cover	Size Class	DBI	H Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	residual maple, ash, and conifers were retained, equaling about 20 basal area. The stand has regenerated well well with a mix of maple, ash,
	Green Ash	16	Sapling	2	15	T	ag Alder	Medium	5 - 10 feet	Tall Shrub	balm, aspen, and spruce/fir. Quite a few of the residual stems have died
	Red Maple	2	Log	10	107						or have blown over since the harvest.
	Red Maple	30	Sapling	2	15						
	Green Ash	2	Log	10	107						
	Balsam Poplar	15	Sapling	2	15						
	White Spruce	5	Sapling	2	15						
	Balsam Fir	5	Sapling	2	15						
(Quaking Aspen	25	Sapling	2	15						